
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2024145/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Alcohol intake and total mortality in 142 960 individuals from the MORGAM Project: a populationâ€based study. Addiction, 2022, 117, 312-325.	1.7	22
2	Chronic kidney disease and risk of atrial fibrillation and heart failure in general populationâ€based cohorts: the BiomarCaRE project. ESC Heart Failure, 2022, 9, 57-65.	1.4	12
3	Fasting Câ€peptide at type 2 diabetes diagnosis is an independent risk factor for total and cancer mortality. Diabetes/Metabolism Research and Reviews, 2022, 38, e3512.	1.7	3
4	Validation of the Swedish National Inpatient Register for the diagnosis of pulmonary embolism in 2005. Pulmonary Circulation, 2022, 12, e12037.	0.8	4
5	Simple cardiovascular risk stratification by replacing total serum cholesterol with anthropometric measures: The MORGAM prospective cohort project. Preventive Medicine Reports, 2022, 26, 101700.	0.8	4
6	Physical Activity in Late Middle- to Older-Aged People and Dementia, Cognitive, and Physical Function Two Decades Later. Dementia and Geriatric Cognitive Disorders, 2022, 51, 135-141.	0.7	3
7	Survival after surgery of the ascending aorta: a matched cohort study. European Journal of Cardio-thoracic Surgery, 2022, 62, .	0.6	2
8	Risk Factors, Subsequent Disease Onset, and Prognostic Impact of Myocardial Infarction and Atrial Fibrillation. Journal of the American Heart Association, 2022, 11, e024299.	1.6	8
9	Influence of geographical latitude on vitamin D status: cross-sectional results from the BiomarCaRE consortium. British Journal of Nutrition, 2022, 128, 2208-2218.	1.2	4
10	Systematic Coronary Risk Evaluation estimated risk and prevalent subclinical atherosclerosis in coronary and carotid arteries: A population-based cohort analysis from the Swedish Cardiopulmonary Bioimage Study. European Journal of Preventive Cardiology, 2021, 28, 250-259.	0.8	22
11	Risk stratification in chronic thromboembolic pulmonary hypertension predicts survival. Scandinavian Cardiovascular Journal, 2021, 55, 43-49.	0.4	21
12	Biomechanical Properties of Common Carotid Arteries Assessed by Circumferential 2D Strain and β Stiffness Index in Patients With Ankylosing Spondylitis. Journal of Rheumatology, 2021, 48, 352-360.	1.0	6
13	Longitudinal changes in risk status in pulmonary arterial hypertension. ESC Heart Failure, 2021, 8, 680-690.	1.4	8
14	Alcohol consumption, cardiac biomarkers, and risk of atrial fibrillation and adverse outcomes. European Heart Journal, 2021, 42, 1170-1177.	1.0	79
15	Prevalent diabetes and risk of total, colorectal, prostate and breast cancers in an ageing population: meta-analysis of individual participant data from cohorts of the CHANCES consortium. British Journal of Cancer, 2021, 124, 1882-1890.	2.9	13
16	Early risk prediction in idiopathic <i>versus</i> connective tissue disease-associated pulmonary arterial hypertension: call for a refined assessment. ERJ Open Research, 2021, 7, 00854-2020.	1.1	14
17	Predictive Importance of Blood Pressure Characteristics With Increasing Age in Healthy Men and Women. Hypertension, 2021, 77, 1076-1085.	1.3	8
18	Roles of allostatic load, lifestyle and clinical risk factors in mediating the association between education and coronary heart disease risk in Europe. Journal of Epidemiology and Community Health, 2021, 75, 1147-1154.	2.0	9

#	Article	IF	CITATIONS
19	Preventive interventions to reduce the burden of rheumatic heart disease in populations at risk: a systematic review protocol. Systematic Reviews, 2021, 10, 200.	2.5	3
20	Age-specific atrial fibrillation incidence, attributable risk factors and risk of stroke and mortality: results from the MORGAM Consortium. Open Heart, 2021, 8, e001624.	0.9	20
21	Mild impairment of renal function (shrunken pore syndrome) is associated with increased risk of a future first-ever myocardial infarction in women. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 438-445.	0.6	10
22	Prevalence of Subclinical Coronary Artery Atherosclerosis in the General Population. Circulation, 2021, 144, 916-929.	1.6	164
23	Natriuretic Peptides and Risk of Type 2 Diabetes: Results From the Biomarkers for Cardiovascular Risk Assessment in Europe (BiomarCaRE) Consortium. Diabetes Care, 2021, 44, 2527-2535.	4.3	7
24	Diabetes status-related differences in risk factors and mediators of heart failure in the general population: results from the MORGAM/BiomarCaRE consortium. Cardiovascular Diabetology, 2021, 20, 195.	2.7	8
25	Dyspnea after pulmonary embolism: a nationâ€wide populationâ€based case–control study. Pulmonary Circulation, 2021, 11, 1-9.	0.8	11
26	Predicting mortality during long-term follow-up in pulmonary arterial hypertension. ERJ Open Research, 2021, 7, 00837-2020.	1.1	20
27	Association of iron deficiency with incident cardiovascular diseases and mortality in the general population. ESC Heart Failure, 2021, 8, 4584-4592.	1.4	13
28	Smoking tobacco is associated with renal hyperfiltration. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 622-628.	0.6	6
29	The impact of community-based prevention on quality of life-The necessity to control for general health trends the Northern Sweden MONICA study in 2014. PLoS ONE, 2021, 16, e0256872.	1.1	Ο
30	Association of cardiometabolic risk factors with hospitalisation or death due to COVID-19: population-based cohort study in Sweden (SCAPIS). BMJ Open, 2021, 11, e051359.	0.8	3
31	Association of glycated hemoglobin A1c levels with cardiovascular outcomes in the general population: results from the BiomarCaRE (Biomarker for Cardiovascular Risk Assessment in Europe) consortium. Cardiovascular Diabetology, 2021, 20, 223.	2.7	20
32	The impact of community-based prevention on quality of life—The necessity to control for general health trends the Northern Sweden MONICA study in 2014. PLoS ONE, 2021, 16, e0256872.	1.1	0
33	Association of cardiometabolic risk factors with hospitalisation or death due to COVID-19: population-based cohort study in Sweden (SCAPIS). BMJ Open, 2021, 11, e051359.	0.8	9
34	Weight gain and blood pressure. Journal of Hypertension, 2020, 38, 387-394.	0.3	7
35	Time trends of vitamin D concentrations in northern Sweden between 1986 and 2014: a population-based cross-sectional study. European Journal of Nutrition, 2020, 59, 3037-3044.	1.8	6
36	Temporal relations between atrial fibrillation and ischaemic stroke and their prognostic impact on mortality. Europace, 2020, 22, 522-529.	0.7	11

#	Article	IF	CITATIONS
37	Poor outcome of patients with pulmonary arterial hypertension with insufficient response to phosphodiesteraseâ€5Âinhibitors alone or in combination with other specific therapy: a registryâ€based study. Pulmonary Circulation, 2020, 10, 1-9.	0.8	0
38	High frequency of intermediary alleles in the HTT gene in Northern Sweden - The Swedish Huntingtin Alleles and Phenotype (SHAPE) study. Scientific Reports, 2020, 10, 9853.	1.6	5
39	Contribution of cystatin C- and creatinine-based definitions of chronic kidney disease to cardiovascular risk assessment in 20 population-based and 3 disease cohorts: the BiomarCaRE project. BMC Medicine, 2020, 18, 300.	2.3	38
40	Levels of mannose-binding lectin (MBL) associates with sepsis-related in-hospital mortality in women. Journal of Inflammation, 2020, 17, 28.	1.5	10
41	Cardiac Troponin I and Incident Stroke in European Cohorts. Stroke, 2020, 51, 2770-2777.	1.0	9
42	A Body Shape Index (ABSI) achieves better mortality risk stratification than alternative indices of abdominal obesity: results from a large European cohort. Scientific Reports, 2020, 10, 14541.	1.6	84
43	Decomposing the educational gradient in allostatic load across European populations. What matters the most: differentials in exposure or in susceptibility?. Journal of Epidemiology and Community Health, 2020, 74, jech-2020-213946.	2.0	4
44	Phosphatidylethanol Levels, As a Marker of Alcohol Consumption, Are Associated With Risk of Intracerebral Hemorrhage. Stroke, 2020, 51, 2148-2152.	1.0	11
45	Leptin levels are not affected by enalapril treatment after an uncomplicated myocardial infarction, but associate strongly with changes in fibrinolytic variables in men. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 303-308.	0.6	0
46	High-Sensitivity Cardiac Troponin I Levels and Prediction of HeartÂFailure. JACC: Heart Failure, 2020, 8, 401-411.	1.9	26
47	Combined Influence of Waist and Hip Circumference on Risk of Death in a Large Cohort of European and Australian Adults. Journal of the American Heart Association, 2020, 9, e015189.	1.6	12
48	Comparison of Cardiovascular Risk Factors in European Population Cohorts for Predicting Atrial Fibrillation and Heart Failure, Their Subsequent Onset, and Death. Journal of the American Heart Association, 2020, 9, e015218.	1.6	13
49	Association of <i>FADS1/2</i> Locus Variants and Polyunsaturated Fatty Acids With Aortic Stenosis. JAMA Cardiology, 2020, 5, 694.	3.0	32
50	Does Estimated Pulse Wave Velocity Add Prognostic Information?. Hypertension, 2020, 75, 1420-1428.	1.3	41
51	Troponin T but not C reactive protein is associated with future surgery for aortic stenosis: a population-based nested case-referent study. Open Heart, 2020, 7, e001325.	0.9	5
52	Risk factors for subarachnoid haemorrhage: a nationwide cohort of 950Â000 adults. International Journal of Epidemiology, 2019, 48, 2018-2025.	0.9	21
53	Application of High-Sensitivity Troponin in Suspected Myocardial Infarction. New England Journal of Medicine, 2019, 380, 2529-2540.	13.9	230
54	Mild impairment of renal function (shrunken pore syndrome) is associated with increased risk for future surgery for aortic stenosis. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 524-530.	0.6	12

#	Article	IF	CITATIONS
55	The association of body mass index, weight gain and central obesity with activity-related breathlessness: the Swedish Cardiopulmonary Bioimage Study. Thorax, 2019, 74, 958-964.	2.7	21
56	Rationale for a Swedish cohort consortium. Upsala Journal of Medical Sciences, 2019, 124, 21-28.	0.4	3
57	Arterial hypertension and diastolic blood pressure associate with aortic stenosis. Scandinavian Cardiovascular Journal, 2019, 53, 91-97.	0.4	6
58	NT-proBNP (N-Terminal Pro-B-Type Natriuretic Peptide) and the Risk of Stroke. Stroke, 2019, 50, 610-617.	1.0	41
59	Sex-Specific Epidemiology of Heart Failure Risk and Mortality in Europe. JACC: Heart Failure, 2019, 7, 204-213.	1.9	54
60	SAT0325â€REDUCED STRAIN AND INCREASED STIFFNESS OF COMMON CAROTID ARTERIES IN PATIENTS WIT⊢ ANKYLOSING SPONDYLITIS. , 2019, , .	I	0
61	Application of non-HDL cholesterol for population-based cardiovascular risk stratification: results from the Multinational Cardiovascular Risk Consortium. Lancet, The, 2019, 394, 2173-2183.	6.3	177
62	On the association between body fat and left ventricular mass. Journal of Hypertension, 2019, 37, 1699-1704.	0.3	3
63	Can Doppler echocardiography estimate raised pulmonary capillary wedge pressure provoked by passive leg lifting in suspected heart failure?. Clinical Physiology and Functional Imaging, 2019, 39, 128-134.	0.5	7
64	Morning plasma cortisol as a cardiovascular risk factor: findings from prospective cohort and Mendelian randomization studies. European Journal of Endocrinology, 2019, 181, 429-438.	1.9	55
65	Association between type 2 diabetes mellitus and disability: What is the contribution of diabetes risk factors and diabetes complications?. Journal of Diabetes, 2018, 10, 744-752.	0.8	23
66	Proteomic Biomarkers for Incident Aortic Stenosis Requiring Valvular Replacement. Circulation, 2018, 138, 590-599.	1.6	24
67	Levels of soluble tumor necrosis factor receptor 1 and 2, gender, and risk of myocardial infarction in Northern Sweden. Atherosclerosis, 2018, 272, 41-46.	0.4	14
68	A comprehensive risk stratification at early follow-up determines prognosis in pulmonary arterial hypertension. European Heart Journal, 2018, 39, 4175-4181.	1.0	389
69	The association between circulating endostatin levels and incident myocardial infarction. Scandinavian Cardiovascular Journal, 2018, 52, 315-319.	0.4	5
70	Comparison of trends in cardiovascular risk factors between two regions with and without a community and primary care prevention programme. European Journal of Preventive Cardiology, 2018, 25, 1765-1772.	0.8	20
71	Elevated levels of insulin-like growth factor-binding protein 1 predict outcome after acute myocardial infarction: A long-term follow-up of the glucose tolerance in patients with acute myocardial infarction (GAMI) cohort. Diabetes and Vascular Disease Research, 2018, 15, 387-395.	0.9	6
72	Predictors of Hypertension in Mauritians with Normotension and Prehypertension at Baseline: A Cohort Study. International Journal of Environmental Research and Public Health, 2018, 15, 1394.	1.2	3

#	Article	IF	CITATIONS
73	Clinical and immunological characteristics of Autoimmune Addison's disease: a nationwide Swedish multicenter study Journal of Clinical Endocrinology and Metabolism, 2017, 102, jc.2016-2522.	1.8	62
74	Right and left heart dysfunction predict mortality in pulmonary hypertension. Clinical Physiology and Functional Imaging, 2017, 37, 45-51.	0.5	14
75	Factor XII as a Risk Marker for Hemorrhagic Stroke: A Prospective Cohort Study. Cerebrovascular Diseases Extra, 2017, 7, 84-94.	0.5	12
76	Incidence of acute pulmonary embolism, related comorbidities and survival; analysis of a Swedish national cohort. BMC Cardiovascular Disorders, 2017, 17, 155.	0.7	33
77	Traditional Cardiovascular Risk Factors and Their Relation to Future Surgery for Valvular Heart Disease or Ascending Aortic Disease: AÂCase–Referent Study. Journal of the American Heart Association, 2017, 6, .	1.6	26
78	Elevated levels of adipokines predict outcome after acute myocardial infarction: A long-term follow-up of the Glucose Tolerance in Patients with Acute Myocardial Infarction cohort. Diabetes and Vascular Disease Research, 2017, 14, 77-87.	0.9	19
79	An evaluation of the performance of SCORE Sweden 2015 in estimating cardiovascular risk. European Journal of Preventive Cardiology, 2017, 24, 103-110.	0.8	28
80	Determinants of social inequalities in stroke incidence across Europe: a collaborative analysis of 126 635 individuals from 48 cohort studies. Journal of Epidemiology and Community Health, 2017, 71, jech-2017-209728.	2.0	20
81	Sex Differences and Similarities in Atrial Fibrillation Epidemiology, Risk Factors, and Mortality in Community Cohorts. Circulation, 2017, 136, 1588-1597.	1.6	307
82	Time trends and socioeconomic differences in blood pressure levels: The Northern Sweden MONICA study 1994–2014. European Journal of Preventive Cardiology, 2017, 24, 1473-1481.	0.8	17
83	Combined effect of educational status and cardiovascular risk factors on the incidence of coronary heart disease and stroke in European cohorts: Implications for prevention. European Journal of Preventive Cardiology, 2017, 24, 437-445.	0.8	45
84	Diabetes mellitus prevalence is increasing in <scp>S</scp> outh <scp>A</scp> sians but is stable in <scp>C</scp> hinese living in <scp>S</scp> ingapore and <scp>M</scp> auritius. Journal of Diabetes, 2017, 9, 855-864.	0.8	8
85	Lipoprotein(a) and the Apolipoprotein B/A1 Ratio Independently Associate With Surgery for Aortic Stenosis Only in Patients With Concomitant Coronary Artery Disease. Journal of the American Heart Association, 2017, 6, .	1.6	23
86	Leptin independently predicts development of sepsis and its outcome. Journal of Inflammation, 2017, 14, 19.	1.5	17
87	Leptin levels after subarachnoid haemorrhage are gender dependent. SpringerPlus, 2016, 5, 667.	1.2	1
88	Quantification of the smoking-associated cancer risk with rate advancement periods: meta-analysis of individual participant data from cohorts of the CHANCES consortium. BMC Medicine, 2016, 14, 62.	2.3	110
89	Association of Right Atrial Mechanics with Hemodynamics and Physical Capacity in Patients with Idiopathic Pulmonary Arterial Hypertension: Insight from a Singleâ€Center Cohort in Northern Sweden. Echocardiography, 2016, 33, 46-56.	0.3	20
90	Educational class inequalities in the incidence of coronary heart disease in Europe. Heart, 2016, 102, 958-965.	1.2	60

#	Article	IF	CITATIONS
91	Greater decreases in cholesterol levels among individuals with high cardiovascular risk than among the general population: the northern Sweden MONICA study 1994 to 2014. European Heart Journal, 2016, 37, 1985-1992.	1.0	30
92	Genome-wide meta-analysis uncovers novel loci influencing circulating leptin levels. Nature Communications, 2016, 7, 10494.	5.8	153
93	Coronary calcification with no flow limiting lesions: A potential cause for ischaemic dysfunction in syndrome X patients. IJC Heart and Vasculature, 2015, 9, 109-114.	0.6	1
94	Concurrent and predictive validity of physical activity measurement items commonly used in clinical settings– data from SCAPIS pilot study. BMC Public Health, 2015, 15, 978.	1.2	37
95	Acute Systemic Inflammation is Unlikely to Affect Adiponectin and Leptin Synthesis in Humans. Frontiers in Cardiovascular Medicine, 2015, 2, 7.	1.1	7
96	Plasma IL-5 concentration and subclinical carotid atherosclerosis. Atherosclerosis, 2015, 239, 125-130.	0.4	36
97	The performance of diabetes risk prediction models in new populations: the role of ethnicity of the development cohort. Acta Diabetologica, 2015, 52, 91-101.	1.2	12
98	Increase in the Prevalence of Atrophic Gastritis Among Adults Age 35 to 44 Years Old in Northern Sweden Between 1990 andÂ2009. Clinical Gastroenterology and Hepatology, 2015, 13, 1592-1600.e1.	2.4	56
99	Improved metabolic health among the obese in six population surveys 1986 to 2009: the Northern Sweden MONICA study. BMC Obesity, 2015, 2, 7.	3.1	13
100	Effects of levosimendan on heart failure in normotensive patients: Does loading dose matter?. Acute Cardiac Care, 2015, 17, 14-19.	0.2	1
101	Sexâ€Specific Effects of Adiponectin on Carotid Intimaâ€Media Thickness and Incident Cardiovascular Disease. Journal of the American Heart Association, 2015, 4, e001853.	1.6	33
102	Smoking and All-cause Mortality in Older Adults. American Journal of Preventive Medicine, 2015, 49, e53-e63.	1.6	60
103	Impact of Age and Gender on the Prevalence and Prognostic Importance of the Metabolic Syndrome and Its Components in Europeans. The MORGAM Prospective Cohort Project. PLoS ONE, 2014, 9, e107294.	1.1	117
104	Obesity attenuates gender differences in cardiovascular mortality. Cardiovascular Diabetology, 2014, 13, 144.	2.7	33
105	The contribution of educational class in improving accuracy of cardiovascular risk prediction across European regions: The MORGAM Project Cohort Component. Heart, 2014, 100, 1179-1187.	1.2	22
106	Global and Regional Right Ventricular Dysfunction in Pulmonary Hypertension. Echocardiography, 2014, 31, 164-171.	0.3	14
107	Do other cardiovascular risk factors influence the impact of age on the association between blood pressure and mortality? The MORGAM Project. Journal of Hypertension, 2014, 32, 1025-1033.	0.3	12
108	Crossâ€sectional associations of objectively measured physical activity, cardiorespiratory fitness and anthropometry in European adults. Obesity, 2014, 22, E127-34.	1.5	20

#	Article	IF	CITATIONS
109	Fat Mass and Obesity-Associated Gene (<i>FTO</i>) Is Linked to Higher Plasma Levels of the Hunger Hormone Ghrelin and Lower Serum Levels of the Satiety Hormone Leptin in Older Adults. Diabetes, 2014, 63, 3955-3959.	0.3	42
110	Bisphenol A is related to circulating levels of adiponectin, leptin and ghrelin, but not to fat mass or fat distribution in humans. Chemosphere, 2014, 112, 42-48.	4.2	62
111	Oxidative stress and inflammatory markers in relation to circulating levels of adiponectin. Obesity, 2013, 21, 1467-1473.	1.5	33
112	Glucose-Independent Ethnic Differences in HbA1c in People Without Known Diabetes. Diabetes Care, 2013, 36, 1534-1540.	4.3	26
113	Leptin and endothelial function in the elderly: The Prospective Investigation of the Vasculature in Uppsala Seniors (PIVUS) study. Atherosclerosis, 2013, 228, 485-490.	0.4	39
114	Pulmonary artery acceleration time in identifying pulmonary hypertension patients with raised pulmonary vascular resistance. European Heart Journal Cardiovascular Imaging, 2013, 14, 890-897.	0.5	53
115	Altered Nitric Oxide Bioavailability Contributes to Diesel Exhaust Inhalationâ€Induced Cardiovascular Dysfunction in Man. Journal of the American Heart Association, 2013, 2, e004309.	1.6	59
116	The influence of hip circumference on the relationship between abdominal obesity and mortality. International Journal of Epidemiology, 2012, 41, 484-494.	0.9	85
117	The Impact of Leptin and Adiponectin on Incident Type 2 Diabetes Is Modified by Sex and Insulin Resistance. Metabolic Syndrome and Related Disorders, 2012, 10, 143-151.	0.5	33
118	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. Cancer Research, 2012, 72, 5328-5337.	0.4	65
119	Explaining the Increase of Diabetes Prevalence and Plasma Glucose in Mauritius. Diabetes Care, 2012, 35, 87-91.	4.3	36
120	How to diagnose and classify diabetes in primary health care: Lessons learned from the Diabetes Register in Northern Sweden (DiabNorth). Scandinavian Journal of Primary Health Care, 2012, 30, 81-87.	0.6	26
121	All ause cancer mortality over 15 years in multiâ€ethnic Mauritius: The impact of diabetes and intermediate forms of glucose tolerance. International Journal of Cancer, 2012, 131, 2385-2393.	2.3	8
122	The impact of dyslipidaemia on incidence of coronary heart disease in Finns and Swedes with different categories of glucose tolerance. Diabetes Research and Clinical Practice, 2011, 91, 406-412.	1.1	5
123	Diesel exhaust inhalation does not affect heart rhythm or heart rate variability. Heart, 2011, 97, 544-550.	1.2	66
124	Echocardiography based estimation of pulmonary vascular resistance in patients with pulmonary hypertension: a simultaneous Doppler echocardiography and cardiac catheterization study. European Journal of Echocardiography, 2011, 12, 961-966.	2.3	57
125	Impaired vascular function after exposure to diesel exhaust generated at urban transient running conditions. Particle and Fibre Toxicology, 2010, 7, 19.	2.8	99
126	The Difference between Acute Coronary Heart Disease and Ischaemic Stroke Risk with Regard to Gender and Age in Finnish and Swedish Populations. International Journal of Stroke, 2010, 5, 152-156.	2.9	23

#	Article	IF	CITATIONS
127	Mortality, All-Cause and Cardiovascular Disease, Over 15 Years in Multiethnic Mauritius. Diabetes Care, 2010, 33, 1983-1989.	4.3	26
128	Cardiovascular Disease Mortality in Europeans in Relation to Fasting and 2-h Plasma Glucose Levels Within a Normoglycemic Range. Diabetes Care, 2010, 33, 2211-2216.	4.3	111
129	Adiponectin and cardiac geometry and function in elderly: results from two community-based cohort studies. European Journal of Endocrinology, 2010, 162, 543-550.	1.9	16
130	Distinct Ethnic Differences in Lipid Profiles across Glucose Categories. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 1793-1801.	1.8	30
131	Associations of Circulating Adiponectin with Measures of Vascular Function and Morphology. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 2927-2934.	1.8	15
132	Exposure to nitrogen dioxide is not associated with vascular dysfunction in man. Inhalation Toxicology, 2010, 22, 192-198.	0.8	55
133	A randomized lifestyle intervention with 5-year follow-up in subjects with impaired glucose tolerance: Pronounced short-term impact but long-term adherence problems. Scandinavian Journal of Public Health, 2009, 37, 434-442.	1.2	66
134	The impact of diabetes on coronary heart disease differs from that on ischaemic stroke with regard to the gender. Cardiovascular Diabetology, 2009, 8, 17.	2.7	25
135	BMI Compared With Central Obesity Indicators as a Predictor of Diabetes Incidence in Mauritius. Obesity, 2009, 17, 342-348.	1.5	54
136	Long-term follow-up of mitral valve regurgitation—Importance of mitral valve pathology and left ventricular function on survival. International Journal of Cardiology, 2009, 137, 145-150.	0.8	7
137	Central Obesity as a Precursor to the Metabolic Syndrome in the AusDiab Study and Mauritius. Obesity, 2008, 16, 2707-2716.	1.5	94
138	Trends in Obesity and Its Distribution: Data From the Northern Sweden MONICA Survey, 1986–2004. Obesity, 2008, 16, 1120-1128.	1.5	39
139	Improved fibrinolytic activity during exercise may be an effect of the adipocyte-derived hormones leptin and adiponectin. Thrombosis Research, 2008, 122, 701-708.	0.8	28
140	Serum uric acid and incident diabetes in Mauritian Indian and Creole populations. Diabetes Research and Clinical Practice, 2008, 80, 321-327.	1.1	37
141	Fludarabine, Cyclophosphamide and Rituximab (FCR) induced pulmonary hypertension in Waldenström macroglobulinemia. Leukemia and Lymphoma, 2008, 49, 1209-1211.	0.6	7
142	Serum Adiponectin in Elderly Men Does Not Correlate with Fracture Risk. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 4041-4047.	1.8	42
143	Serum Uric Acid and Components of the Metabolic Syndrome in Non-Diabetic Populations in Mauritian Indians and Creoles and in Chinese in Qingdao, China. Metabolic Syndrome and Related Disorders, 2008, 6, 47-57.	0.5	26
144	Comparison of body mass index with waist circumference, waist-to-hip ratio, and waist-to-stature ratio as a predictor of hypertension incidence in Mauritius. Journal of Hypertension, 2008, 26, 866-870.	0.3	59

#	Article	IF	CITATIONS
145	Sex-related differences in the associations between hyperleptinemia, insulin resistance and dysfibrinolysis. Blood Coagulation and Fibrinolysis, 2008, 19, 625-632.	0.5	8
146	Polymorphisms at the Osteoprotegerin and Interleukin-6 Genes in Relation to First-Ever Stroke. Cerebrovascular Diseases, 2007, 24, 418-425.	0.8	21
147	Air Pollution and Atherothrombosis. Inhalation Toxicology, 2007, 19, 81-89.	0.8	87
148	Persistent Endothelial Dysfunction in Humans after Diesel Exhaust Inhalation. American Journal of Respiratory and Critical Care Medicine, 2007, 176, 395-400.	2.5	334
149	Ischemic and Thrombotic Effects of Dilute Diesel-Exhaust Inhalation in Men with Coronary Heart Disease. New England Journal of Medicine, 2007, 357, 1075-1082.	13.9	578
150	Estrogen Receptor Alpha Gene Polymorphisms and First-Ever Intracerebral Hemorrhage. Cerebrovascular Diseases, 2007, 24, 500-508.	0.8	15
151	Gender-specific Links Between Hepatic 11β Reduction of Cortisone and Adipokines*. Obesity, 2007, 15, 887-894.	1.5	5
152	Intra-adipose sex steroid metabolism and body fat distribution in idiopathic human obesity. Clinical Endocrinology, 2007, 66, 440-446.	1.2	149
153	Serum Adiponectin is not Associated with Risk of Colorectal Cancer: Table 1 Cancer Epidemiology Biomarkers and Prevention, 2006, 15, 401-402.	1.1	91
154	Six year incidence and progression of diabetic retinopathy: Results from the Mauritius diabetes complication study. Diabetes Research and Clinical Practice, 2006, 73, 298-303.	1.1	39
155	Interactions between fibrinolysis, lipoproteins and leptin related to a first myocardial infarction. European Journal of Cardiovascular Prevention and Rehabilitation, 2004, 11, 33-40.	3.1	35
156	Plasma Leptin and Breast Cancer Risk: A Prospective Study in Northern Sweden. Breast Cancer Research and Treatment, 2004, 86, 191-196.	1.1	90
157	Obesity and colon cancer: Does leptin provide a link?. International Journal of Cancer, 2004, 109, 149-152.	2.3	277
158	Local and Systemic Impact of Transcriptional Up-Regulation of 11β-Hydroxysteroid Dehydrogenase Type 1 in Adipose Tissue in Human Obesity. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 3983-3988.	1.8	208
159	Cardiovascular disease and diabetes in the Northern Sweden Health and Disease Study Cohort- evaluation of risk factors and their interactions. Scandinavian Journal of Public Health, 2003, 31, 18-24.	1.2	196
160	High Leptin Levels Are Associated with Stroke. Cerebrovascular Diseases, 2003, 15, 63-69.	0.8	86
161	Plasma leptin is not associated with prostate cancer risk. Cancer Epidemiology Biomarkers and Prevention, 2003, 12, 474-5.	1.1	22
162	Prospective study of IGF-I, IGF-binding proteins, and breast cancer risk, in northern and southern Sweden. Cancer Causes and Control, 2002, 13, 307-316.	0.8	185

#	Article	IF	CITATIONS
163	Nonlinear relationship of insulin-like growth factor (IGF)-I and IGF-I/IGF-binding protein-3 ratio with indices of adiposity and plasma insulin concentrations (Sweden). Cancer Causes and Control, 2002, 13, 509-516.	0.8	70
164	Overweight is associated with lower serum leptin in Peruvian Indian than in Caucasian women: A dissociation contributing to low blood pressure?. Metabolism: Clinical and Experimental, 2001, 50, 325-329.	1.5	22
165	Tissue-Specific Dysregulation of Cortisol Metabolism in Human Obesity. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 1418-1421.	1.8	584
166	Leptin Concentrations Are Increased in Subjects Treated With Clozapine or Conventional Antipsychotics. Journal of Clinical Psychiatry, 2001, 62, 843-848.	1.1	66
167	High Prevalence of <i>Chlamydia pneumoniae</i> DNA in Peripheral Blood Mononuclear Cells in Patients with Cardiovascular Disease and in Middleâ€Aged Blood Donors. Journal of Infectious Diseases, 1998, 178, 274-277.	1.9	223
168	Prevalence of HIV-1 infection in rural, semi-urban and urban villages in southwest Tanzania. Aids, 1994, 8, 971-976.	1.0	13
169	Plasma leptin and colorectal cancer risk: A prospective study in Northern Sweden. Oncology Reports, 0,	1.2	58