Svetlana Dubiley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2024328/publications.pdf

Version: 2024-02-01

840776 888059 19 314 11 17 citations h-index g-index papers 22 22 22 311 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	An Interplay between Viruses and Bacteria Associated with the White Sea Sponges Revealed by Metagenomics. Life, 2022, 12, 25.	2.4	3
2	S51 Family Peptidases Provide Resistance to Peptidyl-Nucleotide Antibiotic McC. MBio, 2022, 13, e0080522.	4.1	0
3	GNATÂtoxins evolve toward narrow tRNA target specificities. Nucleic Acids Research, 2022, 50, 5807-5817.	14.5	2
4	Cell-Free Mutant Analysis Combined with Structure Prediction of a Lasso Peptide Biosynthetic Protease B2. ACS Synthetic Biology, 2022, 11, 2022-2028.	3.8	8
5	Natural Trojan horse inhibitors of aminoacyl-tRNA synthetases. RSC Chemical Biology, 2021, 2, 468-485.	4.1	22
6	Identification and characterization of andalusicin: N-terminally dimethylated class III lantibiotic from Bacillus thuringiensis sv. andalousiensis. IScience, 2021, 24, 102480.	4.1	18
7	Pentapeptide repeat protein QnrB1 requires ATP hydrolysis to rejuvenate poisoned gyrase complexes. Nucleic Acids Research, 2021, 49, 1581-1596.	14.5	7
8	Mechanism of translation inhibition by type II GNAT toxin AtaT2. Nucleic Acids Research, 2020, 48, 8617-8625.	14.5	11
9	Histidine-Triad Hydrolases Provide Resistance to Peptide-Nucleotide Antibiotics. MBio, 2020, 11, .	4.1	5
10	Efficient <i>in vivo</i> synthesis of lasso peptide pseudomycoidin proceeds in the absence of both the leader and the leader peptidase. Chemical Science, 2019, 10, 9699-9707.	7.4	25
11	Biosynthesis of the RiPP trojan horse nucleotide antibiotic microcin C is directed by the <i>N</i> -formyl of the peptide precursor. Chemical Science, 2019, 10, 2391-2395.	7.4	16
12	Structural Basis of Leader Peptide Recognition in Lasso Peptide Biosynthesis Pathway. ACS Chemical Biology, 2019, 14, 1619-1627.	3.4	40
13	Reiterative Synthesis by the Ribosome and Recognition of the N-Terminal Formyl Group by Biosynthetic Machinery Contribute to Evolutionary Conservation of the Length of Antibiotic Microcin C Peptide Precursor. MBio, 2019, 10, .	4.1	6
14	Escherichia coli ItaT is a type II toxin that inhibits translation by acetylating isoleucyl-tRNAlle. Nucleic Acids Research, 2018, 46, 7873-7885.	14.5	31
15	The Product of <i>Yersinia pseudotuberculosis mcc</i> Operon Is a Peptide-Cytidine Antibiotic Activated Inside Producing Cells by the TldD/E Protease. Journal of the American Chemical Society, 2017, 139, 16178-16187.	13.7	27
16	A Trojan-Horse Peptide-Carboxymethyl-Cytidine Antibiotic from <i>Bacillus amyloliquefaciens</i> Journal of the American Chemical Society, 2016, 138, 15690-15698.	13.7	27
17	Enzymatic Synthesis and Functional Characterization of Bioactive Microcin C-Like Compounds with Altered Peptide Sequence and Length. Journal of Bacteriology, 2015, 197, 3133-3141.	2.2	14
18	Enzymatic Synthesis of Bioinformatically Predicted Microcin C-Like Compounds Encoded by Diverse Bacteria. MBio, 2014, 5, e01059-14.	4.1	24

#	Article	IF	CITATIONS
19	The Molecular Mechanism of Aminopropylation of Peptide-Nucleotide Antibiotic Microcin C. Journal of the American Chemical Society, 2014, 136, 11168-11175.	13.7	26