

Nicholas A Everett

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2024841/publications.pdf>

Version: 2024-02-01

16
papers

379
citations

933264

10
h-index

940416

16
g-index

17
all docs

17
docs citations

17
times ranked

427
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of adolescent social isolation on vulnerability for methamphetamine addiction behaviours in female rats. <i>Psychopharmacology</i> , 2022, 239, 1129-1141.	1.5	1
2	Cannabidiol but not cannabidiolic acid reduces behavioural sensitisation to methamphetamine in rats, at pharmacologically effective doses. <i>Psychopharmacology</i> , 2022, 239, 1593-1603.	1.5	2
3	Oxytocin as an adolescent treatment for methamphetamine addiction after early life stress in male and female rats. <i>Neuropsychopharmacology</i> , 2022, 47, 1561-1573.	2.8	5
4	The vagus nerve mediates the suppressing effects of peripherally administered oxytocin on methamphetamine self-administration and seeking in rats. <i>Neuropsychopharmacology</i> , 2021, 46, 297-304.	2.8	37
5	Adolescent oxytocin administration reduces depression-like behaviour induced by early life stress in adult male and female rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110279.	2.5	9
6	The impact of early life stress on the central oxytocin system and susceptibility for drug addiction: Applicability of oxytocin as a pharmacotherapy. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 110, 114-132.	2.9	34
7	The effect of chronic oxytocin treatment during abstinence from methamphetamine self-administration on incubation of craving, reinstatement, and anxiety. <i>Neuropsychopharmacology</i> , 2020, 45, 597-605.	2.8	31
8	Sign tracking predicts cue-induced but not drug-primed reinstatement to methamphetamine seeking in rats: Effects of oxytocin treatment. <i>Journal of Psychopharmacology</i> , 2020, 34, 1271-1279.	2.0	16
9	Differential effects of GABAA receptor activation in the prelimbic and orbitofrontal cortices on anxiety. <i>Psychopharmacology</i> , 2020, 237, 3237-3247.	1.5	8
10	A Piriform-Orbitofrontal Cortex Pathway Drives Relapse to Fentanyl-Seeking after Voluntary Abstinence. <i>Journal of Neuroscience</i> , 2020, 40, 8208-8210.	1.7	2
11	Maternal separation changes maternal care, anxiety-like behaviour and expression of paraventricular oxytocin and corticotrophin-releasing factor immunoreactivity in lactating rats. <i>Journal of Neuroendocrinology</i> , 2020, 32, e12861.	1.2	21
12	Oxytocin treatment in the prelimbic cortex reduces relapse to methamphetamine-seeking and is associated with reduced activity in the rostral nucleus accumbens core. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 183, 64-71.	1.3	17
13	The role of the vasopressin V1A receptor in oxytocin modulation of methamphetamine primed reinstatement. <i>Neuropharmacology</i> , 2018, 133, 1-11.	2.0	37
14	Cannabidiol treatment reduces the motivation to self-administer methamphetamine and methamphetamine-primed relapse in rats. <i>Journal of Psychopharmacology</i> , 2018, 32, 1369-1378.	2.0	56
15	Oxytocin in the nucleus accumbens core reduces reinstatement of methamphetamine-seeking behaviour in rats. <i>Addiction Biology</i> , 2016, 21, 316-325.	1.4	69
16	The Involvement of Oxytocin in the Subthalamic Nucleus on Relapse to Methamphetamine-Seeking Behaviour. <i>PLoS ONE</i> , 2015, 10, e0136132.	1.1	33