Luis Cunha-Silva

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2026028/luis-cunha-silva-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167 36 3,993 54 h-index g-index citations papers 175 4,443 4.2 5.42 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
167	Dichloro and dimethyl dioxomolybdenum(VI)-bipyridine complexes as catalysts for oxidative desulfurization of dibenzothiophene derivatives under extractive conditions. <i>Journal of Organometallic Chemistry</i> , 2022 , 967, 122336	2.3	1
166	Reversible Protonation of Porphyrinic Metal-Organic Frameworks Embedded in Nanoporous Polydimethylsiloxane for Colorimetric Sensing. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2001759	4.6	4
165	Membrane-Supported Layered Coordination Polymer as an Advanced Sustainable Catalyst for Desulfurization. <i>Molecules</i> , 2021 , 26,	4.8	1
164	Multidimensional Ln-Aminophthalate Photoluminescent Coordination Polymers. <i>Materials</i> , 2021 , 14,	3.5	1
163	Removing Simultaneously Sulfur and Nitrogen from Fuel under a Sustainable Oxidative Catalytic System. <i>Sustainable Chemistry</i> , 2021 , 2, 382-391	3.6	2
162	A silicododecamolybdate/pyridinium-tetrazole hybrid molecular salt as a catalyst for the epoxidation of bio-derived olefins. <i>Inorganica Chimica Acta</i> , 2021 , 516, 120129	2.7	3
161	Synergistic combination of the nanoporous system of MOF-808 with a polyoxomolybdate to design an effective catalyst: simultaneous oxidative desulfurization and denitrogenation processes. Sustainable Energy and Fuels, 2021, 5, 4032-4040	5.8	4
160	Isomerization of glucose to fructose catalyzed by metal®rganic frameworks. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 3847-3857	5.8	6
159	Straightforward activation of metal-organic framework UiO-66 for oxidative desulfurization processes. <i>Catalysis Today</i> , 2021 , 362, 28-34	5.3	17
158	Decorating MOF-74-derived nanocarbons with a sandwich-type polyoxometalate to enhance their OER activity: Exploring the underestimated bulk-deposition approach. <i>Electrochimica Acta</i> , 2021 , 389, 138719	6.7	7
157	New classes of organic Chelate-Free coordination Polymers: An End-On Azido-Bridged Cu(II) 1-D chain composed of {Cu6(N3)12} repeating units. <i>Polyhedron</i> , 2021 , 206, 115315	2.7	1
156	Cr-based MOF/IL composites as fillers in mixed matrix membranes for CO2 separation. <i>Separation and Purification Technology</i> , 2021 , 276, 119303	8.3	10
155	Hf-Based UiO-66 as Adsorptive Compound and Oxidative Catalyst for Denitrogenation Processes. <i>Compounds</i> , 2021 , 1, 3-14		O
154	Impact of Ionic Liquid Structure and Loading on Gas Sorption and Permeation for ZIF-8-Based Composites and Mixed Matrix Membranes <i>Membranes</i> , 2021 , 12,	3.8	2
153	Advanced framework-modified POM@ZIF-67 nanocomposites as enhanced oxygen evolution reaction electrocatalysts. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 13509-13521	13	29
152	Rare Nuclearities in Ni(II) Cluster Chemistry: An Unprecedented {Ni12} Nanosized Cage from the Use of N-Naphthalidene-2-Amino-5-Chlorobenzoic Acid. <i>Inorganics</i> , 2020 , 8, 32	2.9	
151	'Metal Complexes as Ligands' for the Synthesis of Coordination Polymers: A Mn Monomer as a Building Block for the Preparation of an Unprecedented 1-D {MnMn} Linear Chain. <i>Materials</i> , 2020 , 13,	3.5	1

(2018-2020)

150	From Discrete Complexes to Metal-Organic Layered Materials: Remarkable Hydrogen Bonding Frameworks. <i>Molecules</i> , 2020 , 25,	4.8	2
149	Oxygen Evolution Reaction Electrocatalytic Improvement in [email[protected] Nanocomposites: A Bidirectional Synergistic Effect. <i>ACS Applied Energy Materials</i> , 2020 , 3, 2925-2934	6.1	26
148	A lanthanide MOF immobilized in PMMA transparent films as a selective fluorescence sensor for nitroaromatic explosive vapours. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 3626-3630	7.1	22
147	Luminescent MOF crystals embedded in PMMA/PDMS transparent films as effective NO2 gas sensors. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 1048-1056	4.6	12
146	Polyoxometalates-Based Nanocatalysts and Their Efficiency for Production of Sulfur-Free Diesel. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2020 , 92-133	0.2	
145	An Effective Hybrid Heterogeneous Catalyst to Desulfurize Diesel: Peroxotungstate@Metal-Organic Framework. <i>Molecules</i> , 2020 , 25,	4.8	7
144	A sustainable peroxophosphomolybdate/H2O2 system for the oxidative removal of organosulfur compounds from simulated and real high-sulfur diesels. <i>Applied Catalysis A: General</i> , 2020 , 589, 117154	5.1	13
143	New hydrophilic 3-hydroxy-4-pyridinone chelators with ether-derived substituents: Synthesis and evaluation of analytical performance in the determination of iron in waters. <i>Polyhedron</i> , 2019 , 160, 145-	-7576	7
142	Influence of UiO-66(Zr) Preparation Strategies in Its Catalytic Efficiency for Desulfurization Process. <i>Materials</i> , 2019 , 12,	3.5	16
141	Dichlorodioxomolybdenum(VI) complexes bearing oxygen-donor ligands as catalysts for oxidative desulfurization of simulated and real diesel. <i>Catalysis Communications</i> , 2019 , 128, 105704	3.2	8
140	Mesoporous nanosilica-supported polyoxomolybdate as catalysts for sustainable desulfurization. Microporous and Mesoporous Materials, 2019 , 275, 163-171	5.3	27
139	Synthesis of Pyridyl and N-Methylpyridinium Analogues of Rosamines: Relevance of Solvent and Charge on Their Photophysical Properties. <i>Chemistry - A European Journal</i> , 2019 , 25, 15073-15082	4.8	4
138	A hydrogen-bonded assembly of cucurbit[6]uril and [MoOCl(HO)] with catalytic efficacy for the one-pot conversion of olefins to alkoxy products. <i>Dalton Transactions</i> , 2019 , 48, 11508-11519	4.3	1
137	Multifunctionality in Two Families of Dinuclear Lanthanide(III) Complexes with a Tridentate Schiff-Base Ligand. <i>Inorganic Chemistry</i> , 2019 , 58, 9581-9585	5.1	8
136	Subppm Amine Detection via Absorption and Luminescence Turn-On Caused by Ligand Exchange in Metal Organic Frameworks. <i>Analytical Chemistry</i> , 2019 , 91, 15853-15859	7.8	20
135	Noble-Metal-Free MOF-74-Derived Nanocarbons: Insights on Metal Composition and Doping Effects on the Electrocatalytic Activity Toward Oxygen Reactions. <i>ACS Applied Energy Materials</i> , 2019 , 2, 1854-1867	6.1	37
134	Synthesis and coordination studies of 5-(4?-carboxyphenyl)-10,15,20-tris(pentafluorophenyl)porphyrin and its pyrrolidine-fused chlorin derivative. <i>New Journal of Chemistry</i> , 2018 , 42, 8169-8179	3.6	7
133	Molybdenum(0) tricarbonyl and tetracarbonyl complexes with a cationic pyrazolylpyridine ligand: synthesis, crystal structures and catalytic performance in olefin epoxidation RSC Advances, 2018, 8, 16294-16302	3.7	6

132	Efficient Oxidative Desulfurization Processes Using Polyoxomolybdate Based Catalysts. <i>Energies</i> , 2018 , 11, 1696	3.1	20
131	Heterometallic Cu/Ln cluster chemistry: ferromagnetically-coupled {CuLn} complexes exhibiting single-molecule magnetism and magnetocaloric properties. <i>Dalton Transactions</i> , 2018 , 47, 11934-11947	4.3	14
130	Synthesis and characterization of two fluorescent isophthalate rosamines: From solution to immobilization in solid substrates. <i>Dyes and Pigments</i> , 2018 , 157, 405-414	4.6	3
129	1,3-Dipolar cycloadditions with meso-tetraarylchlorins Bite selectivity and mixed bisadducts. <i>Organic Chemistry Frontiers</i> , 2017 , 4, 534-544	5.2	10
128	Large Energy Barrier and Magnetization Hysteresis at 5 K for a Symmetric {Dy} Complex with Spherical Tricapped Trigonal Prismatic Dy Ions. <i>Inorganic Chemistry</i> , 2017 , 56, 3568-3578	5.1	46
127	Exploring the diethylaminoflavylium derivatives multistate system of chemical reactions in the presence of CTAB micelles: thermodynamic reversibility achieved through different kinetic pathways. <i>RSC Advances</i> , 2017 , 7, 30469-30480	3.7	4
126	Improved catalytic performance of porous metal®rganic frameworks for the ring opening of styrene oxide. <i>CrystEngComm</i> , 2017 , 19, 4219-4226	3.3	16
125	A family of 'windmill'-like {CuLn} complexes exhibiting single-molecule magnetism behavior and large magnetic entropy changes. <i>Chemical Communications</i> , 2017 , 53, 4266-4269	5.8	33
124	Chromium(III), manganese(II) and iron(III) complexes based on hydrazone Schiff-base and azide ligands: synthesis, crystal structure and antimicrobial activity. <i>Journal of Coordination Chemistry</i> , 2017 , 70, 696-708	1.6	19
123	Structural Diversities in Heterometallic Mn-Ca Cluster Chemistry from the Use of Salicylhydroxamic Acid: {MnCa}, {MnCa}, and {MnCa} Complexes with Relevance to Both High- and Low-Valent States of the Oxygen-Evolving Complex. <i>Inorganic Chemistry</i> , 2017 , 56, 10760-10774	5.1	10
122	Catalytic performance and electrochemical behaviour of MetalBrganic frameworks: MIL-101(Fe) versus NH2-MIL-101(Fe). <i>Polyhedron</i> , 2017 , 127, 464-470	2.7	55
121	Preparation of Luminescent Metal-Organic Framework Films by Soft-Imprinting for 2,4-Dinitrotoluene Sensing. <i>Materials</i> , 2017 , 10,	3.5	21
120	Influence of a porous MOF support on the catalytic performance of Eu-polyoxometalate based materials: desulfurization of a model diesel. <i>Catalysis Science and Technology</i> , 2016 , 6, 1515-1522	5.5	79
119	"Molecular Nanoclusters": A 2-nm-Sized {Mn} Cluster with a Spherical Structure. <i>Inorganic Chemistry</i> , 2016 , 55, 12118-12121	5.1	12
118	A novel red emitting material based on polyoxometalate@periodic mesoporous organosilica. <i>Microporous and Mesoporous Materials</i> , 2016 , 234, 248-256	5.3	17
117	Zinc-Substituted Polyoxotungstate@amino-MIL-101(Al) [An Efficient Catalyst for the Sustainable Desulfurization of Model and Real Diesels. <i>European Journal of Inorganic Chemistry</i> , 2016 , 2016, 5114-5	122	41
116	New structural motifs in Mn cluster chemistry from the ketone/gem-diol and bis(gem-diol) forms of 2,6-di-(2-pyridylcarbonyl)pyridine: {MnII4MnIII2} and {MnII4MnIII6} complexes. <i>RSC Advances</i> , 2016 , 6, 105969-105979	3.7	4
115	Design of a Water Soluble Fluorescent 3-Hydroxy-4-Pyridinone Ligand Active at Physiological pH Values. <i>Journal of Fluorescence</i> , 2016 , 26, 1773-85	2.4	2

(2015-2016)

11.	"Ligands-with-Benefits": Naphthalene-Substituted Schiff Bases Yielding New Ni(II) Metal Clusters with Ferromagnetic and Emissive Properties and Undergoing Exciting Transformations. <i>Inorganic</i> Chemistry, 2016 , 55, 1270-7	5.1	18	
11	Catalytic oxidative/extractive desulfurization of model and untreated diesel using hybrid based zinc-substituted polyoxometalates. <i>Fuel</i> , 2016 , 166, 268-275	7.1	93	
11	A square planar nickel(II) complex derived from a unique metal ion-promoted transformation of 2-benzoylpyridine. <i>Inorganic Chemistry Communication</i> , 2016 , 64, 53-55	3.1	7	
11:	Synthesis and structural characterization, by spectroscopic and computational methods, of two fluorescent 3-hydroxy-4-pyridinone chelators bearing sulphorhodamine B and naphthalene. <i>RSC Advances</i> , 2016 , 6, 4200-4211	3.7	5	
11	Dodecanuclear 3d/4f-metal clusters with a 'Star of David' topology: single-molecule magnetism and magnetocaloric properties. <i>Chemical Communications</i> , 2016 , 52, 1693-6	5.8	35	
10	Polyoxometalates-Based Nanocatalysts for Production of Sulfur-Free Diesel. <i>Advances in Chemical</i> and Materials Engineering Book Series, 2016 , 426-458	0.2	1	
10	Structural diversity in Ni(II) cluster chemistry: Ni5, Ni6, and {NiNa2}n complexes bearing the Schiff-base ligand N-naphthalidene-2-amino-5-chlorobenzoic acid. <i>Dalton Transactions</i> , 2016 , 45, 10256	- 7 0 ³	13	
10	Oxidomolybdenum complexes for acid catalysis using alcohols as solvents and reactants. <i>Catalysis Science and Technology</i> , 2016 , 6, 5207-5218	5.5	9	
10	In search of molecules displaying ferromagnetic exchange: multiple-decker Ni and Ni complexes from the use of pyridine-2-amidoxime. <i>Dalton Transactions</i> , 2016 , 45, 17409-17419	4.3	13	
10	Production of ultra-deep sulfur-free diesels using a sustainable catalytic system based on UiO-66(Zr). <i>Chemical Communications</i> , 2015 , 51, 13818-21	5.8	78	
10	Emissive {Mn4(III)Ca} clusters with square pyramidal topologies: syntheses and structural, spectroscopic, and physicochemical characterization. <i>Inorganic Chemistry</i> , 2015 , 54, 2137-51	5.1	20	
10	Cobalt aluminate nanoparticles supported on MIL-101 structure: catalytic performance investigation. <i>RSC Advances</i> , 2015 , 5, 4175-4183	3.7	9	
10	Desulfurization of model diesel by extraction/oxidation using a zinc-substituted polyoxometalate as catalyst under homogeneous and heterogeneous (MIL-101(Cr) encapsulated) conditions. <i>Fuel Processing Technology</i> , 2015 , 131, 78-86	7.2	114	
10	The Influence of the Amide Linkage in the Fe(III) -Binding Properties of Catechol-Modified Rosamine Derivatives. <i>Chemistry - A European Journal</i> , 2015 , 21, 15692-704	4.8	6	
10	Multidimensional transition metal complexes based on 3-amino-1H-1,2,4-triazole-5-carboxylic acid: from discrete mononuclear complexes to layered materials. <i>Molecules</i> , 2015 , 20, 12341-63	4.8	3	
99	Isoxazolidine-fused meso-tetraarylchlorins as key tools for the synthesis of mono- and bis-annulated chlorins. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 7131-5	3.9	20	
98	New structural topologies in 4f-metal cluster chemistry from vertex-sharing butterfly units: {LnIII7} complexes exhibiting slow magnetization relaxation and ligand-centred emissions. <i>RSC Advances</i> , 2015 , 5, 92534-92538	3.7	20	
97	All three-in-onellferromagnetic interactions, single-molecule magnetism and magnetocaloric properties in a new family of [Cu4Ln] (LnIII = Gd, Tb, Dy) clusters. <i>Inorganic Chemistry Frontiers</i> , 2015 2 945-948	6.8	19	

96	Crystal structure of 5-amino-4H-1,2,4-triazol-1-ium pyrazine-2-carboxyl-ate: an unexpected salt arising from the deca-rboxylation of both precursors. <i>Acta Crystallographica Section E:</i> Crystallographic Communications, 2015, 71, 840-3	0.7	1
95	Effect on selective adsorption of ethane and ethylene of the polyoxometalates impregnation in the metal-organic framework MIL-101. <i>Adsorption</i> , 2014 , 20, 533-543	2.6	21
94	Novel pseudohalide-bridged Cu(II) complexes with a hydrazone ligand: Evaluation of antimicrobial activity. <i>Polyhedron</i> , 2014 , 80, 166-172	2.7	23
93	An efficient eco-sustainable oxidative desulfurization process using Ebxo-bridged Fe(III) complex of meso-tetrakis(pentafluorophenyl)porphyrin. <i>Applied Catalysis A: General</i> , 2014 , 478, 267-274	5.1	24
92	Synthesis, crystal structures, spectroscopic and electrochemical studies on Cu(II) and Ni(II) complexes with compartmental nitrogen®xygen mixed donor ligands. <i>Polyhedron</i> , 2014 , 80, 41-46	2.7	15
91	Design and synthesis of photoactive ionic liquids. <i>Organic Letters</i> , 2014 , 16, 2582-5	6.2	19
90	Cobalt(III) sepulchrate complexes: application as sustainable oxidative catalysts. <i>New Journal of Chemistry</i> , 2014 , 38, 2500-2507	3.6	11
89	The influence of 1-alkyl-3-methyl imidazolium ionic liquids on a series of cobalt-1,4-benzenedicarboxylate metal b rganic frameworks. <i>CrystEngComm</i> , 2014 , 16, 10649-10657	3.3	24
88	Novel polyoxometalate silica nano-sized spheres: efficient catalysts for olefin oxidation and the deep desulfurization process. <i>Dalton Transactions</i> , 2014 , 43, 9518-28	4.3	66
87	Distinctive EPR signals provide an understanding of the affinity of bis-(3-hydroxy-4-pyridinonato) copper(II) complexes for hydrophobic environments. <i>Dalton Transactions</i> , 2014 , 43, 9722-31	4.3	12
86	A new family of LnIzlusters with an ideal D(3h) metal-centered trigonal prismatic geometry, and SMM and photoluminescence behaviors. <i>Dalton Transactions</i> , 2014 , 43, 11456-60	4.3	40
85	Chemistry and photochemistry of 2,6-bis(2-hydroxybenzilidene)cyclohexanone. An example of a compound following the anthocyanins network of chemical reactions. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 6208-15	2.8	14
84	New classes of ferromagnetic materials with exclusively end-on azido bridges: from single-molecule magnets to 2 D molecule-based magnets. <i>Chemistry - A European Journal</i> , 2014 , 20, 13	860 ⁸ 4	20
83	Oxidative catalytic versatility of a trivacant polyoxotungstate incorporated into MIL-101(Cr). <i>Catalysis Science and Technology</i> , 2014 , 4, 1416	5.5	71
82	Synthesis, characterization and antibacterial studies of a copper(II) lomefloxacin ternary complex. <i>Journal of Inorganic Biochemistry</i> , 2014 , 131, 21-9	4.2	34
81	Fluorescent naphthalene diols as bridging ligands in Ln(III) cluster chemistry: synthetic, structural, magnetic, and photophysical characterization of Ln(III)8 "Christmas stars". <i>Inorganic Chemistry</i> , 2014 , 53, 5420-2	5.1	38
8o	Tetranuclear lanthanide(III) complexes with a zigzag topology from the use of pyridine-2,6-dimethanol: synthetic, structural, spectroscopic, magnetic and photoluminescence studies. <i>Inorganic Chemistry</i> , 2014 , 53, 3220-9	5.1	40
79	Fluoroquinolone-metal complexes: a route to counteract bacterial resistance?. <i>Journal of Inorganic Biochemistry</i> , 2014 , 138, 129-143	4.2	43

(2013-2014)

78	SiW11Fe@MIL-101(Cr) Composite: A Novel and Versatile Electrocatalyst. <i>ChemElectroChem</i> , 2014 , 1, 1293-1300	4.3	15
77	Tuning the limits of pH interference of a rhodamine ion sensor by introducing catechol and 3-hydroxy-4-pyridinone chelating units. <i>Dyes and Pigments</i> , 2014 , 110, 193-202	4.6	9
76	Phosphotungstates as catalysts for monoterpenes oxidation: Homo- and heterogeneous performance. <i>Catalysis Today</i> , 2013 , 203, 95-102	5.3	46
75	Sandwich lanthano-silicotungstates: Structure, electrochemistry and photoluminescence properties. <i>Polyhedron</i> , 2013 , 52, 308-314	2.7	5
74	Gabapentin Coordination Networks: Mechanochemical Synthesis and Behavior under Shelf Conditions. <i>Crystal Growth and Design</i> , 2013 , 13, 5007-5017	3.5	7
73	Novel composite material polyoxovanadate@MIL-101(Cr): a highly efficient electrocatalyst for ascorbic acid oxidation. <i>ACS Applied Materials & Discrete Sump; Interfaces</i> , 2013 , 5, 13382-90	9.5	89
72	Slow magnetization relaxation in unprecedented Mn(III)4Dy(III)3 and Mn(III)4Dy(III)5 clusters from the use of N-salicylidene-o-aminophenol. <i>Inorganic Chemistry</i> , 2013 , 52, 1179-81	5.1	38
71	Catalytic oxidative desulfurization systems based on Keggin phosphotungstate and metal-organic framework MIL-101. <i>Fuel Processing Technology</i> , 2013 , 116, 350-357	7.2	138
70	Redox behaviour, electrochromic properties and photoluminescence of potassium lanthano phosphomolybdate sandwich-type compounds. <i>RSC Advances</i> , 2013 , 3, 16697	3.7	8
69	Discrimination of fluorescence light-up effects induced by pH and metal ion chelation on a spirocyclic derivative of rhodamine B. <i>Dalton Transactions</i> , 2013 , 42, 6110-8	4.3	24
68	Lanthanopolyoxometalates: From the structure of polyanions to the design of functional materials. <i>Polyhedron</i> , 2013 , 52, 10-24	2.7	37
67	Novel Mn(II)-Based Metal©rganic Frameworks Isolated in Ionic Liquids. <i>Crystal Growth and Design</i> , 2013 , 13, 1260-1266	3.5	49
66	Catalytic performance of a boron peroxotungstate complex under homogeneous and heterogeneous conditions. <i>Catalysis Today</i> , 2013 , 203, 87-94	5.3	11
65	In search of 3d/4f-metal single-molecule magnets: Nickel(II)/lanthanide(III) coordination clusters. <i>Pure and Applied Chemistry</i> , 2013 , 85, 315-327	2.1	34
64	Multifunctional catalyst based on sandwich-type polyoxotungstate and MIL-101 for liquid phase oxidations. <i>Catalysis Today</i> , 2013 , 210, 142-148	5.3	50
63	Novel binuclear Cu(II) complexes combining a semicarbazone Schiff base with distinct bridging ligands: Structure and antimicrobial activity. <i>Polyhedron</i> , 2013 , 57, 118-126	2.7	29
62	Approaches to Molecular Magnetic Materials from the Use of Cyanate Groups in Higher Oxidation State Metal Cluster Chemistry: Mn14 and Mn16. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 2286-2290	2.3	16
61	Synthesis, structure and electrochemistry behavior of a cobalt(III) compound with azide and methyl 2-pyridyl ketone semicarbazone ligands. <i>Journal of Molecular Structure</i> , 2013 , 1045, 55-61	3.4	7

60	Metal Drganic Frameworks Assembled From Erbium Tetramers and 2,5-Pyridinedicarboxylic Acid. <i>Crystal Growth and Design</i> , 2013 , 13, 2607-2617	3.5	25
59	Europium Polyoxometalates Encapsulated in Silica Nanoparticles © Characterization and Photoluminescence Studies. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 2877-2886	2.3	21
58	Kinetic and thermodynamic study of 2?-hydroxy-8-methoxyflavylium. Reaction network interconverting flavylium cation and flavanone. <i>RSC Advances</i> , 2013 , 3, 10786	3.7	10
57	Dinuclear lanthanide(III) complexes by metal-ion-assisted hydration of di-2-pyridyl ketone azine. <i>Inorganic Chemistry</i> , 2013 , 52, 4145-7	5.1	20
56	Insights into the electrochemical behaviour of composite materials: Monovacant polyoxometalates @ porous metal-organic framework. <i>Electrochimica Acta</i> , 2013 , 87, 853-859	6.7	29
55	Novel heterogeneous catalysts based on lanthanopolyoxometalates supported on MIL-101(Cr). <i>Catalysis Today</i> , 2013 , 218-219, 35-42	5.3	36
54	Monovacant polyoxometalates incorporated into MIL-101(Cr): novel heterogeneous catalysts for liquid phase oxidation. <i>Applied Catalysis A: General</i> , 2013 , 453, 316-326	5.1	90
53	Mono-substituted silicotungstates as active catalysts for sustainable oxidations: homo- and heterogeneous performance. <i>New Journal of Chemistry</i> , 2013 , 37, 2341	3.6	31
52	Silver-Dabco Coordination Networks with Distinct Carbaborane Anions: Investigating AgIIIHB and AgIIIB Interactions. <i>Crystal Growth and Design</i> , 2013 , 13, 3162-3170	3.5	28
51	An efficient oxidative desulfurization process using terbium-polyoxometalate@MIL-101(Cr). <i>Catalysis Science and Technology</i> , 2013 , 3, 2404	5.5	118
50	Synthesis, characterization and antibacterial studies of a copper(II) levofloxacin ternary complex. <i>Journal of Inorganic Biochemistry</i> , 2012 , 110, 64-71	4.2	70
49	The "periodic table" of di-2-pyridyl ketone: vanadium complexes. <i>Dalton Transactions</i> , 2012 , 41, 11984-	84.3	13
48	Exploring Ag?HB interactions in coordination polymers: silverBlkanedinitrile networks with cobalt carbaborane anions. <i>CrystEngComm</i> , 2012 , 14, 3367	3.3	12
47	Unidirectional switching between two flavylium reaction networks by the action of alternate stimuli of acid and base. <i>Journal of Physical Chemistry A</i> , 2012 , 116, 372-80	2.8	6
46	Porous Metal-Organic Framework Materials: Microwave Assisted Synthesis and Oxidative Catalytic Tests. <i>Materials Science Forum</i> , 2012 , 730-732, 1024-1029	0.4	О
45	A novel dinuclear MoVI complex with tris(3,5-dimethyl-1H-pyrazol-1-yl)methane. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2012 , 68, m73-5		1
44	Manganese Mono-Substituted Borotungstate: Characterization and Catalytic Application. <i>Materials Science Forum</i> , 2012 , 730-732, 975-980	0.4	
43	5-Amino-3-(4H-1,2,4-triazol-4-yl)-1H-1,2,4-triazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012 , 68, o2700-1		2

(2008-2011)

42	Phase transition thermochromism based on CH acidity of 4-alkylflavylium compounds in Pluronic F-127. <i>Journal of Materials Chemistry</i> , 2011 , 21, 16628		4
41	Synthesis and catalytic properties of molybdenum(VI) complexes with tris(3,5-dimethyl-1-pyrazolyl)methane. <i>Inorganic Chemistry</i> , 2011 , 50, 3490-500	5.1	42
40	Phase-dependent photochromism of a lactone-stabilized chromene from a flavylium reaction network. <i>Chemistry - A European Journal</i> , 2011 , 17, 3663-71	4.8	8
39	First Crystal Structures of the Antihypertensive Drug Perindopril Erbumine: A Novel Hydrated Form and Polymorphs and [Crystal Growth and Design, 2011, 11, 3703-3706]	3.5	7
38	5-Amino-1H-1,2,4-triazol-4-ium-3-carboxyl-ate hemihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011 , 67, o2073-4		5
37	A new supramolecular organicIhorganic adduct: {[Eu(CH3OH)(H2O)8]2[Eu(H2O)8][PW12O40]3}B(C14H20O5)D(C28H40O10)B(CH3OH)B(H2O). <i>Journal of Molecular Structure</i> , 2011 , 989, 80-85	3.4	1
36	Novel tetradentate chelators derived from 3-hydroxy-4-pyridinone units: synthesis, characterization and aqueous solution properties. <i>Tetrahedron</i> , 2011 , 67, 4009-4016	2.4	15
35	trans-Bis(4,7-diphenyl-1,10-phenanthroline-N,N')bis-(nitrato-D,O')zinc(II). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010 , 66, m1608-9		
34	A high-nuclearity 3d/4f metal oxime cluster: an unusual Ni(8)Dy(8) "core-shell" complex from the use of 2-pyridinealdoxime. <i>Inorganic Chemistry</i> , 2010 , 49, 9743-5	5.1	87
33	Photoluminescent lanthanide-organic bilayer networks with 2,3-pyrazinedicarboxylate and oxalate. <i>Inorganic Chemistry</i> , 2010 , 49, 3428-40	5.1	92
32	3D-2D-0D stepwise deconstruction of a water framework templated by a nanoporous organic-inorganic hybrid host. <i>Chemistry - A European Journal</i> , 2010 , 16, 7741-9	4.8	14
31	Crystal and supramolecular structures of dioxomolybdenum(VI) and dioxotungsten(VI) complexes of dihydroxybenzoic acids. <i>Polyhedron</i> , 2010 , 29, 719-730	2.7	7
30	Insights into electronic and structural properties of novel Pd(II) salen-type complexes. <i>Inorganica Chimica Acta</i> , 2010 , 363, 4096-4107	2.7	20
29	Synchrotron powder structure of a new layered lanthanide-organic network. <i>Zeitschrift F</i> d <i>Kristallographie</i> , 2009 , 224,		20
28	Supramolecular salts containing the anionic [Ge(C2O4)3]2Itomplex and heteroaromatic amines. <i>Inorganica Chimica Acta</i> , 2009 , 362, 263-270	2.7	10
27	Three-Dimensional LanthanideDrganic Frameworks Based on Di-, Tetra-, and Hexameric Clusters. <i>Crystal Growth and Design</i> , 2009 , 9, 2098-2109	3.5	70
26	Multi-functional rare-earth hybrid layered networks: photoluminescence and catalysis studies. Journal of Materials Chemistry, 2009 , 19, 2618		85
25	Photoluminescent 3D Lanthanide Drganic Frameworks with 2,5-Pyridinedicarboxylic and 1,4-Phenylenediacetic Acids. <i>Crystal Growth and Design</i> , 2008 , 8, 2505-2516	3.5	109

24	Using pyridine amidoximes in 3d-metal cluster chemistry: a novel ferromagnetic Ni12 complex from the use of pyridine-2-amidoxime. <i>Dalton Transactions</i> , 2008 , 3153-5	4.3	47
23	Catalytic Performance of Copper-Substituted Polyoxotungstate Materials and X-Ray Structure of a New Sandwich-Type Compound. <i>Materials Science Forum</i> , 2008 , 587-588, 538-542	0.4	1
22	Synthesis, structure and magnetic behaviour of mixed metal leucophosphite. <i>Journal of Solid State Chemistry</i> , 2008 , 181, 1330-1336	3.3	3
21	A novel germanium(IV) oxalate complex: [Ge(OH)2(C2O4)2]2\(\textstyle{\textsty	3.1	8
20	Two novel supramolecular organic[horganic adducts containing dibenzo-30-crown-10 and H3PM12O40 (M=W or Mo). <i>Journal of Molecular Structure</i> , 2008 , 888, 99-106	3.4	11
19	Interconvertable modular framework and layered lanthanide(III)-etidronic acid coordination polymers. <i>Journal of the American Chemical Society</i> , 2008 , 130, 150-67	16.4	148
18	Poly[[aqua-(B)-picolinato-(P)-picolinato-dipicolinatopotassium(I)terbium(III)] 2.5-hydrate]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008 , 64, m529-30		1
17	The dehydrated copper silicate Na(2)[Cu(2)Si(4)O(11)]: a three-dimensional microporous framework with a linear Si-O-Si linkage. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008 , 64, i13-i14		1
16	One-Dimensional Coordination Polymers with Phenyl-carbaborane Anions: Ag(I)/4,4EBipyridine and 2,3-Bis-(2-pyridyl)pyrazine Complexes. <i>Crystal Growth and Design</i> , 2007 , 7, 658-667	3.5	61
15	Photoluminescent Lanthanide Drganic 2D Networks: A Combined Synchrotron Powder X-ray Diffraction and Solid-State NMR Study. <i>Chemistry of Materials</i> , 2007 , 19, 3527-3538	9.6	65
14	Heterodimetallic germanium(IV) complex structures with transition metals. <i>Inorganic Chemistry</i> , 2007 , 46, 6502-15	5.1	15
13	Decaaquadioxobis[B-N-(phosphonomethyl)iminodiacetato]dimanganesedivanadium dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 63, m372-m375		6
12	Redetermination of dipotassium Ebxo-bis[aqua(oxalato-20,0?)dioxomolybdate(VI)] at 150 K. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 63, m376-m378		3
11	Inclusion complexes of 2-phenoxyethanol and alkoxyethanols in cyclodextrins: an 1H NMR study. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2007, 57, 151-156		8
10	Decaaqua-dioxidobis[[B)-N-(phospho-n-atometh-yl)imino-diacetato]-dizinc(II)-divanadium(IV) dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 64, m39-40		1
9	Bis(tetra-methyl-amonium) bis-(2,4,5-carboxy-benzoate)-benzene-1,2,4,5-tetra-carboxylic acid (1/1). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 64, 069-70		1
8	Coordination Networks with Carborane Anions: Ag(I) and Nitrogen Bridging Ligands. <i>Australian Journal of Chemistry</i> , 2006 , 59, 40	1.2	47
7	Hydrogen-Bonded 3-D Network Structures of Lanthanide Aquo lons and 4,4Bipyridine with Carbaborane Anions. <i>Crystal Growth and Design</i> , 2006 , 6, 726-735	3.5	33

LIST OF PUBLICATIONS

6	Solid-state inclusion compounds of small amphiphilic molecules (CnEm) in Ecyclodextrin: a study at defined relative humidities. <i>New Journal of Chemistry</i> , 2005 , 29, 1335	3.6	10
5	How humidity affects the solid-state inclusion of 2-phenoxyethanol in Eyclodextrin: a comparison with Eyclodextrin. <i>New Journal of Chemistry</i> , 2004 , 28, 200-206	3.6	18
4	Synthesis and characterization of the inclusion compound of a methyltrioxorhenium(VII) adduct of 4-ferrocenylpyridine with Ecyclodextrin. <i>Journal of Organometallic Chemistry</i> , 2002 , 656, 281-287	2.3	30
3	Aqueous Solution Inclusion of the Nonionic Surfactant C 12 E 4 in Ecyclodextrin: Implications of Micellization in Stoichiometry Determination and Model Calculations. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2002 , 43, 127-131		15
2	Solid State Inclusion of the Nonionic Surfactant C12E4 in ECyclodextrin, at Various Humidities: A Combined Raman and 13C CP MAS NMR Study. <i>Journal of Physical Chemistry B</i> , 2002 , 106, 3323-3328	3.4	20
1	One-Pot Conversion of Glucose into 5-Hydroxymethylfurfural using MOFs and Brllsted-Acid Tandem Catalysts. <i>Advanced Sustainable Systems</i> ,2100444	5.9	0