

Andrew J Sweetman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2026833/publications.pdf>

Version: 2024-02-01

116
papers

8,833
citations

57758

44
h-index

42399

92
g-index

116
all docs

116
docs citations

116
times ranked

8013
citing authors

#	ARTICLE	IF	CITATIONS
1	Persistent organic pollutants (POPs) in fish species from different lakes of the lesser Himalayan region (LHR), Pakistan: The influence of proximal sources in distribution of POPs. <i>Science of the Total Environment</i> , 2021, 760, 143351.	8.0	18
2	A Quantitative Assessment and Biomagnification of Mercury and Its Associated Health Risks from Fish Consumption in Freshwater Lakes of Azad Kashmir, Pakistan. <i>Biological Trace Element Research</i> , 2021, 199, 3510-3526.	3.5	3
3	The potential association of polybrominated diphenyl ether concentrations in serum to thyroid function in patients with abnormal thyroids: a pilot study. <i>Annals of Palliative Medicine</i> , 2021, 10, 9192-9205.	1.2	4
4	Global intercomparison of polyurethane foam passive air samplers evaluating sources of variability in SVOC measurements. <i>Environmental Science and Policy</i> , 2021, 125, 1-9.	4.9	15
5	Soil-air partitioning of semivolatile organic compounds in the Lesser Himalaya region: Influence of soil organic matter, atmospheric transport processes and secondary emissions. <i>Environmental Pollution</i> , 2021, 291, 118006.	7.5	12
6	Evidence for Major Contributions of Unintentionally Produced PCBs in the Air of China: Implications for the National Source Inventory. <i>Environmental Science & Technology</i> , 2020, 54, 2163-2171.	10.0	60
7	Exposure of polychlorinated naphthalenes (PCNs) to Pakistani populations via non-dietary sources from neglected e-waste hubs: A problem of high health concern. <i>Environmental Pollution</i> , 2020, 259, 113838.	7.5	18
8	Estrogens in municipal wastewater and receiving waters in the Beijing-Tianjin-Hebei region, China: Occurrence and risk assessment of mixtures. <i>Journal of Hazardous Materials</i> , 2020, 389, 121891.	12.4	59
9	A Grand Challenge for Environmental Organic Chemistry: How Can We Avoid Regrettable Substitution?. <i>Frontiers in Environmental Chemistry</i> , 2020, 1, .	1.6	7
10	“Good Epidemiology Practice” Guidelines for Pesticide Exposure Assessment. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5114.	2.6	10
11	GAPS-megacities: A new global platform for investigating persistent organic pollutants and chemicals of emerging concern in urban air. <i>Environmental Pollution</i> , 2020, 267, 115416.	7.5	39
12	Ecology of industrial pollution in China. <i>Ecosystem Health and Sustainability</i> , 2020, 6, .	3.1	54
13	A year-long passive sampling of phenolic endocrine disrupting chemicals in the East River, South China. <i>Environment International</i> , 2020, 143, 105936.	10.0	23
14	Soil pollution at a major West African E-waste recycling site: Contamination pathways and implications for potential mitigation strategies. <i>Environment International</i> , 2020, 137, 105563.	10.0	67
15	Urban-rural gradients of polycyclic aromatic hydrocarbons in soils at a regional scale: Quantification and prediction. <i>Journal of Environmental Management</i> , 2019, 249, 109406.	7.8	9
16	Spatial and seasonal variations of antibiotics in river waters in the Haihe River Catchment in China and ecotoxicological risk assessment. <i>Environment International</i> , 2019, 130, 104919.	10.0	104
17	Multiple crop bioaccumulation and human exposure of perfluoroalkyl substances around a mega fluorochemical industrial park, China: Implication for planting optimization and food safety. <i>Environment International</i> , 2019, 127, 671-684.	10.0	126
18	Spatially Explicit Large-Scale Environmental Risk Assessment of Pharmaceuticals in Surface Water in China. <i>Environmental Science & Technology</i> , 2019, 53, 2559-2569.	10.0	28

#	ARTICLE	IF	CITATIONS
19	Insight into occurrence, profile and spatial distribution of organochlorine pesticides in soils of solid waste dumping sites of Pakistan: Influence of soil properties and implications for environmental fate. <i>Ecotoxicology and Environmental Safety</i> , 2019, 170, 195-204.	6.0	15
20	Assessing the level and sources of Polycyclic Aromatic Hydrocarbons (PAHs) in soil and sediments along Jhelum riverine system of lesser Himalayan region of Pakistan. <i>Chemosphere</i> , 2019, 216, 640-652.	8.2	33
21	Drivers of contaminant levels in surface water of China during 2000â€“2030: Relative importance for illustrative home and personal care product chemicals. <i>Environment International</i> , 2018, 115, 161-169.	10.0	28
22	Diffusive gradients in thin-films (DGT) for in situ sampling of selected endocrine disrupting chemicals (EDCs) in waters. <i>Water Research</i> , 2018, 137, 211-219.	11.3	97
23	Higher atmospheric levels and contribution of black carbon in soil-air partitioning of organochlorines in Lesser Himalaya. <i>Chemosphere</i> , 2018, 191, 787-798.	8.2	15
24	Can poly-parameter linear-free energy relationships (pp-LFERs) improve modelling bioaccumulation in fish?. <i>Chemosphere</i> , 2018, 191, 235-244.	8.2	7
25	Potential effects of changes in climate and emissions on distribution and fate of perfluorooctane sulfonate in the Bohai Rim, China. <i>Science of the Total Environment</i> , 2018, 613-614, 352-360.	8.0	20
26	Sedimentary black carbon and organochlorines in Lesser Himalayan Region of Pakistan: Relationship along the altitude. <i>Science of the Total Environment</i> , 2018, 621, 1568-1580.	8.0	13
27	Which commonly monitored chemical contaminant in the Bohai region and the Yangtze and Pearl Rivers of China poses the greatest threat to aquatic wildlife?. <i>Environmental Toxicology and Chemistry</i> , 2018, 37, 1115-1121.	4.3	27
28	Role of black carbon in soil distribution of organochlorines in Lesser Himalayan Region of Pakistan. <i>Environmental Pollution</i> , 2018, 236, 971-982.	7.5	14
29	The occurrence of home and personal care products in the Haihe River catchment and estimation of human exposure. <i>Science of the Total Environment</i> , 2018, 643, 63-72.	8.0	24
30	Assessing residual status and spatial variation of current-use pesticides under the influence of environmental factors in major cash crop growing areas of Pakistan. <i>Chemosphere</i> , 2018, 212, 486-496.	8.2	6
31	Modeling the Time-Variant Dietary Exposure of PCBs in China over the Period 1930 to 2100. <i>Environmental Science & Technology</i> , 2018, 52, 7371-7379.	10.0	16
32	Accounting for water levels and black carbon-inclusive sediment-water partitioning of organochlorines in Lesser Himalaya, Pakistan using two-carbon model. <i>Environmental Science and Pollution Research</i> , 2018, 25, 24653-24667.	5.3	5
33	Pollution pathways and release estimation of perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA) in central and eastern China. <i>Science of the Total Environment</i> , 2017, 580, 1247-1256.	8.0	138
34	Long-Term Temporal Trends of Polychlorinated Biphenyls and Their Controlling Sources in China. <i>Environmental Science & Technology</i> , 2017, 51, 2838-2845.	10.0	42
35	Home produced eggs: An important pathway of human exposure to perfluorobutanoic acid (PFBA) and perfluorooctanoic acid (PFOA) around a fluorochemical industrial park in China. <i>Environment International</i> , 2017, 101, 1-6.	10.0	56
36	Screening of benzodiazepines in thirty European rivers. <i>Chemosphere</i> , 2017, 176, 324-332.	8.2	52

#	ARTICLE	IF	CITATIONS
37	Life cycle analysis of perfluorooctanoic acid (PFOA) and its salts in China. <i>Environmental Science and Pollution Research</i> , 2017, 24, 11254-11264.	5.3	21
38	Crop bioaccumulation and human exposure of perfluoroalkyl acids through multi-media transport from a mega fluorochemical industrial park, China. <i>Environment International</i> , 2017, 106, 37-47.	10.0	105
39	DGT Passive Sampling for Quantitative in Situ Measurements of Compounds from Household and Personal Care Products in Waters. <i>Environmental Science & Technology</i> , 2017, 51, 13274-13281.	10.0	79
40	Pesticides contaminated dust exposure, risk diagnosis and exposure markers in occupational and residential settings of Lahore, Pakistan. <i>Environmental Toxicology and Pharmacology</i> , 2017, 56, 375-382.	4.0	32
41	Organohalogenated contaminants (OHCs) in high-altitude environments: A review and implication for a black carbon relationship. <i>Critical Reviews in Environmental Science and Technology</i> , 2017, 47, 1143-1190.	12.8	6
42	Persistent Organic Pollutants in sediment and fish in the River Thames Catchment (UK). <i>Science of the Total Environment</i> , 2017, 576, 78-84.	8.0	33
43	Risk assessment and source identification of perfluoroalkyl acids in surface and ground water: Spatial distribution around a mega-fluorochemical industrial park, China. <i>Environment International</i> , 2016, 91, 69-77.	10.0	118
44	Hexabromocyclododecanes (HBCDDs) in surface soils from coastal cities in North China: Correlation between diastereoisomer profiles and industrial activities. <i>Chemosphere</i> , 2016, 148, 504-510.	8.2	29
45	Coupled production and emission of short chain perfluoroalkyl acids from a fast developing fluorochemical industry: Evidence from yearly and seasonal monitoring in Daling River Basin, China. <i>Environmental Pollution</i> , 2016, 218, 1234-1244.	7.5	67
46	Simultaneous determination of 20 trace organic chemicals in waters by solid-phase extraction (SPE) with triple-quadrupole mass spectrometer (QqQ-MS) and hybrid quadrupole Orbitrap high resolution MS (Q-Orbitrap-HRMS). <i>Chemosphere</i> , 2016, 163, 99-107.	8.2	38
47	A Multimedia Fate Model to Support Chemical Management in China: A Case Study for Selected Trace Organics. <i>Environmental Science & Technology</i> , 2016, 50, 7001-7009.	10.0	30
48	Regional multi-compartment ecological risk assessment: Establishing cadmium pollution risk in the northern Bohai Rim, China. <i>Environment International</i> , 2016, 94, 283-291.	10.0	38
49	An assessment of the impacts of pesticide use on the environment and health of rice farmers in Sierra Leone. <i>Environment International</i> , 2016, 94, 458-466.	10.0	85
50	Tracking the Global Distribution of Persistent Organic Pollutants Accounting for E-Waste Exports to Developing Regions. <i>Environmental Science & Technology</i> , 2016, 50, 798-805.	10.0	121
51	The TOMPs ambient air monitoring network – Continuous data on UK air quality for over 20 years. <i>Environmental Pollution</i> , 2016, 217, 42-51.	7.5	24
52	Measurements of persistent organic pollutants in Estonian ambient air (1990–2013). <i>Proceedings of the Estonian Academy of Sciences</i> , 2015, 64, 184.	1.5	4
53	Impacts of soil and water pollution on food safety and health risks in China. <i>Environment International</i> , 2015, 77, 5-15.	10.0	804
54	The distribution of Polychlorinated Biphenyls (PCBs) in the River Thames Catchment under the scenarios of climate change. <i>Science of the Total Environment</i> , 2015, 533, 187-195.	8.0	10

#	ARTICLE	IF	CITATIONS
55	Applicability of western chemical dietary exposure models to the Chinese population. <i>Environmental Research</i> , 2015, 140, 165-176.	7.5	6
56	Environmental Distributions of Benzo[<i>a</i>]pyrene in China: Current and Future Emission Reduction Scenarios Explored Using a Spatially Explicit Multimedia Fate Model. <i>Environmental Science & Technology</i> , 2015, 49, 13868-13877.	10.0	39
57	System to control indoor air quality in energy efficient buildings. <i>Urban Climate</i> , 2015, 14, 475-485.	5.7	7
58	Exploring the fate, transport and risk of Perfluorooctane Sulfonate (PFOS) in a coastal region of China using a multimedia model. <i>Environment International</i> , 2015, 85, 15-26.	10.0	53
59	A first European scale multimedia fate modelling of BDE-209 from 1970 to 2020. <i>Environment International</i> , 2015, 74, 71-81.	10.0	20
60	A new multimedia contaminant fate model for China: How important are environmental parameters in influencing chemical persistence and long-range transport potential?. <i>Environment International</i> , 2014, 69, 18-27.	10.0	30
61	Using gridded multimedia model to simulate spatial fate of Benzo[<i>a</i>]pyrene on regional scale. <i>Environment International</i> , 2014, 63, 53-63.	10.0	37
62	Field-testing a new directional passive air sampler for fugitive dust in a complex industrial source environment. <i>Environmental Sciences: Processes and Impacts</i> , 2014, 16, 159-168.	3.5	3
63	Comparing measured and modelled PFOS concentrations in a UK freshwater catchment and estimating emission rates. <i>Environment International</i> , 2014, 70, 25-31.	10.0	25
64	Challenges in assessing release, exposure and fate of silver nanoparticles within the UK environment. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 2050.	3.5	31
65	Industrial source identification and emission estimation of perfluorooctane sulfonate in China. <i>Environment International</i> , 2013, 52, 1-8.	10.0	275
66	Gas evolution and syngas heating value from advanced thermal treatment of waste using microwave-induced plasma. <i>Renewable Energy</i> , 2013, 50, 1065-1072.	8.9	23
67	Occurrence and risk assessment of organophosphorus and brominated flame retardants in the River Aire (UK). <i>Environmental Pollution</i> , 2013, 179, 194-200.	7.5	219
68	Estimating European historical production, consumption and atmospheric emissions of decabromodiphenyl ether. <i>Science of the Total Environment</i> , 2013, 447, 133-142.	8.0	33
69	Twenty years of measurement of polycyclic aromatic hydrocarbons (PAHs) in UK ambient air by nationwide air quality networks. <i>Environmental Sciences: Processes and Impacts</i> , 2013, 15, 1199.	3.5	28
70	Estimating the aquatic emissions and fate of perfluorooctane sulfonate (PFOS) into the river Rhine. <i>Journal of Environmental Monitoring</i> , 2012, 14, 524-530.	2.1	12
71	Using passive air samplers to assess local sources versus long range atmospheric transport of POPs. <i>Journal of Environmental Monitoring</i> , 2012, 14, 2580.	2.1	15
72	Can car air filters be useful as a sampling medium for air pollution monitoring purposes?. <i>Environment International</i> , 2012, 48, 65-70.	10.0	12

#	ARTICLE	IF	CITATIONS
73	Potential implications of future climate and land cover changes for the fate and distribution of persistent organic pollutants in Europe. <i>Global Ecology and Biogeography</i> , 2012, 21, 64-74.	5.8	18
74	Experimental analysis of biomass pyrolysis using microwave-induced plasma. <i>Fuel Processing Technology</i> , 2012, 97, 79-84.	7.2	35
75	China begins to position for leadership on responsible risk-based global chemicals management. <i>Environmental Pollution</i> , 2012, 165, 170-173.	7.5	8
76	The contribution of waste water treatment plants to PBDEs in ambient air. <i>Environmental Pollution</i> , 2012, 169, 242-247.	7.5	27
77	Atmospheric polybrominated diphenyl ethers (PBDEs) in the United Kingdom. <i>Environmental Pollution</i> , 2012, 169, 105-111.	7.5	54
78	PAH Molecular Diagnostic Ratios Applied to Atmospheric Sources: A Critical Evaluation Using Two Decades of Source Inventory and Air Concentration Data from the UK. <i>Environmental Science & Technology</i> , 2011, 45, 8897-8906.	10.0	294
79	Spatial variability of POPs in European background air. <i>Atmospheric Chemistry and Physics</i> , 2011, 11, 1549-1564.	4.9	118
80	Challenges in assessing the environmental fate and exposure of nano silver. <i>Journal of Physics: Conference Series</i> , 2011, 304, 012070.	0.4	7
81	The use of commercial and industrial waste in energy recovery systems – A UK preliminary study. <i>Waste Management</i> , 2011, 31, 1759-1764.	7.4	27
82	Temporal Trends and Controlling Factors for Polychlorinated Biphenyls in the UK Atmosphere (1991–2008). <i>Environmental Science & Technology</i> , 2010, 44, 8068-8074.	10.0	59
83	Continuous Monitoring of PCDD/Fs in the UK Atmosphere: 1991–2008. <i>Environmental Science & Technology</i> , 2010, 44, 5735-5740.	10.0	46
84	A Mass Balance of Tri-Hexabrominated Diphenyl Ethers in Lactating Cows. <i>Environmental Science & Technology</i> , 2009, 43, 2602-2607.	10.0	33
85	A First Global Production, Emission, And Environmental Inventory For Perfluorooctane Sulfonate. <i>Environmental Science & Technology</i> , 2009, 43, 386-392.	10.0	839
86	Polynuclear aromatic hydrocarbons (PAHs) in global background soils. <i>Journal of Environmental Monitoring</i> , 2009, 11, 45-48.	2.1	72
87	Estimating overall persistence and long-range transport potential of persistent organic pollutants: a comparison of seven multimedia mass balance models and atmospheric transport models. <i>Journal of Environmental Monitoring</i> , 2008, 10, 1139.	2.1	25
88	Temporal Trends of Polycyclic Aromatic Hydrocarbons in the U.K. Atmosphere: 1991–2005. <i>Environmental Science & Technology</i> , 2008, 42, 3213-3218.	10.0	49
89	Fate of Higher Brominated PBDEs in Lactating Cows. <i>Environmental Science & Technology</i> , 2007, 41, 417-423.	10.0	96
90	Towards a global historical emission inventory for selected PCB congeners – A mass balance approach. <i>Science of the Total Environment</i> , 2007, 377, 296-307.	8.0	420

#	ARTICLE	IF	CITATIONS
91	Passive air sampling for persistent organic pollutants: Introductory remarks to the special issue. <i>Environmental Pollution</i> , 2006, 144, 361-364.	7.5	96
92	Continental scale passive air sampling of persistent organic pollutants using rapidly equilibrating thin films (POGs). <i>Environmental Pollution</i> , 2006, 144, 423-433.	7.5	24
93	Evaluating fugacity models for trace components in landfill gas. <i>Environmental Pollution</i> , 2006, 144, 1013-1023.	7.5	17
94	PASSIVE SAMPLER-DERIVED AIR CONCENTRATIONS FOR POLYBROMINATED DIPHENYL ETHERS AND POLYCYCLIC AROMATIC HYDROCARBONS IN KUWAIT. <i>Environmental Toxicology and Chemistry</i> , 2006, 25, 1496.	4.3	33
95	A process-oriented inter-comparison of a box model and an atmospheric chemistry transport model: Insights into model structure using 1,1,1-HCH as the modelled substance. <i>Atmospheric Environment</i> , 2006, 40, 2089-2104.	4.1	19
96	Hexachlorobenzene in the global environment: Emissions, levels, distribution, trends and processes. <i>Science of the Total Environment</i> , 2005, 349, 1-44.	8.0	369
97	Passive Air Sampling of Polychlorinated Biphenyls, Organochlorine Compounds, and Polybrominated Diphenyl Ethers Across Asia. <i>Environmental Science & Technology</i> , 2005, 39, 8638-8645.	10.0	306
98	The role of soil organic carbon in the global cycling of persistent organic pollutants (POPs): interpreting and modelling field data. <i>Chemosphere</i> , 2005, 60, 959-972.	8.2	169
99	Reconstruction of historical trends of PCDD/Fs and PCBs in the Venice Lagoon, Italy. <i>Environment International</i> , 2005, 31, 1047-1052.	10.0	20
100	PASSIVE AIR SAMPLING OF POLYCYCLIC AROMATIC HYDROCARBONS AND POLYCHLORINATED NAPHTHALENES ACROSS EUROPE. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 1355.	4.3	162
101	Maximum reservoir capacity of vegetation for persistent organic pollutants: Implications for global cycling. <i>Global Biogeochemical Cycles</i> , 2004, 18, n/a-n/a.	4.9	38
102	Modelling the atmospheric fate and seasonality of polycyclic aromatic hydrocarbons in the UK. <i>Chemosphere</i> , 2004, 56, 195-208.	8.2	30
103	Seasonal and long-term trends in atmospheric PAH concentrations: evidence and implications. <i>Environmental Pollution</i> , 2004, 128, 17-27.	7.5	117
104	Modelling the fate of persistent organic pollutants in Europe: parameterisation of a gridded distribution model. <i>Environmental Pollution</i> , 2004, 128, 251-261.	7.5	92
105	Passive Air Sampling of PCBs, PBDEs, and Organochlorine Pesticides Across Europe. <i>Environmental Science & Technology</i> , 2004, 38, 34-41.	10.0	497
106	Estimation of PCDD/F distribution and fluxes in the Venice Lagoon, Italy: combining measurement and modelling approaches. <i>Chemosphere</i> , 2003, 51, 603-616.	8.2	37
107	The global re-cycling of persistent organic pollutants is strongly retarded by soils. <i>Environmental Pollution</i> , 2003, 121, 75-80.	7.5	154
108	Understanding levels and trends of BDE-47 in the UK and North America: an assessment of principal reservoirs and source inputs. <i>Environment International</i> , 2003, 29, 691-698.	10.0	164

#	ARTICLE	IF	CITATIONS
109	A dynamic level IV multimedia environmental model: Application to the fate of polychlorinated biphenyls in the United Kingdom over a 60-year period. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 930-940.	4.3	62
110	A dynamic level IV multimedia environmental model: application to the fate of polychlorinated biphenyls in the United Kingdom over a 60-year period. <i>Environmental Toxicology and Chemistry</i> , 2002, 21, 930-40.	4.3	4
111	Modeling Historical Emissions and Environmental Fate of PCBs in the United Kingdom. <i>ACS Symposium Series</i> , 2000, , 75-88.	0.5	3
112	Human exposure to PCDD/Fs in the UK. <i>Environment International</i> , 2000, 26, 37-47.	10.0	42
113	Declining PCB Concentrations in the U.K. Atmosphere: Evidence and Possible Causes. <i>Environmental Science & Technology</i> , 2000, 34, 863-869.	10.0	83
114	Modelling the fate and behaviour of lipophilic organic contaminants in lactating dairy cows. <i>Environmental Pollution</i> , 1999, 104, 261-270.	7.5	33
115	Air-Pasture Transfer of PCBs. <i>Environmental Science & Technology</i> , 1998, 32, 936-942.	10.0	117
116	Toward an Understanding of the Global Atmospheric Distribution of Persistent Organic Pollutants: The Use of Semipermeable Membrane Devices as Time-Integrated Passive Samplers. <i>Environmental Science & Technology</i> , 1998, 32, 2795-2803.	10.0	142