## Nabila Bouatia-Naji

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/202700/nabila-bouatia-naji-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75	<b>12,105</b> citations	32	98
papers		h-index	g-index
98	13,868 ext. citations	13.4	3.89
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
75	Genome-wide association study reveals novel genetic loci: a new polygenic risk score for mitral valve prolapse European Heart Journal, 2022,	9.5	2
74	Genetic investigation of fibromuscular dysplasia identifies risk loci and shared genetics with common cardiovascular diseases. <i>Nature Communications</i> , <b>2021</b> , 12, 6031	17.4	3
73	Recent Advances on the Genetics of Spontaneous Coronary Artery Dissection. <i>Circulation Genomic and Precision Medicine</i> , <b>2021</b> , CIRCGEN121003393	5.2	O
72	RARE LOSS-OF-FUNCTION MUTATIONS OF PTGIR IDENTIFIED IN FIBROMUSCULAR DYSPLASIA AND SPONTANEOUS CORONARY ARTERY DISSECTION. <i>Journal of Hypertension</i> , <b>2021</b> , 39, e262-e263	1.9	
71	Rare loss-of-function mutations of PTGIR are enriched in fibromuscular dysplasia. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 1154-1165	9.9	10
70	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , <b>2021</b> , 12, 24	17.4	30
69	Chromatin Accessibility of Human Mitral Valves and Functional Assessment of MVP Risk Loci. <i>Circulation Research</i> , <b>2021</b> , 128, e84-e101	15.7	3
68	National French registry of spontaneous coronary artery dissections: prevalence of fibromuscular dysplasia and genetic analyses. <i>EuroIntervention</i> , <b>2021</b> , 17, 508-515	3.1	11
67	Genome-Wide Association Meta-Analysis Supports Genes Involved in Valve and Cardiac Development to Associate With Mitral Valve Prolapse. <i>Circulation Genomic and Precision Medicine</i> , <b>2021</b> , 14, e003148	5.2	O
66	Plasma and genetic determinants of soluble TREM-1 and major adverse cardiovascular events in a prospective cohort of acute myocardial infarction patients. Results from the FAST-MI 2010 study. <i>International Journal of Cardiology</i> , <b>2021</b> , 344, 213-219	3.2	0
65	Genetics and Genetic Counselling Relevant to Mitral Valve Prolapse <b>2021</b> , 151-163		
64	Genetic Study of and Fibromuscular Dysplasia, Meta-Analysis and Effects on Clinical Features of Patients: The ARCADIA-POL Study. <i>Hypertension</i> , <b>2020</b> , 76, e4-e7	8.5	5
63	Transcriptome Analysis of lncRNAs in Pheochromocytomas and Paragangliomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	10
62	Spontaneous Coronary Artery Dissection: Insights on Rare Genetic Variation From Genome Sequencing. <i>Circulation Genomic and Precision Medicine</i> , <b>2020</b> , 13, e003030	5.2	14
61	A plasma proteogenomic signature for fibromuscular dysplasia. <i>Cardiovascular Research</i> , <b>2020</b> , 116, 63-	<b>73</b> .9	17
60	Primary cilia defects causing mitral valve prolapse. Science Translational Medicine, 2019, 11,	17.5	39
59	Genome-Wide Association Study-Driven Gene-Set Analyses, Genetic, and Functional Follow-Up Suggest GLIS1 as a Susceptibility Gene for Mitral Valve Prolapse. <i>Circulation Genomic and Precision Medicine</i> , <b>2019</b> , 12, e002497	5.2	18

## (2015-2019)

58	Genome-wide Association Study of Change in Fasting Glucose over time in 13,807 non-diabetic European Ancestry Individuals. <i>Scientific Reports</i> , <b>2019</b> , 9, 9439	4.9	3
57	Genetic association study between T-786C NOS3 polymorphism and essential hypertension in an Algerian population of the Oran city. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , <b>2019</b> , 13, 1317-1320	8.9	2
56	Spontaneous coronary artery dissections and fibromuscular dysplasia: Current insights on pathophysiology, sex and gender. <i>International Journal of Cardiology</i> , <b>2019</b> , 286, 220-225	3.2	8
55	Association of the PHACTR1/EDN1 Genetic Locus With Spontaneous Coronary Artery Dissection. Journal of the American College of Cardiology, <b>2019</b> , 73, 58-66	15.1	86
54	Fibromuscular Dysplasia and Its Neurologic Manifestations: A Systematic Review. <i>JAMA Neurology</i> , <b>2019</b> , 76, 217-226	17.2	26
53	Dysplasie fibromusculaire: dfinition, ßidfiniologie et gfifique. <i>Bulletin De Lu</i> Academie Nationale De Medecine, <b>2017</b> , 201, 1079-1089	0.1	
52	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , <b>2016</b> , 48, 1171-1184	36.3	251
51	The relationship between MTHFR C677T gene polymorphism and essential hypertension in a sample of an Algerian population of Oran city. <i>International Journal of Cardiology</i> , <b>2016</b> , 225, 408-411	3.2	15
50	Genetic and Functional Studies Implicate G6PC2 in the Regulation of Fasting Blood Glucose <b>2016</b> , 337-	362	
49	Genetic risk of type 2 diabetes in populations of the African continent: A systematic review and meta-analyses. <i>Diabetes Research and Clinical Practice</i> , <b>2016</b> , 114, 136-50	7.4	19
48	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , <b>2016</b> , 7, 10023	17.4	295
47	PHACTR1 Is a Genetic Susceptibility Locus for Fibromuscular Dysplasia Supporting Its Complex Genetic Pattern of Inheritance. <i>PLoS Genetics</i> , <b>2016</b> , 12, e1006367	6	99
46	The MITF, p.E318K Variant, as a Risk Factor for Pheochromocytoma and Paraganglioma. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 4764-4768	5.6	12
45	Top Advances in Functional Genomics and Translational Biology for 2015. <i>Circulation: Cardiovascular Genetics</i> , <b>2016</b> , 9, 189-92		
44	Mitral valve diseasemorphology and mechanisms. <i>Nature Reviews Cardiology</i> , <b>2015</b> , 12, 689-710	14.8	172
43	Mutations in DCHS1 cause mitral valve prolapse. <i>Nature</i> , <b>2015</b> , 525, 109-13	50.4	107
42	Genetic association analyses highlight biological pathways underlying mitral valve prolapse. <i>Nature Genetics</i> , <b>2015</b> , 47, 1206-11	36.3	70
41	Exome sequencing in seven families and gene-based association studies indicate genetic heterogeneity and suggest possible candidates for fibromuscular dysplasia. <i>Journal of Hypertension</i> , <b>2015</b> , 33, 1802-10; discussion 1810	1.9	24

40	Investigation of the Matrix Metalloproteinase-2 Gene in Patients with Non-Syndromic Mitral Valve Prolapse. <i>Journal of Cardiovascular Development and Disease</i> , <b>2015</b> , 2, 176-189	4.2	0
39	A central role for GRB10 in regulation of islet function in man. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004235	6	124
38	Multiple functional polymorphisms in the G6PC2 gene contribute to the association with higher fasting plasma glucose levels. <i>Diabetologia</i> , <b>2013</b> , 56, 1306-16	10.3	28
37	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. <i>Nature Genetics</i> , <b>2013</b> , 45, 145-54	36.3	505
36	Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. <i>Nature Genetics</i> , <b>2013</b> , 45, 621-31	36.3	219
35	KLHL3 mutations cause familial hyperkalemic hypertension by impairing ion transport in the distal nephron. <i>Nature Genetics</i> , <b>2012</b> , 44, 456-60, S1-3	36.3	228
34	Impact of common variation in bone-related genes on type 2 diabetes and related traits. <i>Diabetes</i> , <b>2012</b> , 61, 2176-86	0.9	25
33	Association between FTO variant and change in body weight and its interaction with dietary factors: the DiOGenes study. <i>Obesity</i> , <b>2012</b> , 20, 1669-74	8	35
32	Rare MTNR1B variants impairing melatonin receptor 1B function contribute to type 2 diabetes. <i>Nature Genetics</i> , <b>2012</b> , 44, 297-301	36.3	279
31	A genome-wide association search for type 2 diabetes genes in African Americans. <i>PLoS ONE</i> , <b>2012</b> , 7, e29202	3.7	138
30	Dietary factors impact on the association between CTSS variants and obesity related traits. <i>PLoS ONE</i> , <b>2012</b> , 7, e40394	3.7	6
29	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , <b>2012</b> , 44, 659-69	36.3	615
28	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , <b>2012</b> , 44, 991-1005	36.3	621
27	No interactions between previously associated 2-hour glucose gene variants and physical activity or BMI on 2-hour glucose levels. <i>Diabetes</i> , <b>2012</b> , 61, 1291-6	0.9	21
26	A genome-wide association study identifies rs2000999 as a strong genetic determinant of circulating haptoglobin levels. <i>PLoS ONE</i> , <b>2012</b> , 7, e32327	3.7	27
25	Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. <i>Diabetes</i> , <b>2011</b> , 60, 2624-34	0.9	285
24	Association of genetic Loci with glucose levels in childhood and adolescence: a meta-analysis of over 6,000 children. <i>Diabetes</i> , <b>2011</b> , 60, 1805-12	0.9	83
23	Genetic polymorphisms in the hypothalamic pathway in relation to subsequent weight changethe DiOGenes study. <i>PLoS ONE</i> , <b>2011</b> , 6, e17436	3.7	27

## (2008-2010)

22	Early detrimental metabolic outcomes of rs17300539-A allele of ADIPOQ gene despite higher adiponectinemia. <i>Obesity</i> , <b>2010</b> , 18, 1469-73	8	13
21	Genome-wide association study identifies five loci associated with lung function. <i>Nature Genetics</i> , <b>2010</b> , 42, 36-44	36.3	430
20	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. <i>Nature Genetics</i> , <b>2010</b> , 42, 142-8	36.3	527
19	Variants in ADCY5 and near CCNL1 are associated with fetal growth and birth weight. <i>Nature Genetics</i> , <b>2010</b> , 42, 430-5	36.3	184
18	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , <b>2010</b> , 42, 949-60	36.3	724
17	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , <b>2010</b> , 42, 937-48	36.3	2267
16	Common variants at 10 genomic loci influence hemoglobin ACC) levels via glycemic and nonglycemic pathways. <i>Diabetes</i> , <b>2010</b> , 59, 3229-39	0.9	314
15	Genetic and functional assessment of the role of the rs13431652-A and rs573225-A alleles in the G6PC2 promoter that are strongly associated with elevated fasting glucose levels. <i>Diabetes</i> , <b>2010</b> , 59, 2662-71	0.9	25
14	New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , <b>2010</b> , 42, 105-16	36.3	1673
13	G-allele of intronic rs10830963 in MTNR1B confers increased risk of impaired fasting glycemia and type 2 diabetes through an impaired glucose-stimulated insulin release: studies involving 19,605 Europeans. <i>Diabetes</i> , <b>2009</b> , 58, 1450-6	0.9	111
12	Genetic variant in HK1 is associated with a proanemic state and A1C but not other glycemic control-related traits. <i>Diabetes</i> , <b>2009</b> , 58, 2687-97	0.9	29
11	Smallness for gestational age interacts with high mobility group A2 gene genetic variation to modulate height. <i>European Journal of Endocrinology</i> , <b>2009</b> , 160, 557-60	6.5	9
10	Mutations in G6PC2 do not contribute to monogenic forms of early infancy diabetes and beta cell dysfunction. <i>Diabetologia</i> , <b>2009</b> , 52, 982-5	10.3	4
9	A variant near MTNR1B is associated with increased fasting plasma glucose levels and type 2 diabetes risk. <i>Nature Genetics</i> , <b>2009</b> , 41, 89-94	36.3	466
8	Association of the ENPP1 K121Q polymorphism with type 2 diabetes and obesity in the Moroccan population. <i>Diabetes and Metabolism</i> , <b>2009</b> , 35, 37-42	5.4	18
7	INS VNTR is not associated with childhood obesity in 1,023 families: a family-based study. <i>Obesity</i> , <b>2008</b> , 16, 1471-5	8	8
6	A polymorphism within the G6PC2 gene is associated with fasting plasma glucose levels. <i>Science</i> , <b>2008</b> , 320, 1085-8	33.3	199
5	Association analysis of the IGF1 gene with childhood growth, IGF-1 concentrations and type 1 diabetes. <i>Diabetologia</i> , <b>2008</b> , 51, 811-5	10.3	14

4	Secretory granule neuroendocrine protein 1 (SGNE1) genetic variation and glucose intolerance in severe childhood and adult obesity. <i>BMC Medical Genetics</i> , <b>2007</b> , 8, 44	2.1	9
3	ENPP1 K121Q polymorphism and obesity, hyperglycaemia and type 2 diabetes in the prospective DESIR Study. <i>Diabetologia</i> , <b>2007</b> , 50, 2090-6	10.3	37
2	ACDC/adiponectin polymorphisms are associated with severe childhood and adult obesity. <i>Diabetes</i> , <b>2006</b> , 55, 545-50	0.9	139
1	Variants of ENPP1 are associated with childhood and adult obesity and increase the risk of glucose intolerance and type 2 diabetes. <i>Nature Genetics</i> , <b>2005</b> , 37, 863-7	36.3	260