Shigeki Kushimoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2027648/publications.pdf

Version: 2024-02-01

130 papers 3,008 citations

28 h-index 51 g-index

132 all docs

 $\begin{array}{c} 132 \\ \text{docs citations} \end{array}$

times ranked

132

2744 citing authors

#	Article	IF	CITATIONS
1	Diagnosis of blunt thoracic aortic injury with electrocardiogram-gated computed tomography in pediatric patient: A case report. Trauma Case Reports, 2022, 37, 100586.	0.4	O
2	Comparison between midazolam and propofol in acute phase for ventilated patients with sepsis: a <i>postâ€hoc</i> analysis of the <scp>DESIRE</scp> trial. Acute Medicine & Surgery, 2022, 9, e746.	1.2	1
3	Hour-1 bundle adherence was associated with reduction of in-hospital mortality among patients with sepsis in Japan. PLoS ONE, 2022, 17, e0263936.	2.5	7
4	Minimising the biases in the observational study of resuscitative endovascular balloon occlusion of the aorta: a research protocol for a prospective study analysed with propensity score matching with time-varying covariates. BMJ Open, 2022, 12, e053743.	1.9	0
5	Antiplatelet pretreatment and mortality in patients with severe sepsis: A secondary analysis from a multicenter, prospective survey of severe sepsis in Japan. Journal of Critical Care, 2022, 69, 154015.	2.2	3
6	Possible Underestimation of Cerebral Hyperoxia in Patients With Left Ventricular Output Encountering With Extracorporeal Membrane Oxygenation Flow at the Aortic Arch. Critical Care Medicine, 2022, 50, e98-e99.	0.9	0
7	Thoracic endovascular aortic repair for avulsion of aortic branches in a trauma patient requiring resuscitative thoracotomy: a case report. Surgical Case Reports, 2022, 8, 71.	0.6	O
8	Details of Targeted Temperature Management Methods for Patients Who Had Out-of-Hospital Cardiac Arrest Receiving Extracorporeal Cardiopulmonary Resuscitation: A Questionnaire Survey. Therapeutic Hypothermia and Temperature Management, 2022, 12, 215-222.	0.9	3
9	Extracorporeal cardiopulmonary resuscitation in adult patients with out-of-hospital cardiac arrest: a retrospective large cohort multicenter study in Japan. Critical Care, 2022, 26, 129.	5.8	61
10	Web-based application for predicting the potential target phenotype for recombinant human thrombomodulin therapy in patients with sepsis: analysis of three multicentre registries. Critical Care, 2022, 26, 145.	5.8	2
11	Association between Nutrition Protocol with <i>Clostridium butyricum</i> MIYAIRI 588 and Reduced Incidence of <i>Clostridioides difficile</i> Infection in Critically III Patients: A Single-Center, Before-and-After Study. Surgical Infections, 2022, 23, 483-488.	1.4	7
12	Current spectrum of causative pathogens in sepsis: A prospective nationwide cohort study in Japan. International Journal of Infectious Diseases, 2021, 103, 343-351.	3.3	20
13	Association of Body Weight Change and Fluid Balance With Extubation Failure in Intensive Care Unit Patients: A Single-Center Observational Study. Journal of Intensive Care Medicine, 2021, 36, 175-181.	2.8	11
14	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2020 (Jâ€SSCG 2020). Acute Medicine & Surgery, 2021, 8, e659.	1.2	37
15	Variability of extracorporeal cardiopulmonary resuscitation practice in patients with outâ€ofâ€hospital cardiac arrest from the emergency department to intensive care unit in Japan. Acute Medicine & Surgery, 2021, 8, e647.	1.2	19
16	Effect of age on dexmedetomidine treatment for ventilated patients with sepsis: a <i>postâ€hoc</i> analysis of the DESIRE trial. Acute Medicine & Surgery, 2021, 8, e644.	1.2	4
17	Epidemiological features and outcomes of patients with psoas abscess: A retrospective cohort study. Annals of Medicine and Surgery, 2021, 62, 114-118.	1.1	6
18	Clinical characteristics and relationship between rate of sodium correction and outcomes in patients with primary polydipsia: retrospective observational analysis. Journal of the Japanese Society of Intensive Care Medicine, 2021, 28, 119-120.	0.0	0

#	Article	IF	CITATIONS
19	Coagulation phenotypes in sepsis and effects of recombinant human thrombomodulin: an analysis of three multicentre observational studies. Critical Care, 2021, 25, 114.	5.8	40
20	Endothelial Glycocalyx Disorders May Be Associated With Extended Inflammation During Endotoxemia in a Diabetic Mouse Model. Frontiers in Cell and Developmental Biology, 2021, 9, 623582.	3.7	19
21	Hyperoxemia during resuscitation of trauma patients and increased intensive care unit length of stay: inverse probability of treatment weighting analysis. World Journal of Emergency Surgery, 2021, 16, 19.	5.0	8
22	Incidence and Impact of Dysglycemia in Patients with Sepsis Under Moderate Glycemic Control. Shock, 2021, 56, 507-513.	2.1	4
23	Disseminated intravascular coagulation immediately after trauma predicts a poor prognosis in severely injured patients. Scientific Reports, $2021, 11, 11031$.	3. 3	13
24	Associations between low body mass index and mortality in patients with sepsis: A retrospective analysis of a cohort study in Japan. PLoS ONE, 2021, 16, e0252955.	2.5	14
25	Quick sequential organ failure assessment score combined with other sepsis-related risk factors to predict in-hospital mortality: Post-hoc analysis of prospective multicenter study data. PLoS ONE, 2021, 16, e0254343.	2.5	1
26	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2020 (J-SSCG) Tj ETQq0	0 0 rgBT /O	verlock 10 Tf
27	Blood purification therapy for severe sepsis: a multicenter, observational cohort study in northern Japan. Renal Replacement Therapy, 2021, 7, .	0.7	0
28	Pathophysiology of Coagulopathy Induced by Traumatic Brain Injury Is Identical to That of Disseminated Intravascular Coagulation With Hyperfibrinolysis. Frontiers in Medicine, 2021, 8, 767637.	2.6	16
29	Japanese rapid/living recommendations on drug management for COVIDâ€19: updated guidelines (September 2021). Acute Medicine & Surgery, 2021, 8, e706.	1.2	16
30	Complementary Role of Hypothermia Identification to the Quick Sequential Organ Failure Assessment Score in Predicting Patients With Sepsis at High Risk of Mortality: A Retrospective Analysis From a Multicenter, Observational Study. Journal of Intensive Care Medicine, 2020, 35, 502-510.	2.8	12
31	Clinical characteristics and prediction of the asymptomatic phenotype of pneumatosis intestinalis in critically ill patients: a retrospective observational study. Acute Medicine & Surgery, 2020, 7, e556.	1.2	3
32	A multicenter prospective validation study on disseminated intravascular coagulation in traumaâ€induced coagulopathy. Journal of Thrombosis and Haemostasis, 2020, 18, 2232-2244.	3.8	22
33	Clinical characteristics of patients with severe sepsis and septic shock in relation to bacterial virulence of betaâ€hemolytic Streptococcus and Streptococcus pneumoniae. Acute Medicine & Surgery, 2020, 7, e513.	1.2	3
34	Impact of blood glucose abnormalities on outcomes and disease severity in patients with severe sepsis: An analysis from a multicenter, prospective survey of severe sepsis. PLoS ONE, 2020, 15, e0229919.	2.5	28
35	Characteristics and outcomes of bacteremia among ICU-admitted patients with severe sepsis. Scientific Reports, 2020, 10, 2983.	3.3	21
36	Heterotopic ossification in a patient with paroxysmal sympathetic hyperactivity following multiple trauma complicated with vitamin D deficiency: a case report. Surgical Case Reports, 2020, 6, 293.	0.6	3

#	Article	IF	CITATIONS
37	Restrictive transfusion strategy for critically injured patients (RESTRIC) trial: a study protocol for a cluster-randomised, crossover non-inferiority trial. BMJ Open, 2020, 10, e037238.	1.9	1
38	Restrictive transfusion strategy for critically injured patients (RESTRIC) trial: a study protocol for a cluster-randomised, crossover non-inferiority trial. BMJ Open, 2020, 10, e037238.	1.9	4
39	Title is missing!. , 2020, 15, e0229919.		0
40	Title is missing!. , 2020, 15, e0229919.		0
41	Title is missing!. , 2020, 15, e0229919.		0
42	Title is missing!. , 2020, 15, e0229919.		0
43	Title is missing!. , 2020, 15, e0229919.		0
44	Title is missing!. , 2020, 15, e0229919.		0
45	Title is missing!. , 2020, 15, e0229919.		0
46	Title is missing!. , 2020, 15, e0229919.		0
47	Trends in sepsis care in Japan: comparison of two sepsis cohort studies conducted by the Japanese Association for Acute Medicine. Acute Medicine & Surgery, 2019, 6, 425-427.	1.2	0
48	Prognostic Accuracy of Quick SOFA is different according to the severity of illness in infectious patients. Journal of Infection and Chemotherapy, 2019, 25, 943-949.	1.7	5
49	Heterotopic ossification with fever of unknown origin. Cmaj, 2019, 191, E232-E232.	2.0	0
50	Diagnosis of sepsisâ€induced disseminated intravascular coagulation and coagulopathy. Acute Medicine & Surgery, 2019, 6, 223-232.	1.2	63
51	Prosthetic Valve Endocarditis Diagnosed by 18F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography. Mayo Clinic Proceedings, 2019, 94, 733-734.	3.0	0
52	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: a descriptive analysis of a prospective observational study. Critical Care, 2019, 23, 360.	5.8	35
53	Analysis of risk factors for hyponatremia in patients with acute spinal cord injury: a retrospective single-institution study in Japan. Spinal Cord, 2019, 57, 240-246.	1.9	6
54	<i>Streptococcus pneumoniae</i> bacteremia in patients with the acute phase of severe acute pancreatitis: a case report. Journal of the Japanese Society of Intensive Care Medicine, 2019, 26, 121-122.	0.0	0

#	Article	IF	CITATIONS
55	The impact of organ dysfunctions on mortality in patients with severe sepsis: A multicenter prospective observational study. Journal of Critical Care, 2018, 45, 178-183.	2.2	15
56	The Japanese Clinical Practice Guidelines for Management of Sepsis and Septic Shock 2016 (Jâ€ <scp>SSCG</scp> 2016). Acute Medicine & Surgery, 2018, 5, 3-89.	1.2	61
57	Postoperative Changes in Presepsin Level and Values Predictive of Surgical Site Infection After Spinal Surgery. Spine, 2018, 43, 578-584.	2.0	17
58	Characteristics, management, and in-hospital mortality among patients with severe sepsis in intensive care units in Japan: the FORECAST study. Critical Care, 2018, 22, 322.	5.8	89
59	Coagulation Factor Plasma Levels Following Administration of a 4-Factor Prothrombin Complex Concentrate for Rapid Vitamin K Antagonist Reversal in Japanese Patients. Current Therapeutic Research, 2018, 89, 21-26.	1.2	1
60	Life-threatening Hyperkalemia Associated with Axitinib Treatment in Patients with Recurrent Renal Carcinoma. Internal Medicine, 2018, 57, 2895-2900.	0.7	7
61	Colchicine poisoning due to accidental ingestion of Colchicum autumnale: a case report. Journal of the Japanese Society of Intensive Care Medicine, 2018, 25, 47-48.	0.0	1
62	Ventral Herniorrhaphy with the Combined Use of Component Separation Technique and Negative Pressure Wound Therapy in Patient with Complex Abdominal Wall Hernia Complicated with Parastomal Hernia: A Case Report. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of) Tj ETQq0 0 0	rgBT/Ove	rlock 10 Tf 50
63	Disseminated Nocardiosis that Mimicked Polypyomyositis: A Case Report. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 2018, 43, 291-294.	0.0	O
64	Fibrinogen level on admission is a predictor for massive transfusion in patients with severe blunt trauma: Analyses of a retrospective multicentre observational study. Injury, 2017, 48, 674-679.	1.7	28
65	Acute traumatic coagulopathy and trauma-induced coagulopathy: an overview. Journal of Intensive Care, 2017, 5, 6.	2.9	55
66	Delayed autonomic neuropathy in a patient with diethylene glycol poisoning: a case report. Acute Medicine & Surgery, 2017, 4, 326-328.	1.2	1
67	Efficacy and safety of a 4-factor prothrombin complex concentrate for rapid vitamin K antagonist reversal in Japanese patients presenting with major bleeding or requiring urgent surgical or invasive procedures: a prospective, open-label, single-arm phase 3b study. International Journal of Hematology, 2017, 106, 777-786.	1.6	21
68	Assessment of mortality by qSOFA in patients with sepsis outside ICU: A post hoc subgroup analysis by the Japanese Association for Acute Medicine Sepsis Registry Study Group. Journal of Infection and Chemotherapy, 2017, 23, 757-762.	1.7	20
69	The qSOFA requires validation as a promptly applicable clinical criterion. Acute Medicine & Surgery, 2017, 4, 225-226.	1.2	O
70	Early evaluation of severity in patients with severe sepsis: a comparison with "septic shock―— subgroup analysis of the Japanese Association for Acute Medicine Sepsis Registry (<scp>JAAM</scp> â€ <scp>SR</scp>). Acute Medicine & Surgery, 2017, 4, 426-431.	1.2	5
71	Azidothymidine-triphosphate impairs mitochondrial dynamics by disrupting the quality control system. Redox Biology, 2017, 13, 407-417.	9.0	14
72	Decreased a disintegrin-like and metalloprotease with thrombospondin type 1 motif 13 activity and neurologic outcome in patients with successful resuscitation of out-of-hospital cardiac arrest: A prospective observational study. Journal of Critical Care, 2017, 37, 13-18.	2.2	3

#	Article	IF	Citations
73	The impact of preinjury antithrombotic medication on hemostatic interventions in trauma patients. American Journal of Emergency Medicine, 2017, 35, 62-65.	1.6	11
74	Delayed sensorimotor neuropathy and renal failure: an additional report in a patient with diethylene glycol poisoning. Acute Medicine & Surgery, 2017, 4, 472-473.	1.2	0
75	Diagnosis and Management of Patients with Paroxysmal Sympathetic Hyperactivity following Acute Brain Injuries Using a Consensus-Based Diagnostic Tool: A Single Institutional Case Series. Tohoku Journal of Experimental Medicine, 2017, 243, 11-18.	1.2	19
76	Switching Therapy from Intravenous Landiolol to Transdermal Bisoprolol in a Patient with Thyroid Storm Complicated by Decompensated Heart Failure and Gastrointestinal Dysfunction. Internal Medicine, 2017, 56, 2603-2609.	0.7	6
77	Hyperfibrinolysis in severe isolated traumatic brain injury may occur without tissue hypoperfusion: a retrospective observational multicentre study. Critical Care, 2017, 21, 222.	5.8	29
78	Infection site is predictive of outcome in acute lung injury associated with severe sepsis and septic shock. Respirology, 2016, 21, 898-904.	2.3	37
79	Modified traumatic bleeding severity score: early determination of the need for massive transfusion. American Journal of Emergency Medicine, 2016, 34, 1097-1101.	1.6	23
80	Canadian CT head rule and New Orleans Criteria in mild traumatic brain injury: comparison at a tertiary referral hospital in Japan. SpringerPlus, 2016, 5, 176.	1,2	19
81	Invasive liver abscess syndrome caused by Klebsiella pneumoniae with definite K2 serotyping in Japan: a case report. Surgical Case Reports, 2016, 2, 72.	0.6	12
82	Lactate, a useful marker for disease mortality and severity but an unreliable marker of tissue hypoxia/hypoperfusion in critically ill patients. Acute Medicine & Surgery, 2016, 3, 293-297.	1.2	63
83	High-mobility group box 1 is associated with neurological outcome in patients with post-cardiac arrest syndrome after out-of-hospital cardiac arrest. Journal of Intensive Care, 2016, 4, 37.	2.9	12
84	Altered white matter metabolism in delayed neurologic sequelae after carbon monoxide poisoning: A proton magnetic resonance spectroscopic study. Journal of the Neurological Sciences, 2016, 360, 161-169.	0.6	11
85	High D-Dimer Levels Predict a Poor Outcome in Patients with Severe Trauma, Even with High Fibrinogen Levels on Arrival. Shock, 2016, 45, 308-314.	2.1	54
86	Lumbar artery injury from which the Adamkiewicz artery originated associated with lumbar spine injury: successfully treated by transcatheter arterial embolization. European Spine Journal, 2016, 25, 124-128.	2.2	7
87	Multi-stage Surgery for Multiple Hemorrhagic Ulcers in the Small Bowel—A Case Report—. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2016, 77, 578-581.	0.0	0
88	Impact of serum glucose levels on disease severity and outcome in patients with severe sepsis: an analysis from a multicenter, prospective survey of severe sepsis. Acute Medicine & Surgery, 2015, 2, 21-28.	1.2	5
89	Novel clinical grading of delayed neurologic sequelae after carbon monoxide poisoning and factors associated with outcome. NeuroToxicology, 2015, 48, 35-43.	3.0	27
90	Delayed intestinal stricture following non-resectional treatment for non-occlusive mesenteric ischemia associated with hepatic portal venous gas: a case report. BMC Surgery, 2015, 15, 37.	1.3	7

#	Article	lF	CITATIONS
91	Water Supply Facility Damage and Water Resource Operation at Disaster Base Hospitals in Miyagi Prefecture in the Wake of the Great East Japan Earthquake. Prehospital and Disaster Medicine, 2015, 30, 193-198.	1.3	12
92	Where were we able to clarify to?: the production mechanism and role of procalcitonin. Journal of the Japanese Society of Intensive Care Medicine, 2015, 22, 495-497.	0.0	0
93	Reliability of Telecommunications Systems Following a Major Disaster: Survey of Secondary and Tertiary Emergency Institutions in Miyagi Prefecture During the Acute Phase of the 2011 Great East Japan Earthquake. Prehospital and Disaster Medicine, 2014, 29, 204-208.	1.3	7
94	Radiology Diagnostic Devices Under Emergency Electric Power at Disaster Base Hospitals During the Acute Phase of the Great East Japan Earthquake: Results of a Survey of All Disaster Base Hospitals in Miyagi Prefecture. Disaster Medicine and Public Health Preparedness, 2014, 8, 548-552.	1.3	3
95	Hypothermia in Victims of the Great East Japan Earthquake: A Survey in Miyagi Prefecture. Disaster Medicine and Public Health Preparedness, 2014, 8, 379-389.	1.3	8
96	A multicenter, prospective evaluation of quality of care and mortality in Japan based on the Surviving Sepsis Campaign guidelines. Journal of Infection and Chemotherapy, 2014, 20, 115-120.	1.7	37
97	Body temperature abnormalities in non-neurological critically ill patients: a review of the literature. Journal of Intensive Care, 2014, 2, 14.	2.9	74
98	Difference in pulmonary permeability between indirect and direct acute respiratory distress syndrome assessed by the transpulmonary thermodilution technique: a prospective, observational, multi-institutional study. Journal of Intensive Care, 2014, 2, 24.	2.9	21
99	Epidemiology of severe sepsis in Japanese intensive care units: A prospective multicenter study. Journal of Infection and Chemotherapy, 2014, 20, 157-162.	1.7	88
100	A multicenter, prospective validation study of the Japanese Association for Acute Medicine disseminated intravascular coagulation scoring system in patients with severe sepsis. Critical Care, 2013, 17, R111.	5.8	156
101	The impact of body temperature abnormalities on the disease severity and outcome in patients with severe sepsis: an analysis from a multicenter, prospective survey of severe sepsis. Critical Care, 2013, 17, R271.	5.8	139
102	Medical support based on the disaster situation/phase and its concept as the sole university hospital of a prefecture in the East Japan Great Earthquake Disaster. Nihon Kyukyu Igakukai Zasshi, 2012, 23, 231-231.	0.0	0
103	Title is missing!. Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons), 2012, 37, 1086-1090.	0.0	0
104	How to comprehend the pathophysiology of sepsis and treat the patients with endotoxemia?. Nihon Kyukyu Igakukai Zasshi, 2010, 21, 101-117.	0.0	0
105	The pathophysiology of acute traumatic coagulopathy and the diagnosis of disseminated intravascular coagulation for trauma patients in acute phase. Japanese Journal of Thrombosis and Hemostasis, 2010, 21, 578-587.	0.1	1
106	Damage Control Surgery and Open Abdominal Management: Recent Advances and Our Approach. Journal of Nippon Medical School, 2009, 76, 280-290.	0.9	18
107	Disseminated intravascular coagulation (DIC) diagnosed based on the Japanese Association for Acute Medicine criteria is a dependent continuum to overt DIC in patients with sepsis. Thrombosis Research, 2009, 123, 715-718.	1.7	70
108	Pseudostenosis of the External Iliac Artery in a Patient With Blunt Pelvic Trauma. Journal of Trauma, 2009, 66, 586.	2.3	0

#	Article	IF	CITATIONS
109	Evaluation of Non Overt DIC Diagnostic Criteria Blood, 2009, 114, 1297-1297.	1.4	O
110	Clinical course and outcome of disseminated intravascular coagulation diagnosed by Japanese Association for Acute Medicine criteria. Thrombosis and Haemostasis, 2008, 100, 1099-1105.	3 . 4	51
111	Natural history of disseminated intravascular coagulation diagnosed based on the newly established diagnostic criteria for critically ill patients: Results of a multicenter, prospective survey*. Critical Care Medicine, 2008, 36, 145-150.	0.9	205
112	Clinical course and outcome of disseminated intravascular coagulation diagnosed by Japanese Association for Acute Medicine criteria. Comparison between sepsis and trauma. Thrombosis and Haemostasis, 2008, 100, 1099-105.	3.4	31
113	Bronchofiberoscopic Diagnosis of Bronchial Disruption and Pneumonectomy Using a Percutaneous Cardio-Pulmonary Bypass System. Journal of Trauma, 2007, 62, 247-251.	2.3	2
114	Predicting the Severity of Systemic Inflammatory Response Syndrome (SIRS)-Associated Coagulopathy With Hemostatic Molecular Markers and Vascular Endothelial Injury Markers. Journal of Trauma, 2007, 63, 1093-1098.	2.3	43
115	Usefulness of the Bilateral Anterior Rectus Abdominis Sheath Turnover Flap Method for Early Fascial Closure in Patients Requiring Open Abdominal Management. World Journal of Surgery, 2007, 31, 2-8.	1.6	66
116	The Clinical Usefulness of Procalcitonin Measurement for Assessing the Severity of Bacterial Infection in Critically III Patients Requiring Corticosteroid Therapy. Journal of Nippon Medical School, 2007, 74, 236-240.	0.9	16
117	A multicenter, prospective validation of disseminated intravascular coagulation diagnostic criteria for critically ill patients: Comparing current criteria*. Critical Care Medicine, 2006, 34, 625-631.	0.9	512
118	Immediate Postoperative Angiographic Embolization After Damage Control Surgery for Liver Injury: Report of a Case. Surgery Today, 2006, 36, 566-569.	1.5	9
119	Percutaneous cardiopulmonary support (PCPS) cannot wait for treating a patient with fulminant fat embolism syndrome. Journal of the Japanese Society of Intensive Care Medicine, 2006, 13, 403-404.	0.0	1
120	The Clinical Usefulness of Procalcitonin Measurement for Assessing the Severity of Bacterial Infection in Patients Requiring Corticosteroid Therapy. Journal of Nippon Medical School, 2006, 73, 354-356.	0.9	1
121	The Effect of Stored Blood on Neutrophil Priming. Nihon Kyukyu Igakukai Zasshi, 2005, 16, 272-274.	0.0	O
122	The Effect of Liposome-Encapsulated Hemoglobin on Mediators in the Mesenteric Lymph Following Hemorrhagic Shock. Nihon Kyukyu Igakukai Zasshi, 2004, 15, 579-586.	0.0	0
123	Implications of Fibrinogenolysis in Patients with Closed Head Injury. Journal of Neurotrauma, 2003, 20, 357-363.	3.4	63
124	The Role of Interventional Radiology in Patients Requiring Damage Control Laparotomy. Journal of Trauma, 2003, 54, 171-176.	2.3	53
125	Problems in Organ Procurement from Brain-dead Donors in Japan Nihon Kyukyu Igakukai Zasshi, 2002, 13, 73-77.	0.0	0
126	A Method to Detect Remote Organ Injury after Intestinal Ischemia-Reperfusion in Mice Nihon Kyukyu Igakukai Zasshi, 2002, 13, 144-150.	0.0	0

#	Article	IF	CITATIONS
127	Implications of Excessive Fibrinolysis and $\hat{l}\pm 2$ -Plasmin Inhibitor Deficiency in Patients with Severe Head Injury. Neurosurgery, 2001, 49, 1084-1090.	1.1	30
128	Microalbuminuria Correlates with Endothelial Injury and Multiple Organ Dysfunction. A Preliminary Study. A. Preliminary Study Nihon Kyukyu Igakukai Zasshi, 2000, 11, 261-268.	0.0	0
129	Delayed cardiac rupture associated with traumatic asphyxia Nihon Kyukyu Igakukai Zasshi, 1994, 5, 170-174.	0.0	0
130	An evaluation of blunt traumatic pericardial rupture Nihon Kyukyu Igakukai Zasshi, 1992, 3, 163-172.	0.0	1