

Yunlin Ye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/202931/publications.pdf>

Version: 2024-02-01

24
papers

329
citations

840776

11
h-index

888059

17
g-index

34
all docs

34
docs citations

34
times ranked

466
citing authors

#	ARTICLE	IF	CITATIONS
1	Predicting GFR after radical nephrectomy: the importance of split renal function. <i>World Journal of Urology</i> , 2022, 40, 1011-1018.	2.2	16
2	Extraperitonealization of ileal conduit reduces parastomal hernia after cystectomy and ileal conduit diversion. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 162.e17-162.e23.	1.6	4
3	Optimizing prediction of new-baseline glomerular filtration rate after radical nephrectomy: are algorithms really necessary?. <i>International Urology and Nephrology</i> , 2022, 54, 2537-2545.	1.4	4
4	Infiltrative Renal Masses: Clinical Significance and Fidelity of Documentation. <i>European Urology Oncology</i> , 2021, 4, 264-273.	5.4	15
5	N6-Methyladenosine Modification of LncRNA DUXAP9 Promotes Renal Cancer Cells Proliferation and Motility by Activating the PI3K/AKT Signaling Pathway. <i>Frontiers in Oncology</i> , 2021, 11, 641833.	2.8	24
6	A Nomogram for Predicting Intraoperative Hemodynamic Instability in Patients With Pheochromocytoma. <i>Frontiers in Endocrinology</i> , 2021, 12, 787786.	3.5	5
7	Progress in the Research and Targeted Therapy of ErbB/HER Receptors in Urothelial Bladder Cancer. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 800945.	3.5	8
8	MAP kinase-interacting kinase 1 (MNK1) plays as a tumor suppressor in bladder cancer. <i>Translational Cancer Research</i> , 2020, 9, 2588-2598.	1.0	0
9	The effectiveness of chemotherapy for patients with pT3N0M0 renal pelvic urothelial carcinomas: An inverse probability of treatment weighting comparison using Surveillance, Epidemiology, and End Results data. <i>Cancer Medicine</i> , 2020, 9, 5756-5766.	2.8	2
10	Split renal function in patients with renal masses: utility of parenchymal volume analysis vs nuclear renal scans. <i>BJU International</i> , 2020, 125, 686-694.	2.5	22
11	High PRMT5 expression is associated with poor overall survival and tumor progression in bladder cancer. <i>Aging</i> , 2020, 12, 8728-8741.	3.1	15
12	Prognostic significance of laterality in renal cell carcinoma: A population-based study from the surveillance, epidemiology, and end results (SEER) database. <i>Cancer Medicine</i> , 2019, 8, 5629-5637.	2.8	20
13	A clinicopathological analysis of adrenal tumors in patients with history of extra-adrenal cancers. <i>BMC Cancer</i> , 2019, 19, 838.	2.6	2
14	The Complete Spectrum of Infiltrative Renal Masses: Clinical Characteristics and Prognostic Implications. <i>Urology</i> , 2019, 130, 86-92.	1.0	13
15	An improved ileal conduit surgery for bladder cancer with fewer complications. <i>Cancer Communications</i> , 2019, 39, 1-10.	9.2	9
16	Renal Cancer Surgery in Patients without Preexisting Chronic Kidney Disease—Is There a Survival Benefit for Partial Nephrectomy?. <i>Journal of Urology</i> , 2019, 201, 1088-1096.	0.4	8
17	The effects of intra-arterial chemotherapy on bladder preservation in patients with T1 stage bladder cancer. <i>World Journal of Urology</i> , 2018, 36, 1191-1200.	2.2	12
18	Motor neuron and pancreas homeobox 1/HLXB9 promotes sustained proliferation in bladder cancer by upregulating CCNE1/2. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 154.	8.6	29

#	ARTICLE	IF	CITATIONS
19	Tumor PD-L1 expression is correlated with increased TILs and poor prognosis in penile squamous cell carcinoma. <i>Oncolmmunology</i> , 2017, 6, e1269047.	4.6	47
20	Methylation of STK11 promoter is a risk factor for tumor stage and survival in clear cell renal cell carcinoma. <i>Oncology Letters</i> , 2017, 14, 3065-3070.	1.8	5
21	The C-reactive protein/albumin ratio, a validated prognostic score, predicts outcome of surgical renal cell carcinoma patients. <i>BMC Cancer</i> , 2017, 17, 171.	2.6	48
22	The effect of TMEFF2 methylation on the tumor stage and survival outcome of clear cell renal cell carcinoma. <i>Cancer Biomarkers</i> , 2017, 19, 207-212.	1.7	6
23	Establishment and characterization of a penile cancer cell line, pen11, with a deleterious TP53 mutation as a paradigm of HPV-negative penile carcinogenesis. <i>Oncotarget</i> , 2016, 7, 51687-51698.	1.8	12
24	Transcriptional regulation of E-cadherin by small activating RNA: A new double-stranded RNA. <i>International Journal of Oncology</i> , 2016, 49, 1620-1628.	3.3	3