Camilla Luzzago

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2029360/publications.pdf

Version: 2024-02-01

567281 642732 41 621 15 23 citations h-index g-index papers 41 41 41 1065 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Freeâ€ranging red deer (<i>Cervus elaphus</i>) as carriers of potentially zoonotic Shiga toxinâ€producing <i>Escherichia coli</i> . Transboundary and Emerging Diseases, 2022, 69, 1902-1911.	3.0	14
2	Analysis of seroprevalence data on Hepatitis E virus and Toxoplasma gondii in wild ungulates for the assessment of human exposure to zoonotic meat-borne pathogens. Food Microbiology, 2022, 101, 103890.	4.2	6
3	Survey of <i>Staphylococcus aureus</i> carriage by freeâ€living red deer (<i>Cervus elaphus</i>): Evidence of human and domestic animal lineages. Transboundary and Emerging Diseases, 2022, , .	3.0	4
4	Epidemiology of Bovine Pestiviruses Circulating in Italy. Frontiers in Veterinary Science, 2021, 8, 669942.	2.2	7
5	Protocol optimization for simultaneous DNA and RNA co-extraction from single hard tick specimens. MethodsX, 2021, 8, 101315.	1.6	2
6	BVDV permissiveness and lack of expression of co-stimulatory molecules on PBMCs from calves pre-infected with BVDV. Comparative Immunology, Microbiology and Infectious Diseases, 2020, 68, 101388.	1.6	3
7	Low Serologic Prevalences Suggest Sporadic Infections of Hepatitis E Virus in Chamois (Rupicapra) Tj ETQq1 1 (0.784314 r 0.8	rgBT /Overlo <mark>ck</mark>
8	Origin and transmission of Feline coronavirus type I in domestic cats from Northern Italy: a phylogeographic approach. Veterinary Microbiology, 2020, 244, 108667.	1.9	13
9	Identification and Genetic Characterization of a Novel Respirovirus in Alpine Chamois (Rupicapra) Tj ETQq $1\ 1\ 0$.	784314 rg 2.3	;BT <u>{</u> Overlock }
10	Low Serologic Prevalences Suggest Sporadic Infections of Hepatitis E Virus in Chamois () and Red Deer () in the Italian Alps. Journal of Wildlife Diseases, 2020, 56, 443-446.	0.8	4
11	Molecular detection of Hepatozoon felis in cats from Maio Island, Republic of Cape Verde and global distribution of feline hepatozoonosis. Parasites and Vectors, 2019, 12, 294.	2.5	10
12	Host range of mammalian orthoreovirus type 3 widening to alpine chamois. Veterinary Microbiology, 2019, 230, 72-77.	1.9	12
13	Staphylococcus aureus nasal and intestinal carriage by free-ranging red deer: evidence of human, domestic and wild animal lineages. International Journal of Infectious Diseases, 2019, 79, 21-22.	3.3	4
14	Are tree squirrels involved in the circulation of flaviviruses in Italy?. Transboundary and Emerging Diseases, 2018, 65, 1372-1376.	3.0	20
15	Highlighting priority areas for bovine viral diarrhea control in Italy: A phylogeographic approach. Infection, Genetics and Evolution, 2018, 58, 258-268.	2.3	10
16	The occurrence of the filarial nematode Dirofilaria repens in canine hosts from Maio Island, Cape Verde. Journal of Helminthology, 2017, 91, 87-90.	1.0	6
17	Ticks and bacterial tick-borne pathogens in Piemonte region, Northwest Italy. Experimental and Applied Acarology, 2017, 73, 477-491.	1.6	10
18	Spatial and Temporal Phylogeny of Border Disease Virus in Pyrenean Chamois (Rupicapra p. pyrenaica). PLoS ONE, 2016, 11, e0168232.	2.5	23

#	Article	IF	Citations
19	Buffy coat smear or Knott's test: which to choose for canine microfilaria screening in field studies?. Veterinary Clinical Pathology, 2016, 45, 201-205.	0.7	12
20	Molecular detection of Anaplasma platys, Ehrlichia canis, Hepatozoon canis and Rickettsia monacensis in dogs from Maio Island of Cape Verde archipelago. Ticks and Tick-borne Diseases, 2016, 7, 964-969.	2.7	37
21	Phylogeography, phylodynamics and transmission chains of bovine viral diarrhea virus subtype 1f in Northern Italy. Infection, Genetics and Evolution, 2016, 45, 262-267.	2.3	18
22	Q fever seroprevalence and risk factors in sheep and goats in northwest Italy. Preventive Veterinary Medicine, 2016, 130, 10-17.	1.9	50
23	Extended Genetic Diversity of Bovine Viral Diarrhea Virus and Frequency of Genotypes and Subtypes in Cattle in Italy between 1995 and 2013. BioMed Research International, 2014, 2014, 1-8.	1.9	38
24	Clonal diversity, virulence-associated genes and antimicrobial resistance profile of Staphylococcus aureus isolates from nasal cavities and soft tissue infections in wild ruminants in Italian Alps. Veterinary Microbiology, 2014, 170, 157-161.	1.9	22
25	Phylogeography and phylodynamics of European genotype 3 hepatitis E virus. Infection, Genetics and Evolution, 2014, 25, 138-143.	2.3	30
26	Effect of infection with BHV-1 on peripheral blood leukocytes and lymphocyte subpopulations in calves with subclinical BVD. Research in Veterinary Science, 2013, 95, 115-122.	1.9	15
27	Bayesian Phylogeography of Crimean-Congo Hemorrhagic Fever Virus in Europe. PLoS ONE, 2013, 8, e79663.	2.5	20
28	<i>In vitro</i> Replication Activity of Bovine Viral Diarrhea Virus in an Epithelial Cell Line and in Bovine Peripheral Blood Mononuclear Cells. Journal of Veterinary Medical Science, 2012, 74, 1397-1400.	0.9	2
29	Spatial and temporal reconstruction of bovine viral diarrhea virus genotype 1 dispersion in Italy. Infection, Genetics and Evolution, 2012, 12, 324-331.	2.3	27
30	In vitro permissivity of bovine peripheral blood mononuclear cells to bovine viral diarrhoea virus is dependent on the animal specific immune status. Veterinary Journal, 2012, 192, 126-128.	1.7	3
31	Bovine respiratory syncytial virus seroprevalence and risk factors in endemic dairy cattle herds. Veterinary Research Communications, 2010, 34, 19-24.	1.6	10
32	A scoring system for risk assessment of the introduction and spread of bovine viral diarrhoea virus in dairy herds in Northern Italy. Veterinary Journal, 2008, 177, 236-241.	1.7	17
33	Development and Application of an Enzyme-Linked Immunosorbent Assay for Detection of Bovine Viral Diarrhea Antibody Based on E ^{rns} Glycoprotein Expressed in a Baculovirus System. Journal of Veterinary Diagnostic Investigation, 2007, 19, 21-27.	1.1	4
34	Comparison of Blood Non-Specific Immune Parameters in Bovine Virus Diarrhoea Virus (BVDV) Persistently Infected and in Immune Heifers. Zoonoses and Public Health, 2006, 53, 62-67.	1.4	22
35	Indirect immunohistochemistry on skin biopsy for the detection of persistently infected cattle with bovine viral diarrhoea virus in Italian dairy herds. New Microbiologica, 2006, 29, 127-31.	0.1	4
36	Serological study of a population of alpine chamois (<i>Rupkapra rrupkapra </i>) affected by an outbreak of respiratory disease. Veterinary Record, 2003, 153, 592-596.	0.3	21

#	Article	IF	CITATIONS
37	Genotypic Characteristics of Bovine Viral Diarrhea Virus 2 Strains Isolated in Northern Italy Journal of Veterinary Medical Science, 2001, 63, 1045-1049.	0.9	14
38	Distribution pattern of bovine viral diarrhoea virus strains in intensive cattle herds in Italy. Veterinary Microbiology, 2001, 83, 265-274.	1.9	39
39	Study on prevalence of bovine viral diarrhoea virus (BVDV) antibodies in 29 Italian dairy herds with reproductive problems. Veterinary Microbiology, 1999, 64, 247-252.	1.9	17
40	Efficacy of a Biological Response Modifier in Preventing Staphylococcus aureus Intramammary Infections After Calving. Journal of Dairy Science, 1999, 82, 2101-2107.	3.4	8
41	Study on the relationship between milk immune factors and Staphylococcus aureus intramammary infections in dairy cows. Journal of Dairy Research, 1999, 66, 501-510.	1.4	30