

Alain Geffard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2029404/alain-geffard-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,173
citations

20
h-index

30
g-index

81
ext. papers

1,404
ext. citations

5.3
avg, IF

4.23
L-index

#	Paper	IF	Citations
76	First evidence of SARS-CoV-2 genome detection in zebra mussel (<i>Dreissena polymorpha</i>). <i>Journal of Environmental Management</i> , 2022 , 301, 113866	7.9	4
75	Evaluation of real-time qPCR-based methods to detect the DNA of the three protozoan parasites <i>Cryptosporidium parvum</i> , <i>Giardia duodenalis</i> and <i>Toxoplasma gondii</i> in the tissue and hemolymph of blue mussels (<i>M. edulis</i>). <i>Food Microbiology</i> , 2022 , 102, 103870	6	0
74	Synthesis of New Betaine-Based Ionic Liquids by Using a One-Pot Amidation Process and Evaluation of Their Ecotoxicity through a New Method Involving a Hemocyte-Based Bioassay. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 15427-15441	8.3	0
73	An optimized LC-HRMS untargeted metabolomics workflow for multi-matrices investigations in the three-spined stickleback. <i>PLoS ONE</i> , 2021 , 16, e0260354	3.7	
72	Interest of a multispecies approach in active biomonitoring: Application in the Meuse watershed. <i>Science of the Total Environment</i> , 2021 , 152148	10.2	1
71	Water quality of the Meuse watershed: Assessment using a multi-biomarker approach with caged three-spined stickleback (<i>Gasterosteus aculeatus</i> L.). <i>Ecotoxicology and Environmental Safety</i> , 2021 , 208, 111407	7	4
70	H-NMR metabolomics profiling of zebra mussel (<i>Dreissena polymorpha</i>): A field-scale monitoring tool in ecotoxicological studies. <i>Environmental Pollution</i> , 2021 , 270, 116048	9.3	5
69	The Utility of <i>Dreissena polymorpha</i> for Assessing the Viral Contamination of Rivers by Measuring the Accumulation of F-Specific RNA Bacteriophages. <i>Water (Switzerland)</i> , 2021 , 13, 904	3	
68	Subcellular Distribution of Dietary Methyl-Mercury in and Its Impact on the Amphipod Proteome. <i>Environmental Science & Technology</i> , 2021 , 55, 10514-10523	10.3	0
67	Virtual decoupling to break the simplification versus resolution trade-off in nuclear magnetic resonance of complex metabolic mixtures. <i>Magnetic Resonance</i> , 2021 , 2, 619-627	2.9	
66	Cellular and molecular complementary immune stress markers for the model species <i>Dreissena polymorpha</i> . <i>Fish and Shellfish Immunology</i> , 2020 , 107, 452-462	4.3	0
65	Free or Protein-Bound Microcystin Accumulation by Freshwater Bivalves as a Tool to Evaluate Water Contamination by Microcystin-Producing Cyanobacteria?. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 3426	2.6	3
64	Effects of chronic exposure to a pharmaceutical mixture on the three-spined stickleback (<i>Gasterosteus aculeatus</i>) population dynamics in lotic mesocosms. <i>Aquatic Toxicology</i> , 2020 , 224, 105499 ^{5.1}		6
63	The Zebra Mussel (<i>Dreissena polymorpha</i>) as a Model Organism for Ecotoxicological Studies: A Prior H NMR Spectrum Interpretation of a Whole Body Extract for Metabolism Monitoring. <i>Metabolites</i> , 2020 , 10,	5.6	8
62	How the Neurotoxin β -Methylamino-L-Alanine Accumulates in Bivalves: Distribution of the Different Accumulation Fractions among Organs. <i>Toxins</i> , 2020 , 12,	4.9	4
61	Identification of immune-related proteins of <i>Dreissena polymorpha</i> hemocytes and plasma involved in host-microbe interactions by differential proteomics. <i>Scientific Reports</i> , 2020 , 10, 6226	4.9	9
60	A new protocol for the simultaneous flow cytometric analysis of cytotoxicity and immunotoxicity on zebra mussel (<i>Dreissena polymorpha</i>) hemocytes. <i>Fish and Shellfish Immunology</i> , 2020 , 98, 224-235	4.3	7

59	Comparison of viability and phagocytic responses of hemocytes withdrawn from the bivalves <i>Mytilus edulis</i> and <i>Dreissena polymorpha</i> , and exposed to human parasitic protozoa. <i>International Journal for Parasitology</i> , 2020 , 50, 75-83	4.3	5
58	Use of the bivalve <i>Dreissena polymorpha</i> as a biomonitoring tool to reflect the protozoan load in freshwater bodies. <i>Water Research</i> , 2020 , 170, 115297	12.5	19
57	Comparative evaluation of loop-mediated isothermal amplification (LAMP) vs qPCR for detection of <i>Toxoplasma gondii</i> oocysts DNA in mussels. <i>Experimental Parasitology</i> , 2020 , 208, 107809	2.1	7
56	From shotgun to targeted proteomics: rapid Scout-MRM assay development for monitoring potential immunomarkers in <i>Dreissena polymorpha</i> . <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 7333-7347	4.4	5
55	An active biomonitoring approach using three-spined stickleback (<i>Gasterosteus aculeatus</i> , L.) to assess the efficiency of a constructed wetland as tertiary treatment of wastewater. <i>Ecological Indicators</i> , 2020 , 114, 106238	5.8	9
54	Impact of confinement and food access restriction on the three-spined stickleback (<i>Gasterosteus aculeatus</i> , L.) during caging: a multi-biomarker approach. <i>Fish Physiology and Biochemistry</i> , 2019 , 45, 1267-1276 ⁸	7.7	8
53	The immune system of the freshwater zebra mussel, <i>Dreissena polymorpha</i> , decrypted by proteogenomics of hemocytes and plasma compartments. <i>Journal of Proteomics</i> , 2019 , 202, 103366	3.9	21
52	Effects of a chronic exposure to different water temperatures and/or to an environmental cadmium concentration on the reproduction of the threespine stickleback (<i>Gasterosteus aculeatus</i>). <i>Ecotoxicology and Environmental Safety</i> , 2019 , 174, 48-57	7	15
51	Signification of DNA integrity in sperm of <i>Palaemon serratus</i> (Pennant 1777): Kinetic responses and reproduction impairment. <i>Marine Environmental Research</i> , 2019 , 144, 130-140	3.3	3
50	Mollusc Bivalves as Indicators of Contamination of Water Bodies by Protozoan Parasites 2019 , 443-448		3
49	First evidence of cytotoxic effects of human protozoan parasites on zebra mussel (<i>Dreissena polymorpha</i>) haemocytes. <i>Environmental Microbiology Reports</i> , 2019 , 11, 414-418	3.7	5
48	Assessment of sperm DNA integrity within the <i>Palaemon longirostris</i> (H.) population of the Seine estuary. <i>Environmental Pollution</i> , 2019 , 245, 485-493	9.3	4
47	Effects of chronic exposure to cadmium and temperature, alone or combined, on the threespine stickleback (<i>Gasterosteus aculeatus</i>): Interest of digestive enzymes as biomarkers. <i>Aquatic Toxicology</i> , 2018 , 199, 252-262	5.1	16
46	Use of sperm DNA integrity as a marker for exposure to contamination in <i>Palaemon serratus</i> (Pennant 1777): Intrinsic variability, baseline level and in situ deployment. <i>Water Research</i> , 2018 , 132, 124-134	12.5	6
45	Procedures for leukocytes isolation from lymphoid tissues and consequences on immune endpoints used to evaluate fish immune status: A case study on roach (<i>Rutilus rutilus</i>). <i>Fish and Shellfish Immunology</i> , 2018 , 74, 190-204	4.3	11
44	Application of a multidisciplinary and integrative weight-of-evidence approach to a 1-year monitoring survey of the Seine River. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 23404-23429 ^{5,1}	5.1	9
43	Trophic transfer and effects of gold nanoparticles (AuNPs) in <i>Gammarus fossarum</i> from contaminated periphytic biofilm. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 11181-11191	5.1	11
42	Assessment of sperm quality in palaemonid prawns using Comet assay: methodological optimization. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 11226-11237	5.1	5

41	Metal release from contaminated leaf litter and leachate toxicity for the freshwater crustacean <i>Gammarus fossarum</i> . <i>Environmental Science and Pollution Research</i> , 2018 , 25, 11281-11294	5.1	5
40	Determination of a new index of sexual maturity (ISM) in zebra mussel using flow cytometry: interest in ecotoxicology. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 11252-11263	5.1	3
39	Digestive enzymes and gut morphometric parameters of threespine stickleback (<i>Gasterosteus aculeatus</i>): Influence of body size and temperature. <i>PLoS ONE</i> , 2018 , 13, e0194932	3.7	14
38	Genotoxic and Cytotoxic Effects on the Immune Cells of the Freshwater Bivalve <i>Dreissena polymorpha</i> Exposed to the Environmental Neurotoxin BMAA. <i>Toxins</i> , 2018 , 10,	4.9	10
37	Determination of carbamazepine and 12 degradation products in various compartments of an outdoor aquatic mesocosm by reliable analytical methods based on liquid chromatography-tandem mass spectrometry. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 16893-16904	5.1	17
36	Differential sensitivity to cadmium of immunomarkers measured in hemocyte subpopulations of zebra mussel <i>Dreissena polymorpha</i> . <i>Ecotoxicology and Environmental Safety</i> , 2017 , 137, 78-85	7	11
35	Mussel as a Tool to Define Continental Watershed Quality 2017 ,		5
34	Bioaccumulation of <i>Toxoplasma</i> and <i>Cryptosporidium</i> by the freshwater crustacean <i>Gammarus fossarum</i> : Involvement in biomonitoring surveys and trophic transfer. <i>Ecotoxicology and Environmental Safety</i> , 2016 , 133, 188-94	7	12
33	In situ effects of metal contamination from former uranium mining sites on the health of the three-spined stickleback (<i>Gasterosteus aculeatus</i> , L.). <i>Ecotoxicology</i> , 2016 , 25, 1234-59	2.9	24
32	In situ experiments to assess effects of constraints linked to caging on ecotoxicity biomarkers of the three-spined stickleback (<i>Gasterosteus aculeatus</i> L.). <i>Fish Physiology and Biochemistry</i> , 2016 , 42, 643-57	2.7	10
31	Mercury tissue residue approach in <i>Chironomus riparius</i> : Involvement of toxicokinetics and comparison of subcellular fractionation methods. <i>Aquatic Toxicology</i> , 2016 , 171, 1-8	5.1	21
30	Functional features of hemocyte subpopulations of the invasive mollusk species <i>Dreissena polymorpha</i> . <i>Fish and Shellfish Immunology</i> , 2016 , 56, 144-154	4.3	25
29	Juvenile roach (<i>Rutilus rutilus</i>) increase their anaerobic metabolism in response to copper exposure in laboratory conditions. <i>Ecotoxicology</i> , 2016 , 25, 900-13	2.9	5
28	Development of a multi-residue analysis of diclofenac and some transformation products in bivalves using QuEChERS extraction and liquid chromatography-tandem mass spectrometry. Application to samples from mesocosm studies. <i>Talanta</i> , 2016 , 155, 1-7	6.2	23
27	Acclimation capacity of the three-spined stickleback (<i>Gasterosteus aculeatus</i> , L.) to a sudden biological stress following a polymetallic exposure. <i>Ecotoxicology</i> , 2016 , 25, 1478-1499	2.9	16
26	Transcriptional response of stress-regulated genes to industrial effluent exposure in the cockle <i>Cerastoderma glaucum</i> . <i>Environmental Science and Pollution Research</i> , 2015 , 22, 17303-16	5.1	5
25	Transcriptional response of stress-regulated genes to cadmium exposure in the cockle <i>Cerastoderma glaucum</i> from the gulf of Gabès area (Tunisia). <i>Environmental Science and Pollution Research</i> , 2015 , 22, 17290-302	5.1	10
24	Food Deprivation and Modulation of Hemocyte Activity in the Zebra Mussel (<i>Dreissena polymorpha</i>). <i>Journal of Shellfish Research</i> , 2015 , 34, 423-431	1	4

23	The endocrine-disrupting effect and other physiological responses of municipal effluent on the clam <i>Ruditapes decussatus</i> . <i>Environmental Science and Pollution Research</i> , 2015 , 22, 19716-28	5.1	5
22	Coupling of OECD standardized test and immunomarkers to select the most environmentally benign ionic liquids option--towards an innovative "safety by design" approach. <i>Journal of Hazardous Materials</i> , 2015 , 283, 202-10	12.8	40
21	Involvement of fish immunomarkers in environmental biomonitoring approach: Urban and agri-viticultural context. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 120, 35-40	7	5
20	Recommendations to design environmental monitoring in the European bullhead, <i>Cottus sp.</i> , based on reproductive cycle and immunomarker measurement. <i>Marine Pollution Bulletin</i> , 2015 , 95, 576-81	6.7	2
19	Consequences of lower food intake on the digestive enzymes activities, the energy reserves and the reproductive outcome in <i>Gammarus fossarum</i> . <i>PLoS ONE</i> , 2015 , 10, e0125154	3.7	14
18	Applications in environmental risk assessment of leucocyte apoptosis, necrosis and respiratory burst analysis on the European bullhead, <i>Cottus sp.</i> <i>Environmental Pollution</i> , 2014 , 184, 9-17	9.3	24
17	Influence of molting and starvation on digestive enzyme activities and energy storage in <i>Gammarus fossarum</i> . <i>PLoS ONE</i> , 2014 , 9, e96393	3.7	31
16	Flow cytometry detection of lysosomal presence and lysosomal membrane integrity in the three-spined stickleback (<i>Gasterosteus aculeatus L.</i>) immune cells: applications in environmental aquatic immunotoxicology. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 2692-704	5.1	20
15	Assessment of the health status of <i>Donax trunculus</i> from the Gulf of Tunis using integrative biomarker indices. <i>Ecological Indicators</i> , 2013 , 32, 285-293	5.8	25
14	Simultaneous effects of two fungicides (copper and dimethomorph) on their phytoremediation using <i>Lemna minor</i> . <i>Ecotoxicology</i> , 2013 , 22, 683-92	2.9	16
13	Seasonal and PAH impact on DNA strand-break levels in gills of transplanted zebra mussels. <i>Ecotoxicology and Environmental Safety</i> , 2013 , 92, 18-26	7	28
12	Modelling copper bioaccumulation in <i>Gammarus pulex</i> and alterations of digestive metabolism. <i>Ecotoxicology</i> , 2012 , 21, 2022-30	2.9	30
11	DNA damage in caged <i>Gammarus fossarum</i> amphipods: a tool for freshwater genotoxicity assessment. <i>Environmental Pollution</i> , 2011 , 159, 1682-91	9.3	56
10	Subcellular compartmentalization of cadmium, nickel, and lead in <i>Gammarus fossarum</i> : Comparison of methods. <i>Chemosphere</i> , 2010 , 78, 822-9	8.4	62
9	Ovarian cycle and embryonic development in <i>Gammarus fossarum</i> : application for reproductive toxicity assessment. <i>Environmental Toxicology and Chemistry</i> , 2010 , 29, 2249-59	3.8	73
8	Multi-biomarkers approach in different organs of <i>Anodonta cygnea</i> from the Dnister Basin (Ukraine). <i>Archives of Environmental Contamination and Toxicology</i> , 2009 , 57, 86-95	3.2	17
7	Assessing the risk of metal mixtures in contaminated sediments on <i>Chironomus riparius</i> based on cytosolic accumulation. <i>Ecotoxicology and Environmental Safety</i> , 2008 , 71, 869-73	7	14
6	Effects of chronic dietary and waterborne cadmium exposures on the contamination level and reproduction of <i>Daphnia magna</i> . <i>Environmental Toxicology and Chemistry</i> , 2008 , 27, 1128-34	3.8	27

5	Mechanistic models to perform population risk assessment with the midge <i>Chironomus riparius</i> : application to heavy metals. <i>Environmental Science & Technology</i> , 2006 , 40, 6026-31	10.3	11
4	Do seasonal changes affect metallothionein induction by metals in mussels, <i>Mytilus edulis</i> ?. <i>Ecotoxicology and Environmental Safety</i> , 2005 , 61, 209-20	7	55
3	Temporal changes in nickel and vanadium concentrations and in condition index and metallothionein levels in three species of molluscs following the Erika/Bil spill. <i>Aquatic Living Resources</i> , 2004 , 17, 281-288	1.5	25
2	Metallothionein concentration in the mussel <i>Mytilus galloprovincialis</i> as a biomarker of response to metal contamination: validation in the field. <i>Biomarkers</i> , 2002 , 7, 479-90	2.6	81
1	Temporal variations of metallothionein and metal concentrations in the digestive gland of oysters (<i>Crassostrea gigas</i>) from a clean and a metal-rich site. <i>Biomarkers</i> , 2001 , 6, 91-107	2.6	71