

Antonio J Amor Fernández

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2029775/publications.pdf>

Version: 2024-02-01

51
papers

1,046
citations

516710

16
h-index

454955

30
g-index

58
all docs

58
docs citations

58
times ranked

1546
citing authors

#	ARTICLE	IF	CITATIONS
1	Remnant Cholesterol, Not LDL Cholesterol, Is Associated With Incident Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2712-2724.	2.8	240
2	Mediterranean Diet, Retinopathy, Nephropathy, and Microvascular Diabetes Complications: A Post Hoc Analysis of a Randomized Trial. <i>Diabetes Care</i> , 2015, 38, 2134-2141.	8.6	104
3	A Mediterranean Diet Rich in Extra-Virgin Olive Oil Is Associated with a Reduced Prevalence of Nonalcoholic Fatty Liver Disease in Older Individuals at High Cardiovascular Risk. <i>Journal of Nutrition</i> , 2019, 149, 1920-1929.	2.9	59
4	Effect of lipid-lowering treatment in cardiovascular disease prevalence in familial hypercholesterolemia. <i>Atherosclerosis</i> , 2019, 284, 245-252.	0.8	55
5	Weight loss independently predicts urinary albumin excretion normalization in morbidly obese type 2 diabetic patients undergoing bariatric surgery. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013, 27, 2046-2051.	2.4	48
6	Ellagic Acid as a Tool to Limit the Diabetes Burden: Updated Evidence. <i>Antioxidants</i> , 2020, 9, 1226.	5.1	40
7	Relationship Between Total Serum Bilirubin Levels and Carotid and Femoral Atherosclerosis in Familial Dyslipidemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 2356-2363.	2.4	35
8	Nuclear magnetic resonance lipoprotein abnormalities in newly-diagnosed type 2 diabetes and their association with preclinical carotid atherosclerosis. <i>Atherosclerosis</i> , 2016, 247, 161-169.	0.8	34
9	Dyslipidemia in nonalcoholic fatty liver disease. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2019, 26, 103-108.	2.3	33
10	Prevalence by sex of preclinical carotid atherosclerosis in newly diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 742-748.	2.6	31
11	Insulin resistance is associated with preclinical carotid atherosclerosis in patients with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3323.	4.0	25
12	Outcomes of pancreas transplantation in older diabetic patients. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000916.	2.8	23
13	Relationship between noninvasive scores of nonalcoholic fatty liver disease and nuclear magnetic resonance lipoprotein abnormalities: A focus on atherogenic dyslipidemia. <i>Journal of Clinical Lipidology</i> , 2017, 11, 551-561.e7.	1.5	21
14	Prediction of Cardiovascular Disease by the Framingham REGICOR Equation in the High-Risk PREDIMED Cohort: Impact of the Mediterranean Diet Across Different Risk Strata. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	17
15	Advanced lipoprotein profile disturbances in type 1 diabetes mellitus: a focus on LDL particles. <i>Cardiovascular Diabetology</i> , 2020, 19, 126.	6.8	17
16	Identification of four novel mutations in the thyroid hormone receptor- $\beta 2$ gene in 164 Spanish and 2 Greek patients with resistance to thyroid hormone. <i>Hormones</i> , 2014, 13, 74-78.	1.9	16
17	Preeclampsia Is Associated With Increased Preclinical Carotid Atherosclerosis in Women With Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 85-95.	3.6	16
18	Steno type 1 risk engine and preclinical atherosclerosis in Mediterranean individuals with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3320.	4.0	16

#	ARTICLE	IF	CITATIONS
19	Quantification of glycoproteins by nuclear magnetic resonance associated with preclinical carotid atherosclerosis in patients with type 1 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2099-2108.	2.6	16
20	Situación clínica de una cohorte de pacientes con diabetes tipo 1 más de 2 décadas después del inicio. Resultados de un programa específico de seguimiento en una unidad de referencia. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2016, 63, 339-344.	0.8	11
21	Case series of sebelipase alfa hypersensitivity reactions and successful sebelipase alfa rapid desensitization. <i>JIMD Reports</i> , 2019, 49, 30-36.	1.5	11
22	Cardiovascular risk factors and cardiovascular disease in patients with type 1 diabetes and end-stage renal disease candidates for kidney-pancreas transplantation: Trends from 1999 to 2017. <i>Diabetes Research and Clinical Practice</i> , 2020, 163, 108135.	2.8	11
23	Impact of Simultaneous Pancreas-kidney Transplantation on Cardiovascular Risk in Patients With Diabetes. <i>Transplantation</i> , 2021, Publish Ahead of Print, .	1.0	11
24	Prevalence and factors associated with statin use in high-risk patients with type 1 diabetes from a specialized diabetes unit. <i>Endocrinología, Diabetes Y Nutrición</i> , 2019, 66, 512-519.	0.3	11
25	Clinical onset of celiac disease after duodenal switch: a case report. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 1078-1079.	2.9	8
26	Nuclear magnetic resonance lipoproteins are associated with carotid atherosclerosis in type 1 diabetes and pre-eclampsia. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3362.	4.0	8
27	Glycemic Variability Measures in a Group of Subjects with Type 1 Diabetes and Repeated Severe and Non-Severe Hypoglycemia. <i>Journal of Diabetes Science and Technology</i> , 2013, 7, 289-290.	2.2	7
28	Dietary polyunsaturated fatty acids mediate the inverse association of stearoyl-CoA desaturase activity with the risk of fatty liver in dyslipidaemic individuals. <i>European Journal of Nutrition</i> , 2019, 58, 1561-1568.	3.9	6
29	Weight gain following pancreas transplantation in type 1 diabetes is associated with a worse glycemic profile: A retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2021, 179, 109026.	2.8	6
30	Influence of Maternal Diabetes on the Risk of Neurodevelopmental Disorders in Offspring in the Prenatal and Postnatal Periods. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 912-922.	4.7	6
31	Detailed description of a prepregnancy care program and its impact on maternal glucose control, weight gain, and dropouts. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2838.	4.0	5
32	Prepregnancy care in women with type 1 diabetes improves HbA1c and glucose variability without worsening hypoglycaemia time and awareness. <i>Diabetes Research and Clinical Practice</i> , 2019, 154, 75-81.	2.8	5
33	Linoleic Acid Status in Cell Membranes Inversely Relates to the Prevalence of Symptomatic Carotid Artery Disease. <i>Stroke</i> , 2021, 52, 703-706.	2.0	5
34	Biomarkers of fatty acid intake are independently associated with preclinical atherosclerosis in individuals with type 1 diabetes. <i>European Journal of Nutrition</i> , 2021, 60, 4595-4605.	3.9	5
35	Prevalencia y control de los factores de riesgo cardiovascular en pacientes con diabetes mellitus tipo 1 candidatos a trasplante renopancreático entre los años 1999 y 2010. <i>Avances En Diabetología</i> , 2011, 27, 137-142.	0.1	4
36	Nuclear magnetic resonance-based metabolomic analysis in the assessment of preclinical atherosclerosis in type 1 diabetes and preeclampsia. <i>Diabetes Research and Clinical Practice</i> , 2021, 171, 108548.	2.8	4

#	ARTICLE	IF	CITATIONS
37	Results of a multidisciplinary strategy to improve the management of cardiovascular risk factors after liver transplantation. <i>Liver Transplantation</i> , 2022, 28, 1332-1344.	2.4	4
38	The Role of Arterial Stiffness in the Estimation of Cardiovascular Risk in Liver Transplant Recipients. <i>Transplantation Direct</i> , 2022, 8, e1272.	1.6	4
39	Cardiovascular disease in patients with type 1 and type 2 diabetes in Spain. <i>Medicina Clínica (English)</i> Tj ETQq1 1 0.784314 ggBT /Over 0.2	0.2	0
40	Novel glycoproteins identify preclinical atherosclerosis among women with previous preeclampsia regardless of type 1 diabetes status. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3407-3414.	2.6	3
41	Clinical status of a cohort of patients with type 1 diabetes diagnosed more than 2 decades before. Results of a specific clinical follow-up program. <i>Endocrinología Y Nutrición (English Edition)</i> , 2016, 63, 339-344.	0.5	2
42	The proportion of total C18:1 trans -fatty acids in red blood cell membranes relates to carotid plaque prevalence. <i>Journal of Nutritional Biochemistry</i> , 2016, 38, 81-85.	4.2	2
43	Haptoglobin genotype and risk of diabetic nephropathy in patients with type 1 diabetes mellitus: a study on a Spanish population. <i>Nefrología</i> , 2014, 34, 212-5.	0.4	2
44	Comment on Khunti et al. Hypoglycemia and Risk of Cardiovascular Disease and All-Cause Mortality in Insulin-Treated People With Type 1 and Type 2 Diabetes: A Cohort Study. <i>Diabetes Care</i> 2015;38:316â€“322. <i>Diabetes Care</i> , 2015, 38, e91-e91.	8.6	1
45	The Effect of Corticosteroid Withdrawal on Glucose Metabolism and Anti-GAD Antibodies in Simultaneous Pancreasâ€“Kidney Transplant Patients. <i>Progress in Transplantation</i> , 2016, 26, 249-254.	0.7	1
46	Donor insulin use during stay in the intensive care unit should not preclude pancreas transplantation. <i>Diabetologia</i> , 2021, 64, 2122-2123.	6.3	1
47	Prevalence and factors associated with statin use in high-risk patients with type 1 diabetes from a specialized diabetes unit. <i>Endocrinología Y Nutrición (English Ed)</i> , 2019, 66, 512-519.	0.2	0
48	1477-P: Clinical Utility of a Noninvasive Metabolic Approach in Assessing the Prevalence of Nonalcoholic Fatty Liver Disease (NAFLD) and Nonalcoholic Steatohepatitis (NASH) in Type 2 Diabetes. <i>Diabetes</i> , 2020, 69, .	0.6	0
49	MO626: Risk of Type 2 Diabetes After Stress Hyperglycaemia in Surviving Neurological Patients Admitted to ICU: Assessment of Insulin Need in Pancreatic Donation. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.7	0
50	FC 110: Survival Benefit of Preemptive Simultaneous Pancreas-Kidney Transplantation. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, .	0.7	0
51	Impaired hypoglycaemia awareness in early pregnancy increases risk of severe hypoglycaemia in the mid-long term postpartum irrespective of breastfeeding status in women with type 1 diabetes. <i>Endocrinología, Diabetes Y Nutrición</i> , 2022, , .	0.3	0