
Antonio J Amor FernÃ;ndez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2029775/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Results of a multidisciplinary strategy to improve the management of cardiovascular risk factors after liver transplantation. Liver Transplantation, 2022, 28, 1332-1344.	2.4	4
2	The Role of Arterial Stiffness in the Estimation of Cardiovascular Risk in Liver Transplant Recipients. Transplantation Direct, 2022, 8, e1272.	1.6	4
3	Influence of Maternal Diabetes on the Risk of Neurodevelopmental Disorders in Offspring in the Prenatal and Postnatal Periods. Diabetes and Metabolism Journal, 2022, 46, 912-922.	4.7	6
4	MO626: Risk of Type 2 Diabetes After Stress Hyperglycaemia in Surviving Neurological Patients Admitted to ICU: Assessment of Insulin Need in Pancreatic Donation. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	0
5	FC 110: Survival Benefit of Preemptive Simultaneous Pancreas-Kidney Transplantation. Nephrology Dialysis Transplantation, 2022, 37, .	0.7	Ο
6	Impaired hypoglycaemia awareness in early pregnancy increases risk of severe hypoglycaemia in the mid-long term postpartum irrespective of breastfeeding status in women with type 1 diabetes. Endocrinologia, Diabetes Y NutriciÓn, 2022, , .	0.3	0
7	Nuclear magnetic resonance lipoproteins are associated with carotid atherosclerosis in type 1 diabetes and preâ€eclampsia. Diabetes/Metabolism Research and Reviews, 2021, 37, e3362.	4.0	8
8	Nuclear magnetic resonance-based metabolomic analysis in the assessment of preclinical atherosclerosis in type 1 diabetes and preeclampsia. Diabetes Research and Clinical Practice, 2021, 171, 108548.	2.8	4
9	Linoleic Acid Status in Cell Membranes Inversely Relates to the Prevalence of Symptomatic Carotid Artery Disease. Stroke, 2021, 52, 703-706.	2.0	5
10	Impact of Simultaneous Pancreas-kidney Transplantation on Cardiovascular Risk in Patients With Diabetes. Transplantation, 2021, Publish Ahead of Print, .	1.0	11
11	Donor insulin use during stay in the intensive care unit should not preclude pancreas transplantation. Diabetologia, 2021, 64, 2122-2123.	6.3	1
12	Quantification of glycoproteins by nuclear magnetic resonance associated with preclinical carotid atherosclerosis in patients with type 1 diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2099-2108.	2.6	16
13	Biomarkers of fatty acid intake are independently associated with preclinical atherosclerosis in individuals with type 1 diabetes. European Journal of Nutrition, 2021, 60, 4595-4605.	3.9	5
14	Novel glycoproteins identify preclinical atherosclerosis among women with previous preeclampsia regardless of type 1 diabetes status. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 3407-3414.	2.6	3
15	Weight gain following pancreas transplantation in type 1 diabetes is associated with a worse glycemic profile: A retrospective cohort study. Diabetes Research and Clinical Practice, 2021, 179, 109026.	2.8	6
16	Preeclampsia Is Associated With Increased Preclinical Carotid Atherosclerosis in Women With Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 85-95.	3.6	16
17	Remnant Cholesterol, Not LDL Cholesterol, Is Associated With Incident Cardiovascular Disease. Journal of the American College of Cardiology, 2020, 76, 2712-2724.	2.8	240
18	Advanced lipoprotein profile disturbances in type 1 diabetes mellitus: a focus on LDL particles. Cardiovascular Diabetology, 2020, 19, 126.	6.8	17

#	Article	IF	CITATIONS
19	Ellagic Acid as a Tool to Limit the Diabetes Burden: Updated Evidence. Antioxidants, 2020, 9, 1226.	5.1	40
20	Steno type 1 risk engine and preclinical atherosclerosis in Mediterranean individuals with type 1 diabetes. Diabetes/Metabolism Research and Reviews, 2020, 36, e3320.	4.0	16
21	Insulin resistance is associated with preclinical carotid atherosclerosis in patients with type 1 diabetes. Diabetes/Metabolism Research and Reviews, 2020, 36, e3323.	4.0	25
22	Cardiovascular risk factors and cardiovascular disease in patients with type 1 diabetes and end-stage renal disease candidates for kidney-pancreas transplantation: Trends from 1999 to 2017. Diabetes Research and Clinical Practice, 2020, 163, 108135.	2.8	11
23	Outcomes of pancreas transplantation in older diabetic patients. BMJ Open Diabetes Research and Care, 2020, 8, e000916.	2.8	23
24	1477-P: Clinical Utility of a Noninvasive Metabolic Approach in Assessing the Prevalence of Nonalcoholic Fatty Liver Disease (NAFLD) and Nonalcoholic Steatohepatitis (NASH) in Type 2 Diabetes. Diabetes, 2020, 69, .	0.6	0
25	Case series of sebelipase alfa hypersensitivity reactions and successful sebelipase alfa rapid desensitization. JIMD Reports, 2019, 49, 30-36.	1.5	11
26	A Mediterranean Diet Rich in Extra-Virgin Olive Oil Is Associated with a Reduced Prevalence of Nonalcoholic Fatty Liver Disease in Older Individuals at High Cardiovascular Risk. Journal of Nutrition, 2019, 149, 1920-1929.	2.9	59
27	Prepregnancy care in women with type 1 diabetes improves HbA1c and glucose variability without worsening hypoglycaemia time and awareness. Diabetes Research and Clinical Practice, 2019, 154, 75-81.	2.8	5
28	Effect of lipid-lowering treatment in cardiovascular disease prevalence in familial hypercholesterolemia. Atherosclerosis, 2019, 284, 245-252.	0.8	55
29	Prevalence and factors associated with statin use in high-risk patients with type 1 diabetes from a specialized diabetes unit. EndocrinologÃa Diabetes Y Nutrición (English Ed), 2019, 66, 512-519.	0.2	0
30	Dyslipidemia in nonalcoholic fatty liver disease. Current Opinion in Endocrinology, Diabetes and Obesity, 2019, 26, 103-108.	2.3	33
31	Dietary polyunsaturated fatty acids mediate the inverse association of stearoyl-CoA desaturase activity with the risk of fatty liver in dyslipidaemic individuals. European Journal of Nutrition, 2019, 58, 1561-1568.	3.9	6
32	Prevalence and factors associated with statin use in high-risk patients with type 1 diabetes from a specialized diabetes unit. Endocrinologia, Diabetes Y NutriciÓn, 2019, 66, 512-519.	0.3	11
33	Relationship between noninvasive scores of nonalcoholic fatty liver disease and nuclear magnetic resonance lipoprotein abnormalities: A focus on atherogenic dyslipidemia. Journal of Clinical Lipidology, 2017, 11, 551-561.e7.	1.5	21
34	Prediction of Cardiovascular Disease by the Framinghamâ€REGICOR Equation in the Highâ€Risk PREDIMED Cohort: Impact of the Mediterranean Diet Across Different Risk Strata. Journal of the American Heart Association, 2017, 6, .	3.7	17
35	Relationship Between Total Serum Bilirubin Levels and Carotid and Femoral Atherosclerosis in Familial Dyslipidemia. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 2356-2363.	2.4	35
36	Detailed description of a prepregnancy care program and its impact on maternal glucose control, weight gain, and dropouts. Diabetes/Metabolism Research and Reviews, 2017, 33, e2838.	4.0	5

#	Article	IF	CITATIONS
37	Clinical onset of celiac disease after duodenal switch: a case report. European Journal of Clinical Nutrition, 2016, 70, 1078-1079.	2.9	8
38	Clinical status of a cohort of patients with type 1 diabetes diagnosed more than 2 decades before. Results of a specific clinical follow-up program. EndocrinologÃa Y Nutrición (English Edition), 2016, 63, 339-344.	0.5	2
39	The proportion of total C18:1 trans -fatty acids in red blood cell membranes relates to carotid plaque prevalence. Journal of Nutritional Biochemistry, 2016, 38, 81-85.	4.2	2
40	The Effect of Corticosteroid Withdrawal on Glucose Metabolism and Anti-GAD Antibodies in Simultaneous Pancreas–Kidney Transplant Patients. Progress in Transplantation, 2016, 26, 249-254.	0.7	1
41	Situación clÃnica de una cohorte de pacientes con diabetes tipo 1 más de 2 décadas después del inicio. Resultados de un programa especÃfico de seguimiento en una unidad de referencia. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2016, 63, 339-344.	0.8	11
42	Nuclear magnetic resonance lipoprotein abnormalities in newly-diagnosed type 2 diabetes and their association with preclinical carotid atherosclerosis. Atherosclerosis, 2016, 247, 161-169.	0.8	34
43	Cardiovascular disease in patients with type 1 and type 2 diabetes in Spain. Medicina ClÃnica (English) Tj ETQq1	1 0.78431 0.2	.4 ggBT /Ovei
44	Prevalence by sex of preclinical carotid atherosclerosis in newly diagnosed type 2 diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 742-748.	2.6	31
45	Comment on Khunti et al. Hypoglycemia and Risk of Cardiovascular Disease and All-Cause Mortality in Insulin-Treated People With Type 1 and Type 2 Diabetes: A Cohort Study. Diabetes Care 2015;38:316–322. Diabetes Care, 2015, 38, e91-e91.	8.6	1
46	Mediterranean Diet, Retinopathy, Nephropathy, and Microvascular Diabetes Complications: A Post Hoc Analysis of a Randomized Trial. Diabetes Care, 2015, 38, 2134-2141.	8.6	104
47	Identification of four novel mutations in the thyroid hormone receptor-β gene in 164 Spanish and 2 Greek patients with resistance to thyroid hormone. Hormones, 2014, 13, 74-78.	1.9	16
48	Haptoglobin genotype and risk of diabetic nephropathy in patients with type 1 diabetes mellitus: a study on a Spanish population. Nefrologia, 2014, 34, 212-5.	0.4	2
49	Weight loss independently predicts urinary albumin excretion normalization in morbidly obese type 2 diabetic patients undergoing bariatric surgery. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 2046-2051.	2.4	48
50	Glycemic Variability Measures in a Group of Subjects with Type 1 Diabetes and Repeated Severe and Non-Severe Hypoglycemia. Journal of Diabetes Science and Technology, 2013, 7, 289-290.	2.2	7
51	Prevalencia y control de los factores de riesgo cardiovascular en pacientes con diabetes mellitus tipo 1 candidatos a trasplante renopancreatico entre los anos 1999 y 2010. Avances En DiabetologÃa, 2011, 27, 137-142.	0.1	4