## Abbas Rezaee

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/20298/publications.pdf

Version: 2024-02-01

236925 315739 1,784 76 25 38 h-index citations g-index papers 77 77 77 1966 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Chromium (VI) removal using microbial cellulose/ nano-Fe3O4 @polypyrrole: Isotherm, kinetic and thermodynamic studies. Materials Chemistry and Physics, 2022, 278, 125696.	4.0	18
2	MFC-driven H <sub>2</sub> S electro-oxidation based on Fe nanoparticles anchored on carbon aerogel-ZIF-8: a combined experimental and DFT study. Journal of Materials Chemistry C, 2022, 10, 1421-1435.	5 <b>.</b> 5	3
3	Dairy wastewater treatment using immobilized bacteria on calcium alginate in a microbial electrochemical system. Journal of Water Process Engineering, 2022, 46, 102609.	5 <b>.</b> 6	5
4	Electrocatalytic disinfection of E. coli using Ni-Fe/Fe3O4 nanocomposite cathode: Effect of Fe3O4 nanoparticle, humic acid, and nitrate. Separation and Purification Technology, 2022, 294, 121140.	7.9	4
5	Bio-electrical stimulation process on degradation of Phenanthrene from aqueous solution using a novel anode modified with carbon cloth: Operational performance, microbial activity and energy. Ecotoxicology and Environmental Safety, 2022, 239, 113654.	6.0	2
6	Electrocatalytic ozonation process supplemented by EDTA-Fe complex for improving the mature landfill leachate treatment. Chemosphere, 2021, 263, 127858.	8.2	21
7	Perspectives on microbial community in anaerobic digestion with emphasis on environmental parameters: A systematic review. Chemosphere, 2021, 270, 128618.	8.2	90
8	Ciprofloxacin removal from aqueous solutions using modified electrochemical Fenton processes with iron green catalysts. Journal of Molecular Liquids, 2021, 324, 114694.	4.9	13
9	Removal of aspirin from aqueous solution using electroactive bacteria induced by alternating current. Environmental Science and Pollution Research, 2021, 28, 25327-25338.	5.3	8
10	The influence of combined low-strength ultrasonics and micro-aerobic pretreatment process on methane generation and sludge digestion: Lipase enzyme, microbial activation, and energy yield. Ultrasonics Sonochemistry, 2021, 73, 105531.	8.2	11
11	Enhanced electrocatalytic denitrification using non-noble Ni-Fe electrode supplied by Fe3O4 nanoparticle and humic acid. Applied Surface Science, 2021, 563, 150142.	6.1	17
12	Effective removal of hexavalent chromium using microbial cellulose/polyaniline cathode and nanosized FeS2 in the form of an integrated electrochemical system. Journal of Water Process Engineering, 2021, 44, 102333.	5.6	7
13	Bioelectrochemical system for anaerobic oily wastewater treatment: Biokinetic & Energy consumption studies. Journal of Water Process Engineering, 2021, 44, 102420.	5.6	4
14	Electrocatalytic nitrate reduction using Fe0/Fe3O4 nanoparticles immobilized on nickel foam: Selectivity and energy consumption studies. Journal of Cleaner Production, 2020, 242, 118569.	9.3	86
15	Electro-catalytic ozonation for improving the biodegradability of mature landfill leachate. Journal of Environmental Management, 2020, 254, 109811.	7.8	42
16	Effects of Low Frequency-Low Voltage Alternating Electric Current on Apoptosis Progression in Bioelectrical Reactor Biofilm. Frontiers in Bioengineering and Biotechnology, 2020, 8, 2.	4.1	16
17	Minimization of hazardous sludge production using a bioelectrochemical system supplied by an alternating current electric field. Bioelectrochemistry, 2020, 132, 107446.	4.6	11
18	Improving the performance of Cr (VI) removal by electrochemical process using microbial cellulose/magnetic nanoparticles electrode. Journal of Cleaner Production, 2020, 277, 123195.	9.3	34

#	Article	IF	CITATIONS
19	Effect of micro-aerobic process on improvement of anaerobic digestion sewage sludge treatment: flow cytometry and ATP assessment. RSC Advances, 2020, 10, 35718-35728.	3.6	15
20	Metabolic activity and pathway study of aspirin biodegradation using a microbial electrochemical system supplied by an alternating current. Chemosphere, 2019, 232, 35-44.	8.2	17
21	Effect of isoelectric point on cheese whey wastewater treatment using a microbial electrochemical system. Bioelectrochemistry, 2019, 130, 107200.	4.6	5
22	Microbial electrochemical system for the phenol degradation using alternating current: Metabolic pathway study. Bioelectrochemistry, 2019, 130, 107230.	4.6	16
23	Nitrate removal from pharmaceutical wastewater using microbial electrochemical system supplied through low frequency-low voltage alternating electric current. Bioelectrochemistry, 2018, 120, 49-56.	4.6	24
24	Effect of alternating electrical current on denitrifying bacteria in a microbial electrochemical system: biofilm viability and ATP assessment. Environmental Science and Pollution Research, 2018, 25, 33591-33598.	5.3	38
25	Biostimulation of heterotrophic-autotrophic denitrification in a microbial electrochemical system using alternating electrical current. Journal of Cleaner Production, 2018, 200, 1100-1110.	9.3	33
26	A clean production process for edible oil removal from wastewater using an electroflotation with horizontal arrangement of mesh electrodes. Journal of Cleaner Production, 2018, 198, 71-79.	9.3	27
27	Conductive microbial cellulose as a novel biocathode for Cr (VI) bioreduction. Carbohydrate Polymers, 2017, 162, 56-61.	10.2	17
28	Low frequency-low voltage alternating electric current-induced anoxic granulation in biofilm-electrode reactor: A study of granule properties. Process Biochemistry, 2017, 56, 154-162.	3.7	12
29	Enhanced biological nitrate removal by alternating electric current bioelectrical reactor: Selectivity and mechanism. Journal of Molecular Liquids, 2017, 246, 93-102.	4.9	17
30	Optimization of reaction parameters for the sonophotocatalytic degradation of hydroquinone. Research on Chemical Intermediates, 2017, 43, 1935-1956.	2.7	7
31	Enhancement of lipase activity for the oily wastewater treatment by an electrostimulation process. RSC Advances, 2016, 6, 115290-115297.	3.6	14
32	Electrocatalytic oxidation of phenol from wastewater using Ti/SnO2–Sb2O4 electrode: chemical reaction pathway study. Environmental Science and Pollution Research, 2016, 23, 19735-19743.	5.3	19
33	Microbial cellulose as a support for photocatalytic oxidation of toluene using <scp>TiO</scp> <sub>2</sub> nanoparticles. Journal of Applied Polymer Science, 2016, 133, .	2.6	19
34	Optimization of effective parameters in the biosorption of Cr(VI) using acid treated date palm fiber from aqueous solution. Desalination and Water Treatment, 2016, 57, 4994-5003.	1.0	5
35	Optimization of Cr(VI) removal by sulfate-reducing bacteria using response surface methodology. Desalination and Water Treatment, 2016, 57, 11096-11102.	1.0	12
36	Optimizing ammonia volatilization by air stripping from aquatic solutions using response surface methodology (RSM). Desalination and Water Treatment, 2016, 57, 11765-11772.	1.0	14

#	Article	IF	Citations
37	Biological Nitrogen Removal in Moving Bed Biofilm Reactor Using Ibuprofen as Carbon Source. Water, Air, and Soil Pollution, 2016, 227, 1.	2.4	12
38	Kinetic modeling and determination role of sono/photo nanocatalyst-generated radical species on degradation of hydroquinone in aqueous solution. Environmental Science and Pollution Research, 2016, 23, 12185-12198.	5.3	15
39	Optimization of Remazol Brilliant Blue adsorption process from aqueous solutions using multi-walled carbon nanotube. Desalination and Water Treatment, 2016, 57, 13357-13365.	1.0	5
40	Off-Gas Treatment of Ammonia Using a Diffused Air Stripper: A Kinetic Study. Health Scope, 2016, 5, .	0.6	5
41	Effects of ethanol on the electrochemical removal of Bacillus subtilis spores from water. Journal of Environmental Health Science & Engineering, 2015, 13, 78.	3.0	4
42	Bone char surface modification by nano-gold coating for elemental mercury vapor removal. Applied Surface Science, 2015, 342, 106-111.	6.1	12
43	Electrochemical degradation of RB19 dye using low-frequency alternating current: effect of a square wave. RSC Advances, 2015, 5, 96918-96926.	3.6	19
44	Simultaneous nitrification and denitrification using a polypyrrole/microbial cellulose electrode in a membraneless bio-electrochemical system. RSC Advances, 2015, 5, 72699-72708.	3.6	28
45	Application of a compound containing silica for removing ammonium in aqueous media. Environmental Progress and Sustainable Energy, 2015, 34, 105-111.	2.3	28
46	Simultaneous removal of nitrate and its intermediates by use of bipolar electrochemistry. Research on Chemical Intermediates, 2015, 41, 1365-1372.	2.7	14
47	Water disinfection by zinc oxide nanoparticle prepared with solution combustion method. Desalination and Water Treatment, 2015, 56, 2376-2381.	1.0	15
48	Bioelectrochemical denitrification using carbon felt/multiwall carbon nanotube. Environmental Technology (United Kingdom), 2015, 36, 1057-1062.	2.2	15
49	Photocatalytic degradation of formaldehyde in aqueous solution using ZnO nanoparticles immobilized on glass plates. Desalination and Water Treatment, 2015, 53, 1613-1620.	1.0	53
50	Photocatalytic process by immobilized carbon black/ZnO nanocomposite for dye removal from aqueous medium: Optimization by response surface methodology. Journal of Industrial and Engineering Chemistry, 2014, 20, 1861-1868.	5.8	110
51	High photocatalytic decomposition of the air pollutant formaldehyde using nano-ZnO on bone char. Environmental Chemistry Letters, 2014, 12, 353-357.	16.2	46
52	Equilibrium and kinetic studies of chromium adsorption from wastewater by functionalized multi-wall carbon nanotubes. Reaction Kinetics, Mechanisms and Catalysis, 2014, 112, 371-382.	1.7	17
53	Bio-electrochemical reduction of nitrate utilizing MWCNT supported on carbon base electrodes: A comparison study. Journal of the Taiwan Institute of Chemical Engineers, 2014, 45, 2212-2216.	5.3	19
54	Optimisation of the operational parameters during a biological nitrification process using response surface methodology. Canadian Journal of Chemical Engineering, 2014, 92, 13-22.	1.7	42

#	Article	IF	Citations
55	Optimization of Nitrate Reduction by Electrocoagulation Using Response Surface Methodology. Health Scope, 2014, 3, .	0.6	7
56	Electrochemical generation of hydrogen peroxide using carbon black-, carbon nanotube-, and carbon black/carbon nanotube-coated gas-diffusion cathodes: effect of operational parameters and decolorization study. Research on Chemical Intermediates, 2013, 39, 4277-4286.	2.7	47
57	Equilibrium and kinetic studies of the adsorption of sodium dodecyl sulfate from aqueous solution using bone char. Reaction Kinetics, Mechanisms and Catalysis, 2013, 109, 433-446.	1.7	12
58	Pyrene removal from contaminated soils by modified Fenton oxidation using iron nano particles. Journal of Environmental Health Science & Engineering, 2013, 11, 17.	3.0	49
59	Combination of Carbon Black–ZnO/UV Process with an Electrochemical Process Equipped with a Carbon Black–PTFE-Coated Gas-Diffusion Cathode for Removal of a Textile Dye. Industrial & Engineering Chemistry Research, 2013, 52, 14133-14142.	3.7	48
60	Surface modification of bone char for removal of formaldehyde from air. Applied Surface Science, 2013, 286, 235-239.	6.1	58
61	Application of Biosurfactants Produced by <i>Pseudomonas aeruginosa SP4 </i> for Bioremediation of Soils Contaminated by Pyrene. Soil and Sediment Contamination, 2013, 22, 890-911.	1.9	42
62	Photoelectrochemical treatment of ammonium using seawater as a natural supporting electrolyte. Chemistry and Ecology, 2013, 29, 72-85.	1.6	55
63	Organic matter removal under high loads in a fixedâ€bed sequencing batch reactor with peach pit as carrier. Environmental Progress and Sustainable Energy, 2013, 32, 681-687.	2.3	11
64	Corrigendum to Photocatalytic decolorization of methylene blue using immobilized ZnO nanoparticles prepared by solution combustion method [⟨i⟩Desalination and Water Treatment⟨ i⟩, Volume 44 (2012) 174–179]. Desalination and Water Treatment, 2012, 47, 353-353.	1.0	1
65	Photocatalytic decolorization of methylene blue using immobilized ZnO nanoparticles prepared by solution combustion method. Desalination and Water Treatment, 2012, 44, 174-179.	1.0	42
66	Utilisation of immobilised activated sludge for the biosorption of chromium (VI). Canadian Journal of Chemical Engineering, 2012, 90, 1539-1546.	1.7	37
67	Heterotrophic Biological Denitrification Using Microbial Cellulose as Carbon Source. Journal of Polymers and the Environment, 2011, 19, 283-287.	5.0	12
68	Optimization of lead (II) biosorption in an aqueous solution using chemically modified aerobic digested sludge. Water Science and Technology, 2011, 63, 129-135.	2.5	42
69	NITRATE REMOVAL FROM AQUEOUS SOLUTION USING MGCL2 IMPREGNATED ACTIVATED CARBON. Environmental Engineering and Management Journal, 2010, 9, 449-452.	0.6	13
70	Adsorption of Endotoxin from Aqueous Solution Using Bone Char. Bulletin of Environmental Contamination and Toxicology, 2009, 82, 732-737.	2.7	38
71	TiO2 nanofibre assisted photocatalytic degradation of Reactive Blue 19 dye from aqueous solution. Environmental Technology (United Kingdom), 2009, 30, 233-239.	2.2	29
72	Biological denitrification by Pseudomonas stutzeri immobilized on microbial cellulose. World Journal of Microbiology and Biotechnology, 2008, 24, 2397-2402.	3.6	25

#	Article	IF	CITATION
73	MICROBIAL CELLULOSE AS SUPPORT MATERIAL FOR THE IMMOBILIZATION OF DENITRIFYING BACTERIA. Environmental Engineering and Management Journal, 2008, 7, 589-594.	0.6	42
74	Phenol biodegradation in an aerobic fixed-film process using conductive bioelectrodes: Biokinetic and kinetic studies., 0, 105, 126-131.		5
75	Adsorption Properties and Breakthrough Model of Formaldehyde on Bone Char. International Journal of Environmental Science and Development, 0, , 423-427.	0.6	7
76	Application of disc screen for wastepaper recycling: evaluation of influential parameters. International Journal of Environmental Science and Technology, $0$ , $1$ .	3.5	0