

Ewan R Pearson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2030137/publications.pdf>

Version: 2024-02-01

137
papers

10,948
citations

61984

43
h-index

33894

99
g-index

148
all docs

148
docs citations

148
times ranked

13177
citing authors

#	ARTICLE	IF	CITATIONS
1	The mechanisms of action of metformin. Diabetologia, 2017, 60, 1577-1585.	6.3	1,421
2	Activating Mutations in the Gene Encoding the ATP-Sensitive Potassium-Channel Subunit Kir6.2 and Permanent Neonatal Diabetes. New England Journal of Medicine, 2004, 350, 1838-1849.	27.0	1,077
3	Switching from Insulin to Oral Sulfonylureas in Patients with Diabetes Due to Kir6.2 Mutations. New England Journal of Medicine, 2006, 355, 467-477.	27.0	878
4	Genetic cause of hyperglycaemia and response to treatment in diabetes. Lancet, The, 2003, 362, 1275-1281.	13.7	526
5	Metformin and the gastrointestinal tract. Diabetologia, 2016, 59, 426-435.	6.3	472
6	Common variants near ATM are associated with glycemic response to metformin in type 2 diabetes. Nature Genetics, 2011, 43, 117-120.	21.4	390
7	Macrosomia and Hyperinsulinaemic Hypoglycaemia in Patients with Heterozygous Mutations in the HNF4A Gene. PLoS Medicine, 2007, 4, e118.	8.4	349
8	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. Nature Genetics, 2013, 45, 76-82.	21.4	293
9	Variation in <i>TCF7L2</i> Influences Therapeutic Response to Sulfonylureas. Diabetes, 2007, 56, 2178-2182.	0.6	284
10	Using machine learning approaches for multi-omics data analysis: A review. Biotechnology Advances, 2021, 49, 107739.	11.7	277
11	Precision Medicine in Diabetes: A Consensus Report From the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). Diabetes Care, 2020, 43, 1617-1635.	8.6	204
12	Association of Organic Cation Transporter 1 With Intolerance to Metformin in Type 2 Diabetes: A GoDARTS Study. Diabetes, 2015, 64, 1786-1793.	0.6	188
13	Relapsing diabetes can result from moderately activating mutations in KCNJ11. Human Molecular Genetics, 2005, 14, 925-934.	2.9	184
14	Systematic Population Screening, Using Biomarkers and Genetic Testing, Identifies 2.5% of the U.K. Pediatric Diabetes Population With Monogenic Diabetes. Diabetes Care, 2016, 39, 1879-1888.	8.6	172
15	Variation in the glucose transporter gene SLC2A2 is associated with glycemic response to metformin. Nature Genetics, 2016, 48, 1055-1059.	21.4	165
16	Reduced-Function <i>SLC22A1</i> Polymorphisms Encoding Organic Cation Transporter 1 and Glycemic Response to Metformin: A GoDARTS Study. Diabetes, 2009, 58, 1434-1439.	0.6	153
17	Type 2 diabetes: a multifaceted disease. Diabetologia, 2019, 62, 1107-1112.	6.3	129
18	Genetic Evidence for a Link Between Favorable Adiposity and Lower Risk of Type 2 Diabetes, Hypertension, and Heart Disease. Diabetes, 2016, 65, 2448-2460.	0.6	122

#	ARTICLE	IF	CITATIONS
19	Effectiveness and safety of long-term treatment with sulfonylureas in patients with neonatal diabetes due to KCNJ11 mutations: an international cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 637-646.	11.4	120
20	Contrasting Diabetes Phenotypes Associated With Hepatocyte Nuclear Factor-1 α and -1 β Mutations. <i>Diabetes Care</i> , 2004, 27, 1102-1107.	8.6	114
21	Novel subgroups of type 2 diabetes and their association with microvascular outcomes in an Asian Indian population: a data-driven cluster analysis: the INSPIRED study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001506.	2.8	112
22	Population-Based Assessment of a Biomarker-Based Screening Pathway to Aid Diagnosis of Monogenic Diabetes in Young-Onset Patients. <i>Diabetes Care</i> , 2017, 40, 1017-1025.	8.6	111
23	Most People With Long-Duration Type 1 Diabetes in a Large Population-Based Study Are Insulin Microsecretors. <i>Diabetes Care</i> , 2015, 38, 323-328.	8.6	104
24	A Genome-Wide Association Study of IVGTT-Based Measures of First-Phase Insulin Secretion Refines the Underlying Physiology of Type 2 Diabetes Variants. <i>Diabetes</i> , 2017, 66, 2296-2309.	0.6	102
25	Precision medicine in diabetes: a Consensus Report from the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetologia</i> , 2020, 63, 1671-1693.	6.3	102
26	Dapagliflozin Versus Placebo on Left Ventricular Remodeling in Patients With Diabetes and Heart Failure: The REFORM Trial. <i>Diabetes Care</i> , 2020, 43, 1356-1359.	8.6	102
27	Heritability of variation in glycaemic response to metformin: a genome-wide complex trait analysis. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 481-487.	11.4	101
28	Sex and BMI Alter the Benefits and Risks of Sulfonylureas and Thiazolidinediones in Type 2 Diabetes: A Framework for Evaluating Stratification Using Routine Clinical and Individual Trial Data. <i>Diabetes Care</i> , 2018, 41, 1844-1853.	8.6	91
29	Visit-to-Visit HbA1c Variability Is Associated With Cardiovascular Disease and Microvascular Complications in Patients With Newly Diagnosed Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 426-432.	8.6	85
30	C-Peptide Decline in Type 1 Diabetes Has Two Phases: An Initial Exponential Fall and a Subsequent Stable Phase. <i>Diabetes Care</i> , 2018, 41, 1486-1492.	8.6	81
31	Adherence to Oral Glucose-Lowering Therapies and Associations With 1-Year HbA1c: A Retrospective Cohort Analysis in a Large Primary Care Database. <i>Diabetes Care</i> , 2016, 39, 258-263.	8.6	79
32	Genome-Wide and Abdominal MRI Data Provide Evidence That a Genetically Determined Favorable Adiposity Phenotype Is Characterized by Lower Ectopic Liver Fat and Lower Risk of Type 2 Diabetes, Heart Disease, and Hypertension. <i>Diabetes</i> , 2019, 68, 207-219.	0.6	72
33	Precision Medicine in Type 2 Diabetes: Clinical Markers of Insulin Resistance Are Associated With Altered Short- and Long-term Glycemic Response to DPP-4 Inhibitor Therapy. <i>Diabetes Care</i> , 2018, 41, 705-712.	8.6	67
34	A UK nationwide prospective study of treatment change in MODY: genetic subtype and clinical characteristics predict optimal glycaemic control after discontinuing insulin and metformin. <i>Diabetologia</i> , 2018, 61, 2520-2527.	6.3	65
35	Monogenic Diabetes: From Genetic Insights to Population-Based Precision in Care. Reflections From a <i>Diabetes Care</i> Editors' Expert Forum. <i>Diabetes Care</i> , 2020, 43, 3117-3128.	8.6	65
36	Time trends in prescribing of type 2 diabetes drugs, glycaemic response and risk factors: A retrospective analysis of primary care data, 2010-2017. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1576-1584.	4.4	64

#	ARTICLE	IF	CITATIONS
37	Clinical and Genetic Determinants of Progression of Type 2 Diabetes: A DIRECT Study. <i>Diabetes Care</i> , 2014, 37, 718-724.	8.6	59
38	Cohort Profile: Genetics of Diabetes Audit and Research in Tayside Scotland (GoDARTS). <i>International Journal of Epidemiology</i> , 2018, 47, 380-381j.	1.9	59
39	The Relationship between AKI and CKD in Patients with Type 2 Diabetes: An Observational Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 138-150.	6.1	56
40	Formalising recall by genotype as an efficient approach to detailed phenotyping and causal inference. <i>Nature Communications</i> , 2018, 9, 711.	12.8	54
41	<i>CYP2C8</i> and <i>SLCO1B1</i> Variants and Therapeutic Response to Thiazolidinediones in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016, 39, 1902-1908.	8.6	52
42	Research into the effect Of SGLT2 inhibition on left ventricular remodelling in patients with heart failure and diabetes mellitus (REFORM) trial rationale and design. <i>Cardiovascular Diabetology</i> , 2016, 15, 97.	6.8	49
43	Acute kidney injury, plasma lactate concentrations and lactic acidosis in metformin users: A GoDarts study. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1579-1586.	4.4	49
44	Development and validation of multivariable clinical diagnostic models to identify type 1 diabetes requiring rapid insulin therapy in adults aged 18–50 years. <i>BMJ Open</i> , 2019, 9, e031586.	1.9	49
45	Discovery of biomarkers for glycaemic deterioration before and after the onset of type 2 diabetes: rationale and design of the epidemiological studies within the IMI DIRECT Consortium. <i>Diabetologia</i> , 2014, 57, 1132-1142.	6.3	48
46	Heterogeneity in phenotype, disease progression and drug response in type 2 diabetes. <i>Nature Medicine</i> , 2022, 28, 982-988.	30.7	48
47	Pharmacogenomics in diabetes mellitus: insights into drug action and drug discovery. <i>Nature Reviews Endocrinology</i> , 2016, 12, 337-346.	9.6	47
48	Sustained influence of metformin therapy on circulating glucagon-like peptide-1 levels in individuals with and without type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 356-363.	4.4	47
49	Performance of Cardiovascular Disease Risk Scores in People Diagnosed With Type 2 Diabetes: External Validation Using Data From the National Scottish Diabetes Register. <i>Diabetes Care</i> , 2018, 41, 2010-2018.	8.6	47
50	Predicting and elucidating the etiology of fatty liver disease: A machine learning modeling and validation study in the IMI DIRECT cohorts. <i>PLoS Medicine</i> , 2020, 17, e1003149.	8.4	47
51	Efficacy of Modern Diabetes Treatments DPP-4i, SGLT-2i, and GLP-1RA in White and Asian Patients With Diabetes: A Systematic Review and Meta-analysis of Randomized Controlled Trials. <i>Diabetes Care</i> , 2020, 43, 1948-1957.	8.6	45
52	Replication and cross-validation of type 2 diabetes subtypes based on clinical variables: an IMI-RHAPSODY study. <i>Diabetologia</i> , 2021, 64, 1982-1989.	6.3	44
53	Variation in the Plasma Membrane Monoamine Transporter (PMAT) (Encoded by <i>SLC29A4</i>) and Organic Cation Transporter 1 (OCT1) (Encoded by <i>SLC22A1</i>) and Gastrointestinal Intolerance to Metformin in Type 2 Diabetes: An IMI DIRECT Study. <i>Diabetes Care</i> , 2019, 42, 1027-1033.	8.6	43
54	Risk factors for genital infections in people initiating SGLT2 inhibitors and their impact on discontinuation. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001238.	2.8	43

#	ARTICLE	IF	CITATIONS
55	Effect of Serotonin Transporter 5-HTTLPR Polymorphism on Gastrointestinal Intolerance to Metformin: A GoDARTS Study. <i>Diabetes Care</i> , 2016, 39, 1896-1901.	8.6	41
56	A common missense variant of LILRB5 is associated with statin intolerance and myalgia. <i>European Heart Journal</i> , 2017, 38, 3569-3575.	2.2	41
57	Quantifying the extent to which index event biases influence large genetic association studies. <i>Human Molecular Genetics</i> , 2017, 26, ddw433.	2.9	40
58	Rates of glycaemic deterioration in a real-world population with type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 607-615.	6.3	40
59	Four groups of type 2 diabetes contribute to the etiological and clinical heterogeneity in newly diagnosed individuals: An IMI DIRECT study. <i>Cell Reports Medicine</i> , 2022, 3, 100477.	6.5	39
60	A Type 1 Diabetes Genetic Risk Score Can Identify Patients With GAD65 Autoantibodyâ€“Positive Type 2 Diabetes Who Rapidly Progress to Insulin Therapy. <i>Diabetes Care</i> , 2019, 42, 208-214.	8.6	35
61	Sharing data for future research'engaging participants' views about data governance beyond the original project: a DIRECT Study. <i>Genetics in Medicine</i> , 2019, 21, 1131-1138.	2.4	34
62	Genetic Variants in <i>CPA6</i> and <i>PRPF31</i> Are Associated With Variation in Response to Metformin in Individuals With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1428-1440.	0.6	32
63	Metabolite ratios as potential biomarkers for type 2 diabetes: a DIRECT study. <i>Diabetologia</i> , 2018, 61, 117-129.	6.3	32
64	Young-onset diabetes in Asian Indians is associated with lower measured and genetically determined beta cell function. <i>Diabetologia</i> , 2022, 65, 973-983.	6.3	32
65	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020, 17, e1003209.	8.4	31
66	Elevated circulating follistatin associates with an increased risk of type 2 diabetes. <i>Nature Communications</i> , 2021, 12, 6486.	12.8	31
67	Motivations for data sharingâ€“views of research participants from four European countries: A DIRECT study. <i>European Journal of Human Genetics</i> , 2019, 27, 721-729.	2.8	30
68	Diabetes: Is There a Future for Pharmacogenomics Guided Treatment?. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 329-337.	4.7	29
69	Risk of Anemia With Metformin Use in Type 2 Diabetes: A MASTERMIND Study. <i>Diabetes Care</i> , 2020, 43, 2493-2499.	8.6	29
70	Distinct Molecular Signatures of Clinical Clusters in People With Type 2 Diabetes: An IMI-RHAPSODY Study. <i>Diabetes</i> , 2021, 70, 2683-2693.	0.6	26
71	Should Studies of Diabetes Treatment Stratification Correct for Baseline HbA1c?. <i>PLoS ONE</i> , 2016, 11, e0152428.	2.5	26
72	Defining drug response for stratified medicine. <i>Drug Discovery Today</i> , 2017, 22, 173-179.	6.4	24

#	ARTICLE	IF	CITATIONS
73	Interaction between variants in the CYP2C9 and POR genes and the risk of sulfonylurea-induced hypoglycaemia: A GoDARTS Study. Diabetes, Obesity and Metabolism, 2018, 20, 211-214.	4.4	24
74	Genetic studies of abdominal MRI data identify genes regulating hepcidin as major determinants of liver iron concentration. Journal of Hepatology, 2019, 71, 594-602.	3.7	23
75	Genome-Wide Meta-analysis Identifies Genetic Variants Associated With Glycemic Response to Sulfonylureas. Diabetes Care, 2021, 44, 2673-2682.	8.6	23
76	Discovery of biomarkers for glycaemic deterioration before and after the onset of type 2 diabetes: descriptive characteristics of the epidemiological studies within the IMI DIRECT Consortium. Diabetologia, 2019, 62, 1601-1615.	6.3	22
77	Metformin increases fasting glucose clearance and endogenous glucose production in non-diabetic individuals. Diabetologia, 2020, 63, 444-447.	6.3	22
78	A Polygenic Score for Type 2 Diabetes Risk Is Associated With Both the Acute and Sustained Response to Sulfonylureas. Diabetes, 2021, 70, 293-300.	0.6	22
79	No differences in mortality between users of pancreatic-specific and non-pancreatic-specific sulphonylureas: a cohort analysis. Diabetes, Obesity and Metabolism, 2008, 10, 350-352.	4.4	20
80	Zinc Transporter 8 Autoantibodies (ZnT8A) and a Type 1 Diabetes Genetic Risk Score Can Exclude Individuals With Type 1 Diabetes From Inappropriate Genetic Testing for Monogenic Diabetes. Diabetes Care, 2019, 42, e16-e17.	8.6	19
81	Zinc transport and diabetes risk. Nature Genetics, 2014, 46, 323-324.	21.4	18
82	Profiles of Glucose Metabolism in Different Prediabetes Phenotypes, Classified by Fasting Glycemia, 2-Hour OGTT, Glycated Hemoglobin, and 1-Hour OGTT: An IMI DIRECT Study. Diabetes, 2021, 70, 2092-2106.	0.6	17
83	Improvements in Awareness and Testing Have Led to a Threefold Increase Over 10 Years in the Identification of Monogenic Diabetes in the U.K.. Diabetes Care, 2022, 45, 642-649.	8.6	17
84	Pharmacogenetics and future strategies in treating hyperglycaemia in diabetes. Frontiers in Bioscience - Landmark, 2009, Volume, 4348.	3.0	16
85	Processes Underlying Glycemic Deterioration in Type 2 Diabetes: An IMI DIRECT Study. Diabetes Care, 2021, 44, 511-518.	8.6	16
86	Association of Genetic Variant at Chromosome 12q23.1 With Neuropathic Pain Susceptibility. JAMA Network Open, 2021, 4, e2136560.	5.9	16
87	A roadmap to achieve pharmacological precision medicine in diabetes. Diabetologia, 2022, 65, 1830-1838.	6.3	16
88	Evaluating associations between the benefits and risks of drug therapy in type 2 diabetes: a joint modeling approach. Clinical Epidemiology, 2018, Volume 10, 1869-1877.	3.0	14
89	Predicting glycated hemoglobin levels in the non-diabetic general population: Development and validation of the DIRECT-DETECT prediction model - a DIRECT study. PLoS ONE, 2017, 12, e0171816.	2.5	13
90	The role of physical activity in metabolic homeostasis before and after the onset of type 2 diabetes: an IMI DIRECT study. Diabetologia, 2020, 63, 744-756.	6.3	12

#	ARTICLE	IF	CITATIONS
91	Reflections on the sulphonylurea story: A drug class at risk of extinction or a drug class worth reviving?. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 761-771.	4.4	11
92	Prediction of Major Adverse Cardiovascular Events From Retinal, Clinical, and Genomic Data in Individuals With Type 2 Diabetes: A Population Cohort Study. <i>Diabetes Care</i> , 2022, 45, 710-716.	8.6	11
93	Statistical power considerations in genotype-based recall randomized controlled trials. <i>Scientific Reports</i> , 2016, 6, 37307.	3.3	10
94	What to do with diabetes therapies when HbA1c lowering is inadequate: add, switch, or continue? A MASTERMIND study. <i>BMC Medicine</i> , 2019, 17, 79.	5.5	10
95	Costs and Treatment Pathways for Type 2 Diabetes in the UK: A Mastermind Cohort Study. <i>Diabetes Therapy</i> , 2017, 8, 1031-1045.	2.5	9
96	The Impact of Low-dose Gliclazide on the Incretin Effect and Indices of Beta-cell Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 2036-2046.	3.6	9
97	Integrative network analysis highlights biological processes underlying GLP-1 stimulated insulin secretion: A DIRECT study. <i>PLoS ONE</i> , 2018, 13, e0189886.	2.5	9
98	Dorothy Hodgkin Lecture 2021: Drugs, genes and diabetes. <i>Diabetic Medicine</i> , 2021, 38, e14726.	2.3	9
99	Pharmacogenetics and target identification in diabetes. <i>Current Opinion in Genetics and Development</i> , 2018, 50, 68-73.	3.3	8
100	Whole blood co-expression modules associate with metabolic traits and type 2 diabetes: an IMI-DIRECT study. <i>Genome Medicine</i> , 2020, 12, 109.	8.2	8
101	Strategies to identify individuals with monogenic diabetes: results of an economic evaluation. <i>BMJ Open</i> , 2020, 10, e034716.	1.9	8
102	Dissecting the Etiology of Type 2 Diabetes in the Pima Indian Population. <i>Diabetes</i> , 2015, 64, 3993-3995.	0.6	7
103	The governance structure for data access in the DIRECT consortium: an innovative medicines initiative (IMI) project. <i>Life Sciences, Society and Policy</i> , 2018, 14, 20.	3.2	7
104	Cohort profile: DOLORisk Dundee: a longitudinal study of chronic neuropathic pain. <i>BMJ Open</i> , 2021, 11, e042887.	1.9	7
105	Post-load glucose subgroups and associated metabolic traits in individuals with type 2 diabetes: An IMI-DIRECT study. <i>PLoS ONE</i> , 2020, 15, e0242360.	2.5	7
106	Quantitative MRI evaluation of whole abdomen adipose tissue volumes in healthy volunteers—validation of technique and implications for clinical studies. <i>British Journal of Radiology</i> , 2018, 91, 20180025.	2.2	6
107	Interaction between Omeprazole and Gliclazide in Relation to CYP2C19 Phenotype. <i>Journal of Personalized Medicine</i> , 2021, 11, 367.	2.5	6
108	CKMGlucose Is Associated With Blunted Creatine Kinase Variation, but Not With Myalgia. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	5

#	ARTICLE	IF	CITATIONS
109	Genome-Wide Association Analysis of Pancreatic Beta-Cell Glucose Sensitivity. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 80-90.	3.6	5
110	Utilizing Large Electronic Medical Record Data Sets to Identify Novel Drug-Gene Interactions for Commonly Used Drugs. Clinical Pharmacology and Therapeutics, 2021, 110, 816-825.	4.7	5
111	Evidence of a Causal Relationship between Serum Thyroid-Stimulating Hormone and Osteoporotic Bone Fractures. European Thyroid Journal, 2021, 10, 439-446.	2.4	5
112	Evidence-based prioritisation and enrichment of genes interacting with metformin in type 2 diabetes. Diabetologia, 2017, 60, 2231-2239.	6.3	4
113	Circulating Tissue Factor-Positive Procoagulant Microparticles in Patients with Type 1 Diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 12, 2819-2828.	2.4	4
114	Genetic Risk of Diverticular Disease Predicts Early Stoppage of Nicorandil. Clinical Pharmacology and Therapeutics, 2020, 108, 1171-1175.	4.7	4
115	The impact of birthweight on subsequent phenotype of type 2 diabetes in later life. Diabetic Medicine, 2022, 39, e14792.	2.3	4
116	The search for predictive metabolic biomarkers for incident T2DM. Nature Reviews Endocrinology, 2018, 14, 444-446.	9.6	3
117	Predicting post one-year durability of glucose-lowering monotherapies in patients with newly-diagnosed type 2 diabetes mellitus – A MASTERMIND precision medicine approach (UKPDS 87). Diabetes Research and Clinical Practice, 2020, 166, 108333.	2.8	3
118	Dietary metabolite profiling brings new insight into the relationship between nutrition and metabolic risk: An IMI DIRECT study. EBioMedicine, 2020, 58, 102932.	6.1	3
119	The role of genetics in fetal programming of adult cardiometabolic disease. Journal of Developmental Origins of Health and Disease, 2022, 13, 292-299.	1.4	3
120	Prescribing Patterns and Response to Antihyperglycemic Agents Among Novel Clusters of Type 2 Diabetes in Asian Indians. Diabetes Technology and Therapeutics, 2022, 24, 190-200.	4.4	3
121	Reducing Glut2 throughout the body does not result in cognitive behaviour differences in aged male mice. BMC Research Notes, 2020, 13, 438.	1.4	2
122	Genomic editing of metformin efficacy-associated genetic variants in SLC47A1 does not alter SLC47A1 expression. Human Molecular Genetics, 2021, , .	2.9	2
123	4th ESPT Conference: pharmacogenomics and personalized medicine – research progress and clinical implementation. Pharmacogenomics, 2019, 20, 1063-1069.	1.3	1
124	In a cohort of individuals with type 2 diabetes using the drug sulfasalazine, HbA 1c lowering is associated with haematological changes. Diabetic Medicine, 2020, 38, e14463.	2.3	1
125	Polymorphism in INSR Locus Modifies Risk of Atrial Fibrillation in Patients on Thyroid Hormone Replacement Therapy. Frontiers in Genetics, 2021, 12, 652878.	2.3	1
126	Precision Medicine in Diabetes. Handbook of Experimental Pharmacology, 2022, , .	1.8	1

#	ARTICLE	IF	CITATIONS
127	PS7 - 3. Predicting Glycated Haemoglobin in the Non-Diabetic General Population: a DIRECT Study. Nederlands Tijdschrift Voor Diabetologie, 2013, 11, 154-154.	0.0	0
128	Crossover studies can help the individualisation of care in type 2 diabetes: the MASTERMIND approach. Practical Diabetes, 2016, 33, 115-117.	0.3	0
129	Response to Comment on Gan et al. Efficacy of Modern Diabetes Treatments DPP-4i, SGLT-2i, and GLP-1RA in White and Asian Patients With Diabetes: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Diabetes Care 2020;43:1948â€“1957. Diabetes Care, 2020, 43, e202-e203.	8.6	0
130	Genome-Wide Meta-Analysis Identifies the Organic Anion-Transporting Polypeptide Gene <i>SLCO1B1</i> and Statins as Modifiers of Glycemic Response to Sulfonylureas. SSRN Electronic Journal, 0, , .	0.4	0
131	The genetic association of the transcription factor NPAT with glycemic response to metformin involves regulation of fuel selection. PLoS ONE, 2021, 16, e0253533.	2.5	0
132	Response to Comment on Dawed et al. Genome-Wide Meta-analysis Identifies Genetic Variants Associated With Glycemic Response to Sulfonylureas. Diabetes Care 2021;44:2673â€“2682. Diabetes Care, 2022, 45, e82-e83.	8.6	0
133	Title is missing!. , 2020, 17, e1003149.		0
134	Title is missing!. , 2020, 17, e1003149.		0
135	Title is missing!. , 2020, 17, e1003149.		0
136	Title is missing!. , 2020, 17, e1003149.		0
137	Title is missing!. , 2020, 17, e1003149.		0