

Roslida Abd Hamid

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2031009/roslida-abd-hamid-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

1,150
citations

19
h-index

33
g-index

54
ext. papers

1,376
ext. citations

3.5
avg, IF

3.81
L-index

#	Paper	IF	Citations
48	Bioactive fractions and compound of <i>Ardisia crispa</i> roots exhibit anti-arthritic properties mediated via angiogenesis inhibition in vitro. <i>BMC Complementary Medicine and Therapies</i> , 2021 , 21, 176	2.9	1
47	Quinone-rich fraction of <i>Ardisia crispa</i> (Thunb.) A. DC roots alters angiogenic cascade in collagen-induced arthritis. <i>Inflammopharmacology</i> , 2021 , 29, 771-788	5.1	0
46	Antiproliferative activity exerted by tricyclohexylphosphane gold(I) n-mercaptobenzoate against MCF-7 and A2780 cell lines: the role of p53 signaling pathways. <i>BioMetals</i> , 2021 , 34, 141-160	3.4	2
45	Corrigendum to Cytotoxicity and Proapoptotic Effects of <i>Allium atroviolaceum</i> Flower Extract by Modulating Cell Cycle Arrest and Caspase-Dependent and p53-Independent Pathway in Breast Cancer Cell Lines <i>Evidence-based Complementary and Alternative Medicine</i> , 2021 , 2021, 1-2	2.3	
44	A bismuth diethyldithiocarbamate compound induced apoptosis via mitochondria-dependent pathway and suppressed invasion in MCF-7 breast cancer cells. <i>BioMetals</i> , 2021 , 34, 365-391	3.4	1
43	Induction of apoptosis on ovarian adenocarcinoma cells, A2780 by tricyclohexylphosphane gold (I) mercaptobenzoate derivatives via intrinsic and extrinsic pathways. <i>Journal of Biological Inorganic Chemistry</i> , 2021 , 26, 833-853	3.7	1
42	Temporal changes in the cell population and wound healing-related gene expression in deep partial-thickness burn wound model. <i>Biomedical Dermatology</i> , 2020 , 4,	5.9	2
41	Analysis of expression of vitamin E-binding proteins in H ₂ O ₂ induced SK-N-SH neuronal cells supplemented with α -tocopherol and tocotrienol-rich fraction. <i>PLoS ONE</i> , 2020 , 15, e0241112	3.7	3
40	A new histological score grade for deep partial-thickness burn wound healing process. <i>International Journal of Burns and Trauma</i> , 2020 , 10, 218-224	0.4	1
39	Healing Properties of Epidermal Growth Factor and Tocotrienol-Rich Fraction in Deep Partial-Thickness Experimental Burn Wounds. <i>Antioxidants</i> , 2020 , 9,	7.1	5
38	Epidermal Growth Factor and Tocotrienol-Rich Fraction Cream Formulation Accelerates Burn Healing Process Based on Its Gene Expression Pattern in Deep Partial-Thickness Burn Wound Model. <i>International Journal of Lower Extremity Wounds</i> , 2020 , 1534734620971066	1.6	0
37	Modulation of cancer signalling pathway(s) in two -stage mouse skin tumorigenesis by annonacin. <i>BMC Complementary and Alternative Medicine</i> , 2019 , 19, 238	4.7	5
36	<i>Ardisia crispa</i> root hexane fraction suppressed angiogenesis in human umbilical vein endothelial cells (HUVECs) and in vivo zebrafish embryo model. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 118, 109221	7.5	5
35	Evaluation of Chondroprotective Activity of <i>Channa striatus</i> in Rabbit Osteoarthritis Model. <i>BioMed Research International</i> , 2019 , 2019, 6979585	3	2
34	Cytotoxicity, antitumor-promoting and antioxidant activities of <i>Annona muricata</i> in vitro. <i>Journal of Herbal Medicine</i> , 2019 , 15, 100219	2.3	13
33	Promotion of HepG2 cell apoptosis by flower of <i>Allium atroviolaceum</i> and the mechanism of action. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 104	4.7	19
32	Flower extract of <i>Allium atroviolaceum</i> triggered apoptosis, activated caspase-3 and down-regulated antiapoptotic Bcl-2 gene in HeLa cancer cell line. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 89, 1216-1226	7.5	27

31	Cytotoxicity and Proapoptotic Effects of Flower Extract by Modulating Cell Cycle Arrest and Caspase-Dependent and -Independent Pathway in Breast Cancer Cell Lines. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 1468957	2.3	12
30	Anti-arthritic and gastroprotective activities of <i>Ardisia crispa</i> root partially mediated via its antioxidant effect. <i>Journal of Complementary and Integrative Medicine</i> , 2017 , 15,	1.5	3
29	<i>Annona muricata</i> leaves extracts prevent DMBA/TPA-induced skin tumorigenesis via modulating antioxidants enzymes system in ICR mice. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 94, 481-488	7.5	22
28	A randomized, double-blind study comparing multiple doses of <i>Channa striatus</i> supplementation for knee osteoarthritis. <i>Oriental Pharmacy and Experimental Medicine</i> , 2017 , 17, 345-354	2	3
27	Antiproliferative and Apoptosis Inducing Effect of Bulb Extract on Breast, Cervical, and Liver Cancer Cells. <i>Frontiers in Pharmacology</i> , 2017 , 8, 5	5.6	41
26	A new model for studying deep partial-thickness burns in rats. <i>International Journal of Burns and Trauma</i> , 2017 , 7, 107-114	0.4	17
25	The impact of low-dose carcinogens and environmental disruptors on tissue invasion and metastasis. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S128-59	4.6	29
24	Assessing the carcinogenic potential of low-dose exposures to chemical mixtures in the environment: the challenge ahead. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S254-96	4.6	176
23	Mechanisms of environmental chemicals that enable the cancer hallmark of evasion of growth suppression. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S2-18	4.6	44
22	Disruptive chemicals, senescence and immortality. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S19-37	4.6	26
21	The potential for chemical mixtures from the environment to enable the cancer hallmark of sustained proliferative signalling. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S38-60	4.6	27
20	Causes of genome instability: the effect of low dose chemical exposures in modern society. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S61-88	4.6	100
19	Disruptive environmental chemicals and cellular mechanisms that confer resistance to cell death. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S89-110	4.6	25
18	The effect of environmental chemicals on the tumor microenvironment. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S160-83	4.6	79
17	Assessing the carcinogenic potential of low-dose exposures to chemical mixtures in the environment: focus on the cancer hallmark of tumor angiogenesis. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S184-202	4.6	28
16	Environmental immune disruptors, inflammation and cancer risk. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S232-53	4.6	137
15	Chemical compounds from anthropogenic environment and immune evasion mechanisms: potential interactions. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S111-27	4.6	34
14	Metabolic reprogramming and dysregulated metabolism: cause, consequence and/or enabler of environmental carcinogenesis?. <i>Carcinogenesis</i> , 2015 , 36 Suppl 1, S203-31	4.6	61

13	Low dose triterpene-quinone fraction from <i>Ardisia crispa</i> root precludes chemical-induced mouse skin tumor promotion. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 431	4.7	4
12	Synergistic action of compounds isolated from the hexane extract of <i>Ardisia crispa</i> root against tumour-promoting effect, in vitro. <i>Natural Product Research</i> , 2014 , 28, 2026-30	2.3	6
11	<i>Ardisia crispa</i> roots inhibit cyclooxygenase and suppress angiogenesis. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 102	4.7	7
10	In vitro antioxidant and antiproliferative activities of methanolic plant part extracts of <i>Theobroma cacao</i> . <i>Molecules</i> , 2014 , 19, 18317-31	4.8	44
9	The hexane fraction of <i>Ardisia crispa</i> Thunb. A. DC. roots inhibits inflammation-induced angiogenesis. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 5	4.7	8
8	Chemopreventive effect of <i>Ardisia crispa</i> hexane fraction on the peri-initiation phase of mouse skin tumorigenesis. <i>Medical Principles and Practice</i> , 2013 , 22, 357-61	2.1	3
7	Anti-inflammatory and anti-hyperalgesic activities of <i>Acanthopanax trifoliatum</i> (L) Merr leaves. <i>Pharmacognosy Research (discontinued)</i> , 2013 , 5, 129-33	0.7	9
6	Isolation of a quinone-rich fraction from <i>Ardisia crispa</i> roots and its attenuating effects on murine skin tumorigenesis. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 2301-5	1.7	5
5	Evaluation of anti-inflammatory activities of ethanolic extract of <i>Annona muricata</i> leaves. <i>Revista Brasileira De Farmacognosia</i> , 2012 , 22, 1301-1307	2	22
4	Antinociceptive and anti-ulcerogenic activities of the ethanolic extract of <i>Annona muricata</i> leaf. <i>Revista Brasileira De Farmacognosia</i> , 2012 , 22, 630-641	2	23
3	Anti-tumor effect of <i>Ardisia crispa</i> hexane fraction on 7, 12-dimethylbenz[<i>a</i>]anthracene-induced mouse skin papillomagenesis. <i>Journal of Cancer Research and Therapeutics</i> , 2012 , 8, 404-10	1.2	9
2	Chemopreventive potential of <i>Annona muricata</i> L leaves on chemically-induced skin papillomagenesis in mice. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 2533-9	1.7	43
1	<i>Bixa orellana</i> leaves extract inhibits bradykinin-induced inflammation through suppression of nitric oxide production. <i>Medical Principles and Practice</i> , 2011 , 20, 142-6	2.1	14