

Marek Mirowski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2032570/publications.pdf>

Version: 2024-02-01

33
papers

280
citations

1163117

8
h-index

940533

16
g-index

34
all docs

34
docs citations

34
times ranked

502
citing authors

#	ARTICLE	IF	CITATIONS
1	ABCB1 gene polymorphisms and haplotype analysis in colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2009, 24, 895-905.	2.2	45
2	ABCB1/MDR1 gene polymorphisms as a prognostic factor in colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2010, 25, 1167-1176.	2.2	44
3	Anticancer properties of new synthetic hybrid molecules combining naphtho[2,3-b]furan-4,9-dione or benzo[f]indole-4,9-dione motif with phosphonate subunit. <i>European Journal of Medicinal Chemistry</i> , 2016, 120, 51-63.	5.5	28
4	The impact of ABCB1 gene polymorphism and its expression on non-small-cell lung cancer development, progression and therapy – preliminary report. <i>Scientific Reports</i> , 2020, 10, 6188.	3.3	28
5	The Influence of C3435T Polymorphism of the <i>ABCB1</i> Gene on Genetic Susceptibility to Depression and Treatment Response in Polish Population - Preliminary Report. <i>International Journal of Medical Sciences</i> , 2015, 12, 974-979.	2.5	24
6	Distribution of allelic variants of functional C3435T polymorphism of drug transporter MDR1 gene in a sample of Polish population. <i>Polish Journal of Pharmacology</i> , 2002, 54, 495-500.	0.3	22
7	C3435T polymorphism of the ABCB1 gene: impact on genetic susceptibility to peptic ulcers. <i>Pharmacological Reports</i> , 2011, 63, 992-998.	3.3	11
8	Synthesis of 3-methylidene-1-tosyl-2,3-dihydroquinolin-4(1 <i>H</i>)-ones as Potent Cytotoxic Agents. <i>Chemistry and Biodiversity</i> , 2018, 15, e1800242.	2.1	9
9	Arsenic trioxide downregulates cancer procoagulant activity in MCF-7 and WM-115 cell lines in vitro. <i>Wspolczesna Onkologia</i> , 2015, 2, 108-112.	1.4	8
10	Synthesis of 4-disubstituted 3-methylidenechroman-2-ones as Potent Anticancer Agents. <i>ChemMedChem</i> , 2017, 12, 599-605.	3.2	6
11	The effect of hydrazine derivatives of 3-formylchromones on angiogenic basic fibroblast growth factor and fibroblast growth factor receptor-1 in human melanoma cell line WM-115. <i>Acta Biochimica Polonica</i> , 2017, 64, 585-590.	0.5	6
12	The contribution of ABCG2, G34A and C421A polymorphisms to multiple myeloma susceptibility. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 1655-1660.	2.0	6
13	Investigation of -308G>A and -1031T>C Polymorphisms in the TNFA Promoter Region in Polish Peptic Ulcer Patients. <i>Gut and Liver</i> , 2014, 8, 632-636.	2.9	6
14	ABCG2 in peptic ulcer: gene expression and mutation analysis. <i>Journal of Applied Genetics</i> , 2016, 57, 335-342.	1.9	4
15	The cytotoxic effect of Ru(II) complexes with 5-(2-hydroxyphenyl)-3-methyl-1-(2-pyridyl)-1 <i>H</i> -pyrazole-4-carboxylic acid methyl ester: Synthesis, X-ray structure and DNA damage potential. <i>Polyhedron</i> , 2019, 169, 228-238.	2.2	4
16	Evaluation of the use of fibrin and microcrystalline chitosan membranes as carriers for transforming growth factor beta-1. <i>Journal of Applied Polymer Science</i> , 2013, 127, 3506-3513.	2.6	3
17	Haplotype Analysis of TNFA Gene in Peptic Ulcer Patients. <i>International Journal of Human Genetics</i> , 2014, 14, 9-15.	0.1	3
18	Estimation of <i>CYP3A4*1B</i> single nucleotide polymorphism in patients with recurrent Major Depressive Disorder. <i>Molecular Genetics & Genomic Medicine</i> , 2019, 7, e669.	1.2	3

#	ARTICLE	IF	CITATIONS
19	CYP2C19*2 polymorphism in Polish peptic ulcer patients. <i>Pharmacological Reports</i> , 2019, 71, 272-275.	3.3	3
20	New Uracil Analogs with Exocyclic Methylidene Group as Potential Anticancer Agents. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2020, 20, 359-368.	1.7	3
21	Induction of caspase 3 and modulation of some apoptotic genes in human acute promyelocytic leukemia HL-60 cells by carboplatin with amifostine. <i>Polish Journal of Pharmacology</i> , 2003, 55, 227-34.	0.3	3
22	Importance of Altered Gene Expression of Metalloproteinases 2, 9, and 16 in Acute Myeloid Leukemia: Preliminary Study. <i>Journal of Oncology</i> , 2021, 2021, 1-8.	1.3	2
23	Synthesis of 2,2,6-Trisubstituted 5-Methylidene-tetrahydropyran-4-ones with Anticancer Activity. <i>Molecules</i> , 2020, 25, 611.	3.8	2
24	Changes in the expression of membrane type-matrix metalloproteinases genes (MMP14, MMP15, MMP16,) Tj ETQq0 0 0 rgBT /Overlock lung cancer (NSCLC). <i>Biomedicine and Pharmacotherapy</i> , 2022, 146, 112559.	5.6	2
25	ABCB1 expression in peptic ulcer patients and its connection with H. pylori Infection. <i>Annals of Clinical and Laboratory Science</i> , 2014, 44, 294-7.	0.2	2
26	Assessment of TNFA polymorphisms at positions -857 and -863 in Polish peptic ulcer patients. <i>Advances in Medical Sciences</i> , 2016, 61, 164-168.	2.1	1
27	Decreased MMP1 gene expression in acute myeloid leukaemia. <i>Molecular Biology Reports</i> , 2019, 46, 2293-2298.	2.3	1
28	Pharmacogenetic Analysis of Polymorphisms in Pharmacological Pathway of Vincristine, Doxorubicine and Dexamethasone (VAD Regimen) To Predict Response in Patients with Multiple Myeloma.. <i>Blood</i> , 2005, 106, 104-104.	1.4	1
29	Polymorphisms of the glucocorticoid receptor gene: impact on clinical outcome of multiple myeloma. <i>Comparative Clinical Pathology</i> , 2013, 22, 157-163.	0.7	0
30	Analysis of Common Single Nucleotide Polymorphisms in MDR1 Gene in Patients with Multiple Myeloma.. <i>Blood</i> , 2004, 104, 4371-4371.	1.4	0
31	The VH3-21 Gene Status Correlates with Elevated Î²2-Microglobulin Serum Levels and Shorter Overall Survival of Patients with Chronic Lymphocytic Leukemia.. <i>Blood</i> , 2005, 106, 4988-4988.	1.4	0
32	Pharmacogenetics of Response to Glucocorticosteroids in Adults with Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2006, 108, 2609-2609.	1.4	0
33	Polymorphisms in CD31/PECAM-1 and CD38 Genes Are Associated with Susceptibility to Multiple Myeloma. <i>Blood</i> , 2008, 112, 5113-5113.	1.4	0