

Jingqiang Zhu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2033410/jingqiang-zhu-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102
papers

823
citations

15
h-index

23
g-index

115
ext. papers

1,221
ext. citations

3.8
avg, IF

4.59
L-index

#	Paper	IF	Citations
102	A commentary on "thyroid gland invasion in total laryngectomy: A systematic review and meta-analysis" (int J surg 2022;99:106,262).. <i>International Journal of Surgery</i> , 2022 , 106665	7.5	
101	Outcome of parathyroid function after total thyroidectomy when calcium supplementation is administered routinely versus exclusively to symptomatic patients: A prospective randomized clinical trial. <i>Endocrine</i> , 2021 , 1	4	
100	Complement C4-A and Plasminogen as Potential Biomarkers for Prediction of Papillary Thyroid Carcinoma. <i>Frontiers in Endocrinology</i> , 2021 , 12, 737638	5.7	1
99	Transoral thyroidectomy vestibular approach versus non-transoral endoscopic thyroidectomy: a comprehensive systematic review and meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	1
98	Evaluation of plasma exosomal miRNAs as potential diagnostic biomarkers of lymph node metastasis in papillary thyroid carcinoma. <i>Endocrine</i> , 2021 , 1	4	1
97	The Diagnostic Accuracy of One-Step Nucleic Acid Amplification for Lymph Node Metastases of Papillary Thyroid Carcinoma: A Systematic Review and Meta-Analysis.. <i>Frontiers in Endocrinology</i> , 2021 , 12, 757766	5.7	
96	Impact of Extent of Surgery on Long-Term Prognosis of Follicular Thyroid Carcinoma Without Extrathyroidal Extension and Distant Metastasis. <i>World Journal of Surgery</i> , 2021 , 1	3.3	1
95	Case Report and Review of Literature: Thyroid Metastases From Breast Carcinoma. <i>Frontiers in Endocrinology</i> , 2021 , 12, 631894	5.7	2
94	Relationship between the extent of central node dissection and parathyroid function preservation in thyroid cancer surgery. <i>Gland Surgery</i> , 2021 , 10, 1093-1103	2.2	0
93	Insufficient evidence to support the clinical efficacy of selenium supplementation for patients with chronic autoimmune thyroiditis. <i>Endocrine</i> , 2021 , 73, 384-397	4	2
92	LINC01816 promotes the migration, invasion and epithelial-mesenchymal transition of thyroid carcinoma cells by sponging miR-34c-5p and regulating CRABP2 expression levels. <i>Oncology Reports</i> , 2021 , 45,	3.5	4
91	Case Report: A New Entity: Multiple Differentiated Variant of Papillary Thyroid Carcinoma With Advanced Clinical Behavior. <i>Frontiers in Endocrinology</i> , 2021 , 12, 654638	5.7	
90	Anlotinib in Locally Advanced or Metastatic Medullary Thyroid Carcinoma: A Randomized, Double-Blind Phase IIB Trial. <i>Clinical Cancer Research</i> , 2021 , 27, 3567-3575	12.9	10
89	Psychological Distress and Sleep Disturbance Throughout Thyroid Nodule Screening, Diagnosis, and Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4221-e4230	5.6	3
88	Surgical outcomes of different approaches in robotic assisted thyroidectomy for thyroid cancer: A systematic review and Bayesian network meta-analysis. <i>International Journal of Surgery</i> , 2021 , 89, 105941	7.5	1
87	Longitudinal Genomic Evolution of Conventional Papillary Thyroid Cancer With Brain Metastasis. <i>Frontiers in Oncology</i> , 2021 , 11, 620924	5.3	3
86	Birth control pills and risk of hypothyroidism: a cross-sectional study of the National Health and Nutrition Examination Survey, 2007-2012. <i>BMJ Open</i> , 2021 , 11, e046607	3	2

85	Characterizing dedifferentiation of thyroid cancer by integrated analysis. <i>Science Advances</i> , 2021 , 7,	14.3	18
84	A nomogram model based on the preoperative clinical characteristics of papillary thyroid carcinoma with Hashimoto's thyroiditis to predict central lymph node metastasis. <i>Clinical Endocrinology</i> , 2021 , 94, 310-321	3.4	8
83	Transoral endoscopic thyroidectomy vestibular approach vs conventional open thyroidectomy: Meta-analysis. <i>Head and Neck</i> , 2021 , 43, 345-353	4.2	8
82	Novel Recurrent Altered Genes in Chinese Patients With Anaplastic Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 988-998	5.6	14
81	Predictors of thyroglobulin in the lymph nodes recurrence of papillary thyroid carcinoma undergoing total thyroidectomy. <i>BMC Surgery</i> , 2021 , 21, 53	2.3	1
80	Radioactive iodine therapy may not improve disease-specific survival in follicular variant papillary thyroid cancer without distant metastasis: A propensity score-matched analysis. <i>Head and Neck</i> , 2021 , 43, 1730-1738	4.2	1
79	Long non-coding RNA signatures as predictors of prognosis in thyroid cancer: a narrative review. <i>Annals of Translational Medicine</i> , 2021 , 9, 359	3.2	2
78	Conspicuousness and recurrence related factors of ultrasound-guided microwave ablation in the treatment of benign thyroid nodules. <i>BMC Surgery</i> , 2021 , 21, 317	2.3	0
77	Lymph node metastasis between the sternocleidomastoid and sternohyoid muscle in papillary thyroid carcinoma patients: A prospective study at multiple centers. <i>Asian Journal of Surgery</i> , 2021 , 44, 1043-1049	1.6	1
76	O-Glycosylation Landscapes of SARS-CoV-2 Spike Proteins. <i>Frontiers in Chemistry</i> , 2021 , 9, 689521	5	6
75	Potential Interaction Between SARS-CoV-2 and Thyroid: A Review. <i>Endocrinology</i> , 2021 , 162,	4.8	38
74	Comparative efficacy of different ultrasound-guided ablation for the treatment of benign thyroid nodules: Systematic review and network meta-analysis of randomized controlled trials. <i>PLoS ONE</i> , 2021 , 16, e0243864	3.7	4
73	Surgical strategy when identifying less than four parathyroid glands during total thyroidectomy: a retrospective cohort study. <i>Gland Surgery</i> , 2021 , 10, 10-22	2.2	2
72	p53-dependent apoptosis is essential for the antitumor effect of paclitaxel response to DNA damage in papillary thyroid carcinoma. <i>International Journal of Medical Sciences</i> , 2021 , 18, 3197-3205	3.7	1
71	Correlation between Pre-Operative 25-Hydroxyvitamin D Levels and Poor Prognostic Factors for Papillary Thyroid Cancer. <i>Journal of Investigative Surgery</i> , 2021 , 1-7	1.2	1
70	A Nomogram to Predict Hungry Bone Syndrome After Parathyroidectomy in Patients With Secondary Hyperparathyroidism. <i>Journal of Surgical Research</i> , 2020 , 255, 33-41	2.5	11
69	The benefits of radioactive iodine ablation for patients with intermediate-risk papillary thyroid cancer. <i>PLoS ONE</i> , 2020 , 15, e0234843	3.7	6
68	Thyroid cancer neck lymph nodes metastasis: Meta-analysis of US and CT diagnosis. <i>European Journal of Radiology</i> , 2020 , 129, 109103	4.7	8

67	Association of the Preoperative Inflammation-Based Scores with TNM Stage and Recurrence in Patients with Papillary Thyroid Carcinoma: A Retrospective, Multicenter Analysis. <i>Cancer Management and Research</i> , 2020 , 12, 1809-1818	3.6	10
66	Diagnostic and prognostic value of preoperative systemic inflammatory markers in anaplastic thyroid cancer. <i>Journal of Surgical Oncology</i> , 2020 , 122, 897-905	2.8	3
65	Prevalence of and risk factors for hypothyroidism after hemithyroidectomy: a systematic review and meta-analysis. <i>Endocrine</i> , 2020 , 70, 243-255	4	8
64	Plasma Exosomal miR-146b-5p and miR-222-3p are Potential Biomarkers for Lymph Node Metastasis in Papillary Thyroid Carcinomas. <i>OncoTargets and Therapy</i> , 2020 , 13, 1311-1319	4.4	28
63	Subclinical hypothyroidism and anxiety may contribute to metabolic syndrome in Sichuan of China: a hospital-based population study. <i>Scientific Reports</i> , 2020 , 10, 2261	4.9	4
62	Sorafenib and radioiodine-refractory differentiated thyroid cancer (RR-DTC): a systematic review and meta-analysis. <i>Endocrine</i> , 2020 , 68, 56-63	4	10
61	injection decreases drainage in lateral neck dissection for metastatic thyroid cancer. <i>Gland Surgery</i> , 2020 , 9, 1543-1550	2.2	
60	Influence of Eastern Cooperative Oncology Group performance status (ECOG PS), tumor size and age on patient outcomes after anlotinib treatment: A subgroup analysis based on ALTER01031 trial for medullary thyroid carcinoma (MTC).. <i>Journal of Clinical Oncology</i> , 2020 , 38, 6527-6527	2.2	
59	Exploration of associations between adverse drug reactions and clinical outcomes in anlotinib treatment against medullary thyroid carcinoma (MTC): A subgroup analysis based on the ALTER01031 trial.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e18518-e18518	2.2	
58	Association between calcitonin and efficacy of anlotinib in medullary thyroid carcinoma: An analysis based on the ALTER01031 trial.. <i>Journal of Clinical Oncology</i> , 2020 , 38, 6526-6526	2.2	
57	Idiopathic Hypoparathyroidism With Papillary Thyroid Carcinoma in a Young Male: A Rare Case Report. <i>Frontiers in Endocrinology</i> , 2020 , 11, 569308	5.7	
56	The association of preoperative thyroid-stimulating hormone level and the risk of differentiated thyroid cancer in patients with thyroid nodules: A systematic review and meta-analysis. <i>American Journal of Surgery</i> , 2020 , 220, 634-641	2.7	5
55	<i>Pseudomonas aeruginosa</i> -mannose sensitive hemagglutinin injection therapy for the treatment of chyle fistula following neck dissection. <i>Head and Neck</i> , 2020 , 42, 725-731	4.2	5
54	Glyco-CPLL: An Integrated Method for In-Depth and Comprehensive N-Glycoproteome Profiling of Human Plasma. <i>Journal of Proteome Research</i> , 2020 , 19, 655-666	5.6	14
53	Comparative Glycoproteomic Profiling of Human Body Fluid between Healthy Controls and Patients with Papillary Thyroid Carcinoma. <i>Journal of Proteome Research</i> , 2020 , 19, 2539-2552	5.6	11
52	Diagnostic reliability of elastography in thyroid nodules reported as indeterminate at prior fine-needle aspiration cytology (FNAC): a systematic review and Bayesian meta-analysis. <i>European Radiology</i> , 2020 , 30, 6624-6634	8	8
51	Effects of energy-based ablation on thyroid function in treating benign thyroid nodules: a systematic review and meta-analysis. <i>International Journal of Hyperthermia</i> , 2020 , 37, 1090-1102	3.7	0
50	The effects of radioiodine therapy on parathyroid function among patients with papillary thyroid cancer: a retrospective cohort study. <i>Endocrine</i> , 2020 , 70, 426-434	4	1

49	The effectiveness of the combined problem-based learning (PBL) and case-based learning (CBL) teaching method in the clinical practical teaching of thyroid disease. <i>BMC Medical Education</i> , 2020 , 20, 381	3.3	10
48	The prognostic value of the lymphocyte-to-monocyte ratio for high-risk papillary thyroid carcinoma. <i>Cancer Management and Research</i> , 2019 , 11, 8451-8462	3.6	11
47	Clinicopathological characteristics and recurrence risk of papillary thyroid microcarcinoma in the elderly. <i>Cancer Management and Research</i> , 2019 , 11, 2371-2377	3.6	5
46	Evaluating the effectiveness of targeted therapies for thyroid carcinoma: an updated meta-analysis. <i>Annals of Translational Medicine</i> , 2019 , 7, 802	3.2	1
45	Multiple Simultaneous Rare Distant Metastases as the Initial Presentation of Papillary Thyroid Carcinoma: A Case Report. <i>Frontiers in Endocrinology</i> , 2019 , 10, 759	5.7	3
44	Large-Scale Comparative Analysis Reveals A Simple Model To Predict The Prevalence Of Thyroid Nodules. <i>Risk Management and Healthcare Policy</i> , 2019 , 12, 225-232	2.8	1
43	The Association Between Subclinical Hypothyroidism and Sleep Quality: A Population-Based Study. <i>Risk Management and Healthcare Policy</i> , 2019 , 12, 369-374	2.8	8
42	Does the number of parathyroid glands autotransplanted affect the incidence of hypoparathyroidism and recovery of parathyroid function?. <i>Surgery</i> , 2018 ,	3.6	12
41	In Situ Preservation Fraction of Parathyroid Gland in Thyroidectomy: A Cohort Retrospective Study. <i>International Journal of Endocrinology</i> , 2018 , 2018, 7493143	2.7	10
40	Subclinical hypothyroidism would not lead to female sexual dysfunction in Chinese women. <i>BMC Women's Health</i> , 2018 , 18, 26	2.9	6
39	Long Noncoding RNA AB074169 Inhibits Cell Proliferation via Modulation of KHSRP-Mediated CDKN1a Expression in Papillary Thyroid Carcinoma. <i>Cancer Research</i> , 2018 , 78, 4163-4174	10.1	54
38	Ginsenoside Rg3 Inhibition of Thyroid Cancer Metastasis Is Associated with Alternation of Actin Skeleton. <i>Journal of Medicinal Food</i> , 2018 , 21, 849-857	2.8	24
37	A favorable tumor size to define papillary thyroid microcarcinoma: an analysis of 1176 consecutive cases. <i>Cancer Management and Research</i> , 2018 , 10, 899-906	3.6	8
36	CUNR scoring system for the prediction of lateral lymph node metastasis in papillary thyroid carcinoma. <i>Oncotarget</i> , 2018 , 9, 167-177	3.3	2
35	MiR-26a inhibits thyroid cancer cell proliferation by targeting ARPP19. <i>American Journal of Cancer Research</i> , 2018 , 8, 1030-1039	4.4	15
34	2017 Chinese expert consensus on the clinical application of serum marker for thyroid cancer. <i>Cancer Biology and Medicine</i> , 2018 , 15, 468-477	5.2	4
33	Radioiodine refractoriness score: A multivariable prediction model for postoperative radioiodine-refractory differentiated thyroid carcinomas. <i>Cancer Medicine</i> , 2018 , 7, 5448-5456	4.8	10
32	Cell block is a valuable adjunct to conventional smear for thyroid fine needle aspiration: 2395 cases with histological correlation. <i>Cytopathology</i> , 2018 , 29, 525-530	1.3	4

31	Preserved SCN4B expression is an independent indicator of favorable recurrence-free survival in classical papillary thyroid cancer. <i>PLoS ONE</i> , 2018 , 13, e0197007	3.7	12
30	Vitamin D receptor gene FokI but not TaqI, ApaI, BsmI polymorphism is associated with Hashimoto's thyroiditis: a meta-analysis. <i>Scientific Reports</i> , 2017 , 7, 41540	4.9	25
29	Association between IL-27 gene polymorphisms and risk of papillary thyroid carcinoma. <i>Biomarkers in Medicine</i> , 2017 , 11, 141-149	2.3	9
28	Postoperative hypomagnesaemia is not associated with hypocalcemia in thyroid cancer patients undergoing total thyroidectomy plus central compartment neck dissection. <i>International Journal of Surgery</i> , 2017 , 39, 192-196	7.5	4
27	Precise treatment of aortic aneurysm by three-dimensional printing and simulation before endovascular intervention. <i>Scientific Reports</i> , 2017 , 7, 795	4.9	19
26	Elevated free triiodothyronine may lead to female sexual dysfunction in Chinese urban women: A hospital-based survey. <i>Scientific Reports</i> , 2017 , 7, 1216	4.9	4
25	Comparison of the prognostic values of selected inflammation based scores in patients with medullary thyroid carcinoma: A pilot study. <i>Journal of Surgical Oncology</i> , 2017 , 116, 281-287	2.8	19
24	Protocol for management after thyroidectomy: a retrospective study based on one-center experience. <i>Therapeutics and Clinical Risk Management</i> , 2017 , 13, 635-641	2.9	7
23	Second generation of familial nonmedullary thyroid carcinoma: A meta-analysis on the clinicopathologic features and prognosis. <i>European Journal of Surgical Oncology</i> , 2017 , 43, 2248-2256	3.6	6
22	Hypomagnesemia predicts postoperative biochemical hypocalcemia after thyroidectomy. <i>BMC Surgery</i> , 2017 , 17, 62	2.3	12
21	Skip lateral lymph node metastasis leaping over the central neck compartment in papillary thyroid carcinoma. <i>Oncotarget</i> , 2017 , 8, 27022-27033	3.3	30
20	Preoperative vitamin D deficiency and postoperative hypocalcemia in thyroid cancer patients undergoing total thyroidectomy plus central compartment neck dissection. <i>Oncotarget</i> , 2017 , 8, 78113-78119	2.3	4
19	A new combination therapy using recombinant human adenovirus p53 injection (rAd-p53) to manage advanced thyroid cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e17585-e17585	2.2	
18	Risk factors for level V lymph node metastases in solitary papillary thyroid carcinoma with clinically lateral lymph node metastases. <i>Cancer Medicine</i> , 2016 , 5, 2161-8	4.8	17
17	Association of the preoperative neutrophil-to-lymphocyte and platelet-to-lymphocyte ratios with lymph node metastasis and recurrence in patients with medullary thyroid carcinoma. <i>Medicine (United States)</i> , 2016 , 95, e5079	1.8	21
16	Recombinant human adenovirus p53 injection enhanced sensitivity of chemotherapeutics through DNA damage response pathway in advanced papillary thyroid cancer in vitro and in vivo.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e17560-e17560	2.2	0
15	Recombinant human adenovirus p53 injection (rAd-p53) is a challenge for anaplastic thyroid cancer treatment.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e17561-e17561	2.2	0
14	A meta-analysis of alcohol consumption and thyroid cancer risk. <i>Oncotarget</i> , 2016 , 7, 55912-55923	3.3	13

13	Millepachine, a potential topoisomerase II inhibitor induces apoptosis via activation of NF- κ B pathway in ovarian cancer. <i>Oncotarget</i> , 2016 , 7, 52281-52293	3.3	13
12	Geriatric Nutritional Risk Index (GNRI) Independently Predicts Amputation Inchronic Criticallimb Ischemia (CLI). <i>PLoS ONE</i> , 2016 , 11, e0152111	3.7	15
11	Completion thyroidectomy and total thyroidectomy for differentiated thyroid cancer: Comparison and prediction of postoperative hypoparathyroidism. <i>Journal of Surgical Oncology</i> , 2016 , 113, 522-5	2.8	13
10	Comparison of the clinicopathological behavior of the follicular variant of papillary thyroid carcinoma and classical papillary thyroid carcinoma: A systematic review and meta-analysis. <i>Molecular and Clinical Oncology</i> , 2015 , 3, 753-764	1.6	12
9	Novel Management of Intractable Cervical Chylous Fistula with Local Application of Pseudomonas aeruginosa Injection. <i>Otolaryngology - Head and Neck Surgery</i> , 2015 , 153, 561-5	5.5	12
8	Endocrine tumours: familial nonmedullary thyroid carcinoma is a more aggressive disease: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , 2015 , 172, R253-62	6.5	47
7	Expert consensus statement on parathyroid protection in thyroidectomy. <i>Annals of Translational Medicine</i> , 2015 , 3, 230	3.2	21
6	Use of carbon nanoparticles to identify parathyroid glands at thyroidectomy for patients of papillary thyroid cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e17006-e17006	2.2	
5	Predictive factors of contralateral paratracheal lymph node metastasis in unilateral papillary thyroid carcinoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e17005-e17005	2.2	
4	Autotransplantation of Inferior Parathyroid glands during central neck dissection for papillary thyroid carcinoma: a retrospective cohort study. <i>International Journal of Surgery</i> , 2014 , 12, 1286-90	7.5	29
3	Prognostic factors for recurrence and reasonable operation method discussed of papillary thyroid carcinoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e17021-e17021	2.2	
2	Predictors of bilateral central neck lymph node dissection in unilateral papillary thyroid carcinoma.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e17012-e17012	2.2	0
1	Preoperative recombinant adenoviral human p53 gene combined with intensity-modulated radiation therapy in treatment of stage IV papillary thyroid carcinoma: A randomized clinical study.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 5550-5550	2.2	1