

Xiaoming Shu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/203370/xiaoming-shu-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

675
citations

14
h-index

25
g-index

43
ext. papers

892
ext. citations

4
avg, IF

3.82
L-index

#	Paper	IF	Citations
36	Infection is not rare in patients with idiopathic inflammatory myopathies. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 254-259	2.2	1
35	Different Multivariable Risk Factors for Rapid Progressive Interstitial Lung Disease in Anti-MDA5 Positive Dermatomyositis and Anti-Synthetase Syndrome.. <i>Frontiers in Immunology</i> , 2022 , 13, 845988	8.4	1
34	Clinical characteristics of anti-isoleucyl-tRNA synthetase antibody associated syndrome and comparison with different patient cohorts. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 625-630	2.2	
33	Resistin Expression Is Associated With Interstitial Lung Disease in Dermatomyositis.. <i>Frontiers in Medicine</i> , 2022 , 9, 903887	4.9	
32	miR-18a-3p and Its Target Protein HuR May Regulate Myogenic Differentiation in Immune-Mediated Necrotizing Myopathy.. <i>Frontiers in Immunology</i> , 2021 , 12, 780237	8.4	
31	Interstitial Lung Disease Is a Major Characteristic of Patients Who Test Positive for Anti-PM/Scl Antibody.. <i>Frontiers in Medicine</i> , 2021 , 8, 778211	4.9	0
30	Expansion of circulating peripheral TIGIT+CD226+ CD4 T cells with enhanced effector functions in dermatomyositis. <i>Arthritis Research and Therapy</i> , 2021 , 23, 15	5.7	3
29	Are gene polymorphisms related to adverse events of methotrexate in patients with rheumatoid arthritis? A retrospective cohort study based on an updated meta-analysis. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 2040622320916026	4.9	2
28	Pituitary dysfunction in patients with ANCA associated vasculitis: prevalence, presentation, and outcomes. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 2040622320930636	4.9	
27	Clinical significance of radiological patterns of HRCT and their association with macrophage activation in dermatomyositis. <i>Rheumatology</i> , 2020 , 59, 2829-2837	3.9	24
26	Soluble IL-2 Receptor in Dermatomyositis: Its Associations with Skin Ulcers and Disease Activity. <i>Mediators of Inflammation</i> , 2020 , 2020, 6243019	4.3	0
25	Immune-mediated necrotizing myopathies and interstitial lung disease are predominant characteristics in anti-Ku positive patients with idiopathic inflammatory myopathies. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	5
24	Membrane-Spanning Protein Genetic Polymorphisms Related to Methotrexate Therapeutic Outcomes in a Chinese Rheumatoid Arthritis Population. <i>Journal of Clinical Pharmacology</i> , 2019 , 59, 1471-1476 ³	2.9	3
23	Specific Autoantibodies and Clinical Phenotypes Correlate with the Aberrant Expression of Immune-Related MicroRNAs in Dermatomyositis. <i>Journal of Immunology Research</i> , 2019 , 2019, 2927061	4.5	9
22	Serum YKL-40 level is associated with severity of interstitial lung disease and poor prognosis in dermatomyositis with anti-MDA5 antibody. <i>Clinical Rheumatology</i> , 2019 , 38, 1655-1663	3.9	10
21	Clinical characteristics of dermatomyositis patients with isolated anti-Ro-52 antibody associated rapid progressive interstitial lung disease: Data from the largest single Chinese center. <i>Respiratory Medicine</i> , 2019 , 155, 127-132	4.6	11
20	The prevalence and clinical significance of anti-PUF60 antibodies in patients with idiopathic inflammatory myopathy. <i>Clinical Rheumatology</i> , 2018 , 37, 1573-1580	3.9	7

19	Genetic Polymorphisms of TYMS, MTHFR, ATIC, MTR, and MTRR Are Related to the Outcome of Methotrexate Therapy for Rheumatoid Arthritis in a Chinese Population. <i>Frontiers in Pharmacology</i> , 2018 , 9, 1390	5.6	10
18	Abnormally increased low-density granulocytes in peripheral blood mononuclear cells are associated with interstitial lung disease in dermatomyositis. <i>Modern Rheumatology</i> , 2017 , 27, 122-129	3.3	19
17	Polymorphisms and Pharmacogenomics for the Clinical Efficacy of Methotrexate in Patients with Rheumatoid Arthritis: A Systematic Review and Meta-analysis. <i>Scientific Reports</i> , 2017 , 7, 44015	4.9	37
16	Polymorphisms and pharmacogenomics for the toxicity of methotrexate monotherapy in patients with rheumatoid arthritis: A systematic review and meta-analysis. <i>Medicine (United States)</i> , 2017 , 96, e6337	1.8	25
15	Diagnostic value of PET/CT for giant cell arteritis combined with pulmonary embolism presenting: Case report and literature review. <i>Medicine (United States)</i> , 2017 , 96, e7651	1.8	3
14	Potential role of autophagy in T-cell survival in polymyositis and dermatomyositis. <i>Molecular Medicine Reports</i> , 2017 , 16, 1180-1188	2.9	8
13	Clinical characteristics of anti-SAE antibodies in Chinese patients with dermatomyositis in comparison with different patient cohorts. <i>Scientific Reports</i> , 2017 , 7, 188	4.9	44
12	Identification of multiple cancer-associated myositis-specific autoantibodies in idiopathic inflammatory myopathies: a large longitudinal cohort study. <i>Arthritis Research and Therapy</i> , 2017 , 19, 259	5.7	85
11	Evaluation of takayasu arteritis with delayed contrast-enhanced MR imaging by a free-breathing 3D IR turbo FLASH. <i>Medicine (United States)</i> , 2017 , 96, e9284	1.8	9
10	HMGB1 May Be a Biomarker for Predicting the Outcome in Patients with Polymyositis /Dermatomyositis with Interstitial Lung Disease. <i>PLoS ONE</i> , 2016 , 11, e0161436	3.7	11
9	Significant decrease in peripheral regulatory B cells is an immunopathogenic feature of dermatomyositis. <i>Scientific Reports</i> , 2016 , 6, 27479	4.9	17
8	Clinical Characteristics of Anti-3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Antibodies in Chinese Patients with Idiopathic Inflammatory Myopathies. <i>PLoS ONE</i> , 2015 , 10, e0141616	3.7	45
7	Elevated plasma cfDNA may be associated with active lupus nephritis and partially attributed to abnormal regulation of neutrophil extracellular traps (NETs) in patients with systemic lupus erythematosus. <i>Internal Medicine</i> , 2014 , 53, 2763-71	1.1	67
6	Factors predicting malignancy in patients with polymyositis and dermatomyositis: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e94128	3.7	74
5	Clinical significance of peripheral blood lymphocyte subsets in patients with polymyositis and dermatomyositis. <i>Clinical Rheumatology</i> , 2012 , 31, 1691-7	3.9	20
4	Anti-MDA5 antibody is associated with A/SIP and decreased T cells in peripheral blood and predicts poor prognosis of ILD in Chinese patients with dermatomyositis. <i>Rheumatology International</i> , 2012 , 32, 3909-15	3.6	65
3	Intravenous immunoglobulin therapy in adult patients with polymyositis/dermatomyositis: a systematic literature review. <i>Clinical Rheumatology</i> , 2012 , 31, 801-6	3.9	37
2	Clinical characteristics and favorable long-term outcomes for patients with idiopathic inflammatory myopathies: a retrospective single center study in China. <i>BMC Neurology</i> , 2011 , 11, 143	3.1	21

- 1 Rheumatoid-like deformities in Parkinson's disease with 1-year follow-up: case report and literature review. *Rheumatology International*, **2010**, 30, 1493-7 3.6 1