## Ewa Eo Oglodek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/203375/publications.pdf

Version: 2024-02-01

22 papers 427 citations

840776 11 h-index 752698 20 g-index

26 all docs

26 docs citations

26 times ranked

749 citing authors

#	Article	IF	CITATIONS
1	Alexithymia and Emotional Deficits Related to Posttraumatic Stress Disorder: An Investigation of Content and Process Disturbances. Case Reports in Psychiatry, 2022, 2022, 1-5.	0.5	2
2	Is Water-Only Fasting Safe?. Global Advances in Health and Medicine, 2021, 10, 216495612110311.	1.6	10
3	The impact of antipsychotics as a risk factor for thromboembolism. Pharmacological Reports, 2018, 70, 533-539.	3.3	24
4	Changes in the concentrations of inflammatory and oxidative status biomediators (MIP-1 $\hat{l}_{\pm}$ , PMN) Tj ETQq0 0 0 Pharmacological Reports, 2018, 70, 110-118.	rgBT /Ovei 3.3	rlock 10 Tf 50 23
5	Assessing the serum concentration levels of NT-4/5, GPX-1, TNF- $\hat{l}_{\pm}$ , and $l$ -arginine as biomediators of depression severity in first depressive episode patients with and without posttraumatic stress disorder. Pharmacological Reports, 2017, 69, 1049-1058.	3.3	16
6	The role of PON-1, GR, IL-18, and OxLDL in depression with and without posttraumatic stress disorder. Pharmacological Reports, 2017, 69, 837-845.	3.3	24
7	Evaluation of ADMA, carbonyl groups, CAT and NKA in depressed patients with and without posttraumatic stress disorder. Pharmacological Reports, 2017, 69, 730-737.	3.3	6
8	Sense of alexithymia in patients with anxiety disorders comorbid with recurrent urticaria.  Neuropsychiatric Disease and Treatment, 2016, 12, 995.	2.2	11
9	Asymmetric dimethylarginine (ADMA) as a predictor of depression. European Neuropsychopharmacology, 2016, 26, S468-S469.	0.7	0
10	A study of chemokines, chemokine receptors and interleukin-6 in patients with panic disorder, personality disorders and their co-morbidity. Pharmacological Reports, 2016, 68, 756-763.	3.3	7
11	Melatonin and neurotrophins NT-3, BDNF, NGF in patients with varying levels of depression severity. Pharmacological Reports, 2016, 68, 945-951.	3.3	59
12	Depressive disorders co-existing with Addison–Biermer anemia – case report. Neuropsychiatric Disease and Treatment, 2015, 11, 1145.	2.2	5
13	The influence of atypical antipsychotic drugs on sexual function. Neuropsychiatric Disease and Treatment, 2015, 11, 1655.	2.2	35
14	Serum concentrations of chemokines (CCL-5 and CXCL-12), chemokine receptors (CCR-5 and CXCR-4), and IL-6 in patients with posttraumatic stress disorder and avoidant personality disorder. Pharmacological Reports, 2015, 67, 1251-1258.	3.3	22
15	The MCP-1, CCL-5 and SDF-1 chemokines as pro-inflammatory markers in generalized anxiety disorder and personality disorders. Pharmacological Reports, 2015, 67, 85-89.	3.3	33
16	Bipolar disorder: Mixed episodes concomitant with gambling addiction. Australian and New Zealand Journal of Psychiatry, 2014, 48, 586-587.	2.3	3
17	Comparison of chemokines (CCL-5 and SDF-1), chemokine receptors (CCR-5 and CXCR-4) and IL-6 levels in patients with different severities of depression. Pharmacological Reports, 2014, 66, 920-926.	3.3	51
18	Electroconvulsive therapy in a patient with drug-resistant depression and thyroid hormone imbalance. Australian and New Zealand Journal of Psychiatry, 2014, 48, 96-97.	2.3	3

#	Article	IF	CITATION
19	The role of the neuroendocrine and immune systems in the pathogenesis of depression. Pharmacological Reports, 2014, 66, 776-781.	3.3	64
20	Fever development in neuroleptic malignant syndrome during treatment with olanzapine and clozapine. Pharmacological Reports, 2013, 65, 279-287.	3.3	16
21	Olanzapine-induced neuroleptic malignant syndrome after 10 years of treatment. Australian and New Zealand Journal of Psychiatry, 2013, 47, 972-972.	2.3	7
22	A female patient with depression and conversion disorder following brain tumor surgery. Australian and New Zealand Journal of Psychiatry, 2013, 47, 1213-1214.	2.3	4