

# Kazumi Kato

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2033886/publications.pdf>

Version: 2024-02-01

313  
papers

5,384  
citations

81743

39  
h-index

138251

58  
g-index

326  
all docs

326  
docs citations

326  
times ranked

4508  
citing authors

#	ARTICLE	IF	CITATIONS
1	Coexistence of Flexo- and Ferro-Electric Effects in an Ordered Assembly of BaTiO <sub>3</sub> Nanocubes. <i>Nanomaterials</i> , 2022, 12, 188.	1.9	4
2	Ultrafast Ion Transport via Dielectric Nanocube Interface. <i>Advanced Materials Interfaces</i> , 2022, 9, .	1.9	2
3	Effect of heat treatment on internal stress in barium titanate nanocube assemblies and their dielectric property. <i>AIP Advances</i> , 2021, 11, .	0.6	4
4	One-step synthesis of BaTiO <sub>3</sub> /CaTiO <sub>3</sub> core-shell nanocubes by hydrothermal reaction. <i>Journal of Asian Ceramic Societies</i> , 2021, 9, 359-365.	1.0	5
5	Effect of oleic acid on the formation of lead zirconate titanate nanoplates. <i>Journal of Crystal Growth</i> , 2020, 548, 125811.	0.7	1
6	High refractive index and dielectric properties of BaTiO <sub>3</sub> nanocube/polymer composite films. <i>Journal of Nanoparticle Research</i> , 2020, 22, 1.	0.8	8
7	Dynamic dielectric-response model of flexoelectric polarization from kHz to MHz range in an ordered assembly of BaTiO <sub>3</sub> nanocubes. <i>Journal of Physics Condensed Matter</i> , 2020, 32, 495301.	0.7	9
8	Hydrothermal synthesis of A-site substituted BaTiO <sub>3</sub> nanocubes. <i>Journal of the Ceramic Society of Japan</i> , 2020, 128, 475-480.	0.5	3
9	Nanoarchitectonics of Acicular Nanocrystal Assembly and Nanosheet Assembly for Lithium-Ion Batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 3004-3012.	0.9	1
10	Fabrication of preferentially (001)-oriented Pb(Zr,Ti)O <sub>3</sub> films consisting of anisotropic single crystal nanoparticles. <i>Japanese Journal of Applied Physics</i> , 2019, 58, SLLB08.	0.8	4
11	Electrospray Deposition of {200} Oriented Regular-Assembly BaTiO <sub>3</sub> Nanocrystal Films under an Electric Field. <i>Langmuir</i> , 2019, 35, 5496-5500.	1.6	2
12	Selective nonanal molecular recognition with SnO <sub>2</sub> nanosheets for lung cancer sensor. <i>International Journal of Applied Ceramic Technology</i> , 2019, 16, 1807-1811.	1.1	17
13	Numerical calculations of temperature dependence of dielectric constant for an ordered assembly of BaTiO <sub>3</sub> nanocubes with small tilt angles. <i>Japanese Journal of Applied Physics</i> , 2018, 57, 031501.	0.8	9
14	Extra Surfactant-Assisted Self-Assembly of Highly Ordered Monolayers of BaTiO <sub>3</sub> Nanocubes at the Air-Water Interface. <i>Nanomaterials</i> , 2018, 8, 739.	1.9	14
15	Characterization of BaTiO <sub>3</sub> nanocubes assembled into highly ordered monolayers using micro- and nano-Raman spectroscopy. <i>Applied Physics Letters</i> , 2018, 112, .	1.5	9
16	Dielectric properties of barium zirconate titanate nanocube 3D-ordered assemblies. <i>Journal of the Ceramic Society of Japan</i> , 2018, 126, 321-325.	0.5	3
17	Reactions of Alkoxides Toward Nanostructured or Multicomponent Oxide Films. , 2018, , 113-132.		0
18	Fabrication and piezoelectric properties of Pb(Zr,Ti)O <sub>3</sub> cubes synthesized by hydrothermal method. <i>Journal of the Ceramic Society of Japan</i> , 2018, 126, 326-330.	0.5	9

#	ARTICLE	IF	CITATIONS
19	Development of New Fabrication Technology Using Self-Assembly Behaviors of Single-Crystalline Dielectric Nanocubes. Funtai Oyobi Fummatu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2018, 65, 629-633.	0.1	0
20	Numerical simulations of sonochemical production and oriented aggregation of BaTiO <sub>3</sub> nanocrystals. Ultrasonics Sonochemistry, 2017, 35, 673-680.	3.8	8
21	High dielectric constant associated with the strain-induced phase transition of an ordered assembly of BaTiO <sub>3</sub> nanocubes under three-dimensional clamping. Japanese Journal of Applied Physics, 2017, 56, 021501.	0.8	9
22	Nucleation and Growth Mechanism of Barium Titanate Nanoblocks in Hydrothermal Process Using Aqueous Titanium Compound. Crystal Growth and Design, 2017, 17, 2507-2512.	1.4	7
23	Spatial Control of Crystallographic Direction in 2D Microarrays of Anisotropic Nanoblocks on Trenched Substrates. Langmuir, 2017, 33, 13805-13810.	1.6	8
24	Reactions of Alkoxides Toward Nanostructured or Multicomponent Oxide Films. , 2017, , 1-20.		0
25	Nanostructuring of Metal Oxides in Aqueous Solutions. , 2016, , 369-458.		0
26	Synthesis and characterization of barium titanate-based solid solution nanocubes. Journal of the Ceramic Society of Japan, 2016, 124, 639-643.	0.5	4
27	Decoupling grain growth from densification during sintering of oxide nanoparticles. RSC Advances, 2016, 6, 24661-24666.	1.7	0
28	Fabrication and electrical properties of barium titanate based solid solution nanocube assembly films. Japanese Journal of Applied Physics, 2016, 55, 10TA05.	0.8	6
29	Anisotropy in morphology and crystal structure of BaTiO <sub>3</sub> nanoblocks. Materials and Design, 2016, 107, 378-385.	3.3	5
30	Dynamic Equilibrium Model for a Bulk Nanobubble and a Microbubble Partly Covered with Hydrophobic Material. Langmuir, 2016, 32, 11101-11110.	1.6	111
31	Crystallographic fusion behavior and interface evolution of mono-layer BaTiO <sub>3</sub> nanocube arrangement. CrystEngComm, 2016, 18, 1543-1549.	1.3	14
32	Tuning shape of barium titanate nanocubes by combination of oleic acid/tert-butylamine through hydrothermal process. Journal of Alloys and Compounds, 2016, 655, 71-78.	2.8	24
33	Fabrication and characterization of barium titanate nanocube ordered assemblies on micro-patterned substrates. Journal of the Ceramic Society of Japan, 2015, 123, 579-582.	0.5	10
34	Dielectric properties of micropatterns consisting of barium titanate single-crystalline nanocubes. Japanese Journal of Applied Physics, 2015, 54, 10NA11.	0.8	14
35	Size and morphology controlling of barium titanate nanocubes by using hydrothermal method. Journal of the Korean Physical Society, 2015, 66, 1364-1366.	0.3	4
36	SnO <sub>2</sub> Nanosheet/Nanoparticle Detector for the Sensing of 1-Nonanal Gas Produced by Lung Cancer. Scientific Reports, 2015, 5, 10122.	1.6	45

#	ARTICLE	IF	CITATIONS
37	Revisiting the difference between traveling-wave and standing-wave thermoacoustic engines - A simple analytical model for the standing-wave one. Journal of the Korean Physical Society, 2015, 67, 1755-1766.	0.3	6
38	Activity of formaldehyde dehydrogenase on titanium dioxide films with different crystallinities. Applied Surface Science, 2015, 329, 262-268.	3.1	6
39	Enhanced Thermopower in Nano-SrTiO <sub>3</sub> Via Rare Earth Doping. Journal of Electronic Materials, 2015, 44, 1773-1776.	1.0	7
40	Advanced dynamic-equilibrium model for a nanobubble and a micropancake on a hydrophobic or hydrophilic surface. Physical Review E, 2015, 91, 033008.	0.8	41
41	Oriented Attachment of Cubic or Spherical BaTiO <sub>3</sub> Nanocrystals by van der Waals Torque. Journal of Physical Chemistry C, 2015, 119, 24597-24605.	1.5	49
42	SnO <sub>2</sub> Nanosheet-assembled Graded Continuous Film. International Journal of Applied Ceramic Technology, 2014, 11, 550-557.	1.1	1
43	Dielectric properties of barium titanate nanocube ordered assembly sintered at various temperatures. Japanese Journal of Applied Physics, 2014, 53, 09PA03.	0.8	22
44	Enhanced dielectric properties of BaTiO <sub>3</sub> nanocube assembled film in metal-insulator-metal capacitor structure. Applied Physics Express, 2014, 7, 061501.	1.1	41
45	Dipole-Dipole Interaction Model for Oriented Aggregation of BaTiO <sub>3</sub> Nanocrystals. Materials Research Society Symposia Proceedings, 2014, 1663, 18.	0.1	1
46	Thermoelectric Properties of Rare Earth-Doped SrTiO <sub>3</sub> Nanocubes. Journal of Electronic Materials, 2014, 43, 2011-2016.	1.0	15
47	Low-temperature preparation of transparent conductive Al-doped ZnO thin films by a novel sol-gel method. Journal of Materials Science, 2014, 49, 4722-4734.	1.7	18
48	Nano-sized cube-shaped single crystalline oxides and their potentials; composition, assembly and functions. Advanced Powder Technology, 2014, 25, 1401-1414.	2.0	39
49	Liquid phase deposited titania coating to enable in vitro apatite formation on Ti6Al4V alloy. Journal of Materials Science: Materials in Medicine, 2014, 25, 375-381.	1.7	14
50	Aqueous phase deposition of dense tin oxide films with nano-structured surfaces. Journal of Solid State Chemistry, 2014, 214, 42-46.	1.4	3
51	Effect of surfactants on single bubble sonoluminescence behavior and bubble surface stability. Physical Review E, 2014, 89, 043007.	0.8	15
52	Low-temperature preparation of (002)-oriented ZnO thin films by sol-gel method. Thin Solid Films, 2014, 550, 250-258.	0.8	30
53	Diversity in size of barium titanate nanocubes synthesized by a hydrothermal method using an aqueous Ti compound. CrystEngComm, 2014, 16, 8398.	1.3	24
54	Polyethylenimine-assisted synthesis of transparent ZnO nanowhiskers at ambient temperatures. Thin Solid Films, 2014, 558, 134-139.	0.8	6

#	ARTICLE	IF	CITATIONS
55	Long Term Synthesis of Needle Crystal Assembled TiO <sub>2</sub> Films in an Aqueous Solution. Journal of Nanoscience and Nanotechnology, 2014, 14, 3056-3061.	0.9	1
56	Halogen- and Acid-Free Syntheses of TiO <sub>2</sub> Nanocrystal Coatings and High Surface Area TiO <sub>2</sub> Nanocrystal-Assembled Particles. Journal of Nanoscience and Nanotechnology, 2014, 14, 2231-2237.	0.9	2
57	One Dimensional Spindle Titanium Oxide Nanocrystals. Journal of Nanoscience and Nanotechnology, 2014, 14, 2968-2973.	0.9	2
58	Water Bath Synthesis of Tin Oxide Nanostructure Coating for a Molecular Sensor. Journal of Nanoscience and Nanotechnology, 2014, 14, 2252-2257.	0.9	4
59	Fabrication and piezoresponse properties of {100} BaTiO <sub>3</sub> films containing highly ordered nanocube assemblies on various substrates. Journal of Nanoparticle Research, 2013, 15, 1.	0.8	25
60	A facile template-free route to synthesize porous ZnO nanosheets with high surface area. Journal of Alloys and Compounds, 2013, 580, 373-376.	2.8	22
61	Local Structure Analysis of BaTiO <sub>3</sub> Nanoparticles. Japanese Journal of Applied Physics, 2013, 52, 09KF01.	0.8	7
62	Phenol resin carbonized films with anisotropic shrinkage driven ordered mesoporous structures. Journal of Materials Chemistry A, 2013, 1, 15135.	5.2	16
63	Superhydrophilic SnO <sub>2</sub> nanosheet-assembled film. Thin Solid Films, 2013, 544, 567-570.	0.8	25
64	BaTiO <sub>3</sub> nanocube and assembly to ferroelectric supracrystals. Journal of Materials Research, 2013, 28, 2932-2945.	1.2	31
65	Fabrication and Characterization of Perovskite Nanocube Ordering Structures via Capillary-Force-Assisted Self-Assembly Process. Key Engineering Materials, 2013, 566, 285-288.	0.4	1
66	Structure and Properties of Thin Films Consisting of Single Crystalline BaTiO <sub>3</sub> Nanocubes. Key Engineering Materials, 2013, 582, 149-152.	0.4	1
67	Characteristics of Barium Titanate Nanocube Ordered Assembly Thin Films Fabricated by Dip-Coating Method. Japanese Journal of Applied Physics, 2013, 52, 09KC06.	0.8	37
68	Characterization of Optical- and N <sub>2</sub> Adsorption Properties of Self-Twin Zinc Oxide Nanoarrays Assemblies. Materials Focus, 2013, 2, 20-23.	0.4	0
69	Anisotropic electrical properties in bismuth layer structured dielectrics with natural super lattice structure. Applied Physics Letters, 2012, 101, .	1.5	2
70	Generation and aggregation of BaTiO <sub>3</sub> nanoparticles under ultrasound. , 2012, , .		0
71	Fabrication and Characterization of Dielectric Nanocube Self-Assembled Structures. Japanese Journal of Applied Physics, 2012, 51, 09LC03.	0.8	8
72	Anisotropic Crystal Growth and Microstructure Observation of Single Phase SnO <sub>2</sub> Nano-sheet Assemblies. Funtai Oyobi Fummtsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2012, 59, 342-346.	0.1	1

#	ARTICLE	IF	CITATIONS
73	Roles of Organic Ligands at the Surface of Nanocrystals for Bottom-Up Structure and Properties. <i>Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan</i> , 2012, 63, 357.	0.1	0
74	Bubble dynamics and sonoluminescence from helium or xenon in mercury and water. <i>Physical Review E</i> , 2012, 86, 036320.	0.8	13
75	Tin Oxide Nanosheet Assembly for Hydrophobic/Hydrophilic Coating and Cancer Sensing. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 1666-1674.	4.0	50
76	Fabrication of Dielectric Nanocubes in Ordered Structure by Capillary Force Assisted Self-Assembly Method and Their Piezoresponse Properties. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 3853-3861.	0.9	21
77	Piezoresponse properties of orderly assemblies of BaTiO <sub>3</sub> and SrTiO <sub>3</sub> nanocube single crystals. <i>Applied Physics Letters</i> , 2012, 101, .	1.5	68
78	Dipole–Dipole Interaction Model for Oriented Attachment of BaTiO <sub>3</sub> Nanocrystals: A Route to Mesocrystal Formation. <i>Journal of Physical Chemistry C</i> , 2012, 116, 319-324.	1.5	31
79	In situ growth BaTiO <sub>3</sub> nanocubes and their superlattice from an aqueous process. <i>Nanoscale</i> , 2012, 4, 1344.	2.8	105
80	Room-temperature synthesis and characterization of porous CeO <sub>2</sub> thin films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 139-142.	0.8	16
81	Facile Synthesis of Characteristic Tin Oxide Particulate Films in Aqueous Solution. <i>International Journal of Applied Ceramic Technology</i> , 2012, 9, 920-927.	1.1	4
82	Water bathing synthesis of high-surface-area nanocrystal-assembled SnO <sub>2</sub> particles. <i>Journal of Solid State Chemistry</i> , 2012, 189, 21-24.	1.4	16
83	Fabrication and Characterization of Dielectric Nanocube Self-Assembled Structures. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 09LC03.	0.8	12
84	Dye-sensitized biosystem sensing using macroporous semiconducting metal oxide films. <i>Journal of Materials Chemistry</i> , 2011, 21, 5738.	6.7	37
85	Connectivity of PS-b-PEO templated spherical pores in titanium oxide films. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 12529.	1.3	46
86	Influence of Degree of Gas Saturation on Multibubble Sonoluminescence Intensity. <i>Journal of Physical Chemistry A</i> , 2011, 115, 5089-5093.	1.1	10
87	Tailored Liquid Alkoxides for the Chemical Solution Processing of Pb-Free Ferroelectric Thin Films. <i>Springer Series in Materials Science</i> , 2011, , 63-92.	0.4	1
88	Growth of monodispersed SrTiO <sub>3</sub> nanocubes by thermohydrolysis method. <i>CrystEngComm</i> , 2011, 13, 3878.	1.3	78
89	Ligand-Assisted Fabrication of Small Mesopores in Semi-Crystalline Titanium Oxide Films for High Loading of Ru(II) Dyes. <i>Langmuir</i> , 2011, 27, 11436-11443.	1.6	13
90	Characteristics of Multilayered Nanostructures of CeO <sub>2</sub> Nanocrystals Self-Assembled on an Enlarged Liquid–Gas Interface. <i>Crystal Growth and Design</i> , 2011, 11, 4129-4134.	1.4	47

#	ARTICLE	IF	CITATIONS
91	Effect of static pressure on acoustic energy radiated by cavitation bubbles in viscous liquids under ultrasound. <i>Journal of the Acoustical Society of America</i> , 2011, 130, 3233-3242.	0.5	65
92	Low-Temperature Fabrication of Bunch-Shaped ZnO Nanowires Using a Sodium Hydroxide Aqueous Solution. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 10935-10939.	0.9	7
93	Aqueous synthesis of single-crystalline ZnO prisms on graphite substrates. <i>Journal of Crystal Growth</i> , 2011, 314, 180-184.	0.7	13
94	Site-Selective Chemical Reaction on Flexible Polymer Films for Tin Oxide Nanosheet Patterning. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2819-2825.	1.0	22
95	Fast synthesis, optical and bio-sensor properties of SnO <sub>2</sub> nanostructures by electrochemical deposition. <i>Chemical Engineering Journal</i> , 2011, 168, 955-958.	6.6	33
96	Growth of BaTiO <sub>3</sub> nanoparticles in ethanol-water mixture solvent under an ultrasound-assisted synthesis. <i>Chemical Engineering Journal</i> , 2011, 170, 333-337.	6.6	36
97	Numerical simulations of sonochemical production of BaTiO <sub>3</sub> nanoparticles. <i>Ultrasonics Sonochemistry</i> , 2011, 18, 1211-1217.	3.8	26
98	High protein-adsorption characteristics of acicular crystal assembled TiO <sub>2</sub> films and their photoelectric effect. <i>Thin Solid Films</i> , 2011, 519, 5135-5138.	0.8	6
99	Characterization of Dielectric Nanocubes Ordered Structures Fabricated by Solution Self-Assembly Process. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 09NC09.	0.8	11
100	Two-Dimensional Patterning of Inorganic Particles in Resin Using Ultrasound-Induced Plate Vibration. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 088006.	0.8	5
101	Effects of Sonication Conditions on Ultrasonic Dispersion of Inorganic Particles in Acrylic Resin. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 078004.	0.8	1
102	Organic Thin-Film Transistors with Tailored Liquid Sources of High- $\hat{p}$ HfO <sub>2</sub> Using Excimer Laser Irradiation. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 01BC02.	0.8	1
103	Organic Thin-Film Transistors with Tailored Liquid Sources of High- $\hat{p}$ HfO <sub>2</sub> Using Excimer Laser Irradiation. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 01BC02.	0.8	1
104	Characterization of Dielectric Nanocubes Ordered Structures Fabricated by Solution Self-Assembly Process. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 09NC09.	0.8	19
105	Formation and Photocatalytic Application of ZnO Nanotubes Using Aqueous Solution. <i>Langmuir</i> , 2010, 26, 2811-2815.	1.6	259
106	A new effect of ultrasonication on the formation of BaTiO <sub>3</sub> nanoparticles. <i>Ultrasonics Sonochemistry</i> , 2010, 17, 310-314.	3.8	52
107	Tin oxide coating on polytetrafluoroethylene films in aqueous solutions. <i>Polymers for Advanced Technologies</i> , 2010, 21, 211-215.	1.6	17
108	Fabrication of Zn(OH) <sub>2</sub> /ZnO Nanosheet-ZnO Nanoarray Hybrid Structured Films by a Dissolution-Recrystallization Route. <i>Journal of the American Ceramic Society</i> , 2010, 93, 881-886.	1.9	20



#	ARTICLE	IF	CITATIONS
109	Facile Synthesis, Characterization of ZnO Nanotubes and Nanoflowers in an Aqueous Solution. Journal of the American Ceramic Society, 2010, 93, 887-893.	1.9	25
110	Highly Enhanced Surface Area of Tin Oxide Nanocrystals. Journal of the American Ceramic Society, 2010, 93, 2140-2143.	1.9	23
111	Dielectric Properties of HfO <sub>2</sub> Films Prepared on Flexible Polymer Substrates Using UV Irradiation. Key Engineering Materials, 2010, 445, 164-167.	0.4	1
112	Optical and adsorption properties of ZnO nanotubes prepared from aqueous solutions. , 2010, , .		0
113	Organic Thin-Film Transistors with Tailored Liquid Sources of HfO <sub>2</sub> as a High- $\epsilon$ Insulator. Japanese Journal of Applied Physics, 2010, 49, 04DK08.	0.8	3
114	Shape-Controlled Growth of In(OH) <sub>3</sub> /In <sub>2</sub> O <sub>3</sub> Nanostructures by Electrodeposition. Langmuir, 2010, 26, 14814-14820.	1.6	33
115	Multineedle TiO <sub>2</sub> Nanostructures, Self-Assembled Surface Coatings, and Their Novel Properties. Crystal Growth and Design, 2010, 10, 913-922.	1.4	56
116	Low-temperature fabrication of bunch-shaped ZnO nanowires using an sodium hydroxide aqueous solution. , 2010, , .		0
117	Dissolution~Recrystallization Induced Hierarchical Structure in ZnO: Bunched Roselike and Core~Shell-like Particles. Crystal Growth and Design, 2010, 10, 626-631.	1.4	42
118	Oriented aggregation of BaTiO <sub>3</sub> nanocrystals and large particles in the ultrasonic-assistant synthesis. CrystEngComm, 2010, 12, 3441.	1.3	34
119	Characteristics of CeO <sub>2</sub> Nanocubes and Related Polyhedra Prepared by Using a Liquid~Liquid Interface. Crystal Growth and Design, 2010, 10, 4537-4541.	1.4	94
120	Characterization of high-k HfO <sub>2</sub> films prepared using chemically modified alkoxy-derived solutions. Journal of Applied Physics, 2009, 105, 061631.	1.1	13
121	Growth of Highly Orientated and Well-Aligned ZnO Nanowhiskers Using Aqueous Solutions. Materials Science Forum, 2009, 620-622, 477-480.	0.3	1
122	Synthesis of a transparent hybrid layer photocatalyst having high rubbing resistance. Journal of Materials Science, 2009, 44, 1388-1393.	1.7	1
123	Growth and electrical properties of ZnO films prepared by chemical bath deposition method. Physica Status Solidi (A) Applications and Materials Science, 2009, 206, 718-723.	0.8	44
124	Unique structure of ZnO films deposited by chemical bath deposition. Physica Status Solidi (A) Applications and Materials Science, 2009, 206, 2551-2554.	0.8	1
125	Sol~Gel Synthesis of High- $\kappa$ HfO <sub>2</sub> Thin Films. Journal of the American Ceramic Society, 2009, 92, S162.	1.9	23
126	Fabrication of Blanket~Like Assembled ZnO Nanowhiskers Using an Aqueous Solution. Journal of the American Ceramic Society, 2009, 92, 922-926.	1.9	16



#	ARTICLE	IF	CITATIONS
127	Fabrication of ZnO nanowhiskers array film by forced-hydrolysis-initiated-nucleation technique using various templates. <i>Thin Solid Films</i> , 2009, 518, 621-624.	0.8	8
128	Low-temperature fabrication of porous and transparent ZnO films with hybrid structure by self-hydrolysis method. <i>Thin Solid Films</i> , 2009, 518, 638-641.	0.8	13
129	Dye Adsorption Characteristics of Anatase TiO <sub>2</sub> Film Prepared in an Aqueous Solution. <i>Thin Solid Films</i> , 2009, 518, 845-849.	0.8	16
130	Room-temperature synthesis of tin oxide nano-electrodes in aqueous solutions. <i>Thin Solid Films</i> , 2009, 518, 850-852.	0.8	18
131	Control of crystal growth for ZnO nanowhisker films in aqueous solution. <i>Thin Solid Films</i> , 2009, 518, 906-910.	0.8	11
132	Acicular crystal-assembled TiO <sub>2</sub> thin films and their deposition mechanism. <i>Journal of Crystal Growth</i> , 2009, 311, 512-517.	0.7	14
133	Selectively dissolution-recrystallization of ZnO crystals at the air-liquid interface. <i>Journal of Crystal Growth</i> , 2009, 311, 482-485.	0.7	7
134	Low-temperature fabrication of ZnO nanoarray films by forced hydrolysis of anhydrous zinc acetate layer. <i>Journal of Crystal Growth</i> , 2009, 311, 597-600.	0.7	14
135	Optical properties and dye adsorption characteristics of acicular crystal assembled TiO <sub>2</sub> thin films. <i>Journal of Crystal Growth</i> , 2009, 311, 436-439.	0.7	7
136	Aqueous synthesis of nanosheet assembled tin oxide particles and their N <sub>2</sub> adsorption characteristics. <i>Journal of Crystal Growth</i> , 2009, 311, 593-596.	0.7	38
137	Preparation of single-crystalline ZnO films on ZnO-buffered a-plane sapphire by chemical bath deposition. <i>Journal of Crystal Growth</i> , 2009, 311, 3687-3691.	0.7	16
138	Effects of polyethylenimine on morphology and property of ZnO films grown in aqueous solutions. <i>Applied Surface Science</i> , 2009, 255, 6823-6826.	3.1	13
139	Rapid Fabrication of Mesoporous Titania Films with Controlled Macroporosity to Improve Photocatalytic Property. <i>Chemistry - an Asian Journal</i> , 2009, 4, 1486-1493.	1.7	44
140	Aqueous Synthesis of ZnO Rod Arrays for Molecular Sensor. <i>Crystal Growth and Design</i> , 2009, 9, 3083-3088.	1.4	45
141	Characteristics of BaTiO <sub>3</sub> Particles Sonochemically Synthesized in Aqueous Solution. <i>Japanese Journal of Applied Physics</i> , 2009, 48, 09KC02.	0.8	16
142	Triblock copolymer templated semi-crystalline mesoporous titania films containing emulsion-induced macropores. <i>Journal of Materials Chemistry</i> , 2009, 19, 1894.	6.7	51
143	Polyethylenimine-Guided Self-Twin Zinc Oxide Nanoarray Assemblies. <i>Crystal Growth and Design</i> , 2009, 9, 3598-3602.	1.4	18
144	Temperature-controlled and aerosol-assisted synthesis of aluminium organophosphonate spherical particles with uniform mesopores. <i>Chemical Communications</i> , 2009, , 4938.	2.2	39

#	ARTICLE	IF	CITATIONS
145	Synthesis and phase transformation of TiO <sub>2</sub> nano-crystals in aqueous solutions. Journal of the Ceramic Society of Japan, 2009, 117, 373-376.	0.5	61
146	Microstructure of High c-Axis Oriented Stand-Alone ZnO Self-Assembled Film. Journal of Nanoscience and Nanotechnology, 2009, 9, 490-494.	0.9	3
147	Self-Standing Particle-Binding ZnO Film. Journal of Nanoscience and Nanotechnology, 2009, 9, 433-438.	0.9	5
148	Iridescent Stand-Alone TiO <sub>2</sub> Films Crystallized from Aqueous Solutions. Journal of Nanoscience and Nanotechnology, 2009, 9, 439-444.	0.9	4
149	Semi-circular shaped ZnO nanowhiskers assemblies deposited using an aqueous solution. Applied Surface Science, 2008, 255, 2329-2332.	3.1	10
150	Surface morphology control of zirconia thin films prepared using novel photochromic molecules. Thin Solid Films, 2008, 516, 2635-2638.	0.8	8
151	Microstructure control of porous alumina film using aqueous sol containing poly(ethylene glycol). Journal of Electroceramics, 2008, 21, 524-527.	0.8	5
152	In situ forced hydrolysis-assisted fabrication and photo-induced electrical property in sensor of ZnO nanoarrays. Journal of Colloid and Interface Science, 2008, 325, 459-463.	5.0	21
153	Anatase TiO <sub>2</sub> films crystallized on SnO <sub>2</sub> :F substrates in an aqueous solution. Thin Solid Films, 2008, 516, 2547-2552.	0.8	34
154	Rapid growth of thick particulate film of crystalline ZnO in an aqueous solution. Thin Solid Films, 2008, 516, 2474-2477.	0.8	12
155	Nanocrystal Assembled TiO <sub>2</sub> Particles Prepared from Aqueous Solution. Crystal Growth and Design, 2008, 8, 3213-3218.	1.4	41
156	Micropatterning of ZnO Nanoarrays by Forced Hydrolysis of Anhydrous Zinc Acetate. Langmuir, 2008, 24, 7614-7617.	1.6	49
157	Liquid-Phase Patterning and Microstructure of Anatase TiO <sub>2</sub> Films on SnO <sub>2</sub> :F Substrates Using Superhydrophilic Surface. Chemistry of Materials, 2008, 20, 1057-1063.	3.2	58
158	Morphology Control of Zinc Oxide Particles at Low Temperature. Crystal Growth and Design, 2008, 8, 2633-2637.	1.4	42
159	High c-Axis Oriented Stand-Alone ZnO Self-Assembled Film. Crystal Growth and Design, 2008, 8, 275-279.	1.4	61
160	Adsorption Property of Dye Molecule over Semi-Crystalline Mesoporous Titania Films. Key Engineering Materials, 2008, 388, 145-148.	0.4	1
161	Synthesis of Well-Aligned ZnO Nanowhisker Films Using Aqueous Solution for Use in Dye-Sensitized Sensor. Key Engineering Materials, 2008, 388, 27-30.	0.4	0
162	Influence of Synthesis Condition on N <sub>2</sub> Adsorption Characteristics of Anatase TiO <sub>2</sub> Particles Prepared in an Aqueous Solution. Key Engineering Materials, 2008, 388, 103-106.	0.4	0

#	ARTICLE	IF	CITATIONS
163	Patterning of HfO <sub>2</sub> Thin Films Using Chemical Solution and Dielectric Properties. Key Engineering Materials, 2008, 388, 141-144.	0.4	4
164	Fabrication of BaTiO <sub>3</sub> Thin Films Using Modified Chemical Solutions and Sintering Method. Japanese Journal of Applied Physics, 2008, 47, 7480-7485.	0.8	13
165	Effects of Flat HfO <sub>2</sub> Films Derived from Diethanolamine Solution on Structure and Properties of Metal/Ferroelectrics/Insulator/Semiconductor. Japanese Journal of Applied Physics, 2008, 47, 7561-7564.	0.8	2
166	Structure and electrical characteristics of bottom-up BaTiO <sub>3</sub> films on Si. , 2008, , .		0
167	Synthesis of highly conductive and transparent ZnO nanowisker films using aqueous solution. Journal of the Ceramic Society of Japan, 2008, 116, 384-388.	0.5	13
168	Micropore size distribution in nanocrystal assembled TiO <sub>2</sub> particles. Journal of the Ceramic Society of Japan, 2008, 116, 426-430.	0.5	4
169	Synthesis of nanocrystal assembled TiO <sub>2</sub> particles by boric acid free liquid phase crystal deposition. Journal of the Ceramic Society of Japan, 2008, 116, 422-425.	0.5	3
170	Influence of Growth Conditions on the Morphology of Zinc Oxide Nanoarrays. Transactions of the Materials Research Society of Japan, 2008, 33, 709-712.	0.2	1
171	CHEMICAL SOLUTION DEPOSITION AND ELECTRICAL PROPERTIES OF (100)-PREDOMINANT BaTiO <sub>3</sub> THICKER FILMS. Integrated Ferroelectrics, 2007, 88, 51-57.	0.3	3
172	Morphology Control of Zirconia Thin Films Prepared Using Photochromic Precursors. Key Engineering Materials, 2007, 350, 133-136.	0.4	0
173	Effects of Modified Precursor Solution on Microstructure of (Y,Yb)MnO <sub>3</sub> /HfO <sub>2</sub> /Si. Japanese Journal of Applied Physics, 2007, 46, 6956-6959.	0.8	6
174	Photo-assisted crystallization of zirconia thin films prepared using chelate compounds. Journal of Materials Research, 2007, 22, 2608-2616.	1.2	3
175	Microstructure Control of Porous Alumina Film Using Aqueous Sol Containing Trehalose. Key Engineering Materials, 2007, 350, 7-10.	0.4	1
176	Morphology Control of ZnO Particles in Liquid Phase. Key Engineering Materials, 2007, 350, 3-6.	0.4	0
177	Improvement of Orientation and Characterization of Dielectric Property for (Y,Yb)MnO <sub>3</sub> /HfO <sub>2</sub> /Si Structures. Key Engineering Materials, 2007, 350, 107-110.	0.4	4
178	Preparation and Characterization of Silica/Polymethylmethacrylate Hybrid Thin Films on Polybutyleneterephthalate Substrates by Sol-Gel Method.. Journal of the Ceramic Society of Japan, 2007, 115, 556-561.	0.5	11
179	Synthesis of transparent mesoporous aluminum organophosphonate films through triblock copolymer templating. Studies in Surface Science and Catalysis, 2007, 165, 579-582.	1.5	2
180	Nano TiO <sub>2</sub> Coating on SnO <sub>2</sub> : F Electrode in an Aqueous Solution. Journal of the Ceramic Society of Japan, 2007, 115, 813-817.	0.5	3

#	ARTICLE	IF	CITATIONS
181	Construction of the (Y,Yb)MnO <sub>3</sub> /HfO <sub>2</sub> Stacking Layers through the Chemical Solution Process. <i>Ferroelectrics</i> , 2007, 357, 196-200.	0.3	0
182	Phase transition in bottom-up BaTiO <sub>3</sub> films on Si. <i>Applied Physics Letters</i> , 2007, 91, 172907.	1.5	16
183	CRYSTALLIZATION BEHAVIOR OF HfO <sub>2</sub> FILMS FOR (Y,Yb)MnO <sub>3</sub> /HfO <sub>2</sub> /Si STRUCTURES. <i>Integrated Ferroelectrics</i> , 2007, 94, 3-10.	0.3	6
184	Dielectric Properties of Alkoxy-Derived BaTiO <sub>3</sub> Films on LaNiO <sub>3</sub> /Pt/TiO <sub>2</sub> /Si(100). <i>Applications of Ferroelectrics, IEEE International Symposium on</i> , 2007, , .	0.0	0
185	Synthesis of ordered mesoporous aluminium alkylendiphosphonates with integrated inorganic-organic hybrid frameworks. <i>Journal of Materials Chemistry</i> , 2007, 17, 559-566.	6.7	22
186	Mesostructural control of non-silica-based hybrid mesoporous film composed of aluminium ethylenediphosphonate using triblock copolymer and their TEM observation. <i>New Journal of Chemistry</i> , 2007, 31, 1488.	1.4	18
187	Aqueous Solution Synthesis of Anatase TiO <sub>2</sub> Particles. <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2007, 54, 824-827.	0.1	6
188	Photo-assisted crystallization of zirconia thin films and their electrical evaluation. <i>Thin Solid Films</i> , 2007, 515, 4004-4010.	0.8	5
189	Simple removal of oligomeric surfactants and triblock copolymers from mesostructured precursors of ordered mesoporous aluminum organophosphonates. <i>Microporous and Mesoporous Materials</i> , 2007, 101, 207-213.	2.2	21
190	Zinc oxide particles connected by nano-sheets and their heat treatment. <i>Metals and Materials International</i> , 2007, 13, 395-398.	1.8	3
191	Structure and piezoelectric properties of 1-1/4μm-thick polar-axis-oriented CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> films. <i>Applied Physics A: Materials Science and Processing</i> , 2007, 87, 637-640.	1.1	3
192	Bottom-up fabrication and piezoelectric properties of CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> micro-plateaus. <i>Applied Physics A: Materials Science and Processing</i> , 2007, 88, 273-276.	1.1	0
193	Construction and characterization of alkoxy-derived (Y,Yb)MnO <sub>3</sub> /HfO <sub>2</sub> /Si structures for FeRAM application. <i>Journal of Sol-Gel Science and Technology</i> , 2007, 42, 251-256.	1.1	1
194	Guest editors'™ preface. <i>Journal of Sol-Gel Science and Technology</i> , 2007, 42, 201-201.	1.1	0
195	Composition Dependence of Microstructure and Dielectric Properties in Alkoxy-Derived Ba(Ti,Zr)O <sub>3</sub> Thin Films. <i>Japanese Journal of Applied Physics</i> , 2006, 45, 155-159.	0.8	9
196	Electrical properties of (100)-predominant BaTiO <sub>3</sub> films derived from alkoxide solutions of two concentrations. <i>Acta Materialia</i> , 2006, 54, 3893-3898.	3.8	29
197	Silica-based mesoporous materials derived from Ti containing layered polysilicate kanemite. <i>Microporous and Mesoporous Materials</i> , 2006, 95, 146-153.	2.2	17
198	Downsizing of HfO <sub>2</sub> Layer for Pt/(Y,Yb)MnO <sub>3</sub> /HfO <sub>2</sub> /Si Structure. <i>Japanese Journal of Applied Physics</i> , 2006, 45, 7332-7335.	0.8	0

#	ARTICLE	IF	CITATIONS
199	Thickness Dependence of Electrical Properties of Highly (100)-Oriented BaTiO <sub>3</sub> Thin Films Prepared by One-Step Chemical Solution Deposition. Japanese Journal of Applied Physics, 2006, 45, 855-859.	0.8	17
200	Effects of Hydrolysis on Photochromic ZrO <sub>2</sub> Precursor Solutions. Key Engineering Materials, 2006, 301, 87-90.	0.4	6
201	Characterization of Dielectric Properties of Alkoxy-Derived (Y,Yb)MnO <sub>3</sub> ; Ferroelectrics/Insulator Stacking Layers. Key Engineering Materials, 2006, 301, 65-70.	0.4	6
202	Characterization of Dielectric Properties of Alkoxy-Derived (Y,Yb)MnO <sub>3</sub> ; Ferroelectrics /HfO <sub>2</sub> ; Stacking Layers. Key Engineering Materials, 2006, 320, 73-76.	0.4	4
203	Synthesis of a New Photochromic ZrO <sub>2</sub> Precursor for Preparation of Functional Thin Films. Key Engineering Materials, 2006, 320, 175-178.	0.4	5
204	Dielectric and Piezoelectric Properties of Ba(Ti,Zr)O <sub>3</sub> Thin Films Consisted of Nano-Crystals. Key Engineering Materials, 2006, 301, 53-56.	0.4	3
205	Structure and Electrical Properties of Highly (100)-Oriented Ba(Zr <sub>0.05</sub> Ti <sub>0.95</sub> )O <sub>3</sub> Films Prepared by Chemical Solution Deposition. Advanced Materials Research, 2006, 11-12, 101-104.	0.3	1
206	Electrochemical Properties of Nanoporous TiO <sub>2</sub> Films. Key Engineering Materials, 2006, 301, 83-86.	0.4	1
207	Chemically Deposited (100)-Oriented BaTiO <sub>3</sub> Films with Highly Concentrated Solution Using High Crystallinity BaTiO <sub>3</sub> as a Buffer Layer. Key Engineering Materials, 2006, 320, 77-80.	0.4	1
208	Preparation and Characterization of Porous Alumina Film Using Sol Containing PEG. Key Engineering Materials, 2006, 320, 159-162.	0.4	1
209	Thickness dependence of dielectric properties in bismuth layer-structured dielectrics. Applied Physics Letters, 2006, 89, 082901.	1.5	39
210	IMPROVEMENT OF ALKOXY-DERIVED HfO <sub>2</sub> LAYERS FOR (Y, Yb)MnO <sub>3</sub> /HfO <sub>2</sub> /Si STRUCTURES. Integrated Ferroelectrics, 2006, 84, 121-127.	0.3	5
211	FERRO- AND PIEZOELECTRIC CHARACTERISTICS OF BOTTOM-UP FABRICATED CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> FILMS WITH PREFERRED ORIENTATION. Integrated Ferroelectrics, 2006, 80, 21-28.	0.3	0
212	Characterization of (Y,Yb)MnO <sub>3</sub> /Y <sub>2</sub> O <sub>3</sub> /Si Prepared from Alkoxide Solutions. Ferroelectrics, 2005, 329, 107-111.	0.3	1
213	Wavelength Dependence of Crystallization of Alkoxy-Derived ZrO <sub>2</sub> Thin Films Prepared by Ultraviolet Irradiation. Journal of Materials Research, 2005, 20, 3133-3140.	1.2	7
214	Dielectric and piezoelectric properties of highly (100)-oriented BaTiO <sub>3</sub> thin film grown on a Pt/TiO <sub>x</sub> /SiO <sub>2</sub> /Si substrate using LaNiO <sub>3</sub> as a buffer layer. Journal of Crystal Growth, 2005, 284, 190-196.	0.7	84
215	Crystal Phase and Orientation Control in Integrated Ferroelectric CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> Using a Tailored Liquid of Alkoxides. International Journal of Applied Ceramic Technology, 2005, 2, 64-72.	1.1	3
216	Effect of built-in bias fields on the nanoscale switching in ferroelectric thin films. Applied Physics A: Materials Science and Processing, 2005, 80, 1067-1070.	1.1	14

#	ARTICLE	IF	CITATIONS
217	Ferroelectric characteristics of silicate-bound Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub> thin films. Applied Physics A: Materials Science and Processing, 2005, 80, 271-273.	1.1	0
218	Effect of amorphous TiO <sub>2</sub> buffer layer on the phase formation of CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> ferroelectric thin films. Applied Physics A: Materials Science and Processing, 2005, 81, 861-864.	1.1	5
219	Structure and ferro-/piezoelectric properties of bimorph-shape CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> films on Pt foils. Applied Physics A: Materials Science and Processing, 2005, 80, 1481-1484.	1.1	0
220	Ferro- and Piezoelectric Properties of CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> Films with Polar Axis Orientation. Integrated Ferroelectrics, 2005, 69, 143-149.	0.3	0
221	Photocatalytic Activity of Titanium Dioxide Coated with Apatite. Japanese Journal of Applied Physics, 2005, 44, 5164-5170.	0.8	20
222	Impact of oxygen ambient on ferroelectric properties of polar-axis-oriented CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> films. Applied Physics Letters, 2005, 86, 112901.	1.5	19
223	INVESTIGATION OF ELECTRICAL PROPERTIES FOR (Y,Yb)MnO <sub>3</sub> /HfO <sub>2</sub> /Si and (Y,Yb)MnO <sub>3</sub> /Y <sub>2</sub> O <sub>3</sub> /Si STRUCTURES. Integrated Ferroelectrics, 2005, 75, 17-25.	0.3	8
224	Microstructure Control and Dielectric/Piezoelectric Properties of Alkoxy-Derived Ba(Ti,Zr)O <sub>3</sub> Thin Films. Japanese Journal of Applied Physics, 2005, 44, 6885-6890.	0.8	45
225	Deposition and Structural Control of Anisotropic CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> Ferroelectric Thin Films. Hyomen Kagaku, 2005, 26, 187-193.	0.0	0
226	High piezoelectric response in polar-axis-oriented CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> ferroelectric thin films. Applied Physics Letters, 2004, 85, 3519-3521.	1.5	18
227	Frequency Dependence of Polarization Hysteresis Loop in CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>14</sub> Ferroelectric Thin Films. Integrated Ferroelectrics, 2004, 61, 19-23.	0.3	5
228	Piezoelectric properties of lead-free CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> thin films. Applied Physics Letters, 2004, 85, 4217-4218.	1.5	14
229	Ferro- and piezoelectric properties of polar-axis-oriented CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> films. Applied Physics Letters, 2004, 84, 3771-3773.	1.5	46
230	Polarization Switching in CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> Ferroelectric Thin Films. Key Engineering Materials, 2004, 269, 41-44.	0.4	2
231	Effects of $\beta$ -diketone Addition on Crystallinity of Photo-Assisted Alkoxy-Derived Zirconia Thin Films. Key Engineering Materials, 2004, 269, 125-128.	0.4	6
232	Preparation of Nanoporous TiO <sub>2</sub> Film Using Aqueous Sol with Trehalose. Key Engineering Materials, 2004, 269, 87-90.	0.4	7
233	Construction of MFIS Structure Using Alkoxy-Derived (Y,Yb)MnO <sub>3</sub> Thin Films. Key Engineering Materials, 2004, 269, 49-52.	0.4	3
234	Composition Dependence of Lead-Free Ferroelectric Ba(Ti,Zr)O <sub>3</sub> Thin Films Fabricated by Chemical Solution Deposition Process. Key Engineering Materials, 2004, 269, 57-60.	0.4	6

#	ARTICLE	IF	CITATIONS
235	Novel (Y,Yb)MnO <sub>3</sub> Thin Films for FeRAM Application. Integrated Ferroelectrics, 2004, 65, 117-123.	0.3	8
236	Fabrication and Characterization of Ba(Ti,Zr)O <sub>3</sub> Thin Films Through the Chemical Solution Deposition Process. Integrated Ferroelectrics, 2004, 64, 227-236.	0.3	9
237	Grain Size Effect on Dielectric and Piezoelectric Properties of Alkoxy-Derived BaTiO <sub>3</sub> -Based Thin Films. Japanese Journal of Applied Physics, 2004, 43, 6525-6529.	0.8	42
238	Ferroelectric-Gate Field Effect Transistors Using (Y,Yb)MnO <sub>3</sub> /Y <sub>2</sub> O <sub>3</sub> /Si(111) Structures for 1T-Type FeRAMs. Integrated Ferroelectrics, 2004, 65, 169-174.	0.3	0
239	Current Status of Bi-Based Precursors for Integrated Ferroelectrics. Integrated Ferroelectrics, 2004, 62, 133-140.	0.3	5
240	Preparation of thick TiO <sub>2</sub> film with large surface area using aqueous sol with poly(ethylene glycol). Journal of Materials Science, 2004, 39, 699-701.	1.7	30
241	Preparation of nanoporous TiO <sub>2</sub> film with large surface area using aqueous sol with trehalose. Materials Letters, 2004, 58, 2751-2753.	1.3	38
242	éžé%»ç <sup>3</sup> »âœšé»»ã,»ãf ©ãfYãfã,ã,1ã@ç”ç©¶é—ç™º. Materia Japan, 2004, 43, 655-658.	0.1	0
243	Effects of SiO <sub>2</sub> -Based Additives on Bi-Based Layer-Structured Ferroelectrics. Key Engineering Materials, 2003, 248, 41-44.	0.4	1
244	Novel Ferroelectric Candidates in a Series of ABi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> (A: Alkaline Earth Metals) Thin Films. Integrated Ferroelectrics, 2003, 52, 3-10.	0.3	2
245	Ferroelectric Property of Alkoxy-Derived YMnO <sub>3</sub> Films Crystallized in Argon. Japanese Journal of Applied Physics, 2003, 42, 5692-5695.	0.8	17
246	Piezoelectric Responses of Highly-Oriented Tetragonal Pb(Zr 0.4 Ti 0.6 )O <sub>3</sub> Thin Films. Ferroelectrics, 2003, 292, 119-125.	0.3	3
247	Control of Crystallinity of Alkoxy-Derived Zirconia Thin Films by UV Irradiation. Key Engineering Materials, 2003, 248, 125-128.	0.4	3
248	Control of crystallization and crystal orientation of alkoxy-derived SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> thin films by ultraviolet irradiation. Journal of Materials Research, 2003, 18, 899-907.	1.2	17
249	Observation of Domain Structures in Bi-Based CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> Thin Films by Scanning Force Microscopy. Ferroelectrics, 2003, 291, 49-54.	0.3	4
250	Dynamics of nanoscale polarization backswitching in tetragonal lead zirconate titanate thin film. Applied Physics Letters, 2003, 82, 2130-2132.	1.5	38
251	Compositional Dependence of Ferroelectric Properties for (Y,Yb)MnO <sub>3</sub> Thin Films Prepared by Chemical Solution Deposition. Integrated Ferroelectrics, 2003, 52, 55-61.	0.3	6
252	Preparation of (Y,Yb)MnO <sub>3</sub> /Y <sub>2</sub> O <sub>3</sub> /Si (MFIS) Structure by Chemical Solution Deposition Method. Japanese Journal of Applied Physics, 2003, 42, 6007-6010.	0.8	19



#	ARTICLE	IF	CITATIONS
253	Piezoelectric Properties of CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> Ferroelectric Thin Films Investigated by Atomic Force Microscopy. Japanese Journal of Applied Physics, 2003, 42, 5994-5997.	0.8	16
254	Ferroelectric Properties of (Y,Yb)MnO <sub>3</sub> Thin Films Prepared Using Alkoxide Solutions. Key Engineering Materials, 2003, 248, 77-82.	0.4	9
255	Synthesis of Ferroelectric YMnO <sub>3</sub> Thin Film by Chemical Solution Deposition. Key Engineering Materials, 2002, 214-215, 151-156.	0.4	10
256	Growth model and the effect of CuO nanocrystallites on the properties of chemically derived epitaxial thin films of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> . Journal of Applied Physics, 2002, 92, 3318-3325.	1.1	34
257	Platinum-assisted phase transition in bismuth-based layer-structured ferroelectric CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> thin films. Applied Physics Letters, 2002, 81, 3227-3229.	1.5	31
258	Effects of Annealing Conditions on Crystallization of Hexagonal Manganite Films. Ferroelectrics, 2002, 270, 99-104.	0.3	10
259	Effects of Substrates on Alkoxy-Derived (Y,Yb)MnO <sub>3</sub> Thin Films. Integrated Ferroelectrics, 2002, 47, 91-100.	0.3	6
260	Investigation of Domain Switching and Retention in Oriented PbZr <sub>0.3</sub> Ti <sub>0.7</sub> O <sub>3</sub> Thin Film by Scanning Force Microscopy. Japanese Journal of Applied Physics, 2002, 41, 6724-6729.	0.8	15
261	Chemical Approach Using Tailored Liquid Sources for Traditional and Novel Ferroelectric Thin Films. Japanese Journal of Applied Physics, 2002, 41, 6829-6835.	0.8	16
262	Local Piezoelectric Response in Bismuth-Based Ferroelectric Thin Films Investigated by Scanning Force Microscopy. Japanese Journal of Applied Physics, 2002, 41, L1103-L1105.	0.8	15
263	Effect of Polymer Addition on Microstructure of Porous TiO <sub>2</sub> Film. Key Engineering Materials, 2002, 228-229, 131-136.	0.4	2
264	Preparation and Characterization of Layer-Structured Perovskite Ca <sub>X</sub> Bi <sub>4-X</sub> Ti <sub>3</sub> O <sub>12-X/2</sub> (X = 1, 2) Thin Films. Key Engineering Materials, 2002, 228-229, 93-98.	0.4	0
265	Structure and Ferroelectric Properties of Alkoxy-Derived Ca <sub>2</sub> Bi <sub>4</sub> Ti <sub>5</sub> O <sub>18</sub> Thin Films on Pt(111)/TiO <sub>x</sub> /SiO <sub>2</sub> /Si(100). Japanese Journal of Applied Physics, 2002, 41, 2110-2114.	0.8	4
266	Photo-Assisted Control of Surface Morphology of Alkoxy-Derived ZrO <sub>2</sub> Thin Films. Key Engineering Materials, 2002, 228-229, 147-154.	0.4	5
267	Special Issue Ceramics Integration. Integration of Ferroelectric Ca <sub>2</sub> Bi <sub>4</sub> Ti <sub>5</sub> O <sub>18</sub> Thin Films on Pt-Passivated Si via Spin-Coating Technique.. Journal of the Ceramic Society of Japan, 2002, 110, 403-407.	1.3	0
268	Platinum-Accelerated Phase Transition in Bismuth-Based Layer-Structured Ferroelectric Thin Films. Materials Research Society Symposia Proceedings, 2002, 748, 1.	0.1	1
269	Novel Candidate of c-axis-oriented BLSF Thin Films for High-Capacitance Condenser. Materials Research Society Symposia Proceedings, 2002, 748, 1.	0.1	4
270	Novel chemical processing for crystallization of SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> thin films via UV irradiation. Materials Letters, 2002, 52, 20-23.	1.3	15

#	ARTICLE	IF	CITATIONS
271	Preparation and orientation control of RMnO <sub>3</sub> (R=Y, Yb) thin film by chemical solution deposition. Journal of Crystal Growth, 2002, 237-239, 482-486.	0.7	12
272	Low-temperature synthesis in vacuum of c-axis oriented ferroelectric YMnO <sub>3</sub> thin films using alkoxy-derived precursors. Integrated Ferroelectrics, 2001, 40, 155-162.	0.3	2
273	Chemical processing and characterization of ferroelectric thin films of bismuth-based layer-structured perovskite CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> with the octahedron number of 4. Integrated Ferroelectrics, 2001, 36, 321-329.	0.3	0
274	Chemical processing and properties of Sr <sub>2</sub> (Ta, Nb) <sub>2</sub> O <sub>7</sub> thin films. Integrated Ferroelectrics, 2001, 34, 93-100.	0.3	1
275	Ferroelectric properties of alkoxy-derived lanthanum-modified bismuth titanate thin films. Integrated Ferroelectrics, 2001, 36, 173-181.	0.3	10
276	Synthesis of YMnO <sub>3</sub> thin films from alkoxy-derived precursors. Ferroelectrics, 2001, 263, 285-290.	0.3	2
277	Control of Crystal Structure of SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> Thin Films by UV Irradiation. Key Engineering Materials, 2001, 214-215, 145-150.	0.4	1
278	Preparation and Ferroelectric Properties of CaBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> /BaBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> Thin Films on Pt-Passivated Silicon. Key Engineering Materials, 2001, 214-215, 139-144.	0.4	0
279	Comparison of Microstructure and Ferroelectric Properties of Alkoxy-Derived MBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> (M: Ca or Tl) Thin Films. Applied Physics Letters, 2001, 78, 1119-1121.	0.8	14
280	Ferroelectric properties of alkoxy-derived CaBi <sub>4</sub> Ti <sub>4</sub> O <sub>15</sub> thin films on Pt-passivated Si. Applied Physics Letters, 2001, 78, 1119-1121.	1.5	71
281	Effects of BaBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> thin buffer layer on crystallization and electrical properties of CaBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> thin films on Pt-coated silicon. Journal of Applied Physics, 2001, 89, 5088-5092.	1.1	3
282	Phase transition, ferroelectric, and dielectric properties of layer-structured perovskite CaBi <sub>3</sub> Ti <sub>3</sub> O <sub>12</sub> thin films. Applied Physics Letters, 2001, 79, 397-399.	1.5	5
283	Ferroelectric and Fatigue Properties of Alkoxy-Derived CaBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> Thin Films. Materials Research Society Symposia Proceedings, 2000, 655, 126.	0.1	1
284	Surface morphology and dielectric properties of alkoxy-derived Sr <sub>2</sub> Ta <sub>2</sub> O <sub>7</sub> and Sr <sub>2</sub> Ta, Nb <sub>2</sub> O <sub>7</sub> thin films. Journal of Materials Science: Materials in Electronics, 2000, 11, 575-578.	1.1	11
285	Preparation of Layer-Structured CaBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> Ferroelectric Thin Films through a Triple Alkoxide Route. Japanese Journal of Applied Physics, 2000, 39, 5501-5504.	0.8	11
286	Ferroelectric properties of alkoxy-derived CaBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> thin films. Journal of Applied Physics, 2000, 88, 3779-3780.	1.1	22
287	Low-Temperature Processing of Ferroelectric Layer-Structured Perovskite Thin Films by Using an Alkoxide Complex. Key Engineering Materials, 1999, 157-158, 189-198.	0.4	0
288	Evolution of Ferroelectric Structure in SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> Thin Films Prepared Using Triple Alkoxides on Pt-Passivated Si. Japanese Journal of Applied Physics, 1999, 38, 5417-5422.	0.8	17

#	ARTICLE	IF	CITATIONS
289	Dielectric properties of alkoxy-derived Sr <sub>2</sub> Nb <sub>2</sub> O <sub>7</sub> thin films crystallized via rapid thermal annealing. Applied Physics Letters, 1999, 75, 561-562.	1.5	14
290	Crystallization behavior of alkoxy- derived SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> thin films on Pt-passivated Si. Integrated Ferroelectrics, 1999, 26, 243-251.	0.3	4
291	Preparation and Dielectric Properties of Nonstoichiometric SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> -based Ceramics. Journal of Materials Science Letters, 1998, 17, 827-828.	0.5	34
292	Preparation and characterization of (Ba <sub>1-x</sub> Sr <sub>x</sub> )TiO <sub>3</sub> films by sol-gel processing. Journal of Materials Science, 1998, 33, 3055-3058.	1.7	3
293	Low-Temperature Synthesis of SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> Ferroelectric Thin Films through the Complex Alkoxide Method: Effects of Functional Group, Hydrolysis and Water Vapor Treatment. Japanese Journal of Applied Physics, 1998, 37, 5178-5184.	0.8	40
294	Chemical routes for low-temperature processing of layer-structured perovskite thin films. Integrated Ferroelectrics, 1998, 22, 13-22.	0.3	14
295	Sol-Gel Route to Ferroelectric Layer-Structured Perovskite SrBi <sub>2</sub> Ta <sub>2</sub> O <sub>9</sub> and SrBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> Thin Films. Journal of the American Ceramic Society, 1998, 81, 1869-1875.	1.9	152
296	Low-temperature crystallization and ferroelectric properties of sol-gel derived layer-structured perovskite thin films. Integrated Ferroelectrics, 1997, 18, 237-247.	0.3	19
297	Chemistry of the alkoxy-derived precursor solutions for layer-structured perovskite thin films. Integrated Ferroelectrics, 1997, 18, 225-235.	0.3	22
298	Roles of polyethylene glycol in evolution of nanostructure in TiO <sub>2</sub> coatings. Thin Solid Films, 1997, 298, 76-82.	0.8	50
299	Sr/Ti ratio dependence of the dielectric properties of SrTiO <sub>3</sub> thin films prepared by sol-gel method. Journal of Materials Science Letters, 1997, 16, 1652-1653.	0.5	9
300	Microstructure and Crystallographic Orientation of Anatase Coatings Produced from Chemically Modified Titanium Tetraisopropoxide. Journal of the American Ceramic Society, 1996, 79, 1483-1488.	1.9	45
301	Morphology of thin anatase coatings prepared from alkoxide solutions containing organic polymer, affecting the photocatalytic decomposition of aqueous acetic acid. Journal of Materials Science, 1995, 30, 837-841.	1.7	142
302	Crystal structures of TiO <sub>2</sub> thin coatings prepared from the alkoxide solution via the dip-coating technique affecting the photocatalytic decomposition of aqueous acetic acid. Journal of Materials Science, 1994, 29, 5911-5915.	1.7	186
303	Microstructure control of oxide superconductor by the chemical reaction and the grain growth technique. Physica C: Superconductivity and Its Applications, 1994, 235-240, 413-414.	0.6	0
304	Preparation of Crystalline LiNbO <sub>3</sub> Films with Preferred Orientation by Hydrolysis of Metal Alkoxides. Advanced Ceramic Materials, 1988, 3, 503-506.	2.3	101
305	Effect of Gel-Films-Thickness and Sintering Conditions on the Crystal Structure and Microstructure of Alkoxy-Derived BaTiO <sub>3</sub> Thin Films. Key Engineering Materials, 0, 388, 171-174.	0.4	0
306	ZnO Nanoarrays Film Grown by Forced-Hydrolysis-Initiated-Nucleation Technique and its Photo-Induced Electrical Property. Key Engineering Materials, 0, 421-422, 83-86.	0.4	0

#	ARTICLE	IF	CITATIONS
307	Effects of UV Irradiation on Microstructure and Properties of HfO <sub>2</sub> Films Prepared from Alkoxy-Derived Precursor Solution. Key Engineering Materials, 0, 421-422, 91-94.	0.4	1
308	Rapid Low-Temperature Synthesis of Porous ZnO Nanoparticle Film by Self-Hydrolysis Technique. Key Engineering Materials, 0, 445, 123-126.	0.4	5
309	Influence of Adsorbate-Induced Charge Screening, Depolarization Factor, Mobile Carrier Concentration, and Defect-Induced Microstrain on the Size Effect of a BaTiO <sub>3</sub> Nanoparticle. Journal of Physical Chemistry C, 0, , 130911155918002.	1.5	12
310	Dipole-Dipole Interaction Model for Oriented Attachment of BaTiO <sub>3</sub> Nanocrystals Revisited. Key Engineering Materials, 0, 582, 145-148.	0.4	1
311	Crystallization of Titania Films in Aqueous Solutions and Their Dye Adsorption Properties. Ceramic Engineering and Science Proceedings, 0, , 203-213.	0.1	0
312	Porous Anatase Titanium Dioxide Films Prepared in Aqueous Solution. , 0, , 121-132.		0
313	Polar Axis Orientation and Electrical Properties of Alkoxy-Derived One Micro-Meter-Thick Ferro-/Piezoelectric Films. , 0, , 33-42.		0