

# Robert Eckersley

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2034771/robert-eckersley-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142  
papers

4,623  
citations

38  
h-index

65  
g-index

171  
ext. papers

5,567  
ext. citations

6.1  
avg. IF

5.25  
L-index

#	Paper	IF	Citations
142	Physics of Microbubble Contrast Agents <b>2021</b> , 1-11		
141	Impact of Aperture, Depth, and Acoustic Clutter on the Performance of Coherent Multi-Transducer Ultrasound Imaging. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 7655	2.6	5
140	High-Frame-Rate Tri-Plane Echocardiography With Spiral Arrays: From Simulation to Real-Time Implementation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2020</b> , 67, 57-69	3.2	9
139	3-D Super-Resolution Ultrasound Imaging With a 2-D Sparse Array. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2020</b> , 67, 269-277	3.2	27
138	Ring Artifact Correction for Phase-Insensitive Ultrasound Computed Tomography. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2020</b> , 67, 513-525	3.2	1
137	Optimal Control of SonoVue Microbubbles to Estimate Hydrostatic Pressure. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2020</b> , 67, 557-567	3.2	9
136	Investigation of Microbubble Detection Methods for Super-Resolution Imaging of Microvasculature. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2019</b> , 66, 676-691	3.2	13
135	Fast Acoustic Wave Sparsely Activated Localization Microscopy (fast-AWSALM): Ultrasound Super-Resolution using Plane-Wave Activation of Nanodroplets. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2019</b> ,	3.2	25
134	3D Super-Resolution US Imaging of Rabbit Lymph Node Vasculature in Vivo by Using Microbubbles. <i>Radiology</i> , <b>2019</b> , 291, 642-650	20.5	37
133	Quantification of Vaporised Targeted Nanodroplets Using High-Frame-Rate Ultrasound and Optics. <i>Ultrasound in Medicine and Biology</i> , <b>2019</b> , 45, 1131-1142	3.5	9
132	Pulse Pileup Correction of Signals From a Pyroelectric Sensor for Phase-Insensitive Ultrasound Computed Tomography. <i>IEEE Transactions on Instrumentation and Measurement</i> , <b>2019</b> , 68, 3920-3931	5.2	3
131	Poisson Statistical Model of Ultrasound Super-Resolution Imaging Acquisition Time. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2019</b> , 66, 1246-1254	3.2	18
130	Coherent Multi-Transducer Ultrasound Imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2019</b> , 66, 1316-1330	3.2	11
129	Coherent multi-transducer ultrasound imaging in the presence of aberration <b>2019</b> ,		3
128	Super-Resolution Ultrasound Image Filtering with Machine-Learning to Reduce the Localization Error <b>2019</b> ,		1
127	Photoacoustic Super-Resolution Imaging using Laser Activation of Low-Boiling-Point Dye-Coated Nanodroplets in vitro and in vivo <b>2019</b> ,		2
126	Extension of Coherent Multi-Transducer Ultrasound Imaging with Diverging Waves <b>2019</b> ,		1

125	Minimization of Nanodroplet Activation Time using Focused-Pulses for Droplet-Based Ultrasound Super-Resolution Imaging <b>2019</b> ,		2
124	Acoustic Wave Sparsely-Activated Localization Microscopy (AWSALM): In Vivo Fast Ultrasound Super-Resolution Imaging using Nanodroplets <b>2019</b> ,		3
123	<b>2019</b> ,		2
122	Motion Artifacts and Correction in Multipulse High-Frame Rate Contrast-Enhanced Ultrasound. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2019</b> , 66, 417-420	3-2	4
121	Variability in circulating gas emboli after a same scuba diving exposure. <i>European Journal of Applied Physiology</i> , <b>2018</b> , 118, 1255-1264	3-4	18
120	High Frame-Rate Contrast Echocardiography: In-Human Demonstration. <i>JACC: Cardiovascular Imaging</i> , <b>2018</b> , 11, 923-924	8-4	18
119	Two-Stage Motion Correction for Super-Resolution Ultrasound Imaging in Human Lower Limb. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2018</b> , 65, 803-814	3-2	48
118	High-Frame-Rate Contrast Echocardiography Using Diverging Waves: Initial In Vitro and In Vivo Evaluation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2018</b> , 65, 2212-2221	3-2	8
117	Acoustic wave sparsely activated localization microscopy (AWSALM): Super-resolution ultrasound imaging using acoustic activation and deactivation of nanodroplets. <i>Applied Physics Letters</i> , <b>2018</b> , 113, 014101	3-4	37
116	Characterisation of Functionalised Microbubbles for Ultrasound Imaging and Therapy <b>2018</b> , 375-389		
115	3-D Motion Correction for Volumetric Super-Resolution Ultrasound Imaging. <i>Ultrasonics Symposium (IUS), 2009 IEEE International</i> , <b>2018</b> , 2018,	0.8	3
114	3D in Vitro Ultrasound Super-Resolution Imaging Using a Clinical System <b>2018</b> ,		2
113	Flow Visualization Through Locally Activated Nanodroplets and High Frame Rate Imaging <b>2018</b> ,		5
112	3-D Super-Resolution Ultrasound Imaging Using a 2-D Sparse Array with High Volumetric Imaging Rate <b>2018</b> ,		1
111	Microbubble Axial Localization Errors in Ultrasound Super-Resolution Imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2017</b> , 64, 1644-1654	3-2	37
110	A Temporal and Spatial Analysis Approach to Automated Segmentation of Microbubble Signals in Contrast-Enhanced Ultrasound Images: Application to Quantification of Active Vascular Density in Human Lower Limbs. <i>Ultrasound in Medicine and Biology</i> , <b>2017</b> , 43, 2221-2234	3-5	
109	Characterization of Contrast Agent Microbubbles for Ultrasound Imaging and Therapy Research. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2017</b> , 64, 232-251	3-2	34
108	3-D In Vitro Acoustic Super-Resolution and Super-Resolved Velocity Mapping Using Microbubbles. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2017</b> , 64, 1478-1486	3-2	33

107	Two Stage Sub-Wavelength Motion Correction in Human Microvasculature for CEUS Imaging <b>2017</b> ,		3
106	Localisation of multiple non-isolated microbubbles with frequency decomposition in super-resolution imaging <b>2017</b> ,		1
105	Investigation of microbubble detection methods for super-resolution imaging of microvasculature <b>2017</b> ,		1
104	<b>2017</b> ,		5
103	Localisation of multiple non-isolated microbubbles with frequency decomposition in super-resolution imaging <b>2017</b> ,		4
102	Ultrasound Imaging with Microbubbles [Life Sciences]. <i>IEEE Signal Processing Magazine</i> , <b>2016</b> , 33, 111-117.	3.4	12
101	Quantifying activation of perfluorocarbon-based phase-change contrast agents using simultaneous acoustic and optical observation. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1422-31	3.5	20
100	Attenuation Correction and Normalisation for Quantification of Contrast Enhancement in Ultrasound Images of Carotid Arteries. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1876-83	3.5	10
99	Decompression induced bubble dynamics on ex vivo fat and muscle tissue surfaces with a new experimental set up. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2015</b> , 129, 121-9	6	9
98	Detecting tissue optical and mechanical properties with an ultrasound modulated optical imaging system in reflection detection geometry. <i>Biomedical Optics Express</i> , <b>2015</b> , 6, 63-71	3.5	4
97	Dual shear wave induced laser speckle contrast signal and the improvement in shear wave speed measurement. <i>Biomedical Optics Express</i> , <b>2015</b> , 6, 1954-62	3.5	3
96	Flow Velocity Mapping Using Contrast Enhanced High-Frame-Rate Plane Wave Ultrasound and Image Tracking: Methods and Initial in Vitro and in Vivo Evaluation. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 2913-25	3.5	92
95	In vivo acoustic super-resolution and super-resolved velocity mapping using microbubbles. <i>IEEE Transactions on Medical Imaging</i> , <b>2015</b> , 34, 433-40	11.7	196
94	A Targeting Microbubble for Ultrasound Molecular Imaging. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129681	3.7	28
93	Correction of Non-Linear Propagation Artifact in Contrast-Enhanced Ultrasound Imaging of Carotid Arteries: Methods and in Vitro Evaluation. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 1938-47	3.5	14
92	Quantitative ultrasound molecular imaging. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 2478-96	3.5	10
91	Circulatory bubble dynamics: from physical to biological aspects. <i>Advances in Colloid and Interface Science</i> , <b>2014</b> , 206, 239-49	14.3	40
90	Dynamics of targeted microbubble adhesion under pulsatile compared with steady flow. <i>Ultrasound in Medicine and Biology</i> , <b>2014</b> , 40, 2445-57	3.5	1

89	Prospects for enhancement of targeted radionuclide therapy of cancer using ultrasound. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , <b>2014</b> , 57, 279-84	1.9	1
88	Tracking shear waves in turbid medium by light: theory, simulation, and experiment. <i>Optics Letters</i> , <b>2014</b> , 39, 1597-600	3	6
87	The use of portable 2D echocardiography and frame-based bubble counting as a tool to evaluate diving decompression stress. <i>Diving and Hyperbaric Medicine</i> , <b>2014</b> , 44, 5-13	1	13
86	Single bubble acoustic characterization and stability measurement of adherent microbubbles. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 903-14	3.5	8
85	Viscosity measurement based on shear-wave laser speckle contrast analysis. <i>Journal of Biomedical Optics</i> , <b>2013</b> , 18, 121511	3.5	6
84	Ultrasound imaging velocimetry: effect of beam sweeping on velocity estimation. <i>Ultrasound in Medicine and Biology</i> , <b>2013</b> , 39, 1672-81	3.5	23
83	A critical review of physiological bubble formation in hyperbaric decompression. <i>Advances in Colloid and Interface Science</i> , <b>2013</b> , 191-192, 22-30	14.3	40
82	Acoustic super-resolution with ultrasound and microbubbles. <i>Physics in Medicine and Biology</i> , <b>2013</b> , 58, 6447-58	3.8	129
81	Mapping microbubble viscosity using fluorescence lifetime imaging of molecular rotors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 9225-30	11.5	112
80	Evaluation of methods for sizing and counting of ultrasound contrast agents. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 834-45	3.5	31
79	Theoretical and experimental characterisation of magnetic microbubbles. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 864-75	3.5	26
78	The influence of gas saturation on microbubble stability. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 1097-100	3.5	22
77	Effect of albumin and dextrose concentration on ultrasound and microbubble mediated gene transfection in vivo. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 1067-77	3.5	12
76	Shear wave elasticity imaging based on acoustic radiation force and optical detection. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 1637-45	3.5	15
75	Albumin coated microbubble optimization: custom fabrication and comprehensive characterization. <i>Ultrasound in Medicine and Biology</i> , <b>2012</b> , 38, 1599-607	3.5	4
74	Effect of ultrasound on adherent microbubble contrast agents. <i>Physics in Medicine and Biology</i> , <b>2012</b> , 57, 6999-7014	3.8	6
73	Modeling non-spherical oscillations and stability of acoustically driven shelled microbubbles. <i>Journal of the Acoustical Society of America</i> , <b>2012</b> , 131, 4349-57	2.2	8
72	Understanding the structure and mechanism of formation of a new magnetic microbubble formulation. <i>Theranostics</i> , <b>2012</b> , 2, 1127-39	12.1	16

71 Magnetic Microbubbles **2012**, 499-522

70	Comparison of pulse subtraction Doppler and pulse inversion Doppler. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2011</b> , 58, 73-81	3.2	6
69	Effects of acoustic radiation force and shear waves for absorption and stiffness sensing in ultrasound modulated optical tomography. <i>Optics Express</i> , <b>2011</b> , 19, 7299-311	3.3	20
68	Effect of bubble shell nonlinearity on ultrasound nonlinear propagation through microbubble populations. <i>Journal of the Acoustical Society of America</i> , <b>2011</b> , 129, EL76-82	2.2	13
67	A comparison of 31P magnetic resonance spectroscopy and microbubble-enhanced ultrasound for characterizing hepatitis c-related liver disease. <i>Journal of Viral Hepatitis</i> , <b>2011</b> , 18, e530-4	3.4	7
66	Temperature-dependent differences in the nonlinear acoustic behavior of ultrasound contrast agents revealed by high-speed imaging and bulk acoustics. <i>Ultrasound in Medicine and Biology</i> , <b>2011</b> , 37, 1509-17	3.5	19
65	Quantitative contrast-enhanced ultrasound imaging: a review of sources of variability. <i>Interface Focus</i> , <b>2011</b> , 1, 520-39	3.9	189
64	Influence of needle gauge on in vivo ultrasound and microbubble-mediated gene transfection. <i>Ultrasound in Medicine and Biology</i> , <b>2011</b> , 37, 1531-7	3.5	16
63	Ultrasound-mediated optical tomography: a review of current methods. <i>Interface Focus</i> , <b>2011</b> , 1, 632-48	3.9	52
62	Hepatic vein transit times of a microbubble agent in assessing response to antiviral treatment in patients with chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , <b>2010</b> , 17, 778-83	3.4	4
61	Photoacoustics, thermoacoustics, and acousto-optics for biomedical imaging. <i>Proceedings of the Institution of Mechanical Engineers, Part H: Journal of Engineering in Medicine</i> , <b>2010</b> , 224, 291-306	1.7	13
60	Quantitative power Doppler ultrasonography is a sensitive measure of metacarpophalangeal joint synovial vascularity in rheumatoid arthritis and declines significantly following a 2-week course of oral low-dose corticosteroids. <i>Journal of Rheumatology</i> , <b>2010</b> , 37, 2493-501	4.1	29
59	Enhanced gene transfection in vivo using magnetic localisation of ultrasound contrast agents: Preliminary results <b>2010</b> ,		6
58	An approximate nonlinear model for time gain compensation of amplitude modulated images of ultrasound contrast agent perfusion. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2010</b> , 57, 818-29	3.2	10
57	Pulse subtraction Doppler. <i>Physics Procedia</i> , <b>2010</b> , 3, 749-753		1
56	Effects of nonlinear propagation in ultrasound contrast agent imaging. <i>Ultrasound in Medicine and Biology</i> , <b>2010</b> , 36, 459-66	3.5	41
55	Temperature dependent behavior of ultrasound contrast agents. <i>Ultrasound in Medicine and Biology</i> , <b>2010</b> , 36, 925-34	3.5	49
54	On sizing and counting of microbubbles using optical microscopy. <i>Ultrasound in Medicine and Biology</i> , <b>2010</b> , 36, 2093-6	3.5	59

53	Ultrasound phase velocities in SonoVue as a function of pressure and bubble concentration <b>2009</b> ,		2
52	A study on optical modulation signal and tissue displacement in ultrasound modulated optical tomography <b>2009</b> ,		1
51	Ultrabubble: A Laminated Ultrasound Contrast Agent with Narrow Size Range. <i>Advanced Materials</i> , <b>2009</b> , 21, 3949-3952	24	75
50	Microbubble stability is a major determinant of the efficiency of ultrasound and microbubble mediated in vivo gene transfer. <i>Ultrasound in Medicine and Biology</i> , <b>2009</b> , 35, 976-84	3.5	72
49	Physical phenomena affecting quantitative imaging of ultrasound contrast agents. <i>Applied Acoustics</i> , <b>2009</b> , 70, 1352-1362	3.1	46
48	High-speed optical observations and simulation results of SonoVue microbubbles at low-pressure insonation. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2008</b> , 55, 1333-42	3.2	36
47	Comparative study of experienced vs non-experienced radiologists in assessing parametric CT images of the response of the prostate gland to radiotherapy. <i>British Journal of Radiology</i> , <b>2008</b> , 81, 572-64	3.4	5
46	Attenuation correction in ultrasound contrast agent imaging: elementary theory and preliminary experimental evaluation. <i>Ultrasound in Medicine and Biology</i> , <b>2008</b> , 34, 1998-2008	3.5	25
45	Ultrasound: General Principles <b>2008</b> , 55-77		3
44	Frequency and pressure dependent attenuation and scattering by microbubbles. <i>Ultrasound in Medicine and Biology</i> , <b>2007</b> , 33, 164-8	3.5	62
43	Microbubble contrast agent detection using binary coded pulses. <i>Ultrasound in Medicine and Biology</i> , <b>2007</b> , 33, 1787-95	3.5	16
42	Measurement of the reflectivity of the intima-medial layer of the common carotid artery improves the discriminatory value of intima-medial thickness measurement as a predictor of risk of atherosclerotic disease. <i>Ultrasound in Medicine and Biology</i> , <b>2007</b> , 33, 1029-38	3.5	7
41	P4D-7 Nonlinear Propagation of Ultrasound Through Microbubble Clouds: A Novel Numerical Implementation. <i>Proceedings IEEE Ultrasonics Symposium</i> , <b>2007</b> ,		4
40	Microbulles ciblées pour l'imagerie ultrasonore <b>2007</b> , 321-328		
39	Hepatic vein transit time of SonoVue: a comparative study with Levovist. <i>Radiology</i> , <b>2006</b> , 240, 130-5	20.5	44
38	P1F-4 High Speed Optical Observations and Simulation Results of Lipid Based Microbubbles at Low Insonation Pressures <b>2006</b> ,		5
37	Nonlinear propagation of ultrasound through microbubble contrast agents and implications for imaging. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , <b>2006</b> , 53, 2406-15	3.2	68
36	Investigating the nonlinear microbubble response to chirp encoded, multipulse sequences. <i>Ultrasound in Medicine and Biology</i> , <b>2006</b> , 32, 1887-95	3.5	13



35	Contrast-Enhanced Ultrasound: Basic Physics and Technology Overview <b>2006</b> , 3-14		6
34	A novel technique to measure splanchnic transit time using microbubble ultrasound. <i>Investigative Radiology</i> , <b>2005</b> , 40, 80-4	10.1	1
33	Cyclosporine A does not alter ultrasonic indices of renal blood flow: a potential tool for differentiating toxicity from acute rejection?. <i>Transplantation</i> , <b>2005</b> , 79, 731-4	1.8	
32	Methodology for Imaging Time-Dependent Phenomena <b>2005</b> , 303-335		
31	Pressure-dependent attenuation with microbubbles at low mechanical index. <i>Ultrasound in Medicine and Biology</i> , <b>2005</b> , 31, 377-84	3.5	47
30	Optimising phase and amplitude modulation schemes for imaging microbubble contrast agents at low acoustic power. <i>Ultrasound in Medicine and Biology</i> , <b>2005</b> , 31, 213-9	3.5	171
29	Quantitative Analysis of Parenchymal Flow at Contrast-Enhanced US <b>2005</b> , 383-391		
28	Hepatic vein transit times using a microbubble agent can predict disease severity non-invasively in patients with hepatitis C. <i>Gut</i> , <b>2005</b> , 54, 128-33	19.2	109
27	Use of a Microbubble Contrast Agent in the Evaluation of Cirrhotic Patients for Hepatopulmonary Syndrome: Preliminary Assessment of a Novel Technique. <i>Ultrasound</i> , <b>2005</b> , 13, 100-105	1.3	
26	Can Doppler sonography grade the severity of hepatitis C-related liver disease?. <i>American Journal of Roentgenology</i> , <b>2005</b> , 184, 1848-53	5.4	67
25	Evidence for spleen-specific uptake of a microbubble contrast agent: a quantitative study in healthy volunteers. <i>Radiology</i> , <b>2004</b> , 231, 785-8	20.5	104
24	Liver microbubble transit time compared with histology and Child-Pugh score in diffuse liver disease: a cross sectional study. <i>Gut</i> , <b>2003</b> , 52, 1188-93	19.2	99
23	Quantitative microbubble enhanced transrectal ultrasound as a tool for monitoring hormonal treatment of prostate carcinoma. <i>Prostate</i> , <b>2002</b> , 51, 256-67	4.2	73
22	Advances in ultrasound. <i>Clinical Radiology</i> , <b>2002</b> , 57, 157-77	2.9	145
21	Which continuous US scanning mode is optimal for the detection of vascularity in liver lesions when enhanced with a second generation contrast agent?. <i>European Journal of Radiology</i> , <b>2002</b> , 41, 184-91	4.7	38
20	Enhancement characteristics of the microbubble agent Levovist: reproducibility and interaction with aspirin. <i>European Journal of Radiology</i> , <b>2002</b> , 41, 179-83	4.7	4
19	Functional ultrasound methods in oncological imaging. <i>European Journal of Cancer</i> , <b>2002</b> , 38, 2108-15	7.5	23
18	Characterization of focal liver lesions with phase inversion ultrasound during the late liver-specific phase of Levovist. <i>Academic Radiology</i> , <b>2002</b> , 9 Suppl 2, S375	4.3	3



17	Developments in ultrasound contrast media. <i>European Radiology</i> , <b>2001</b> , 11, 675-89	8	137
16	Quantification of blood flow. <i>European Radiology</i> , <b>2001</b> , 11, 1338-44	8	82
15	Do different types of liver lesions differ in their uptake of the microbubble contrast agent SH U 508A in the late liver phase? Early experience. <i>Radiology</i> , <b>2001</b> , 220, 661-7	20.5	83
14	Breast. <i>Ultrasound in Medicine and Biology</i> , <b>2000</b> , 26 Suppl 1, S110-5	3.5	
13	Ex vivo delineation of placental angioarchitecture with the microbubble contrast agent Levovist. <i>American Journal of Obstetrics and Gynecology</i> , <b>2000</b> , 182, 966-71	6.4	6
12	Liver lesions: intermittent second-harmonic gray-scale US can increase conspicuity with microbubble contrast material-early experience. <i>Radiology</i> , <b>2000</b> , 216, 592-6	20.5	46
11	Hepatic malignancies: improved detection with pulse-inversion US in late phase of enhancement with SH U 508A-early experience. <i>Radiology</i> , <b>2000</b> , 216, 903-8	20.5	104
10	Pulse-inversion mode imaging of liver specific microbubbles: improved detection of subcentimetre metastases. <i>Lancet, The</i> , <b>2000</b> , 355, 807-8	40	122
9	Improved imaging of liver metastases with stimulated acoustic emission in the late phase of enhancement with the US contrast agent SH U 508A: early experience. <i>Radiology</i> , <b>1999</b> , 210, 409-16	20.5	214
8	Stimulated acoustic emission to image a late liver and spleen-specific phase of Levovist in normal volunteers and patients with and without liver disease. <i>Ultrasound in Medicine and Biology</i> , <b>1999</b> , 25, 1341-52	3.5	89
7	Non-invasive diagnosis of hepatic cirrhosis by transit-time analysis of an ultrasound contrast agent. <i>Lancet, The</i> , <b>1999</b> , 353, 1579-83	40	206
6	Potential for Quantification. <i>Medical Radiology</i> , <b>1999</b> , 343-353	0.2	
5	Stimulated acoustic emission in liver parenchyma with Levovist. <i>Lancet, The</i> , <b>1998</b> , 351, 568	40	81
4	Stimulated acoustic emission imaging ("sono-scintigraphy") with the ultrasound contrast agent Levovist: a reproducible Doppler ultrasound effect with potential clinical utility. <i>Academic Radiology</i> , <b>1998</b> , 5 Suppl 1, S236-9; discussion S252-3	4.3	12
3	Enhancement of power Doppler signals from breast lesions with the ultrasound contrast agent EchoGen emulsion: subjective and quantitative assessment. <i>Academic Radiology</i> , <b>1998</b> , 5 Suppl 1, S195-8; discussion S199	4.3	19
2	Liver vascular transit time analyzed with dynamic hepatic venography with bolus injections of an US contrast agent: early experience in seven patients with metastases. <i>Radiology</i> , <b>1998</b> , 209, 862-6	20.5	87
1	Segmentation and analysis of colour Doppler images of tumour vasculature. <i>Ultrasound in Medicine and Biology</i> , <b>1995</b> , 21, 635-47	3.5	44