## Rei Wake

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2035430/publications.pdf Version: 2024-02-01



**REI WARE** 

#	Article	IF	CITATIONS
1	The Possible Causal Link of Periodontitis to Neuropsychiatric Disorders: More Than Psychosocial Mechanisms. International Journal of Molecular Sciences, 2019, 20, 3723.	4.1	55
2	Implications of Systemic Inflammation and Periodontitis for Major Depression. Frontiers in Neuroscience, 2018, 12, 483.	2.8	52
3	Yokukansan promotes hippocampal neurogenesis associated with the suppression of activated microglia in Gunn rat. Journal of Neuroinflammation, 2013, 10, 145.	7.2	36
4	Electroconvulsive shock attenuated microgliosis and astrogliosis in the hippocampus and ameliorated schizophrenia-like behavior of Gunn rat. Journal of Neuroinflammation, 2016, 13, 230.	7.2	32
5	Minocycline improves recognition memory and attenuates microglial activation in Gunn rat: A possible hyperbilirubinemia-induced animal model of schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 50, 184-190.	4.8	31
6	Hyperbilirubinemia-related behavioral and neuropathological changes in rats: A possible schizophrenia animal model. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 581-588.	4.8	30
7	Remission of Psychosis in Treatment-Resistant Schizophrenia following Bone Marrow Transplantation: A Case Report. Frontiers in Psychiatry, 2017, 8, 174.	2.6	28
8	Gunn rats with glial activation in the hippocampus show prolonged immobility time in the forced swimming test and tail suspension test. Brain and Behavior, 2018, 8, e01028.	2.2	26
9	Glia: An Important Target for Anti-Inflammatory and Antidepressant Activity. Current Drug Targets, 2013, 14, 1322-1328.	2.1	22
10	Yokukansan (TJ-54) for treatment of very-late-onset schizophrenia-like psychosis: An open-label study. Phytomedicine, 2013, 20, 654-658.	5.3	17
11	Analysis of oxidative stress expressed by urinary level of biopyrrins and 8â€hydroxydeoxyguanosine in patients with chronic schizophrenia. Psychiatry and Clinical Neurosciences, 2015, 69, 693-698.	1.8	17
12	Yi-Gan San for Treatment of Charles Bonnet Syndrome (Visual Hallucination Due to Vision Loss). Clinical Neuropharmacology, 2011, 34, 24-27.	0.7	16
13	Yokukansan (TJ-54) for treatment of pervasive developmental disorder not otherwise specified and Asperger's disorder: a 12-week prospective, open-label study. BMC Psychiatry, 2012, 12, 215.	2.6	16
14	Electroconvulsive shock restores the decreased coverage of brain blood vessels by astrocytic endfeet and ameliorates depressive-like behavior. Journal of Affective Disorders, 2019, 257, 331-339.	4.1	15
15	Yokukansan (TJ-54) for Irritability Associated with Pervasive Developmental Disorder in Children and Adolescents: A 12-Week Prospective, Open-Label Study. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 329-336.	1.3	9
16	Ramelteon as adjunctive therapy for delirium referred to a consultationâ€liaison psychiatry service: a retrospective analysis. International Journal of Geriatric Psychiatry, 2015, 30, 994-995.	2.7	9
17	Real-World Preventive Effects of Suvorexant in Intensive Care Delirium. Journal of Clinical Psychiatry, 2020, 81, .	2.2	8
18	Efficacy and Safety of Yokukansan in Treatment-Resistant Schizophrenia: A Randomized, Multicenter, Double-Blind, Placebo-Controlled Trial. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-11.	1.2	7

Rei Wake

#	Article	IF	CITATIONS
19	Parvalbumin-positive GABAergic interneurons deficit in the hippocampus in Gunn rats: A possible hyperbilirubinemia-induced animal model of schizophrenia. Heliyon, 2019, 5, e02037.	3.2	5
20	The effectiveness of electroconvulsive therapy for psychiatric symptoms and cognitive fluctuations similar to dementia with Lewy bodies: a case report. Psychogeriatrics, 2020, 20, 229-231.	1.2	4
21	Can inhibition of microglial activation cure schizophrenia?. Schizophrenia Research, 2015, 168, 583-584.	2.0	2
22	Cognitive Behavioral Therapy for Insomnia as Adjunctive Therapy to Antipsychotics in Schizophrenia: A Case Report. Frontiers in Psychiatry, 2018, 9, 260.	2.6	2
23	Normalizing hyperactivity of the Gunn rat with bilirubin-induced neurological disorders via ketanserin. Pediatric Research, 2021, , .	2.3	2
24	Urinary biopyrrins and free immunoglobin light chains are biomarker candidates for screening atâ€risk mental state in adolescents. Microbial Biotechnology, 2022, 16, 272-280.	1.7	1
25	Low Serum Levels of Fibroblast Growth Factor 2 in Gunn Rats: A Hyperbilirubinemia Animal Model of Schizophrenic Symptoms. CNS and Neurological Disorders - Drug Targets, 2020, 19, 503-508.	1.4	1
26	Studies Support the Use of Suvorexant for the Prevention of Delirium. Journal of Clinical Psychiatry, 2021, 82, .	2.2	0
27	Efficacy and safety of Ninjin'yoeito (NYT) in treatment-resistant schizophrenia: Open-Label Study. Asian Journal of Psychiatry, 2021, 60, 102662.	2.0	0
28	Contribution of "Genuine Microglia―to Alzheimer's Disease Pathology. Frontiers in Aging Neuroscience, 2022, 14, 815307.	3.4	0