## Timothy Cy Kwok

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2037558/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cognitive Tests to Detect Dementia. JAMA Internal Medicine, 2015, 175, 1450.	5.1	614
2	A Meta-Analysis of Trabecular Bone Score in Fracture Risk Prediction and Its Relationship to FRAX. Journal of Bone and Mineral Research, 2016, 31, 940-948.	2.8	508
3	Six-Month Randomized, Placebo-Controlled, Double-Blind, Pilot Clinical Trial of Curcumin in Patients With Alzheimer Disease. Journal of Clinical Psychopharmacology, 2008, 28, 110-113.	1.4	483
4	Vertebral Marrow Fat Content and Diffusion and Perfusion Indexes in Women with Varying Bone Density: MR Evaluation. Radiology, 2006, 241, 831-838.	7.3	309
5	Transitions in Frailty States Among Community-Living Older Adults and Their Associated Factors. Journal of the American Medical Directors Association, 2014, 15, 281-286.	2.5	248
6	Associated Factors and Health Impact of Sarcopenia in Older Chinese Men and Women: A Cross-Sectional Study. Gerontology, 2007, 53, 404-410.	2.8	198
7	Functional Decline in Cognitive Impairment – The Relationship between Physical and Cognitive Function. Neuroepidemiology, 2008, 31, 167-173.	2.3	179
8	A 1-Year Randomized Controlled Trial Comparing Mind Body Exercise (Tai Chi) With Stretching and Toning Exercise on Cognitive Function in Older Chinese Adults at Risk of Cognitive Decline. Journal of the American Medical Directors Association, 2012, 13, 568.e15-568.e20.	2.5	178
9	Bone marrow fat content in the elderly: A reversal of sex difference seen in younger subjects. Journal of Magnetic Resonance Imaging, 2012, 36, 225-230.	3.4	162
10	Compromised Bone Marrow Perfusion in Osteoporosis. Journal of Bone and Mineral Research, 2008, 23, 1068-1075.	2.8	159
11	Physical exercise improves strength, balance, mobility, and endurance in people with cognitive impairment and dementia: a systematic review. Journal of Physiotherapy, 2018, 64, 4-15.	1.7	149
12	BMI, Body Composition, and Physical Functioning in Older Adults. Obesity, 2007, 15, 1886-1894.	3.0	145
13	Benefit-finding and effect on caregiver depression: A double-blind randomized controlled trial Journal of Consulting and Clinical Psychology, 2017, 85, 521-529.	2.0	145
14	Quality of Life of Stroke Survivors: A 1-Year Follow-Up Study. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1177-1182.	0.9	141
15	Cognitive intervention for communityâ€dwelling older persons with memory problems: telemedicine versus faceâ€ŧoâ€face treatment. International Journal of Geriatric Psychiatry, 2005, 20, 285-286.	2.7	138
16	Interim followâ€up of a randomized controlled trial comparing Chinese style mind body (Tai Chi) and stretching exercises on cognitive function in subjects at risk of progressive cognitive decline. International Journal of Geriatric Psychiatry, 2011, 26, 733-740.	2.7	135
17	Ageâ€associated decline of muscle mass, grip strength and gait speed: A 4â€year longitudinal study of 3018 communityâ€dwelling older <scp>C</scp> hinese. Geriatrics and Gerontology International, 2014, 14, 76-84.	1.5	135
18	Receptive Music Therapy Is More Effective than Interactive Music Therapy to Relieve Behavioral and Psychological Symptoms of Dementia: A Systematic Review and Meta-Analysis. Journal of the American Medical Directors Association, 2018, 19, 568-576.e3.	2.5	132

#	Article	IF	CITATIONS
19	Serum zinc is decreased in Alzheimer's disease and serum arsenic correlates positively with cognitive ability. BioMetals, 2010, 23, 173-179.	4.1	127
20	Curcumin effects on blood lipid profile in a 6-month human study. Pharmacological Research, 2007, 56, 509-514.	7.1	126
21	Angiotensin converting enzyme inhibitor use is associated with higher bone mineral density in elderly Chinese. Bone, 2006, 38, 584-588.	2.9	123
22	Tackling challenges in care of Alzheimer's disease and other dementias amid the COVIDâ€19 pandemic, now and in the future. Alzheimer's and Dementia, 2020, 16, 1571-1581.	0.8	122
23	Putative Cutâ€Points in Sarcopenia Components and Incident Adverse Health Outcomes: An <scp>SDOC</scp> Analysis. Journal of the American Geriatrics Society, 2020, 68, 1429-1437.	2.6	120
24	Survival in Older Men May Benefit From Being Slightly Overweight and Centrally ObeseA 5-Year Follow-up Study in 4,000 Older Adults Using DXA. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 99-104.	3.6	117
25	The Use of Armspan in Nutritional Assessment of the Elderly. Journal of the American Geriatrics Society, 1991, 39, 492-496.	2.6	114
26	The Effects of Mindfulness-Based Stress Reduction Program on the Mental Health of Family Caregivers: A Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2014, 83, 45-53.	8.8	108
27	Bone mineral density and the risk of peripheral arterial disease in men and women: results from Mr. and Ms Os, Hong Kong. Osteoporosis International, 2005, 16, 1933-1938.	3.1	107
28	Abuse of older Chinese with dementia by family caregivers: an inquiry into the role of caregiver burden. International Journal of Geriatric Psychiatry, 2011, 26, 527-535.	2.7	97
29	Prevalence and risk factors of radiographic vertebral fractures in elderly Chinese men and women: results of Mr. OS (Hong Kong) and Ms. OS (Hong Kong) studies. Osteoporosis International, 2013, 24, 877-885.	3.1	94
30	Defining Sarcopenia in Terms of Risk of Physical Limitations: A 5‥ear Followâ€Up Study of 3,153 Chinese Men and Women. Journal of the American Geriatrics Society, 2009, 57, 2224-2231.	2.6	93
31	Self-efficacy Is Associated With Less Burden and More Gains From Behavioral Problems of Alzheimer's Disease in Hong Kong Chinese Caregivers. Gerontologist, The, 2013, 53, 71-80.	3.9	92
32	Effects of exercise and nutrition supplementation in community-dwelling older Chinese people with sarcopenia: a randomized controlled trial. Age and Ageing, 2019, 48, 220-228.	1.6	92
33	Establishing the Link Between Lean Mass and Grip Strength Cut Points With Mobility Disability and Other Health Outcomes: Proceedings of the Sarcopenia Definition and Outcomes Consortium Conference. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1317-1323.	3.6	91
34	Ageing in China: health and social consequences and responses. International Journal of Epidemiology, 2002, 31, 772-775.	1.9	90
35	Association between serum 25-hydroxyvitamin D and psychological health in older Chinese men in a cohort study. Journal of Affective Disorders, 2011, 130, 251-259.	4.1	87
36	Testosterone but not estradiol level is positively related to muscle strength and physical performance independent of muscle mass: a cross-sectional study in 1489 older men. European Journal of Endocrinology, 2011, 164, 811-817.	3.7	86

#	Article	IF	CITATIONS
37	Measures of Physical Performance and Muscle Strength as Predictors of Fracture Risk Independent of FRAX, Falls, and aBMD: A Meta-Analysis of the Osteoporotic Fractures in Men (MrOS) Study. Journal of Bone and Mineral Research, 2018, 33, 2150-2157.	2.8	81
38	European Bone Mineral Density Loci Are Also Associated with BMD in East-Asian Populations. PLoS ONE, 2010, 5, e13217.	2.5	81
39	Self-efficacy, health locus of control, and psychological distress in elderly Chinese women with chronic illnesses. Aging and Mental Health, 2004, 8, 21-28.	2.8	79
40	Frequency and Determinants of Poststroke Dementia in Chinese. Stroke, 2004, 35, 930-935.	2.0	79
41	Lower urinary tract symptoms and depressive symptoms in elderly men. Journal of Affective Disorders, 2006, 96, 83-88.	4.1	77
42	Neighbouring green space and mortality in community-dwelling elderly Hong Kong Chinese: a cohort study. BMJ Open, 2017, 7, e015794.	1.9	77
43	Death Anxiety among Chinese Elderly People in Hong Kong. Journal of Aging and Health, 2002, 14, 42-56.	1.7	75
44	A Randomized, Controlled Trial of an Intensive Community Nurse–Supported Discharge Program in Preventing Hospital Readmissions of Older Patients with Chronic Lung Disease. Journal of the American Geriatrics Society, 2004, 52, 1240-1246.	2.6	75
45	A randomized controlled trial of a community nurseâ€supported hospital discharge programme in older patients with chronic heart failure. Journal of Clinical Nursing, 2008, 17, 109-117.	3.0	74
46	Predictive ability of heel quantitative ultrasound for incident fractures: an individual-level meta-analysis. Osteoporosis International, 2015, 26, 1979-1987.	3.1	74
47	Sleep Duration and Disturbances Were Associated With Testosterone Level, Muscle Mass, and Muscle Strength—A Cross-Sectional Study in 1274 Older Men. Journal of the American Medical Directors Association, 2015, 16, 630.e1-630.e6.	2.5	73
48	Handicap and Its Determinants of Change in Stroke Survivors. Stroke, 2008, 39, 148-153.	2.0	72
49	Longitudinal Analysis of Quality of Life for Stroke Survivors Using Latent Curve Models. Stroke, 2008, 39, 2795-2802.	2.0	71
50	Can the Geriatric Depression Scale detect poststroke depression in Chinese elderly?. Journal of Affective Disorders, 2004, 81, 153-156.	4.1	70
51	Advance Directive and End-of-Life Care Preferences Among Chinese Nursing Home Residents in Hong Kong. Journal of the American Medical Directors Association, 2011, 12, 143-152.	2.5	70
52	Does the use of ACE inhibitors or angiotensin receptor blockers affect bone loss in older men?. Osteoporosis International, 2012, 23, 2159-2167.	3.1	68
53	The attitudes of Chinese family caregivers of older people with dementia towards life sustaining treatments. Journal of Advanced Nursing, 2007, 58, 256-262.	3.3	67
54	Prevalence and Sex Difference of Lumbar Disc Space Narrowing in Elderly Chinese Men and Women: Osteoporotic Fractures in Men (Hong Kong) and Osteoporotic Fractures in Women (Hong Kong) Studies. Arthritis and Rheumatism, 2013, 65, 1004-1010.	6.7	66

#	Article	IF	CITATIONS
55	Vegan Diet, Subnormal Vitamin B-12 Status and Cardiovascular Health. Nutrients, 2014, 6, 3259-3273.	4.1	66
56	A randomized placebo controlled trial of homocysteine lowering to reduce cognitive decline in older demented people. Clinical Nutrition, 2011, 30, 297-302.	5.0	65
57	The Social Networks of Hong Kong Chinese Family Caregivers of Alzheimer's Disease: Correlates With Positive Gains and Burden. Gerontologist, The, 2013, 53, 998-1008.	3.9	65
58	Largeâ€scale plasma proteomic profiling identifies a highâ€performance biomarker panel for Alzheimer's disease screening and staging. Alzheimer's and Dementia, 2022, 18, 88-102.	0.8	65
59	Prevalence and risk factors of lumbar spondylolisthesis in elderly Chinese men and women. European Radiology, 2014, 24, 441-448.	4.5	64
60	Associations of dietary protein intake on subsequent decline in muscle mass and physical functions over four years in ambulant older Chinese people. Journal of Nutrition, Health and Aging, 2014, 18, 171-177.	3.3	64
61	The Effects of Combinations of Cognitive Impairment and Pre-frailty on Adverse Outcomes from a Prospective Community-Based Cohort Study of Older Chinese People. Frontiers in Medicine, 2018, 5, 50.	2.6	64
62	Adiposity to muscle ratio predicts incident physical limitation in a cohort of 3,153 older adults—an alternative measurement of sarcopenia and sarcopenic obesity. Age, 2013, 35, 1377-1385.	3.0	61
63	Delayedâ€onset dementia after stroke or transient ischemic attack. Alzheimer's and Dementia, 2016, 12, 1167-1176.	0.8	61
64	Falls Predict Fractures Independently of FRAX Probability: A Meta-Analysis of the Osteoporotic Fractures in Men (MrOS) Study. Journal of Bone and Mineral Research, 2018, 33, 510-516.	2.8	61
65	The standard oxygen consumption value equivalent to one metabolic equivalent (3.5 ml/min/kg) is not appropriate for elderly people. International Journal of Food Sciences and Nutrition, 2004, 55, 179-182.	2.8	60
66	Poststroke Depression in Chinese Patients: Frequency, Psychosocial, Clinical, and Radiological Determinants. Journal of Geriatric Psychiatry and Neurology, 2005, 18, 45-51.	2.3	60
67	Medical illnesses are more important than medications as risk factors of falls in older community dwellers? A cross-sectional study. Age and Ageing, 2006, 35, 246-251.	1.6	59
68	A randomized controlled trial to examine the effectiveness of case management model for community dwelling older persons with mild dementia in Hong Kong. International Journal of Geriatric Psychiatry, 2010, 25, 395-402.	2.7	59
69	Socioeconomic impact of osteoarthritis in Hong Kong: Utilization of health and social services, and direct and indirect costs. Arthritis and Rheumatism, 2003, 49, 526-534.	6.7	58
70	Telephone-delivered psychoeducational intervention for Hong Kong Chinese dementia caregivers: a single-blinded randomized controlled trial. Clinical Interventions in Aging, 2013, 8, 1191.	2.9	58
71	Sequence variants in the PTCH1 gene associate with spine bone mineral density and osteoporotic fractures. Nature Communications, 2016, 7, 10129.	12.8	58
72	Neuropsychiatric symptom clusters of Alzheimer's disease in Hong Kong Chinese: prevalence and confirmatory factor analysis of the Neuropsychiatric Inventory. International Psychogeriatrics, 2012, 24, 1465-1473.	1.0	56

#	Article	IF	CITATIONS
73	The effect of diabetes mellitus on ageâ€associated lean mass loss in 3153 older adults. Diabetic Medicine, 2010, 27, 1366-1371.	2.3	55
74	Frequency and Clinical Determinants of Poststroke Cognitive Impairment in Nondemented Stroke Patients. Journal of Geriatric Psychiatry and Neurology, 2006, 19, 65-71.	2.3	53
75	Apolipoprotein E ε4 Allele Is Associated with Vascular Dementia. Dementia and Geriatric Cognitive Disorders, 2006, 22, 301-305.	1.5	52
76	Long Sleep Duration Is Associated With Higher Mortality in Older People Independent of Frailty: A 5-Year Cohort Study. Journal of the American Medical Directors Association, 2014, 15, 649-654.	2.5	52
77	Cognitive deficit is associated with phase advance of sleep–wake rhythm, daily napping, and prolonged sleep duration—a cross-sectional study in 2,947 community-dwelling older adults. Age, 2013, 35, 479-486.	3.0	51
78	Effectiveness of online cognitive behavioral therapy on family caregivers of people with dementia. Clinical Interventions in Aging, 2014, 9, 631.	2.9	51
79	Altered Frontal Lateralization Underlies the Category Fluency Deficits in Older Adults with Mild Cognitive Impairment: A Near-Infrared Spectroscopy Study. Frontiers in Aging Neuroscience, 2016, 8, 59.	3.4	51
80	The selection of a screening test for frailty identification in community-dwelling older adults. Journal of Nutrition, Health and Aging, 2014, 18, 199-203.	3.3	50
81	Thiamine Status of Elderly Patients with Cardiac Failure. Age and Ageing, 1992, 21, 67-71.	1.6	49
82	Does access to bed-chair pressure sensors reduce physical restraint use in the rehabilitative care setting?. Journal of Clinical Nursing, 2006, 15, 581-587.	3.0	48
83	Recall Tests Are Effective to Detect Mild Cognitive Impairment: A Systematic Review and Meta-analysis of 108 Diagnostic Studies. Journal of the American Medical Directors Association, 2017, 18, 807.e17-807.e29.	2.5	48
84	A randomized placebo controlled trial of vitamin B12 supplementation to prevent cognitive decline in older diabetic people with borderline low serum vitamin B12. Clinical Nutrition, 2017, 36, 1509-1515.	5.0	48
85	A randomized placebo-controlled trial of using B vitamins to prevent cognitive decline in older mild cognitive impairment patients. Clinical Nutrition, 2020, 39, 2399-2405.	5.0	48
86	A benefit-finding intervention for family caregivers of persons with Alzheimer disease: study protocol of a randomized controlled trial. Trials, 2012, 13, 98.	1.6	45
87	Is Neighborhood Green Space Associated With Less Frailty? Evidence From the Mr. and Ms. Os (Hong) Tj ETQq1	1 0,7843 2.5	14 rgBT /Ove
88	Randomized trial of the effect of supplementation on the cognitive function of older people with subnormal cobalamin levels. , 1998, 13, 611-616.		44
89	Dietary intake, blood pressure and osteoporosis. Journal of Human Hypertension, 2009, 23, 451-455.	2.2	44
90	Independent effect of vitamin B12 deficiency on hematological status in older Chinese vegetarian women. American Journal of Hematology, 2002, 70, 186-190.	4.1	43

#	Article	IF	CITATIONS
91	Neuropsychiatric Symptom Clusters of Alzheimer Disease in Hong Kong Chinese: Correlates with Caregiver Burden andADepression. American Journal of Geriatric Psychiatry, 2013, 21, 1029-1037.	1.2	43
92	Reduced Frontal Activations at High Working Memory Load in Mild Cognitive Impairment: Near-Infrared Spectroscopy. Dementia and Geriatric Cognitive Disorders, 2016, 42, 278-296.	1.5	43
93	Circulating amino acids are associated with bone mineral density decline and ten-year major osteoporotic fracture risk in older community-dwelling adults. Bone, 2019, 129, 115082.	2.9	42
94	Effectiveness of cognitive training for Chinese elderly in Hong Kong. Clinical Interventions in Aging, 2013, 8, 213.	2.9	41
95	Depression and Antidepressants as Potential Risk Factors in Dementia: A Systematic Review and Meta-analysis of 18 Longitudinal Studies. Journal of the American Medical Directors Association, 2019, 20, 279-286.e1.	2.5	41
96	Emotional incontinence in Chinese stroke patients. Journal of Neurology, 2004, 251, 865-9.	3.6	38
97	High Serum SHBG Predicts Incident Vertebral Fractures in Elderly Men. Journal of Bone and Mineral Research, 2016, 31, 683-689.	2.8	38
98	Osteoporotic Vertebral Fracture Prevalence in Elderly Chinese Men and Women: A Comparison of Endplate/Cortex Fracture–Based and Morphometrical Deformity–Based Methods. Journal of Clinical Densitometry, 2019, 22, 409-419.	1.2	38
99	Identification of Sarcopenia Components That Discriminate Slow Walking Speed: A Pooled Data Analysis. Journal of the American Geriatrics Society, 2020, 68, 1419-1428.	2.6	38
100	Vitamin D Receptor 3′ Haplotypes Are Unequally Expressed in Primary Human Bone Cells and Associated With Increased Fracture Risk: The MrOS Study in Sweden and Hong Kong. Journal of Bone and Mineral Research, 2007, 22, 832-840.	2.8	37
101	Estimation of stature by measuring fibula and ulna bone length in 2443 older adults. Journal of Nutrition, Health and Aging, 2009, 13, 931-936.	3.3	36
102	The influence of participation on health-related quality of life in stroke patients. Disability and Rehabilitation, 2011, 33, 1990-1996.	1.8	34
103	Effectiveness of cognitive training in Chinese older people with subjective cognitive complaints: a randomized placeboâ€controlled trial. International Journal of Geriatric Psychiatry, 2013, 28, 208-215.	2.7	34
104	The Limited Clinical Utility of Testosterone, Estradiol, and Sex Hormone Binding Globulin Measurements in the Prediction of Fracture Risk and Bone Loss in Older Men. Journal of Bone and Mineral Research, 2017, 32, 633-640.	2.8	34
105	The added value of trabecular bone score to FRAX® to predict major osteoporotic fractures for clinical use in Chinese older people: the Mr. OS and Ms. OS cohort study in Hong Kong. Osteoporosis International, 2017, 28, 111-117.	3.1	34
106	Relationship of urinary sodium/potassium excretion and calcium intake to blood pressure and prevalence of hypertension among older Chinese vegetarians. European Journal of Clinical Nutrition, 2003, 57, 299-304.	2.9	33
107	Association between functional dental state and dietary intake of Chinese vegetarian old age home residents. Gerodontology, 2004, 21, 161-166.	2.0	33
108	Vitamin B12 supplementation did not improve cognition but reduced delirium in demented patients with vitamin B12 deficiency. Archives of Gerontology and Geriatrics, 2008, 46, 273-282.	3.0	33

#	Article	IF	CITATIONS
109	Sarcopenia Definitions as Predictors of Fracture Risk Independent of FRAX®, Falls, and BMD in the Osteoporotic Fractures in Men (MrOS) Study: A Meta-Analysis. Journal of Bone and Mineral Research, 2020, 36, 1235-1244.	2.8	33
110	Effectiveness of coordination exercise in improving cognitive function in older adults: a prospective study. Clinical Interventions in Aging, 2011, 6, 261.	2.9	32
111	Effect of Physical Restraint Reduction on Older Patients' Hospital Length of Stay. Journal of the American Medical Directors Association, 2012, 13, 645-650.	2.5	32
112	Lumbar Spondylolisthesis Progression and De Novo Spondylolisthesis in Elderly Chinese Men and Women. Spine, 2016, 41, 1096-1103.	2.0	32
113	Spatial Variability of Geriatric Depression Risk in a High-Density City: A Data-Driven Socio-Environmental Vulnerability Mapping Approach. International Journal of Environmental Research and Public Health, 2017, 14, 994.	2.6	32
114	Patterns of Physical Activity and Sedentary Behavior for Older Adults with Alzheimer's Disease, Mild Cognitive Impairment, and Cognitively Normal in Hong Kong. Journal of Alzheimer's Disease, 2018, 66, 1453-1462.	2.6	32
115	Diagnostic performance of digital cognitive tests for the identification of MCI and dementia: A systematic review. Ageing Research Reviews, 2021, 72, 101506.	10.9	32
116	Risk factors for lower urinary tract symptoms in southern Chinese men. Urology, 2006, 68, 1009-1014.	1.0	31
117	A randomized controlled trial of dietetic interventions to prevent cognitive decline in old age hostel residents. European Journal of Clinical Nutrition, 2012, 66, 1135-1140.	2.9	31
118	Can continuous pump feeding reduce the incidence of pneumonia in nasogastric tube-fed patients? A randomized controlled trial. Clinical Nutrition, 2010, 29, 453-458.	5.0	30
119	Dimensionality of burden in Alzheimer caregivers: confirmatory factor analysis and correlates of the Zarit Burden interview. International Psychogeriatrics, 2014, 26, 1455-1463.	1.0	30
120	Does Low Dose Angiotensin Converting Enzyme Inhibitor Prevent Pneumonia in Older People With Neurologic Dysphagia–A Randomized Placebo-Controlled Trial. Journal of the American Medical Directors Association, 2015, 16, 702-707.	2.5	30
121	Malnutrition According to GLIM Criteria and Adverse Outcomes in Community-Dwelling Chinese Older Adults: A Prospective Analysis. Journal of the American Medical Directors Association, 2021, 22, 1953-1959.e4.	2.5	30
122	Cognitive effects of calligraphy therapy for older people: a randomized controlled trial in Hong Kong. Clinical Interventions in Aging, 2011, 6, 269.	2.9	29
123	Combination Therapy Showed Limited Superiority Over Monotherapy for Alzheimer Disease: A Meta-analysis of 14 Randomized Trials. Journal of the American Medical Directors Association, 2016, 17, 863.e1-863.e8.	2.5	29
124	Comparison of Computerized and Paper-and-Pencil Memory Tests in Detection of Mild Cognitive Impairment and Dementia: A Systematic Review and Meta-analysis of Diagnostic Studies. Journal of the American Medical Directors Association, 2018, 19, 748-756.e5.	2.5	29
125	The U-Shaped Relationship Between Levels of Bouted Activity and Fall Incidence in Community-Dwelling Older Adults: A Prospective Cohort Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, e145-e151.	3.6	29
126	The effect of angiotensin-converting enzyme inhibitor use on bone loss in elderly Chinese. Journal of Bone and Mineral Metabolism, 2012, 30, 666-673.	2.7	28

#	Article	IF	CITATIONS
127	Not All Elderly People Benefit From Vitamin D Supplementation with Respect to Physical Function: Results From the Osteoporotic Fractures in Men Study, Hong Kong. Journal of the American Geriatrics Society, 2012, 60, 290-295.	2.6	28
128	ARB users exhibit a lower fracture incidence than ACE inhibitor users among older hypertensive men. Age and Ageing, 2017, 46, 57-64.	1.6	28
129	TATC., 2018,,.		28
130	Relationships between indoor facilities management components and elderly people's quality of life: A study of private domestic buildings. Habitat International, 2017, 66, 13-23.	5.8	27
131	PCA-Based Multi-Wavelength Photoplethysmography Algorithm for Cuffless Blood Pressure Measurement on Elderly Subjects. IEEE Journal of Biomedical and Health Informatics, 2021, 25, 663-673.	6.3	27
132	A practical framework for predicting residential indoor PM2.5 concentration using land-use regression and machine learning methods. Chemosphere, 2021, 265, 129140.	8.2	27
133	Physical restraint use and older patients' length of hospital stay. Health Psychology and Behavioral Medicine, 2014, 2, 160-170.	1.8	26
134	Low Testosterone, but Not Estradiol, Is Associated With Incident Falls in Older Men: The International MrOS Study. Journal of Bone and Mineral Research, 2017, 32, 1174-1181.	2.8	26
135	Effects of whole-body vibration on balance and mobility in institutionalized older adults: a randomized controlled trial. Clinical Rehabilitation, 2018, 32, 462-472.	2.2	26
136	All osteoporotically deformed vertebrae with >34% height loss have radiographically identifiable endplate/cortex fracture. Journal of Orthopaedic Translation, 2018, 14, 63-66.	3.9	26
137	Use of fasting urinary methylmalonic acid to screen for metabolic vitamin B12 deficiency in older persons. Nutrition, 2004, 20, 764-768.	2.4	25
138	Depression among Chinese stroke survivors six months after discharge from a rehabilitation hospital. Journal of Clinical Nursing, 2010, 19, 3042-3050.	3.0	25
139	The effectiveness of acupuncture on the sleep quality of elderly with dementia: a within-subjects trial. Clinical Interventions in Aging, 2013, 8, 923.	2.9	25
140	A randomized placebo controlled trial of an innovative herbal formula in the prevention of atherosclerosis in postmenopausal women with borderline hypercholesterolemia. Complementary Therapies in Medicine, 2014, 22, 473-480.	2.7	25
141	Converting MMSE to MoCA and MoCA 5â€minute protocol in an educationally heterogeneous sample with stroke or transient ischemic attack. International Journal of Geriatric Psychiatry, 2018, 33, 729-734.	2.7	25
142	The effect of vertical whole-body vibration on lower limb muscle activation in elderly adults: Influence of vibration frequency, amplitude and exercise. Maturitas, 2016, 88, 59-64.	2.4	24
143	Intermittent versus indwelling urinary catheterization in older female patients. Maturitas, 2006, 53, 274-281.	2.4	23
144	Characteristics of age-related changes in bone compared between male and female reference Chinese populations in Hong Kong: a pQCT study. Journal of Bone and Mineral Metabolism, 2010, 28, 672-681.	2.7	23

#	Article	IF	CITATIONS
145	Association of genetic variations in aromatase gene with serum estrogen and estrogen/testosterone ratio in Chinese elderly men. Clinica Chimica Acta, 2010, 411, 53-58.	1.1	23
146	Development of a simple scoring tool in the primary care setting for prediction of recurrent falls in men and women aged 65 years and over living in the community. Journal of Clinical Nursing, 2009, 18, 1038-1048.	3.0	22
147	Executive Dysfunction and Left Frontal White Matter Hyperintensities Are Correlated with Neuropsychiatric Symptoms in Stroke Patients with Confluent White Matter Hyperintensities. Dementia and Geriatric Cognitive Disorders, 2010, 30, 254-260.	1.5	22
148	Effects of height loss on morbidity and mortality in 3145 community-dwelling Chinese older women and men: a 5-year prospective study. Age and Ageing, 2010, 39, 699-704.	1.6	22
149	Survival benefit of abdominal adiposity: a 6-year follow-up study with Dual X-ray absorptiometry in 3,978 older adults. Age, 2012, 34, 597-608.	3.0	22
150	Practicing Tai Chi had lower energy metabolism than walking but similar health benefits in terms of aerobic fitness, resting energy expenditure, body composition and self-perceived physical health. Complementary Therapies in Medicine, 2016, 27, 43-50.	2.7	22
151	Monotherapy Is Good Enough for Patients With Mildâ€toâ€Moderate Alzheimer's Disease: A Network Metaâ€Analysis of 76 Randomized Controlled Trials. Clinical Pharmacology and Therapeutics, 2019, 105, 121-130.	4.7	21
152	Benefit-Finding Intervention Delivered Individually to Alzheimer Family Caregivers: Longer-Term Outcomes of a Randomized Double-Blind Controlled Trial. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 1884-1893.	3.9	21
153	Prediction model for air particulate matter levels in the households of elderly individuals in Hong Kong. Science of the Total Environment, 2020, 717, 135323.	8.0	21
154	Hospital readmission among older medical patients in Hong Kong. Journal of the Royal College of Physicians of London, 1999, 33, 153-6.	0.2	21
155	Usage of Community Services and Domestic Helpers Predicted Institutionalization of Elders Having Functional or Cognitive Impairments: A 12-Month Longitudinal Study in Hong Kong. Journal of the American Medical Directors Association, 2012, 13, 169-175.	2.5	20
156	High serum folate is associated with brain atrophy in older diabetic people with vitamin B12 deficiency. Journal of Nutrition, Health and Aging, 2017, 21, 1065-1071.	3.3	20
157	Electronic Cognitive Screen Technology for Screening Older Adults With Dementia and Mild Cognitive Impairment in a Community Setting: Development and Validation Study. Journal of Medical Internet Research, 2020, 22, e17332.	4.3	19
158	Prediction of Body Fat by Anthropometry in Older Chinese People. Obesity, 2001, 9, 97-101.	4.0	18
159	Impact of Applying NINDS-AIREN Criteria of Probable Vascular Dementia to Clinical and Radiological Characteristics of a Stroke Cohort with Dementia. Cerebrovascular Diseases, 2004, 18, 98-103.	1.7	18
160	Added clinical use of trabecular bone score to BMD for major osteoporotic fracture prediction in older Chinese people: the Mr. OS and Ms. OS cohort study in Hong Kong. Osteoporosis International, 2017, 28, 151-160.	3.1	18
161	The role of previous falls in major osteoporotic fracture prediction in conjunction with FRAX in older Chinese men and women: the Mr. OS and Ms. OS cohort study in Hong Kong. Osteoporosis International, 2018, 29, 355-363.	3.1	18
162	Effect of age and gender on energy expenditure in common activities of daily living in a Chinese population. Disability and Rehabilitation, 2007, 29, 91-96.	1.8	17

#	Article	IF	CITATIONS
163	Effectiveness of a life story work program on older adults with intellectual disabilities. Clinical Interventions in Aging, 2014, 9, 1865.	2.9	17
164	Low DHEAS levels are associated with depressive symptoms in elderly Chinese men: results from a large study. Asian Journal of Andrology, 2011, 13, 898-902.	1.6	17
165	Erectile Dysfunction is Associated with Subsequent Cardiovascular and Respiratory Mortality in Cohort of 1,436 Chinese Elderly Men. Journal of Sexual Medicine, 2015, 12, 1568-1576.	0.6	16
166	Predictors of non-vertebral fracture in older Chinese males and females: Mr. OS and Ms. OS (Hong) Tj ETQq0 0	0 rgBT /Ov	erlock 10 Tf 5 16
167	Assessing Grief of Family Caregivers of People with Dementia: Validation of the Chinese Version of the Marwit–Meuser Caregiver Grief Inventory. Health and Social Work, 2017, 42, 151-158.	1.0	16
168	Deficient dietary vitamin K intake among elderly nursing home residents in Hong Kong. Asia Pacific Journal of Clinical Nutrition, 2002, 11, 62-65.	0.4	15
169	Disagreement in preference for residential care between family caregivers and elders is greater among cognitively impaired elders group than cognitively intact elders group. International Journal of Geriatric Psychiatry, 2010, 25, 46-54.	2.7	15
170	A semiparametric Bayesian approach for structural equation models. Biometrical Journal, 2010, 52, 314-332.	1.0	15
171	Sex-specific effect of Pirin gene on bone mineral density in a cohort of 4000 Chinese. Bone, 2010, 46, 543-550.	2.9	15
172	Gender difference of serum angiotensin-converting enzyme (ACE) activity in DD genotype of ACE insertion/deletion polymorphism in elderly Chinese. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2014, 15, 547-552.	1.7	15
173	Thoracolumbar Intervertebral Disc Area Morphometry in Elderly Chinese Men and Women. Spine, 2018, 43, E607-E614.	2.0	15
174	The Added Value of SARC-F to Prescreening Using FRAX for Hip Fracture Prevention in Older Community Adults. Journal of the American Medical Directors Association, 2019, 20, 83-89.	2.5	15
175	Cumulative and Incremental Value of Sarcopenia Components on Predicting Adverse Outcomes. Journal of the American Medical Directors Association, 2020, 21, 1481-1489.e3.	2.5	15
176	The Associations of Dietary Inflammatory Potential With Musculoskeletal Health in Chinese Community-Dwelling Older People: The Mr. OS and Ms. OS (Hong Kong) Cohort Study. Journal of Bone and Mineral Research, 2020, 37, 1179-1187.	2.8	15
177	Vegetarianism and Ischemic Heart Disease in Older Chinese Women. Journal of the American College of Nutrition, 2000, 19, 622-627.	1.8	14
178	Vascular Dysfunction in Chinese Vegetarians: An Apparent Paradox?. Journal of the American College of Cardiology, 2005, 46, 1957-1958.	2.8	14
179	Normative Standards for HRpQCT Parameters in Chinese Men and Women. Journal of Bone and Mineral Research, 2018, 33, 1889-1899.	2.8	14
180	The effects of an expanded cognitive stimulation therapy model on the improvement of cognitive ability of elderly with mild stage Dementia living in a community—Âa randomized waitlist controlled trial. Aging and Mental Health, 2019, 23, 855-862.	2.8	14

#	Article	IF	CITATIONS
181	Serum highâ€density lipoprotein cholesterol is a protective predictor of executive function in older patients with diabetes mellitus. Journal of Diabetes Investigation, 2019, 10, 139-146.	2.4	14
182	Use of age-dependent FRAX-based intervention thresholds for Singapore. Archives of Osteoporosis, 2020, 15, 104.	2.4	14
183	Capacity building for dementia care in community care services: a mixed methods approach. BMC Geriatrics, 2020, 20, 122.	2.7	14
184	What Cut-Point in Gait Speed Best Discriminates Community-Dwelling Older Adults With Mobility Complaints From Those Without? A Pooled Analysis From the Sarcopenia Definitions and Outcomes Consortium. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, e321-e327.	3.6	14
185	Validation of an Alzheimer's disease assessment battery in Asian participants with mild to moderate Alzheimer's disease. American Journal of Neurodegenerative Disease, 2014, 3, 158-69.	0.1	14
186	Proximal femur bone marrow blood perfusion indices are reduced in hypertensive rats: A dynamic contrastâ€enhanced MRI study. Journal of Magnetic Resonance Imaging, 2009, 30, 1139-1144.	3.4	13
187	Caregiver forgiveness is associated with less burden and potentially harmful Behaviors. Aging and Mental Health, 2013, 17, 930-934.	2.8	13
188	Predictors of the healthâ€related quality of life of Chinese people with major neurocognitive disorders and their caregivers: The roles of selfâ€esteem and caregiver's burden. Geriatrics and Gerontology International, 2017, 17, 2319-2328.	1.5	13
189	Association of green space with bone mineral density change and incident fracture in elderly Hong Kong Chinese: Mr. OS and Ms. OS study. Environmental Research, 2021, 201, 111547.	7.5	13
190	Association of SRD5A2 Variants and Serum Androstane-3α,17β-Diol Glucuronide Concentration in Chinese Elderly Men. Clinical Chemistry, 2010, 56, 1742-1749.	3.2	12
191	ACE inhibitor use was associated with lower serum dehydroepiandrosterone concentrations in older men. Clinica Chimica Acta, 2010, 411, 1122-1125.	1.1	12
192	Who would benefit from memory training? A pilot study examining the ceiling effect of concurrent cognitive stimulation. Clinical Interventions in Aging, 2011, 6, 83.	2.9	12
193	A single blind randomized control trial on support groups for Chinese persons with mild dementia. Clinical Interventions in Aging, 2014, 9, 2105.	2.9	12
194	Living With Dementia: An Exploratory Study of Caregiving in a Chinese Family Context. Social Work in Health Care, 2015, 54, 758-776.	1.6	12
195	Time to Treatment Initiation in People With Alzheimer Disease: A Meta-Analysis of Randomized Controlled Trials. Journal of the American Medical Directors Association, 2016, 17, 24-30.	2.5	12
196	Hip fractures are preventable: a proposal for osteoporosis screening and fall prevention in older people. , 2020, 26, 227-235.		12
197	Measuring the expressed emotion in Chinese family caregivers of persons with dementia: Validation of a Chinese version of the Family Attitude Scale. International Journal of Nursing Studies, 2016, 55, 50-59.	5.6	11
198	Rarity of debrisoquine hydroxylase gene polymorphism in chinese patients with Parkinson's disease. Movement Disorders, 1998, 13, 529-532.	3.9	10

#	Article	IF	CITATIONS
199	The Scoring Scheme of the Informant Questionnaire on Cognitive Decline in the Elderly Needs Revision: Results of Rasch Analysis. Dementia and Geriatric Cognitive Disorders, 2004, 18, 250-256.	1.5	10
200	The effects of holistic health group interventions on improving the cognitive ability of persons with mild cognitive impairment: a randomized controlled trial. Clinical Interventions in Aging, 2017, Volume 12, 1543-1552.	2.9	10
201	Cost-effectiveness of osteoporosis screening strategies for hip fracture prevention in older Chinese people: a decision tree modeling study in the Mr. OS and Ms. OS cohort in Hong Kong. Osteoporosis International, 2018, 29, 1793-1805.	3.1	10
202	Effectiveness of DementiAbility Methods: The Montessori Way on agitation in longâ€ŧerm care home residents with dementia in Hong Kong. International Journal of Geriatric Psychiatry, 2019, 34, 1352-1358.	2.7	10
203	Time course of blood oxygen saturation responding to short-term fine particulate matter among elderly healthy subjects and patients with chronic obstructive pulmonary disease. Science of the Total Environment, 2020, 723, 138022.	8.0	10
204	Association of SPI1 Haplotypes with Altered SPI1 Gene Expression and Alzheimer's Disease Risk. Journal of Alzheimer's Disease, 2022, 86, 1861-1873.	2.6	10
205	The association of serum sulfur amino acids and related metabolites with incident diabetes: a prospective cohort study. European Journal of Nutrition, 2022, 61, 3161-3173.	3.9	10
206	The prevalence and correlates of the use of restraint and force on hospitalised older people. Journal of Nursing and Healthcare of Chronic Illness, 2009, 1, 147-155.	0.5	9
207	Impacts of a multicomponent intervention programme on neuropsychiatric symptoms in people with dementia and psychological health of caregivers: A feasibility pilot study. International Journal of Geriatric Psychiatry, 2019, 34, 1765-1775.	2.7	9
208	Does Low Subjective Social Status Predict Cognitive Decline in Chinese Older Adults? A 4-Year Longitudinal Study From Hong Kong. American Journal of Geriatric Psychiatry, 2021, 29, 1140-1151.	1.2	9
209	Effectiveness of B Vitamins and Their Interactions with Aspirin in Improving Cognitive Functioning in Older People with Mild Cognitive Impairment: Pooled Post-Hoc Analyses of Two Randomized Trials. Journal of Nutrition, Health and Aging, 2021, 25, 1154-1160.	3.3	9
210	The effect of vitamin B12 and folic acid supplementation on routine haematological parameters in older people: an individual participant data meta-analysis. European Journal of Clinical Nutrition, 2018, 72, 785-795.	2.9	8
211	Socioeconomic status as an effect modifier of the association between built environment and mortality in elderly Hong Kong Chinese: A latent profile analysis. Environmental Research, 2021, 195, 110830.	7.5	8
212	A pilot study of associated factors of weight changes in community-dwelling patients with Alzheimer's disease. Nutrition Research, 2005, 25, 111-118.	2.9	7
213	A Chinese Chan-based Mind-Body Intervention Improves Memory of Older Adults. Frontiers in Aging Neuroscience, 2017, 9, 190.	3.4	7
214	The Effect of Physical Activity and Cardiorespiratory Fitness on All-Cause Mortality in Hong Kong Chinese Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1132-1137.	3.6	7
215	Randomized trial of a patient empowerment and cognitive training program for older people with diabetes mellitus and cognitive impairment. Geriatrics and Gerontology International, 2020, 20, 1164-1170.	1.5	7
216	Developing and testing of an integrative theoretical model to predict positive aspects of caregiving among family caregivers of persons with dementia: A study protocol. Journal of Advanced Nursing, 2021, 77, 401-410.	3.3	7

#	Article	IF	CITATIONS
217	The management of demented people with feeding problem. International Journal of Geriatric Psychiatry, 2001, 16, 337-338.	2.7	6
218	Neural evidence for long-term marriage shaping the functional brain network organization between couples. NeuroImage, 2019, 199, 87-92.	4.2	6
219	Spouse's subjective social status predicts older adults' prospective cognitive functioning. Aging and Mental Health, 2019, 23, 277-285.	2.8	6
220	Longitudinal Association of Built Environment Pattern with Physical Activity in a Community-Based Cohort of Elderly Hong Kong Chinese: A Latent Profile Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 4275.	2.6	6
221	Higher fruit and vegetable variety associated with lower risk of cognitive impairment in Chinese community-dwelling older men: a 4-year cohort study. European Journal of Nutrition, 2022, , 1.	3.9	6
222	PROTEIN MALNUTRITION IS ADVERSELY ASSOCIATED WITH SWALLOWING RECOVERY IN TUBE-FED OLDER PEOPLE. Journal of the American Geriatrics Society, 2004, 52, 1588-1589.	2.6	5
223	Factors Associated with Life Satisfaction of Personal Care Workers Delivering Dementia Care in Day Care Centers. Social Work in Health Care, 2007, 46, 37-45.	1.6	5
224	The Clinical Potential of Frailty Indicators on Identifying Recurrent Fallers in the Community: The Mr. Os and Ms. OS Cohort Study in Hong Kong. Journal of the American Medical Directors Association, 2019, 20, 1605-1610.	2.5	5
225	The Predictive Value of Sarcopenia and Falls for 2-Year Major Osteoporotic Fractures in Community-Dwelling Older Adults. Calcified Tissue International, 2020, 107, 151-159.	3.1	5
226	Mild SARS in elderly patients. Cmaj, 2004, 170, 927-927.	2.0	4
227	Joint Hidden Markov Model for Longitudinal and Time-to-Event Data with Latent Variables. Multivariate Behavioral Research, 2022, 57, 441-457.	3.1	4
228	The dihydrofolate reductase 19-bp deletion modifies the beneficial effect of B-vitamin therapy in mild cognitive impairment: pooled study of two randomized placebo-controlled trials. Human Molecular Genetics, 2022, 31, 1151-1158.	2.9	4
229	A highâ€performance biomarker panel for Alzheimer's disease screening and staging identified by largeâ€scale plasma proteomic profiling. Alzheimer's and Dementia, 2021, 17, .	0.8	4
230	An outbreak of Severe Acute Respiratory Syndrome in a nursing home: Lessons to learn. Geriatrics and Gerontology International, 2004, 4, S186-S189.	1.5	3
231	Response to the Letter to the Editor by Shinji Matsunaga "Combination Therapy Showed Limited Superiority Over Monotherapy for Alzheimer Disease: A Meta-analysis of 14 Randomized Trials― Journal of the American Medical Directors Association, 2016, 17, 1063.	2.5	3
232	The effect of physical activity on dose-relationship between serum 25-hydroxyvitamin D and cardiovascular health events in older adults. Nutrition, Metabolism and Cardiovascular Diseases, 2020, 30, 656-665.	2.6	3
233	Effects of supporting facilities on memory loss among older people with dementia in care and attention homes. Indoor and Built Environment, 2020, 29, 438-448.	2.8	3
234	Serum Amino Acids Patterns and 4-Year Sarcopenia Risk in Community-Dwelling Chinese Older Adults. Gerontology, 2022, 68, 736-745.	2.8	3

#	Article	IF	CITATIONS
235	A nurseâ€led multicentre randomized controlled trial on effectiveness and costâ€effectiveness of Chinese i <scp>S</scp> upport for dementia program: A study protocol. Journal of Advanced Nursing, 2022, 78, 1524-1533.	3.3	3
236	Demographics and Medication Use of Patients with Late-Onset Alzheimer's Disease in Hong Kong. Journal of Alzheimer's Disease, 2022, 87, 1205-1213.	2.6	3
237	The Association of Circulating Amino Acids and Dietary Inflammatory Potential with Muscle Health in Chinese Community-Dwelling Older People. Nutrients, 2022, 14, 2471.	4.1	3
238	Effects of strengthâ€based intervention on health outcomes of family caregivers of persons with dementia: A study protocol. Journal of Advanced Nursing, 2020, 76, 2737-2746.	3.3	2
239	Reply to the Letter to Editor by Maeda etÂal. Journal of the American Medical Directors Association, 2015, 16, 897.	2.5	1
240	Pathophysiological Mechanisms on How Nutritionally Related Components Can Have a Negative Impact on Cognition. , 2015, , 235-242.		1
241	The relationship between angiotensin-converting enzyme (ACE) insertion (I) / deletion (D) polymorphism, serum ACE activity and bone mineral density (BMD) in older Chinese. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2017, 18, 147032031668834.	1.7	1
242	The role of previous falls in major osteoporotic fracture prediction in conjunction with FRAX in older Chinese men and women: the Mr. OS and Ms. OS cohort study in Hong Kong. Osteoporosis International, 2018, 29, 1469-1469.	3.1	1
243	Outcomes of Expanded Cognitive Stimulation Therapy Group for Mild-Stage Dementia: Four-Month Follow-Up. Research on Social Work Practice, 2020, 30, 724-735.	1.9	1
244	Letter to Kajiwara et al. †Letter in response to "Impacts of a multicomponent intervention programme on neuropsychiatric symptoms in people with dementia and psychological health of caregivers: a feasibility pilot studyâ€â€™. International Journal of Geriatric Psychiatry, 2020, 35, 331-331.	2.7	1
245	Longitudinal association of built environment pattern with DXA-derived body fat in elderly Hong Kong Chinese: a latent profile analysis. International Journal of Obesity, 2021, 45, 2629-2637.	3.4	1
246	Severe Acute Respiratory Syndrome in Elderly Patients. , 2004, , 159-164.		1
247	A case for osteoporosis screening and treatment in older people to prevent hip fracture. Hong Kong Medical Journal, 2017, 23, 421-421.	0.1	1
248	Blood transcriptome analysis for Alzheimer' disease in Hong Kong Chinese population Alzheimer's and Dementia, 2021, 17 Suppl 3, e056643.	0.8	1
249	Metabolic Basis of Cognitive Improvement Associated With Active B Vitamin Supplementation in Cognitively Impaired Elderly Subjects – A Metabolomics Study. Frontiers in Medicine, 2022, 9, 864152.	2.6	1
250	Brain MRI Biomarkers to Predict Cognitive Decline in Older People with Alzheimer's Disease. Journal of Alzheimer's Disease, 2022, 88, 763-769.	2.6	1
251	Cholesterol efflux capacity of <scp>highâ€density lipoprotein</scp> was not associated with cognitive decline and brain structures in older people with diabetes mellitus. Journal of Diabetes Investigation, 2022, 13, 1873-1880.	2.4	1
252	Vitamin B <sub>12</sub> and health in old age. Aging Health, 2008, 4, 651-657.	0.3	0

#	Article	IF	CITATIONS
253	Effect Of 12-week Tai-chi And Walking Exercise On Health-related Quality Of Life: A Randomized-control Trial Medicine and Science in Sports and Exercise, 2010, 42, 354.	0.4	0
254	Predictive values of pQCT for non-vertebral fractures in elderly men. Bone, 2010, 47, S367.	2.9	0
255	Evaluation of genetic risk for Alzheimer's disease in the Hong Kong Chinese population. Alzheimer's and Dementia, 2020, 16, e045142.	0.8	0
256	Changes in Resting Metabolic Rate from 12-weeks of Tai-chi and Walking Exercise: A Randomized-control Trial Medicine and Science in Sports and Exercise, 2008, 40, S252.	0.4	0
257	Cortical Short-Range Fiber Connectivity and Its Association With Deep Brain White Matter Hyperintensities in Older Diabetic People With Low Serum Vitamin B12. Frontiers in Aging Neuroscience, 2022, 14, 754997.	3.4	0
258	Comparison of time spent and score in digital recognition test and free recall tests in the identification of mild cognitive impairment and Alzheimer disease. Alzheimer's and Dementia, 2021, 17, e049573.	0.8	0
259	Deep learning for polygenic score analysis for Alzheimer's disease risk prediction in the Chinese population Alzheimer's and Dementia, 2021, 17 Suppl 3, e056625.	0.8	Ο