

Bin Yan

List of Publications by Citations

Source: <https://exaly.com/author-pdf/203860/bin-yan-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

4,071
citations

33
h-index

61
g-index

109
ext. papers

4,955
ext. citations

7
avg, IF

5.84
L-index

#	Paper	IF	Citations
104	Near-infrared light-triggered dissociation of block copolymer micelles using upconverting nanoparticles. <i>Journal of the American Chemical Society</i> , 2011 , 133, 19714-7	16.4	401
103	Novel mussel-inspired injectable self-healing hydrogel with anti-biofouling property. <i>Advanced Materials</i> , 2015 , 27, 1294-9	24	387
102	Near infrared light triggered release of biomacromolecules from hydrogels loaded with upconversion nanoparticles. <i>Journal of the American Chemical Society</i> , 2012 , 134, 16558-61	16.4	352
101	Highly regenerable mussel-inspired Fe ₃ O ₄ @polydopamine-Ag core-shell microspheres as catalyst and adsorbent for methylene blue removal. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 8845-52	9.5	329
100	Regenerable urchin-like FeO@PDA-Ag hollow microspheres as catalyst and adsorbent for enhanced removal of organic dyes. <i>Journal of Hazardous Materials</i> , 2018 , 350, 66-75	12.8	119
99	Injectable Self-Healing Hydrogel with Antimicrobial and Antifouling Properties. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 9221-9225	9.5	102
98	Manipulation of block copolymer vesicles using CO ₂ : dissociation or Breathing. <i>Soft Matter</i> , 2013 , 9, 2011	3.6	95
97	High-Strength, Self-Healable, Temperature-Sensitive, MXene-Containing Composite Hydrogel as a Smart Compression Sensor. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47350-47357	9.5	90
96	Dendrimer functionalized graphene oxide for selenium removal. <i>Carbon</i> , 2016 , 105, 655-664	10.4	76
95	Mussel-inspired antifouling coatings bearing polymer loops. <i>Chemical Communications</i> , 2015 , 51, 15780-3.8	3.8	74
94	Long-Range Hydrophilic Attraction between Water and Polyelectrolyte Surfaces in Oil. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 15017-15021	16.4	74
93	Duplicating Dynamic Strain-Stiffening Behavior and Nanomechanics of Biological Tissues in a Synthetic Self-Healing Flexible Network Hydrogel. <i>ACS Nano</i> , 2017 , 11, 11074-11081	16.7	73
92	Poly(acrylic acid) functionalized magnetic graphene oxide nanocomposite for removal of methylene blue. <i>RSC Advances</i> , 2015 , 5, 32272-32282	3.7	65
91	Both core- and shell-cross-linked nanogels: photoinduced size change, intraparticle LCST, and interparticle UCST thermal behaviors. <i>Langmuir</i> , 2011 , 27, 436-44	4	63
90	High Performance Piezoelectric Nanogenerators Based on Electrospun ZnO Nanorods/Poly(vinylidene fluoride) Composite Membranes. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 11378-11387	3.8	58
89	Flexible Piezoelectric Pressure Tactile Sensor Based on Electrospun BaTiO ₃ /Poly(vinylidene fluoride) Nanocomposite Membrane. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 33989-33998	9.5	58
88	Ultrasound-responsive block copolymer micelles based on a new amplification mechanism. <i>Langmuir</i> , 2012 , 28, 16463-8	4	58

87	Molecular and Surface Interactions between Polymer Flocculant Chitosan-g-polyacrylamide and Kaolinite Particles: Impact of Salinity. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 7327-7339	3.8	52
86	Light-responsive block copolymer vesicles based on a photo-softening effect. <i>Soft Matter</i> , 2011 , 7, 10001-10006	3.6	51
85	Injectable and Self-Healing Nanocomposite Hydrogels with Ultrasensitive pH-Responsiveness and Tunable Mechanical Properties: Implications for Controlled Drug Delivery. <i>Biomacromolecules</i> , 2020 , 21, 2409-2420	6.9	51
84	Efficient removal of elemental mercury (Hg ⁰) by SBA-15-Ag adsorbents. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17730-17734	13	50
83	Nanomechanics of Anion-Interaction in Aqueous Solution. <i>Journal of the American Chemical Society</i> , 2020 , 142, 1710-1714	16.4	48
82	The effect of molecular weight of polymer matrix on properties of polymer-dispersed liquid crystals. <i>European Polymer Journal</i> , 2007 , 43, 2745-2749	5.2	47
81	A two-step flocculation process on oil sands tailings treatment using oppositely charged polymer flocculants. <i>Science of the Total Environment</i> , 2016 , 565, 369-375	10.2	46
80	Ultra elastic, stretchable, self-healing conductive hydrogels with tunable optical properties for highly sensitive soft electronic sensors. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 24718-24733	13	45
79	Bio-inspired membrane with adaptable wettability for smart oil/water separation. <i>Journal of Membrane Science</i> , 2020 , 598, 117661	9.6	39
78	Environmentally friendly nanocomposites based on cellulose nanocrystals and polydopamine for rapid removal of organic dyes in aqueous solution. <i>Cellulose</i> , 2020 , 27, 2085-2097	5.5	39
77	Transparent Stretchable Dual-Network Ionogel with Temperature Tolerance for High-Performance Flexible Strain Sensors. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 37597-37606	9.5	39
76	Core/shell structured halloysite/polyaniline nanotubes with enhanced electrochromic properties. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 5707-5715	7.1	37
75	An amphiphobic graphene-based hydrogel as oil-water separator and oil fence material. <i>Chemical Engineering Journal</i> , 2018 , 353, 708-716	14.7	36
74	RAFT Copolymerization as a means to enhance the electro-optical performance of polymer dispersed liquid crystal films. <i>Journal of Polymer Science Part A</i> , 2007 , 45, 4144-4149	2.5	34
73	Tannic acid/Fe ³⁺ functionalized magnetic graphene oxide nanocomposite with high loading of silver nanoparticles as ultra-efficient catalyst and disinfectant for wastewater treatment. <i>Chemical Engineering Journal</i> , 2021 , 405, 126629	14.7	34
72	Universal Mussel-Inspired Ultrastable Surface-Anchoring Strategy via Adaptive Synergy of Catechol and Cations. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 2166-2173	9.5	33
71	Antifreeze and moisturizing high conductivity PEDOT/PVA hydrogels for wearable motion sensor. <i>Journal of Materials Science</i> , 2020 , 55, 1280-1291	4.3	33
70	Hierarchical polydopamine coated cellulose nanocrystal microstructures as efficient nanoadsorbents for removal of Cr(VI) ions. <i>Cellulose</i> , 2019 , 26, 6401-6414	5.5	32

69	A wet adhesion strategy via synergistic cationic and hydrogen bonding interactions of antifouling zwitterions and mussel-inspired binding moieties. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 21944-21952 ¹³		31
68	Nanocomposites of graphene oxide, Ag nanoparticles, and magnetic ferrite nanoparticles for elemental mercury (Hg ⁰) removal. <i>RSC Advances</i> , 2015 , 5, 15634-15640	3.7	31
67	Biomimetic Lubrication and Surface Interactions of Dopamine-Assisted Zwitterionic Polyelectrolyte Coatings. <i>Langmuir</i> , 2018 , 34, 11593-11601	4	31
66	Core cross-linked double hydrophilic block copolymer micelles based on multiple hydrogen-bonding interactions. <i>Polymer Chemistry</i> , 2017 , 8, 3066-3073	4.9	29
65	Modification of electro-optical properties of polymer dispersed liquid crystal films by iniferter polymerization. <i>European Polymer Journal</i> , 2008 , 44, 952-958	5.2	28
64	Polydopamine/polystyrene nanocomposite double-layer strain sensor hydrogel with mechanical, self-healing, adhesive and conductive properties. <i>Materials Science and Engineering C</i> , 2020 , 109, 110567 ^{8,3}	8.3	28
63	Development of eco-friendly CO-responsive cellulose nanofibril aerogels as "green" adsorbents for anionic dyes removal. <i>Journal of Hazardous Materials</i> , 2021 , 405, 124194	12.8	28
62	Robust, stretchable and photothermal self-healing polyurethane elastomer based on furan-modified polydopamine nanoparticles. <i>Polymer</i> , 2020 , 190, 122219	3.9	27
61	Unraveling the molecular interaction mechanism between graphene oxide and aromatic organic compounds with implications on wastewater treatment. <i>Chemical Engineering Journal</i> , 2019 , 358, 842-849 ^{11,7}	11.7	27
60	Microfluidic Synthesis of Photoresponsive Spool-Like Block Copolymer Nanoparticles: Flow-Directed Formation and Light-Triggered Dissociation. <i>Chemistry of Materials</i> , 2015 , 27, 8094-8104	9.6	25
59	Stomatocyte-like hollow polydopamine nanoparticles for rapid removal of water-soluble dyes from water. <i>Chemical Communications</i> , 2019 , 55, 8162-8165	5.8	24
58	Octadecyltrichlorosilane Deposition on Mica Surfaces: Insights into the Interface Interaction Mechanism. <i>Journal of Physical Chemistry B</i> , 2017 , 121, 3151-3161	3.4	23
57	Patterned Flexible Electrochromic Device Based on Monodisperse Silica/Polyaniline Core/Shell Nanospheres. <i>Journal of the Electrochemical Society</i> , 2019 , 166, H343-H350	3.9	22
56	Optically triggered dissociation of kinetically stabilized block copolymer vesicles in aqueous solution. <i>Macromolecular Rapid Communications</i> , 2011 , 32, 972-6	4.8	21
55	Sustainable Advanced Fenton-like Catalysts Based on Mussel-Inspired Magnetic Cellulose Nanocomposites to Effectively Remove Organic Dyes and Antibiotics. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 51952-51959	9.5	19
54	Regulation of aggregation-induced emission behaviours and mechanofluorochromism of tetraphenylethene through different oxidation states of sulphur moieties. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 8244-8249	7.1	17
53	PEDOT nanoparticles fully covered on natural tubular clay for hierarchically porous electrochromic film. <i>Solar Energy Materials and Solar Cells</i> , 2019 , 199, 59-65	6.4	17
52	Understanding nanorheology and surface forces of confined thin films 2014 , 26, 3-14		17

51	A novel polymer dispersed liquid crystal film prepared by reversible addition fragmentation chain transfer polymerization. <i>European Polymer Journal</i> , 2007 , 43, 4037-4042	5.2	17
50	Effect of the structure of gelators on electro-optical properties of liquid crystal physical gels. <i>Journal of Colloid and Interface Science</i> , 2007 , 316, 825-30	9.3	17
49	Constructing spraying-processed complementary smart windows via electrochromic materials with hierarchical nanostructures. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 14855-14860	7.1	16
48	Polyaniline nanoparticle coated graphene oxide composite nanoflakes for bifunctional multicolor electrochromic and supercapacitor applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 13497-13508	2.1	15
47	Tannic acid modified MoS nanosheet membranes with superior water flux and ion/dye rejection. <i>Journal of Colloid and Interface Science</i> , 2020 , 560, 177-185	9.3	15
46	Ultra-efficient and stable heterogeneous iron-based Fenton nanocatalysts for degrading organic dyes at neutral pH via a chelating effect under nanoconfinement. <i>Chemical Communications</i> , 2020 , 56, 6571-6574	5.8	14
45	Robust polymer nanofilms with bioengineering and environmental applications via facile and highly efficient covalent layer-by-layer assembly. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 3742-3750	7.3	14
44	Influence of matrix glass transition temperature on the memory effect of polymer-dispersed liquid crystals. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 729-732	2.6	13
43	A coral-like polyaniline/barium titanate nanocomposite electrode with double electric polarization for electrochromic energy storage applications. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 1669-1677	13	13
42	Tuning protein adsorption on charged polyelectrolyte brushes via salinity adjustment. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 539, 37-45	5.1	13
41	Rapid Dewatering and Consolidation of Concentrated Colloidal Suspensions: Mature Fine Tailings via Self-Healing Composite Hydrogel. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 21610-21618	9.5	12
40	Solution-processable three-dimensional honeycomb-like poly(3,4-ethylenedioxythiophene) nanostructure networks with very fast response speed for patterned electrochromic devices. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 207, 110354	6.4	12
39	Nanomechanics of Cation- π Interaction with implications for bio-inspired wet adhesion. <i>Acta Biomaterialia</i> , 2020 , 117, 294-301	10.8	12
38	Acidity-triggered zwitterionic prodrug nano-carriers with AIE properties and amplification of oxidative stress for mitochondria-targeted cancer theranostics. <i>Polymer Chemistry</i> , 2019 , 10, 983-990	4.9	11
37	Electrochromic polyaniline/aramid nanofiber composites with enhanced cycling stability and film forming property. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 12718-12728	2.1	11
36	Conductive Polymer Nanotubes for Electrochromic Applications. <i>ACS Applied Nano Materials</i> , 2019 , 2, 3154-3160	5.6	11
35	Highly efficient removal of Cr(VI) ions from wastewater by the pomegranate-like magnetic hybrid nano-adsorbent of polydopamine and Fe ₃ O ₄ nanoparticles. <i>New Journal of Chemistry</i> , 2020 , 44, 12785-12792	3.6	11
34	The Effects of Different Side Groups on the Properties of Polythiophene. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2007 , 44, 989-993	2.2	11

33	Nanoconfining Cation- π Interactions as a Modular Strategy to Construct Injectable Self-Healing Hydrogel. <i>CCS Chemistry</i> , 1-45	7.2	11
32	Interaction Mechanisms of Zwitterions with Opposite Dipoles in Aqueous Solutions. <i>Langmuir</i> , 2019 , 35, 2842-2853	4	10
31	Fine adjustment of network in polymer network liquid crystal film employing RAFT polymerization. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 3140-3144	2.5	9
30	Probing the Interaction Forces of Phenol/Amine Deposition in Wet Adhesion: Impact of Phenol/Amine Mass Ratio and Surface Properties. <i>Langmuir</i> , 2019 , 35, 15639-15650	4	8
29	A facile and eco-friendly strategy to prepare synthetic syntans for after-treatment of dyed nylon fabrics. <i>Dyes and Pigments</i> , 2017 , 146, 199-202	4.6	8
28	The effect of the resultant microphase-separated structures of polymer matrices on the electro-optical properties of polymer dispersed liquid crystal films by Iniferter polymerization. <i>European Polymer Journal</i> , 2009 , 45, 1936-1940	5.2	8
27	Control of liquid crystal droplet configuration in polymer dispersed liquid crystal with macro-iniferter polystyrene. <i>Liquid Crystals</i> , 2009 , 36, 933-938	2.3	8
26	The improvement of electro-optical properties of polymer-dispersed liquid crystals using copolymer macroinitiator with different glass transition temperature. <i>Journal of Polymer Science Part A</i> , 2010 , 48, 5557-5561	2.5	8
25	Aminated Polyacrylonitrile Nanofiber Membranes for the Removal of Organic Dyes. <i>ACS Applied Nano Materials</i> , 2022 , 5, 1131-1140	5.6	8
24	Mechanistic Understanding and Nanomechanics of Multiple Hydrogen-Bonding Interactions in Aqueous Environment. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 4540-4548	3.8	7
23	Solution-Processable and Patternable Poly(o-methoxyaniline)-Based Nanocomposite Film for Large-Area Electrochromic Display with Large Optical Modulation and Ultrafast Response Speed. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 10898-10906	3.8	7
22	Effect of molecular weight of macro-iniferter on electro-optical properties of polymer dispersed liquid crystal films prepared by iniferter polymerization. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009 , 47, 1530-1534	2.6	7
21	Effect of polymer structures on electro-optical properties of polymer stabilized liquid crystal films. <i>Frontiers of Chemical Engineering in China</i> , 2008 , 2, 265-268		7
20	A Universal Strategy for Constructing Robust and Antifouling Cellulose Nanocrystal Coating. <i>Advanced Functional Materials</i> , 2109989	15.6	7
19	Facile preparation of hierarchical porous polydopamine microspheres for rapid removal of chromate from the wastewater. <i>Journal of Leather Science and Engineering</i> , 2020 , 2,	3.6	6
18	A facile preparation of SiO ₂ /PEDOT core/shell nanoparticle composite film for electrochromic device. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 3994-4005	2.1	6
17	High-performance piezoelectric nanogenerator based on electrospun ZnO nanorods/P(VDF-TrFE) composite membranes for energy harvesting application. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 3966-3978	2.1	6
16	Fe-citric acid/sodium alginate hydrogel: A photo-responsive platform for rapid water purification. <i>Carbohydrate Polymers</i> , 2021 , 269, 118269	10.3	6

15	Macro reversible addition-fragmentation chain transfer agent mixture as a means to enhance the electro-optical performance of polymer-dispersed liquid crystals. <i>Polymer International</i> , 2011 , 60, 971-975	3.3	5
14	Synthesis and characterization of copolythiophene. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 3543-3550	3.5	5
13	Boosting heterogeneous Fenton reactions for degrading organic dyes via the photothermal effect under neutral conditions. <i>Environmental Science: Nano</i> ,	7.1	3
12	Understanding the surface properties and rheology of a silica suspension mediated by a comb-type poly(acrylic acid)/poly(ethylene oxide) (PAA/PEO) copolymer: effect of salinity. <i>Soft Matter</i> , 2018 , 14, 4810-4819	3.6	3
11	Long-Range Hydrophilic Attraction between Water and Polyelectrolyte Surfaces in Oil. <i>Angewandte Chemie</i> , 2016 , 128, 15241-15245	3.6	2
10	Sustainably closed loop recycling of hierarchically porous polymer microbeads for efficient removal of cationic dyes. <i>Environmental Science: Water Research and Technology</i> ,	4.2	2
9	Probing Anion- π Interactions between fluoroarene and carboxylate anion in aqueous solutions.. <i>Journal of Colloid and Interface Science</i> , 2022 , 615, 778-785	9.3	2
8	Self-Assembled Polyaniline/TiCT Nanocomposites for High-Performance Electrochromic Films. <i>Nanomaterials</i> , 2021 , 11,	5.4	1
7	Near-Infrared Laser Weldable Hydrogen-Bonded Hydrogel Sensor Based on Photothermal Gel Sol Transition. <i>ACS Sustainable Chemistry and Engineering</i> ,	8.3	1
6	Solution-processable core/shell structured nanocellulose/poly(o-Methoxyaniline) nanocomposites for electrochromic applications. <i>Cellulose</i> , 2020 , 27, 9467-9478	5.5	1
5	Synthesis and Properties of High-Performance Thermoplastic Poly(ester-ether) Elastomers Reinforced by N,N'-Bis(2-carboxyethyl) Pyromellitimide Moieties. <i>Polymer Science - Series B</i> , 2018 , 60, 578-588	0.8	1
4	808nm Near-Infrared Light-Triggered Payload Release from Green Light-Responsive Donor-Acceptor Stenhouse Adducts Polymer-Coated Upconversion Nanoparticles. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2100318	4.8	1
3	Ion-specific effect on self-cleaning performances of polyelectrolyte-functionalized membranes and the underlying nanomechanical mechanism. <i>Journal of Membrane Science</i> , 2021 , 634, 119408	9.6	1
2	Starch-derived flocculant with hyperbranched brush architecture for effectively flocculating organic dyes, heavy metals and antibiotics. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022 , 135, 104383	5.3	1
1	Low-Power Near-Infrared-Responsive Upconversion Nanovectors. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7094-7101	9.5	0