

Yuji Mizuno

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2038765/publications.pdf>

Version: 2024-02-01

34
papers

2,691
citations

304743

22
h-index

434195

31
g-index

34
all docs

34
docs citations

34
times ranked

2478
citing authors

#	ARTICLE	IF	CITATIONS
1	Coronary artery spasm—Clinical features, diagnosis, pathogenesis, and treatment. <i>Journal of Cardiology</i> , 2008, 51, 2-17.	1.9	330
2	Aldosterone Production Is Activated in Failing Ventricle in Humans. <i>Circulation</i> , 2001, 103, 72-77.	1.6	327
3	Remnant Lipoprotein Levels in Fasting Serum Predict Coronary Events in Patients With Coronary Artery Disease. <i>Circulation</i> , 1999, 99, 2858-2860.	1.6	270
4	Aldosterone Induces Angiotensin-Converting-Enzyme Gene Expression in Cultured Neonatal Rat Cardiocytes. <i>Circulation</i> , 2001, 104, 137-139.	1.6	202
5	Effects of a 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Inhibitor, Fluvastatin, on Coronary Spasm After Withdrawal of Calcium-Channel Blockers. <i>Journal of the American College of Cardiology</i> , 2008, 51, 1742-1748.	2.8	163
6	Increased plasma tissue factor levels in acute myocardial infarction. <i>American Heart Journal</i> , 1997, 134, 253-259.	2.7	146
7	T-786A-C mutation in the 5'-flanking region of the endothelial nitric oxide synthase gene is associated with myocardial infarction, especially without coronary organic stenosis. <i>American Journal of Cardiology</i> , 2000, 86, 628-634.	1.6	139
8	Plasma Level of B-Type Natriuretic Peptide as a Prognostic Marker After Acute Myocardial Infarction. <i>Circulation</i> , 2004, 110, 1387-1391.	1.6	134
9	Comparison of the risk factors for coronary artery spasm with those for organic stenosis in a Japanese population: role of cigarette smoking. <i>International Journal of Cardiology</i> , 2000, 72, 121-126.	1.7	99
10	Low-Grade Inflammation, Thrombogenicity, and Atherogenic Lipid Profile in Cigarette Smokers. <i>Circulation Journal</i> , 2006, 70, 8-13.	1.6	97
11	The Plasma Levels of Dehydroepiandrosterone Sulfate Are Decreased in Patients with Chronic Heart Failure in Proportion to the Severity*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 1834-1840.	3.6	85
12	Effect of Interleukin-1 β on Cardiac Hypertrophy and Production of Natriuretic Peptides in Rat Cardiocyte Culture. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 1997-2006.	1.9	74
13	Paraoxonase gene Gln192Arg (Q192R) polymorphism is associated with coronary artery spasm. <i>Human Genetics</i> , 2002, 110, 89-94.	3.8	74
14	Aldosterone Is Produced From Ventricles in Patients With Essential Hypertension. <i>Hypertension</i> , 2002, 39, 958-962.	2.7	72
15	Plasma levels of A- and B-type natriuretic peptides in patients with hypertrophic cardiomyopathy or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2000, 86, 1036-1040.	1.6	70
16	Coronary Spasm is Associated With Chronic Low-Grade Inflammation. <i>Circulation Journal</i> , 2007, 71, 1074-1078.	1.6	70
17	B-type natriuretic peptide as a marker of the effects of enalapril in patients with heart failure. <i>American Journal of Medicine</i> , 2002, 112, 716-720.	1.5	65
18	The effects of the angiotensin-converting enzyme inhibitor imidapril on plasma plasminogen activator inhibitor activity in patients with acute myocardial infarction. <i>American Heart Journal</i> , 1997, 134, 961-966.	2.7	43

#	ARTICLE	IF	CITATIONS
19	A T-786A→C mutation in the 5′-flanking region of the endothelial nitric oxide synthase gene and coronary arterial vasomotility. American Journal of Cardiology, 2000, 85, 710-714.	1.6	42
20	Coronary Spasm Preferentially Occurs at Branch Points. Circulation: Cardiovascular Interventions, 2009, 2, 97-104.	3.9	39
21	A Case of 5-Fluorouracil Cardiotoxicity Simulating Acute Myocardial Infarction.. Japanese Circulation Journal, 1995, 59, 303-307.	1.0	24
22	Differences and Interactions between Risk Factors for Coronary Spasm and Atherosclerosis -Smoking, Aging, Inflammation, and Blood Pressure-. Internal Medicine, 2014, 53, 2663-2670.	0.7	24
23	B-Type Natriuretic Peptide in Heart Failure With Preserved Ejection Fraction—Relevance to Age-Related Left Ventricular Modeling in Japanese —. Circulation Journal, 2017, 81, 1006-1013.	1.6	20
24	Effects of angiotensin-converting enzyme inhibitor on plasma b-type natriuretic peptide levels in patients with acute myocardial infarction. Journal of Cardiac Failure, 1997, 3, 287-293.	1.7	16
25	Effects of perindopril on aldosterone production in the failing human heart. American Journal of Cardiology, 2002, 89, 1197-1200.	1.6	16
26	Cardiac angiotensin-converting enzyme activity in myocardial infarction. American Journal of Cardiology, 1999, 84, 774-778.	1.6	12
27	Interaction on metabolic clearance between A-type and B-type natriuretic peptides in patients with heart failure. Metabolism: Clinical and Experimental, 2000, 49, 1228-1233.	3.4	12
28	The effect of heparin on tissue factor and tissue factor pathway inhibitor in patients with acute myocardial infarction. International Journal of Cardiology, 2000, 75, 267-274.	1.7	10
29	β-Blockers are associated with increased B-type natriuretic peptide levels differently in men and women in heart failure with preserved ejection fraction. American Journal of Physiology - Heart and Circulatory Physiology, 2022, 323, H276-H284.	3.2	6
30	B-type natriuretic peptide after percutaneous transluminal septal myocardial ablation. International Journal of Cardiology, 2002, 83, 151-158.	1.7	5
31	Coronary spastic angina is associated with insulin resistance — possible involvement of endothelial dysfunction. Coronary Artery Disease, 2013, 24, 559-565.	0.7	5
32	Cardiac Pituitary-adrenal Axis in the Hypertensive Human Heart. Journal of Cardiac Failure, 2006, 12, S149.	1.7	0
33	Low Plasma Levels of Natriuretic Peptides in Obesity. Journal of Cardiac Failure, 2006, 12, S170.	1.7	0
34	Decreases in serum thioredoxin and hyperglycemia by acidity water footbath after lunch in type II diabetics. Journal of Molecular and Cellular Cardiology, 2007, 42, S58-S59.	1.9	0