

# Zhanzhan Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2039121/publications.pdf>

Version: 2024-02-01

67  
papers

1,517  
citations

516215

16  
h-index

360668

35  
g-index

72  
all docs

72  
docs citations

72  
times ranked

2544  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of osteoporosis in China: a meta-analysis and systematic review. BMC Public Health, 2016, 16, 1039.	1.2	222
2	Prevalence of Depression in Patients With Hypertension. Medicine (United States), 2015, 94, e1317.	0.4	202
3	Prevalence of nonalcoholic fatty liver disease in mainland of China: A meta-analysis of published studies. Journal of Gastroenterology and Hepatology (Australia), 2014, 29, 42-51.	1.4	182
4	Prevalence of attention deficit/hyperactivity disorder among children and adolescents in China: a systematic review and meta-analysis. BMC Psychiatry, 2017, 17, 32.	1.1	122
5	Prevalence of depression or depressive symptoms among people living with HIV/AIDS in China: a systematic review and meta-analysis. BMC Psychiatry, 2018, 18, 160.	1.1	74
6	Anemia increases the mortality risk in patients with stroke: A meta-analysis of cohort studies. Scientific Reports, 2016, 6, 26636.	1.6	60
7	Prevalence of intimate partner violence (IPV) during pregnancy in China: A systematic review and meta-analysis. PLoS ONE, 2017, 12, e0175108.	1.1	41
8	Growth hormone replacement therapy reduces risk of cancer in adult with growth hormone deficiency: A meta-analysis. Oncotarget, 2016, 7, 81862-81869.	0.8	25
9	Prevalence of Hypertension in Rural Areas of China: A Meta-Analysis of Published Studies. PLoS ONE, 2014, 9, e115462.	1.1	23
10	Quantitative Proteomic Analysis Identifies MAPK15 as a Potential Regulator of Radioresistance in Nasopharyngeal Carcinoma Cells. Frontiers in Oncology, 2018, 8, 548.	1.3	23
11	High expression of Ki-67 acts a poor prognosis indicator in locally advanced nasopharyngeal carcinoma. Biochemical and Biophysical Research Communications, 2017, 494, 390-396.	1.0	22
12	Clinical utility of decarboxylation prothrombin combined with $\alpha$ -fetoprotein for diagnosing primary hepatocellular carcinoma. Bioscience Reports, 2018, 38, .	1.1	22
13	Prevalence and Correlates of Psychological Symptoms in Chinese Doctors as Measured with the SCL-90-R: A Meta-Analysis. Research in Nursing and Health, 2015, 38, 369-383.	0.8	21
14	<p></p>Growth and differentiation factor 15 regulates PD-L1 expression in glioblastoma<p></p>. Cancer Management and Research, 2019, Volume 11, 2653-2661.	0.9	20
15	Nimotuzumab combined with concurrent chemoradiotherapy benefits patients with advanced nasopharyngeal carcinoma. OncoTargets and Therapy, 2017, Volume 10, 5445-5458.	1.0	19
16	Early versus Delayed Antiretroviral Therapy for HIV and Tuberculosis Co-Infected Patients: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. PLoS ONE, 2015, 10, e0127645.	1.1	18
17	Comprehensive Analysis of Pyroptosis-Associated in Molecular Classification, Immunity and Prognostic of Glioma. Frontiers in Genetics, 2021, 12, 781538.	1.1	18
18	Molecular Subtypes and Prognostic Signature of Pyroptosis-Related lncRNAs in Glioma Patients. Frontiers in Oncology, 2022, 12, 779168.	1.3	18

#	ARTICLE	IF	CITATIONS
19	Quantitative proteome analysis identifies MAP2K6 as potential regulator of LIFR-induced radioresistance in nasopharyngeal carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 274-281.	1.0	17
20	Diagnostic ability of intraoperative ultrasound for identifying tumor residual in glioma surgery operation. <i>Oncotarget</i> , 2017, 8, 73105-73114.	0.8	17
21	Red blood cell distribution width and carotid intima-media thickness in patients with metabolic syndrome. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 44.	0.7	16
22	MAP2K6 is associated with radiation resistance and adverse prognosis for locally advanced nasopharyngeal carcinoma patients. <i>Cancer Management and Research</i> , 2018, Volume 10, 6905-6912.	0.9	16
23	Percutaneous endoscopic transforaminal discectomy precedes interlaminar discectomy in the efficacy and safety for lumbar disc herniation. <i>Bioscience Reports</i> , 2019, 39, .	1.1	16
24	Positron emission tomography/computed tomography outperforms MRI in the diagnosis of local recurrence and residue of nasopharyngeal carcinoma: An update evidence from 44 studies. <i>Cancer Medicine</i> , 2019, 8, 67-79.	1.3	16
25	Development and Validation of an Autophagy-Related LncRNA Prognostic Signature in Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 743611.	1.3	16
26	Mean cerebral blood volume is an effective diagnostic index of recurrent and radiation injury in glioma patients: A meta-analysis of diagnostic test. <i>Oncotarget</i> , 2017, 8, 15642-15650.	0.8	15
27	Assessment on clinical value of prostate health index in the diagnosis of prostate cancer. <i>Cancer Medicine</i> , 2019, 8, 5089-5096.	1.3	14
28	Clinical value of a plasma Epstein-Barr virus DNA assay in the diagnosis of recurrent or metastatic nasopharyngeal carcinoma: a meta-analysis. <i>Bioscience Reports</i> , 2019, 39, .	1.1	14
29	Comparison of ultrasound-guided modified Seldinger technique versus blind puncture for peripherally inserted central catheter: a meta-analysis of randomized controlled trials. <i>Critical Care</i> , 2015, 19, 64.	2.5	12
30	Red Cell Distribution Width and Inappropriateness of Left Ventricular Mass in Patients with Untreated Essential Hypertension. <i>PLoS ONE</i> , 2015, 10, e0120300.	1.1	12
31	Comprehensive analysis on diagnostic value of circulating miRNAs for patients with ovarian cancer. <i>Oncotarget</i> , 2017, 8, 66620-66628.	0.8	12
32	Serum proteomics identify potential biomarkers for nasopharyngeal carcinoma sensitivity to radiotherapy. <i>Bioscience Reports</i> , 2019, 39, .	1.1	11
33	Utility of Serum EB Virus Zta Antibody in the Diagnostic of Nasopharyngeal Carcinoma: Evidences From 2,126 Cases and 15,644 Controls. <i>Frontiers in Oncology</i> , 2019, 9, 1391.	1.3	11
34	Association between Tumor Necrosis Factor- $\beta$ 308G/A Gene Polymorphism and Silicosis Susceptibility: A Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e76614.	1.1	11
35	Comprehensive analysis of clinical utility of three-dimensional ultrasound for benign and malignant breast masses. <i>Cancer Management and Research</i> , 2018, Volume 10, 3295-3303.	0.9	10
36	Impact of paranasal sinus invasion on advanced nasopharyngeal carcinoma treated with intensity-modulated radiation therapy: the validity of advanced T stage of AJCC/UICC eighth edition staging system. <i>Cancer Medicine</i> , 2018, 7, 2826-2836.	1.3	9

#	ARTICLE	IF	CITATIONS
37	Clinical utility of microRNA-451 as diagnostic biomarker for human cancers. <i>Bioscience Reports</i> , 2019, 39, .	1.1	9
38	Identification of pyroptosis-related gene prognostic signature in head and neck squamous cell carcinoma. <i>Cancer Medicine</i> , 2022, 11, 5129-5144.	1.3	9
39	Clinical utility of contrast-enhanced ultrasonography in the diagnosis of benign and malignant small renal masses among Asian population. <i>Cancer Medicine</i> , 2019, 8, 7532-7541.	1.3	8
40	Relationship between Serum Bilirubin and Left Ventricular Hypertrophy in Patients with Essential Hypertension. <i>PLoS ONE</i> , 2015, 10, e0125275.	1.1	8
41	Pan-cancer analyses of pyroptosis with functional implications for prognosis and immunotherapy in cancer. <i>Journal of Translational Medicine</i> , 2022, 20, 109.	1.8	8
42	Clinical utility of arterial spin labeling for preoperative grading of glioma. <i>Bioscience Reports</i> , 2018, 38, .	1.1	7
43	Plasma microRNA-720 may predict prognosis and diagnosis in glioma patients. <i>Bioscience Reports</i> , 2020, 40, .	1.1	7
44	The association between COX-2 gene rs5275 polymorphism and Nasopharyngeal carcinoma risk. <i>Pathology Research and Practice</i> , 2018, 214, 1579-1582.	1.0	6
45	Functional implications of aging-related lncRNAs for predicting prognosis and immune status in glioma patients. <i>Aging</i> , 2022, 14, 2348-2366.	1.4	6
46	CRISPR/Cas9 genome-wide screening identifies LUC7L2 that promotes radioresistance via autophagy in nasopharyngeal carcinoma cells. <i>Cell Death Discovery</i> , 2021, 7, 392.	2.0	6
47	Prognostic value of magnetic resonance imaging features in low-grade gliomas. <i>Bioscience Reports</i> , 2019, 39, .	1.1	5
48	Clinical Utility of Red Blood Cell Distribution Width for the Diagnosis and Prognosis of Cervical Cancer. <i>International Journal of General Medicine</i> , 2022, Volume 15, 2597-2606.	0.8	5
49	Gemcitabine and cisplatin regimen facilitates prognosis of advanced nasopharyngeal carcinoma. <i>Cancer Medicine</i> , 2018, 7, 2985-2992.	1.3	4
50	Preoperative Neutrophil/Lymphocyte Ratio Is an Independent Prognostic Biomarker in Patients with Low-Grade Gliomas. <i>World Neurosurgery</i> , 2019, 132, e585-e590.	0.7	4
51	Association between Gene Polymorphisms of Seven Newly Identified Loci and Type 2 Diabetes and the Correlate Quantitative Traits in Chinese Dong Populations. <i>Iranian Journal of Public Health</i> , 2014, 43, 1345-55.	0.3	4
52	CircTMTTC1 contributes to nasopharyngeal carcinoma progression through targeting miR-495-MET-eIF4G1 translational regulation axis. <i>Cell Death and Disease</i> , 2022, 13, 250.	2.7	4
53	Association Between the Tumor Necrosis Factor- $\beta$ -308G/A Gene Polymorphism and HIV-1 Susceptibility: A Meta-Analysis. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 859-865.	0.5	3
54	Association between CYP3A5 genotypes with hypertension in Chinese Han population: A case-control study. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 235-240.	0.5	3

#	ARTICLE	IF	CITATIONS
55	Association Between the Interleukin-10-1082G/A, $\hat{\sim}$ 592C/A, $\hat{\sim}$ 819C/T Gene Polymorphism and HIV-1 Susceptibility: A Meta-Analysis. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 61-67.	0.5	3
56	<p>Quantitative Tyrosine Phosphoproteomic Analysis of Resistance to Radiotherapy in Nasopharyngeal Carcinoma Cells</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 12667-12678.	0.9	3
57	Study on the Appropriate Timing of Postoperative Adaptive Radiotherapy for High-Grade Glioma. <i>Cancer Management and Research</i> , 2021, Volume 13, 3561-3572.	0.9	3
58	Influence of CDK5 Regulatory Subunit-Associated Protein 1-Like 1 Expression on the Survival of Patients with Non-Metastatic Nasopharyngeal Carcinoma. <i>Cancer Management and Research</i> , 2021, Volume 13, 4821-4828.	0.9	3
59	Abnormal bowel movement frequency increases the risk of rectal cancer: evidence from cohort studies with one million people. <i>Bioscience Reports</i> , 2020, 40, .	1.1	3
60	Silencing GOLGA8B inhibits cell invasion and metastasis by suppressing STAT3 signaling pathway in lung squamous cell carcinoma. <i>Clinical Science</i> , 2022, 136, 895-909.	1.8	3
61	Paranasal Sinus Invasion Should Be Classified as T4 Disease in Advanced Nasopharyngeal Carcinoma Patients Receiving Radiotherapy. <i>Frontiers in Oncology</i> , 2020, 10, 01465.	1.3	2
62	Integrative analysis reveals the functional implications and clinical relevance of pyroptosis in low-grade glioma. <i>Scientific Reports</i> , 2022, 12, 4527.	1.6	2
63	Clinical utility of serum fucosylated fraction of alpha-fetoprotein in the diagnostic of hepatocellular carcinoma: a comprehensive analysis with large sample size. <i>Aging</i> , 2022, 14, 2645-2664.	1.4	2
64	Comprehensive analysis of histone deacetylases genes in the prognosis and immune infiltration of glioma patients. <i>Aging</i> , 2022, 14, 4050-4068.	1.4	2
65	Association between transforming growth factor- $\hat{1}$ 21 gene-509C/T polymorphism and susceptibility of IgA nephropathy: a meta-analysis. <i>Renal Failure</i> , 2014, 36, 1473-1480.	0.8	1
66	Association of HIF1- $\hat{1}$ gene polymorphisms with advanced non-small cell lung cancer prognosis in patients receiving radiation therapy. <i>Aging</i> , 2021, 13, 6849-6865.	1.4	1
67	Diagnostic accuracy of high b-value diffusion weighted imaging for patients with prostate cancer: a diagnostic comprehensive analysis. <i>Aging</i> , 2021, 13, 16404-16424.	1.4	1