

Zhanzhan Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2039121/publications.pdf>

Version: 2024-02-01

67
papers

1,517
citations

516215

16
h-index

360668

35
g-index

72
all docs

72
docs citations

72
times ranked

2544
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular Subtypes and Prognostic Signature of Pyroptosis-Related lncRNAs in Glioma Patients. <i>Frontiers in Oncology</i> , 2022, 12, 779168.	1.3	18
2	Clinical Utility of Red Blood Cell Distribution Width for the Diagnosis and Prognosis of Cervical Cancer. <i>International Journal of General Medicine</i> , 2022, Volume 15, 2597-2606.	0.8	5
3	Integrative analysis reveals the functional implications and clinical relevance of pyroptosis in low-grade glioma. <i>Scientific Reports</i> , 2022, 12, 4527.	1.6	2
4	Functional implications of aging-related lncRNAs for predicting prognosis and immune status in glioma patients. <i>Aging</i> , 2022, 14, 2348-2366.	1.4	6
5	Pan-cancer analyses of pyroptosis with functional implications for prognosis and immunotherapy in cancer. <i>Journal of Translational Medicine</i> , 2022, 20, 109.	1.8	8
6	CircTMC1 contributes to nasopharyngeal carcinoma progression through targeting miR-495-MET-eIF4G1 translational regulation axis. <i>Cell Death and Disease</i> , 2022, 13, 250.	2.7	4
7	Clinical utility of serum fucosylated fraction of alpha-fetoprotein in the diagnostic of hepatocellular carcinoma: a comprehensive analysis with large sample size. <i>Aging</i> , 2022, 14, 2645-2664.	1.4	2
8	Comprehensive analysis of histone deacetylases genes in the prognosis and immune infiltration of glioma patients. <i>Aging</i> , 2022, 14, 4050-4068.	1.4	2
9	Identification of pyroptosis-related gene prognostic signature in head and neck squamous cell carcinoma. <i>Cancer Medicine</i> , 2022, 11, 5129-5144.	1.3	9
10	Silencing GOLGA8B inhibits cell invasion and metastasis by suppressing STAT3 signaling pathway in lung squamous cell carcinoma. <i>Clinical Science</i> , 2022, 136, 895-909.	1.8	3
11	Association of HIF1- β gene polymorphisms with advanced non-small cell lung cancer prognosis in patients receiving radiation therapy. <i>Aging</i> , 2021, 13, 6849-6865.	1.4	1
12	Study on the Appropriate Timing of Postoperative Adaptive Radiotherapy for High-Grade Glioma. <i>Cancer Management and Research</i> , 2021, Volume 13, 3561-3572.	0.9	3
13	Influence of CDK5 Regulatory Subunit-Associated Protein 1-Like 1 Expression on the Survival of Patients with Non-Metastatic Nasopharyngeal Carcinoma. <i>Cancer Management and Research</i> , 2021, Volume 13, 4821-4828.	0.9	3
14	Diagnostic accuracy of high b-value diffusion weighted imaging for patients with prostate cancer: a diagnostic comprehensive analysis. <i>Aging</i> , 2021, 13, 16404-16424.	1.4	1
15	Development and Validation of an Autophagy-Related lncRNA Prognostic Signature in Head and Neck Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 743611.	1.3	16
16	Comprehensive Analysis of Pyroptosis-Associated in Molecular Classification, Immunity and Prognostic of Glioma. <i>Frontiers in Genetics</i> , 2021, 12, 781538.	1.1	18
17	CRISPR/Cas9 genome-wide screening identifies LUC7L2 that promotes radioresistance via autophagy in nasopharyngeal carcinoma cells. <i>Cell Death Discovery</i> , 2021, 7, 392.	2.0	6
18	Paranasal Sinus Invasion Should Be Classified as T4 Disease in Advanced Nasopharyngeal Carcinoma Patients Receiving Radiotherapy. <i>Frontiers in Oncology</i> , 2020, 10, 01465.	1.3	2

#	ARTICLE	IF	CITATIONS
19	<p>Quantitative Tyrosine Phosphoproteomic Analysis of Resistance to Radiotherapy in Nasopharyngeal Carcinoma Cells</p>. Cancer Management and Research, 2020, Volume 12, 12667-12678.	0.9	3
20	Plasma microRNA-720 may predict prognosis and diagnosis in glioma patients. Bioscience Reports, 2020, 40, .	1.1	7
21	Abnormal bowel movement frequency increases the risk of rectal cancer: evidence from cohort studies with one million people. Bioscience Reports, 2020, 40, .	1.1	3
22	Assessment on clinical value of prostate health index in the diagnosis of prostate cancer. Cancer Medicine, 2019, 8, 5089-5096.	1.3	14
23	Clinical utility of contrast-enhanced ultrasonography in the diagnosis of benign and malignant small renal masses among Asian population. Cancer Medicine, 2019, 8, 7532-7541.	1.3	8
24	Preoperative Neutrophil/Lymphocyte Ratio Is an Independent Prognostic Biomarker in Patients with Low-Grade Gliomas. World Neurosurgery, 2019, 132, e585-e590.	0.7	4
25	Percutaneous endoscopic transforaminal discectomy precedes interlaminar discectomy in the efficacy and safety for lumbar disc herniation. Bioscience Reports, 2019, 39, .	1.1	16
26	Prognostic value of magnetic resonance imaging features in low-grade gliomas. Bioscience Reports, 2019, 39, .	1.1	5
27	Serum proteomics identify potential biomarkers for nasopharyngeal carcinoma sensitivity to radiotherapy. Bioscience Reports, 2019, 39, .	1.1	11
28	<p>Growth and differentiation factor 15 regulates PD-L1 expression in glioblastoma</p>. Cancer Management and Research, 2019, Volume 11, 2653-2661.	0.9	20
29	Utility of Serum EB Virus Zta Antibody in the Diagnostic of Nasopharyngeal Carcinoma: Evidences From 2,126 Cases and 15,644 Controls. Frontiers in Oncology, 2019, 9, 1391.	1.3	11
30	Positron emission tomography/computed tomography outperforms MRI in the diagnosis of local recurrence and residue of nasopharyngeal carcinoma: An update evidence from 44 studies. Cancer Medicine, 2019, 8, 67-79.	1.3	16
31	Clinical utility of microRNA-451 as diagnostic biomarker for human cancers. Bioscience Reports, 2019, 39, .	1.1	9
32	Clinical value of a plasma Epstein-Barr virus DNA assay in the diagnosis of recurrent or metastatic nasopharyngeal carcinoma: a meta-analysis. Bioscience Reports, 2019, 39, .	1.1	14
33	Impact of paranasal sinus invasion on advanced nasopharyngeal carcinoma treated with intensity-modulated radiation therapy: the validity of advanced T stage of <sc>AJCC</sc>/<sc>UICC</sc> eighth edition staging system. Cancer Medicine, 2018, 7, 2826-2836.	1.3	9
34	Quantitative Proteomic Analysis Identifies MAPK15 as a Potential Regulator of Radioresistance in Nasopharyngeal Carcinoma Cells. Frontiers in Oncology, 2018, 8, 548.	1.3	23
35	MAP2K6 is associated with radiation resistance and adverse prognosis for locally advanced nasopharyngeal carcinoma patients. Cancer Management and Research, 2018, Volume 10, 6905-6912.	0.9	16
36	Comprehensive analysis of clinical utility of three-dimensional ultrasound for benign and malignant breast masses. Cancer Management and Research, 2018, Volume 10, 3295-3303.	0.9	10

#	ARTICLE	IF	CITATIONS
37	Quantitative proteome analysis identifies MAP2K6 as potential regulator of LIFR-induced radioresistance in nasopharyngeal carcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 505, 274-281.	1.0	17
38	Gemcitabine and cisplatin regimen facilitates prognosis of advanced nasopharyngeal carcinoma. <i>Cancer Medicine</i> , 2018, 7, 2985-2992.	1.3	4
39	Clinical utility of arterial spin labeling for preoperative grading of glioma. <i>Bioscience Reports</i> , 2018, 38, .	1.1	7
40	The association between COX-2 gene rs5275 polymorphism and Nasopharyngeal carcinoma risk. <i>Pathology Research and Practice</i> , 2018, 214, 1579-1582.	1.0	6
41	Prevalence of depression or depressive symptoms among people living with HIV/AIDS in China: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2018, 18, 160.	1.1	74
42	Clinical utility of decarboxylation prothrombin combined with Î±-fetoprotein for diagnosing primary hepatocellular carcinoma. <i>Bioscience Reports</i> , 2018, 38, .	1.1	22
43	Prevalence of attention deficit/hyperactivity disorder among children and adolescents in China: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , 2017, 17, 32.	1.1	122
44	Association between CYP3A5 genotypes with hypertension in Chinese Han population: A case-control study. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 235-240.	0.5	3
45	Red blood cell distribution width and carotid intima-media thickness in patients with metabolic syndrome. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 44.	0.7	16
46	High expression of Ki-67 acts a poor prognosis indicator in locally advanced nasopharyngeal carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2017, 494, 390-396.	1.0	22
47	Association Between the Interleukin-10-1082G/A, -592C/A, -819C/T Gene Polymorphism and HIV-1 Susceptibility: A Meta-Analysis. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 61-67.	0.5	3
48	Nimotuzumab combined with concurrent chemoradiotherapy benefits patients with advanced nasopharyngeal carcinoma. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 5445-5458.	1.0	19
49	Prevalence of intimate partner violence (IPV) during pregnancy in China: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017, 12, e0175108.	1.1	41
50	Mean cerebral blood volume is an effective diagnostic index of recurrent and radiation injury in glioma patients: A meta-analysis of diagnostic test. <i>Oncotarget</i> , 2017, 8, 15642-15650.	0.8	15
51	Comprehensive analysis on diagnostic value of circulating miRNAs for patients with ovarian cancer. <i>Oncotarget</i> , 2017, 8, 66620-66628.	0.8	12
52	Diagnostic ability of intraoperative ultrasound for identifying tumor residual in glioma surgery operation. <i>Oncotarget</i> , 2017, 8, 73105-73114.	0.8	17
53	Growth hormone replacement therapy reduces risk of cancer in adult with growth hormone deficiency: A meta-analysis. <i>Oncotarget</i> , 2016, 7, 81862-81869.	0.8	25
54	Anemia increases the mortality risk in patients with stroke: A meta-analysis of cohort studies. <i>Scientific Reports</i> , 2016, 6, 26636.	1.6	60

#	ARTICLE	IF	CITATIONS
55	Prevalence of osteoporosis in China: a meta-analysis and systematic review. <i>BMC Public Health</i> , 2016, 16, 1039.	1.2	222
56	Prevalence of Depression in Patients With Hypertension. <i>Medicine (United States)</i> , 2015, 94, e1317.	0.4	202
57	Prevalence and Correlates of Psychological Symptoms in Chinese Doctors as Measured with the SCL-90-R: A Meta-Analysis. <i>Research in Nursing and Health</i> , 2015, 38, 369-383.	0.8	21
58	Association Between the Tumor Necrosis Factor- β -308G/A Gene Polymorphism and HIV-1 Susceptibility: A Meta-Analysis. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 859-865.	0.5	3
59	Comparison of ultrasound-guided modified Seldinger technique versus blind puncture for peripherally inserted central catheter: a meta-analysis of randomized controlled trials. <i>Critical Care</i> , 2015, 19, 64.	2.5	12
60	Red Cell Distribution Width and Inappropriateness of Left Ventricular Mass in Patients with Untreated Essential Hypertension. <i>PLoS ONE</i> , 2015, 10, e0120300.	1.1	12
61	Relationship between Serum Bilirubin and Left Ventricular Hypertrophy in Patients with Essential Hypertension. <i>PLoS ONE</i> , 2015, 10, e0125275.	1.1	8
62	Early versus Delayed Antiretroviral Therapy for HIV and Tuberculosis Co-Infected Patients: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>PLoS ONE</i> , 2015, 10, e0127645.	1.1	18
63	Prevalence of Hypertension in Rural Areas of China: A Meta-Analysis of Published Studies. <i>PLoS ONE</i> , 2014, 9, e115462.	1.1	23
64	Association between transforming growth factor- β 1 gene-509C/T polymorphism and susceptibility of IgA nephropathy: a meta-analysis. <i>Renal Failure</i> , 2014, 36, 1473-1480.	0.8	1
65	Prevalence of nonalcoholic fatty liver disease in mainland of China: A meta-analysis of published studies. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014, 29, 42-51.	1.4	182
66	Association between Gene Polymorphisms of Seven Newly Identified Loci and Type 2 Diabetes and the Correlate Quantitative Traits in Chinese Dong Populations. <i>Iranian Journal of Public Health</i> , 2014, 43, 1345-55.	0.3	4
67	Association between Tumor Necrosis Factor- β 308G/A Gene Polymorphism and Silicosis Susceptibility: A Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e76614.	1.1	11