

# CÃ©cile Thibon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2040410/publications.pdf>

Version: 2024-02-01

30  
papers

1,158  
citations

394421

19  
h-index

454955

30  
g-index

30  
all docs

30  
docs citations

30  
times ranked

935  
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of curettage on Esca-diseased &lt;i>Vitis vinifera&lt;/i> L. cv. Sauvignon blanc plants on the quality of musts and wines. <i>Oeno One</i> , 2021, 55, 171-182.	1.4	3
2	Impact of Closure OTR on the Volatile Compound Composition and Oxidation Aroma Intensity of Sauvignon Blanc Wines during and after 10 Years of Bottle Storage. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 9883-9894.	5.2	5
3	Non-Saccharomyces yeasts as bioprotection in the composition of red wine and in the reduction of sulfur dioxide. <i>LWT - Food Science and Technology</i> , 2021, 149, 111781.	5.2	28
4	Yeast and Filamentous Fungi Microbial Communities in Organic Red Grape Juice: Effect of Vintage, Maturity Stage, SO <sub>2</sub> , and Bioprotection. <i>Frontiers in Microbiology</i> , 2021, 12, 748416.	3.5	12
5	Aromatic Potential of Bordeaux Grape Cultivars: Identification and Assays on 4-Oxononanoic Acid, a Î³-Nonalactone Precursor. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 13344-13352.	5.2	8
6	Sensory characterisation of Bordeaux red wines produced without added sulfites. <i>Oeno One</i> , 2020, 54, 733-743.	1.4	19
7	Relationship between wine composition and temperature: Impact on Bordeaux wine typicity in the context of global warming&quot;Review. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 14-30.	10.3	91
8	The effects of a moderate grape temperature increase on berry secondary metabolites. <i>Oeno One</i> , 2019, 53, .	1.4	20
9	Nebulized water cooling of the canopy affects leaf temperature, berry composition and wine quality of Sauvignon blanc. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 1267-1275.	3.5	8
10	1,8-Cineole in French Red Wines: Evidence for a Contribution Related to Its Various Origins. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 383-393.	5.2	35
11	What is the expected impact of climate change on wine aroma compounds and their precursors in grape?. <i>Oeno One</i> , 2017, 51, 141.	1.4	8
12	What is the expected impact of climate change on wine aroma compounds and their precursors in grape?. <i>Oeno One</i> , 2017, 51, 141-146.	1.4	69
13	Enhanced 3-Sulfanylhexan-1-ol Production in Sequential Mixed Fermentation with <i>Torulaspora delbrueckii</i> /Saccharomyces cerevisiae Reveals a Situation of Synergistic Interaction between Two Industrial Strains. <i>Frontiers in Microbiology</i> , 2016, 7, 293.	3.5	75
14	Vine nitrogen status and volatile thiols and their precursors from plot to transcriptome level. <i>BMC Plant Biology</i> , 2016, 16, 173.	3.6	26
15	Identification of S-3-(hexanal)-glutathione and its bisulfite adduct in grape juice from <i>Vitis vinifera</i> L. cv. Sauvignon blanc as new potential precursors of 3SH. <i>Food Chemistry</i> , 2016, 199, 711-719.	8.2	33
16	Involvement of Dimethyl Sulfide and Several Polyfunctional Thiols in the Aromatic Expression of the Aging Bouquet of Red Bordeaux Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8879-8889.	5.2	30
17	Vine Nitrogen Status Does Not Have a Direct Impact on 2-Methoxy-3-isobutylpyrazine in Grape Berries and Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 9789-9802.	5.2	18
18	Comparison of electron and chemical ionization modes for the quantification of thiols and oxidative compounds in white wines by gas chromatography&quot;tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1415, 123-133.	3.7	19

#	ARTICLE	IF	CITATIONS
19	Effect of vine nitrogen status, grapevine variety and rootstock on the levels of berry S-glutathionylated and S-cysteinylated precursors of 3-sulfanylhexas-1-ol. <i>Oeno One</i> , 2015, 49, 253.	1.4	7
20	Enhancement of volatile thiol release of <i>Saccharomyces cerevisiae</i> strains using molecular breeding. <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 5893-5905.	3.6	42
21	The influence of packaging on wine conservation. <i>Food Control</i> , 2012, 23, 302-311.	5.5	60
22	3-Sulfanylhexas-1-ol Precursor Biogenesis in Grapevine Cells: The Stimulating Effect of <i>Botrytis cinerea</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 1344-1351.	5.2	50
23	The grape must non- <i>Saccharomyces</i> microbial community: Impact on volatile thiol release. <i>International Journal of Food Microbiology</i> , 2011, 151, 210-215.	4.7	130
24	Aromatic potential of botrytized white wine grapes: Identification and quantification of new cysteine-S-conjugate flavor precursors. <i>Analytica Chimica Acta</i> , 2010, 660, 190-196.	5.4	32
25	Elucidation of the 1,3-Sulfanylhexas-1-ol Oxidation Mechanism: An Unusual Identification of the Disulfide of 3-Sulfanylhexas-1-ol in Sauternes Botrytized Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10606-10613.	5.2	34
26	Impact of noble rot on the aroma precursor of 3-sulfanylhexas-1-ol content in <i>Vitis vinifera</i> L. cv Sauvignon blanc and Semillon grape juice. <i>Food Chemistry</i> , 2009, 114, 1359-1364.	8.2	64
27	Identification and Characteristics of New Volatile Thiols Derived from the Hop ( <i>Humulus lupulifera</i> L.) cv Tettnang. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 10784-10791.	5.2	85
28	Surprising Structural Lability of a Cysteine-S-Conjugate Precursor of 4-Methyl-4-sulfanylpentane-2-one, a Varietal Aroma in Wine of <i>Vitis vinifera</i> L. cv. Sauvignon Blanc. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 793-810.	2.1	17
29	Analysis of the diastereoisomers of the cysteinylated aroma precursor of 3-sulfanylhexas-1-ol in <i>Vitis vinifera</i> grape must by gas chromatography coupled with ion trap tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2008, 1183, 150-157.	3.7	41
30	Nitrogen catabolic repression controls the release of volatile thiols by <i>Saccharomyces cerevisiae</i> during wine fermentation. <i>FEMS Yeast Research</i> , 2008, 8, 1076-1086.	2.3	89