

Hideo Hosono

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2040971/publications.pdf>

Version: 2024-02-01

1,240
papers

88,712
citations

553
126
h-index

601
260
g-index

1325
all docs

1325
docs citations

1325
times ranked

35413
citing authors

#	ARTICLE	IF	CITATIONS
1	Iron-Based Layered Superconductor La[O _{1-x} F _x]FeAs (<i>x</i> = 0.05~0.12) with <i>T_c</i> = 26 K. <i>Journal of the American Chemical Society</i> , 2008, 130, 3296-3297.	6.6	7,243
2	Room-temperature fabrication of transparent flexible thin-film transistors using amorphous oxide semiconductors. <i>Nature</i> , 2004, 432, 488-492.	13.7	6,503
3	P-type electrical conduction in transparent thin films of CuAlO ₂ . <i>Nature</i> , 1997, 389, 939-942.	13.7	1,896
4	Thin-Film Transistor Fabricated in Single-Crystalline Transparent Oxide Semiconductor. <i>Science</i> , 2003, 300, 1269-1272.	6.0	1,709
5	Present status of amorphous In-Ga-Zn-O thin-film transistors. <i>Science and Technology of Advanced Materials</i> , 2010, 11, 044305.	2.8	1,559
6	Iron-Based Layered Superconductor: LaOFeP. <i>Journal of the American Chemical Society</i> , 2006, 128, 10012-10013.	6.6	1,207
7	Superconductivity at 43 K in an iron-based layered compound LaO _{1-x} F _x FeAs. <i>Nature</i> , 2008, 453, 376-378.	13.7	1,139
8	Ammonia synthesis using a stable electride as an electron donor and reversible hydrogen store. <i>Nature Chemistry</i> , 2012, 4, 934-940.	6.6	1,085
9	High-mobility thin-film transistor with amorphous InGaZnO ₄ channel fabricated by room temperature rf-magnetron sputtering. <i>Applied Physics Letters</i> , 2006, 89, 112123.	1.5	1,048
10	Giant thermoelectric Seebeck coefficient of a two-dimensional electron gas in SrTiO ₃ . <i>Nature Materials</i> , 2007, 6, 129-134.	13.3	910
11	Material characteristics and applications of transparent amorphous oxide semiconductors. <i>NPG Asia Materials</i> , 2010, 2, 15-22.	3.8	852
12	Deep-ultraviolet transparent conductive $\text{In}_2\text{Ga}_2\text{O}_5$ thin films. <i>Applied Physics Letters</i> , 2000, 77, 4166-4168.	1.5	829
13	Ionic amorphous oxide semiconductors: Material design, carrier transport, and device application. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 851-858.	1.5	811
14	Transparent Conducting Oxides for Photovoltaics. <i>MRS Bulletin</i> , 2007, 32, 242-247.	1.7	788
15	High-Density Electron Anions in a Nanoporous Single Crystal: [Ca ₂₄ Al ₂₈ O ₆₄] ⁴⁺ (4e ⁻). <i>Science</i> , 2003, 301, 626-629.	6.0	744
16	To What Extent Iron-Pnictide New Superconductors Have Been Clarified: A Progress Report. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 062001.	0.7	682
17	Amorphous Oxide Semiconductors for High-Performance Flexible Thin-Film Transistors. <i>Japanese Journal of Applied Physics</i> , 2006, 45, 4303-4308.	0.8	659
18	p -channel thin-film transistor using p-type oxide semiconductor, SnO. <i>Applied Physics Letters</i> , 2008, 93, .	1.5	577

#	ARTICLE	IF	CITATIONS
19	Recent progress in transparent oxide semiconductors: Materials and device application. <i>Thin Solid Films</i> , 2007, 515, 6000-6014.	0.8	567
20	Synthesis and control of conductivity of ultraviolet transmitting β -Ga ₂ O ₃ single crystals. <i>Applied Physics Letters</i> , 1997, 70, 3561-3563.	1.5	539
21	Current injection emission from a transparent p-n junction composed of p-SrCu ₂ O ₂ /n-ZnO. <i>Applied Physics Letters</i> , 2000, 77, 475-477.	1.5	539
22	Transparent p-n-Type Conducting Oxides: Design and Fabrication of p-n Heterojunctions. <i>MRS Bulletin</i> , 2000, 25, 28-36.	1.7	530
23	Electride support boosts nitrogen dissociation over ruthenium catalyst and shifts the bottleneck in ammonia synthesis. <i>Nature Communications</i> , 2015, 6, 6731.	5.8	529
24	Lead-Free Highly Efficient Blue-Emitting Cs ₃ Cu ₂ I ₅ with 0D Electronic Structure. <i>Advanced Materials</i> , 2018, 30, e1804547.	11.1	477
25	Origins of High Mobility and Low Operation Voltage of Amorphous Oxide TFTs: Electronic Structure, Electron Transport, Defects and Doping. <i>Journal of Display Technology</i> , 2009, 5, 273-288.	1.3	464
26	Light-induced conversion of an insulating refractory oxide into a persistent electronic conductor. <i>Nature</i> , 2002, 419, 462-465.	13.7	431
27	Carrier transport and electronic structure in amorphous oxide semiconductor, a-InGaZnO ₄ . <i>Thin Solid Films</i> , 2005, 486, 38-41.	0.8	423
28	Electronic structure and optoelectronic properties of transparent p-type conducting CuAlO ₂ . <i>Journal of Applied Physics</i> , 2000, 88, 4159.	1.1	413
29	Epitaxial growth of transparent p-type conducting CuGaO ₂ thin films on sapphire (001) substrates by pulsed laser deposition. <i>Journal of Applied Physics</i> , 2001, 89, 1790.	1.1	390
30	Dicalcium nitride as a two-dimensional electride with an anionic electron layer. <i>Nature</i> , 2013, 494, 336-340.	13.7	386
31	SrCu ₂ O ₂ : A p-type conductive oxide with wide band gap. <i>Applied Physics Letters</i> , 1998, 73, 220-222.	1.5	378
32	Highly Efficient Blue-Emitting Bi-Doped Cs ₂ SnCl ₆ Perovskite Variant: Photoluminescence Induced by Impurity Doping. <i>Advanced Functional Materials</i> , 2018, 28, 1801131.	7.8	358
33	Bipolarity in electrical conduction of transparent oxide semiconductor CulnO ₂ with delafossite structure. <i>Applied Physics Letters</i> , 2001, 78, 1583-1585.	1.5	332
34	Fabrication and photoresponse of a pn-heterojunction diode composed of transparent oxide semiconductors, p-NiO and n-ZnO. <i>Applied Physics Letters</i> , 2003, 83, 1029-1031.	1.5	329
35	Iron-based superconductors: Current status of materials and pairing mechanism. <i>Physica C: Superconductivity and Its Applications</i> , 2015, 514, 399-422.	0.6	326
36	Nature and origin of the 5-eV band in SiO ₂ :GeO ₂ glasses. <i>Physical Review B</i> , 1992, 46, 11445-11451.	1.1	325

#	ARTICLE	IF	CITATIONS
37	Large thermoelectric performance of heavily Nb-doped SrTiO ₃ epitaxial film at high temperature. <i>Applied Physics Letters</i> , 2005, 87, 092108.	1.5	324
38	Origins of threshold voltage shifts in room-temperature deposited and annealed a-In-Ga-Zn-O thin-film transistors. <i>Applied Physics Letters</i> , 2009, 95, .	1.5	324
39	Anisotropy of electrical and optical properties in $\hat{\gamma}$ -Ga ₂ O ₃ single crystals. <i>Applied Physics Letters</i> , 1997, 71, 933-935.	1.5	323
40	Photocatalytic TiO ₂ thin film deposited onto glass by DC magnetron sputtering. <i>Thin Solid Films</i> , 2001, 392, 338-344.	0.8	318
41	Modeling of amorphous InGaZnO ₄ thin film transistors and their subgap density of states. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	318
42	Transparent oxide optoelectronics. <i>Materials Today</i> , 2004, 7, 42-51.	8.3	310
43	Recent advances in iron-based superconductors toward applications. <i>Materials Today</i> , 2018, 21, 278-302.	8.3	310
44	Vacancy-enabled N ₂ activation for ammonia synthesis on an Ni-loaded catalyst. <i>Nature</i> , 2020, 583, 391-395.	13.7	309
45	Transparent p-type semiconductor: LaCuOS layered oxysulfide. <i>Applied Physics Letters</i> , 2000, 77, 2701-2703.	1.5	307
46	A novel phosphor for glareless white light-emitting diodes. <i>Nature Communications</i> , 2012, 3, 1132.	5.8	306
47	Evolution from Itinerant Antiferromagnet to Unconventional Superconductor with Fluorine Doping in LaFeAs(O _{1-x} F _x) Revealed by ⁷⁵ As and ¹³⁹ La Nuclear Magnetic Resonance. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 073701.	0.7	303
48	Subgap states in transparent amorphous oxide semiconductor, In-Ga-Zn-O, observed by bulk sensitive x-ray photoelectron spectroscopy. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	298
49	Trap densities in amorphous-InGaZnO ₄ thin-film transistors. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	290
50	Defect passivation and homogenization of amorphous oxide thin-film transistor by wet O ₂ annealing. <i>Applied Physics Letters</i> , 2008, 93, .	1.5	276
51	Local coordination structure and electronic structure of the large electron mobility amorphous oxide semiconductor In-Ga-Zn-O: Experiment and ab initio calculations. <i>Physical Review B</i> , 2007, 75, .	1.1	275
52	Origins of High Mobility and Low Operation Voltage of Amorphous Oxide TFTs: Electronic Structure, Electron Transport, Defects and Doping*. <i>Journal of Display Technology</i> , 2009, 5, 468-483.	1.3	272
53	Nickel-Based Oxyphosphide Superconductor with a Layered Crystal Structure, LaNiOP. <i>Inorganic Chemistry</i> , 2007, 46, 7719-7721.	1.9	268
54	Two types of oxygen-deficient centers in synthetic silica glass. <i>Physical Review B</i> , 1988, 38, 12772-12775.	1.1	263

#	ARTICLE	IF	CITATIONS
55	Preparation of highly conductive, deep ultraviolet transparent $\text{In}_2\text{Ga}_2\text{O}_5$ thin film at low deposition temperatures. <i>Thin Solid Films</i> , 2002, 411, 134-139.	0.8	261
56	Highly electrically conductive indium-tin oxide thin films epitaxially grown on yttria-stabilized zirconia (100) by pulsed-laser deposition. <i>Applied Physics Letters</i> , 2000, 76, 2740-2742.	1.5	259
57	Crystal Structures, Optoelectronic Properties, and Electronic Structures of Layered Oxychalcogenides $\text{M}_{x}\text{CuO}_{y}\text{Ch}_{z}$ (M = Bi, La; Ch = S, Se, Te): Effects of Electronic Configurations of M^{3+} Ions. <i>Chemistry of Materials</i> , 2008, 20, 326-334.	3.2	258
58	Carrier transport in transparent oxide semiconductor with intrinsic structural randomness probed using single-crystalline $\text{InGaO}_3(\text{ZnO})_5$ films. <i>Applied Physics Letters</i> , 2004, 85, 1993-1995.	1.5	247
59	Advantageous grain boundaries in iron pnictide superconductors. <i>Nature Communications</i> , 2011, 2, 409.	5.8	246
60	Novel oxide amorphous semiconductors: transparent conducting amorphous oxides. <i>Journal of Non-Crystalline Solids</i> , 1996, 203, 334-344.	1.5	238
61	Ambipolar Oxide Thin-Film Transistor. <i>Advanced Materials</i> , 2011, 23, 3431-3434.	11.1	236
62	Crystallographic phase transition and high- T_c superconductivity in LaFeAsO:F . <i>Superconductor Science and Technology</i> , 2008, 21, 125028.	1.8	230
63	Microporous Crystal $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ Encaging Abundant O- Radicals. <i>Journal of the American Chemical Society</i> , 2002, 124, 738-739.	6.6	225
64	Epitaxial growth of high mobility Cu_2O thin films and application to p-channel thin film transistor. <i>Applied Physics Letters</i> , 2008, 93, .	1.5	222
65	Ternary intermetallic LaCoSi as a catalyst for N ₂ activation. <i>Nature Catalysis</i> , 2018, 1, 178-185.	16.1	221
66	Combinatorial approach to thin-film transistors using multicomponent semiconductor channels: An application to amorphous oxide semiconductors in $\text{In}-\text{Ga}-\text{Zn}-\text{O}$ system. <i>Applied Physics Letters</i> , 2007, 90, 242114.	1.5	219
67	Electronic Structures Above Mobility Edges in Crystalline and Amorphous In-Ga-Zn-O: Percolation Conduction Examined by Analytical Model. <i>Journal of Display Technology</i> , 2009, 5, 462-467.	1.3	219
68	Water Durable Electride Y_{5}Si_3 : Electronic Structure and Catalytic Activity for Ammonia Synthesis. <i>Journal of the American Chemical Society</i> , 2016, 138, 3970-3973.	6.6	217
69	Electronic structure of oxygen deficient amorphous oxide semiconductor InGaZnO_{4-x} : Optical analyses and first-principle calculations. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2008, 5, 3098-3100.	0.8	214
70	Tin monoxide as an orbital-based p-type oxide semiconductor: Electronic structures and TFT application. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2187-2191.	0.8	213
71	Work Function of a Room-Temperature, Stable Electride $[\text{Ca}_{24}\text{Al}_{28}\text{O}_{64}]^{4+}(\text{e}^{-})_{4-}$. <i>Advanced Materials</i> , 2007, 19, 3564-3569.	11.1	209
72	Metallic State in a Lime-Alumina Compound with Nanoporous Structure. <i>Nano Letters</i> , 2007, 7, 1138-1143.	4.5	208

#	ARTICLE	IF	CITATIONS
73	Discovery of earth-abundant nitride semiconductors by computational screening and high-pressure synthesis. <i>Nature Communications</i> , 2016, 7, 11962.	5.8	208
74	Electronic structure of the amorphous oxide semiconductor $\text{In}_{x}\text{Ga}_{1-x}\text{ZnO}_4$: Lorentz optical model and origins of subgap states. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 860-867.	0.8	207
75	UV-detector based on pn-heterojunction diode composed of transparent oxide semiconductors, p-NiO/n-ZnO. <i>Thin Solid Films</i> , 2003, 445, 317-321.	0.8	206
76	Effects of excess oxygen on operation characteristics of amorphous In-Ga-Zn-O thin-film transistors. <i>Applied Physics Letters</i> , 2011, 99, .	1.5	203
77	Band-gap widening of CdO thin films. <i>Journal of Applied Physics</i> , 1998, 84, 6174-6177.	1.1	202
78	Superconductivity in an Inorganic Electride $12\text{CaO}\cdot7\text{Al}_2\text{O}_3\cdot\text{e}$. <i>Journal of the American Chemical Society</i> , 2007, 129, 7270-7271.	6.6	199
79	Working hypothesis to explore novel wide band gap electrically conducting amorphous oxides and examples. <i>Journal of Non-Crystalline Solids</i> , 1996, 198-200, 165-169.	1.5	198
80	Two-dome structure in electron-doped iron arsenide superconductors. <i>Nature Communications</i> , 2012, 3, 943.	5.8	198
81	Superconductivity Induced by Co-Doping in Quaternary Fluoroarsenide CaFeAsF . <i>Journal of the American Chemical Society</i> , 2008, 130, 14428-14429.	6.6	197
82	Essential role of hydride ion in ruthenium-based ammonia synthesis catalysts. <i>Chemical Science</i> , 2016, 7, 4036-4043.	3.7	195
83	Fabrication of transparent n heterojunction thin film diodes based entirely on oxide semiconductors. <i>Applied Physics Letters</i> , 1999, 75, 2851-2853.	1.5	194
84	Natural van der Waals heterostructural single crystals with both magnetic and topological properties. <i>Science Advances</i> , 2019, 5, eaax9989.	4.7	193
85	Electron Localization and a Confined Electron Gas in Nanoporous Inorganic Electrides. <i>Physical Review Letters</i> , 2003, 91, 126401.	2.9	192
86	Specific contact resistances between amorphous oxide semiconductor $\text{In}_{x}\text{Ga}_{1-x}\text{ZnO}_4$ and metallic electrodes. <i>Thin Solid Films</i> , 2008, 516, 5899-5902.	0.8	191
87	Effects of Diffusion of Hydrogen and Oxygen on Electrical Properties of Amorphous Oxide Semiconductor, In-Ga-Zn-O. <i>ECS Journal of Solid State Science and Technology</i> , 2013, 2, P5-P8.	0.9	191
88	Intrinsic defects in a photovoltaic perovskite variant $\text{Cs}_{2}\text{SnI}_6$. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 18900-18903.	1.3	191
89	Sputtering formation of p-type SnO thin-film transistors on glass toward oxide complimentary circuits. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	189
90	Exploration of new superconductors and functional materials, and fabrication of superconducting tapes and wires of iron pnictides. <i>Science and Technology of Advanced Materials</i> , 2015, 16, 033503.	2.8	188

#	ARTICLE	IF	CITATIONS
91	Amorphous IGZO TFT with High Mobility of $\sim 470 \text{ cm}^2/\text{V s}$ via Vertical Dimension Control Using PEALD. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 40300-40309.	4.0	188
92	Single-Crystalline Films of the Homologous Series $\text{InGaO}_3(\text{ZnO})_m$ Grown by Reactive Solid-Phase Epitaxy. <i>Advanced Functional Materials</i> , 2003, 13, 139-144.	7.8	179
93	Electronic Defects in Amorphous Oxide Semiconductors: A Review. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800372.	0.8	179
94	Field Emission of Electron Anions Clathrated in Subnanometer-Sized Cages in $[\text{Ca}_{24}\text{Al}_{28}\text{O}_{64}]^{4+}(4\text{e}^-)$. <i>Advanced Materials</i> , 2004, 16, 685-689.	11.1	175
95	Growth, structure and carrier transport properties of Ga_2O_3 epitaxial film examined for transparent field-effect transistor. <i>Thin Solid Films</i> , 2006, 496, 37-41.	0.8	173
96	Ru-Loaded $\text{C}_{12}\text{A}_{7-\epsilon}$ Electride as a Catalyst for Ammonia Synthesis. <i>ACS Catalysis</i> , 2017, 7, 2313-2324.	5.5	173
97	Amorphous $\text{In}_{x}\text{Ga}_{1-x}\text{Zn}_y\text{O}$ coplanar homojunction thin-film transistor. <i>Applied Physics Letters</i> , 2009, 94, 133502.	1.5	168
98	Two-photon processes in defect formation by excimer lasers in synthetic silica glass. <i>Applied Physics Letters</i> , 1988, 53, 1891-1893.	1.5	167
99	Fabrication and characterization of ultraviolet-emitting diodes composed of transparent p-n heterojunction, p- SrCu_2O_2 and n- ZnO . <i>Journal of Applied Physics</i> , 2001, 89, 5720-5725.	1.1	166
100	Degenerate p-type conductivity in wide-gap $\text{LaCuOS}_{1-x}\text{Sex}$ ($x=0-1$) epitaxial films. <i>Applied Physics Letters</i> , 2003, 82, 1048-1050.	1.5	166
101	Amorphous oxide channel TFTs. <i>Thin Solid Films</i> , 2008, 516, 1516-1522.	0.8	166
102	Occurrence of superoxide radical ion in crystalline calcium aluminate $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ prepared via solid-state reactions. <i>Inorganic Chemistry</i> , 1987, 26, 1192-1195.	1.9	164
103	Frontier of transparent conductive oxide thin films. <i>Vacuum</i> , 2002, 66, 419-425.	1.6	164
104	Superconductivity under High Pressure in LaFeAsO . <i>Journal of the Physical Society of Japan</i> , 2008, 77, 113712.	0.7	163
105	Factors controlling electron transport properties in transparent amorphous oxide semiconductors. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 2796-2800.	1.5	162
106	Discovery of hexagonal ternary phase Ti_2InB_2 and its evolution to layered boride TiB . <i>Nature Communications</i> , 2019, 10, 2284.	5.8	159
107	Formation and Characterization of Hydrogen Boride Sheets Derived from MgB_2 by Cation Exchange. <i>Journal of the American Chemical Society</i> , 2017, 139, 13761-13769.	6.6	157
108	Highly stable amorphous In-Ga-Zn-O thin-film transistors produced by eliminating deep subgap defects. <i>Applied Physics Letters</i> , 2011, 99, .	1.5	156

#	ARTICLE	IF	CITATIONS
109	A p-Type Amorphous Oxide Semiconductor and Room Temperature Fabrication of Amorphous Oxide $\text{p}-\text{n}$ Heterojunction Diodes. <i>Advanced Materials</i> , 2003, 15, 1409-1413.	11.1	154
110	A Possible Ground State and Its Electronic Structure of a Mother Material (LaOFeAs) of New Superconductors. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 053709.	0.7	152
111	Depth analysis of subgap electronic states in amorphous oxide semiconductor, a-In-Ga-Zn-O, studied by hard x-ray photoelectron spectroscopy. <i>Journal of Applied Physics</i> , 2011, 109, 073726.	1.1	151
112	Activation and splitting of carbon dioxide on the surface of an inorganic electrode material. <i>Nature Communications</i> , 2013, 4, 2378.	5.8	151
113	Two-Dimensional Transition-Metal Electride Y_{2}C . <i>Chemistry of Materials</i> , 2014, 26, 6638-6643.	3.2	151
114	Subgap states, doping and defect formation energies in amorphous oxide semiconductor $\text{a}-\text{InGaZnO}_4$ studied by density functional theory. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 1698-1703.	0.8	149
115	Photochemical reactions in $\text{GeO}_2\text{-SiO}_2$ glasses induced by ultraviolet irradiation: Comparison between Hg lamp and excimer laser. <i>Physical Review B</i> , 1995, 52, 1661-1665.	1.1	148
116	Bipolar Conduction in SnO Thin Films. <i>Electrochemical and Solid-State Letters</i> , 2011, 14, H13.	2.2	148
117	Ammonia decomposition by ruthenium nanoparticles loaded on inorganic electrode $\text{C}_{12}\text{A}_{7}:\text{e}^{-}$. <i>Chemical Science</i> , 2013, 4, 3124.	3.7	148
118	Chemical Design and Thin Film Preparation of p-Type Conductive Transparent Oxides. , 2000, 4, 407-414.		144
119	Self-organized Ruthenium-Barium Core-Shell Nanoparticles on a Mesoporous Calcium Amide Matrix for Efficient Low-Temperature Ammonia Synthesis. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2648-2652.	7.2	144
120	Physical Disorder and Optical Properties in the Vacuum Ultraviolet Region of Amorphous SiO_2 . <i>Physical Review Letters</i> , 2001, 87, 175501.	2.9	141
121	Mechano-catalytic overall water splitting. <i>Chemical Communications</i> , 1998, , 2185-2186.	2.2	139
122	Origin of definite Hall voltage and positive slope in mobility-donor density relation in disordered oxide semiconductors. <i>Applied Physics Letters</i> , 2010, 96, .	1.5	139
123	Experimental evidence for the Si-Si bond model of the 7.6-eV band in SiO_2 glass. <i>Physical Review B</i> , 1991, 44, 12043-12045.	1.1	138
124	Itinerant ferromagnetism in the layered crystals LaCoO_3 . xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> $\langle \text{mml:mrow} \rangle \langle \text{mml:mtext} \rangle \text{LaCoO}_3 \langle / \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle X \langle / \text{mml:mi} \rangle \langle \text{mml:mspace} width="0.3em" \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle X \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mtext} \rangle P \langle / \text{mml:mtext} \rangle \langle \text{mml:mo} \rangle$	1.1	138
125	Physical Review B, 2008, 77, . Field-induced current modulation in epitaxial film of deep-ultraviolet transparent oxide semiconductor Ga_2O_3 . <i>Applied Physics Letters</i> , 2006, 88, 092106.	1.5	137
126	Fabrication of all oxide transparent $\text{p}-\text{n}$ homojunction using bipolar CuInO_2 semiconducting oxide with delafossite structure. <i>Solid State Communications</i> , 2001, 121, 15-17.	0.9	134

#	ARTICLE	IF	CITATIONS
127	Room-temperature excitons in wide-gap layered-oxy sulfide semiconductor: LaCuOS. <i>Applied Physics Letters</i> , 2001, 78, 2333-2335.	1.5	133
128	Ligand-Hole in [SnI ₆] Unit and Origin of Band Gap in Photovoltaic Perovskite Variant Cs ₂ SnI ₆ . <i>Bulletin of the Chemical Society of Japan</i> , 2015, 88, 1250-1255.	2.0	130
129	Frontier of transparent oxide semiconductors. <i>Solid-State Electronics</i> , 2003, 47, 2261-2267.	0.8	129
130	Efficient and Stable Ammonia Synthesis by Self-Organized Flat Ru Nanoparticles on Calcium Amide. <i>ACS Catalysis</i> , 2016, 6, 7577-7584.	5.5	129
131	Solvated Electrons in High-Temperature Melts and Glasses of the Room-Temperature Stable Electride [Ca ₂₄ Al ₂₈ O ₆₄] ⁴⁺ ...4e ⁻ . <i>Science</i> , 2011, 6.0 333, 71-74.	127	
132	Contribution of Nitrogen Vacancies to Ammonia Synthesis over Metal Nitride Catalysts. <i>Journal of the American Chemical Society</i> , 2020, 142, 14374-14383.	6.6	126
133	Advances in Materials and Applications of Inorganic Electrides. <i>Chemical Reviews</i> , 2021, 121, 3121-3185.	23.0	125
134	Crystal structure of metastable β -CeZrO ₄ phase possessing an ordered arrangement of Ce and Zr ions. <i>Journal of Alloys and Compounds</i> , 2000, 312, 94-103.	2.8	124
135	Circuits using uniform TFTs based on amorphous In-Ga-Zn-O. <i>Journal of the Society for Information Display</i> , 2007, 15, 915-921.	0.8	121
136	Hydrogen anion and subgap states in amorphous In-Ga-Zn-O thin films for TFT applications. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	121
137	Fabrication and characterization of heteroepitaxial p-n junction diode composed of wide-gap oxide semiconductors p-ZnRh ₂ O ₄ /n-ZnO. <i>Applied Physics Letters</i> , 2003, 82, 823-825.	1.5	119
138	Nickel-based phosphide superconductor with infinite-layer structure, BaNi ₂ P ₂ . <i>Solid State Communications</i> , 2008, 147, 111-113.	0.9	118
139	Surface morphology and crystal quality of low resistive indium tin oxide grown on yttria-stabilized zirconia. <i>Journal of Applied Physics</i> , 2002, 91, 3547-3550.	1.1	116
140	From Insulator to Electride: A Theoretical Model of Nanoporous Oxide 12CaO·7Al ₂ O ₃ . <i>Journal of the American Chemical Society</i> , 2007, 129, 942-951.	6.6	115
141	Bipartite magnetic parent phases in the iron oxypnictide superconductor. <i>Nature Physics</i> , 2014, 10, 300-303.	6.5	115
142	Mobility-stability trade-off in oxide thin-film transistors. <i>Nature Electronics</i> , 2021, 4, 800-807.	13.1	115
143	Fabrication of surface relief gratings on transparent dielectric materials by two-beam holographic method using infrared femtosecond laser pulses. <i>Applied Physics B: Lasers and Optics</i> , 2000, 71, 119-121.	1.1	114
144	Electronic structure of the transparent p-type semiconductor (LaO)CuS. <i>Physical Review B</i> , 2001, 64, .	1.1	114

#	ARTICLE	IF	CITATIONS
145	Experimental Evidence for Frenkel Defect Formation in Amorphous SiO ₂ by Electronic Excitation. Physical Review Letters, 1998, 80, 317-320.	2.9	113
146	Decomposition of water by a CaTiO ₃ photocatalyst under UV light irradiation. Materials Research Bulletin, 2002, 37, 2401-2406.	2.7	112
147	Hydrogen passivation of electron trap in amorphous In-Ga-Zn-O thin-film transistors. Applied Physics Letters, 2013, 103, .	1.5	112
148	Transparent amorphous oxide semiconductors for organic electronics: Application to inverted OLEDs. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 233-238.	3.3	111
149	Fast Thin-Film Transistor Circuits Based on Amorphous Oxide Semiconductor. IEEE Electron Device Letters, 2007, 28, 273-275.	2.2	110
150	Biaxially textured cobalt-doped BaFe ₂ As ₂ films with high critical current density over 1 MA/cm ² on MgO-buffered metal-tape flexible substrates. Applied Physics Letters, 2011, 98, 242510.	1.5	110
151	Synthesis of a Room Temperature Stable 12CaO·7Al ₂ O ₃ Electride from the Melt and Its Application as an Electron Field Emitter. Chemistry of Materials, 2006, 18, 1938-1944.	3.2	109
152	Hydrogen in layered iron arsenides: Indirect electron doping to induce superconductivity. Physical Review B, 2011, 84, .	1.1	109
153	A Solution-Processed Ultrafast Optical Switch Based on a Nanostructured Epsilon-Near-Zero Medium. Advanced Materials, 2017, 29, 1700754.	11.1	109
154	Hydride ions in oxide hosts hidden by hydroxide ions. Nature Communications, 2014, 5, 3515.	5.8	108
155	Protonic conduction in oxide glasses: simple relations between electrical conductivity, activation energy, and the o-h bonding state. Physical Review B, 1988, 38, 10166-10169.	1.1	107
156	High-Throughput ab Initio Screening for Two-Dimensional Electride Materials. Inorganic Chemistry, 2014, 53, 10347-10358.	1.9	107
157	Low-Temperature Synthesis of Perovskite Oxynitride-Hydrides as Ammonia Synthesis Catalysts. Journal of the American Chemical Society, 2019, 141, 20344-20353.	6.6	106
158	Heteroepitaxial growth of a wide-gap p-type semiconductor, LaCuOS. Applied Physics Letters, 2002, 81, 598-600.	1.5	105
159	ZnRh ₂ O ₄ : A p-type semiconducting oxide with a valence band composed of a low spin state of Rh ³⁺ in a 4d ₆ configuration. Applied Physics Letters, 2002, 80, 1207-1209.	1.5	105
160	Long lasting phosphorescence and photostimulated luminescence in Tb-ion-activated reduced calcium aluminate glasses. Journal of Applied Physics, 1999, 86, 3729-3733.	1.1	104
161	Pseudoisotropic Upper Critical Field in Cobalt-Doped $\text{SrFe}_{2-x}\text{As}_{104}$ Films. Physical Review Letters, 2009, 102, 117004.	2.9	104
162	Intermetallic Electride Catalyst as a Platform for Ammonia Synthesis. Angewandte Chemie - International Edition, 2019, 58, 825-829.	7.2	104

#	ARTICLE	IF	CITATIONS
163	Superconductivity in Epitaxial Thin Films of Co-Doped SrFe ₂ As ₂ with Bilayered FeAs Structures and their Magnetic Anisotropy. <i>Applied Physics Express</i> , 2008, 1, 101702.	1.1	103
164	Bandgap Optimization of Perovskite Semiconductors for Photovoltaic Applications. <i>Chemistry - A European Journal</i> , 2018, 24, 2305-2316.	1.7	103
165	Solid solution for catalytic ammonia synthesis from nitrogen and hydrogen gases at 50°C. <i>Nature Communications</i> , 2020, 11, 2001.	5.8	103
166	Band gap engineering, band edge emission, and p-type conductivity in wide-gap LaCuOS _{1-x} Sex oxychalcogenides. <i>Journal of Applied Physics</i> , 2002, 91, 4768-4770.	1.1	102
167	Superconducting Gap and Pseudogap in Iron-Based Layered Superconductor La(O _{1-x} F _x)FeAs. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 063708.	0.7	102
168	Spin Ordering in LaFeAsO and Its Suppression in Superconductor LaFeAsO _{0.89} F _{0.11} Probed by Mössbauer Spectroscopy. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 103706.	0.7	101
169	Nickel-based layered superconductor, LaNiOAs. <i>Journal of Solid State Chemistry</i> , 2008, 181, 2117-2120.	1.4	99
170	Femtosecond-laser-encoded distributed-feedback color center laser in lithium fluoride single crystals. <i>Applied Physics Letters</i> , 2004, 84, 311-313.	1.5	97
171	Single-atomic-layered quantum wells built in wide-gap semiconductorsLnCuOCh(Ln=lanthanide,Ch=chalcogen). <i>Physical Review B</i> , 2004, 69, .	1.1	97
172	Holographic encoding of fine-pitched micrograting structures in amorphous SiO ₂ thin films on silicon by a single femtosecond laser pulse. <i>Applied Physics Letters</i> , 2001, 78, 1038-1040.	1.5	96
173	Optical and electrical properties of amorphous zinc tin oxide thin films examined for thin film transistor application. <i>Journal of Vacuum Science & Technology B</i> , 2008, 26, 495-501.	1.3	96
174	Dependence of defects induced by excimer laser on intrinsic structural defects in synthetic silica glasses. <i>Physical Review B</i> , 1991, 44, 4812-4818.	1.1	94
175	Mechano-catalysis—a novel method for overall water splitting. <i>Physical Chemistry Chemical Physics</i> , 1999, 1, 4485-4491.	1.3	94
176	Electrical and Optical Properties and Electronic Structures of LnCuOS (Ln = La ^{1/4} Nd). <i>Chemistry of Materials</i> , 2003, 15, 3692-3695.	3.2	94
177	Stable single platinum atoms trapped in sub-nanometer cavities in 12CaO·7Al ₂ O ₃ for chemoselective hydrogenation of nitroarenes. <i>Nature Communications</i> , 2020, 11, 1020.	5.8	94
178	Electric field-induced superconducting transition of insulating FeSe thin film at 35 K. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 3986-3990.	3.3	93
179	Vacuum ultraviolet optical absorption band of non-bridging oxygen hole centers in SiO ₂ glass. <i>Solid State Communications</i> , 2002, 122, 117-120.	0.9	92
180	Photofield-effect in amorphous In-Ga-Zn-O (a-IGZO) thin-film transistors. <i>Journal of Information Display</i> , 2008, 9, 21-29.	2.1	92

#	ARTICLE	IF	CITATIONS
181	How we made the IGZO transistor. <i>Nature Electronics</i> , 2018, 1, 428-428.	13.1	92
182	A high performance catalyst of shape-specific ruthenium nanoparticles for production of primary amines by reductive amination of carbonyl compounds. <i>Chemical Science</i> , 2018, 9, 5949-5956.	3.7	92
183	Thermodynamics and Kinetics of Hydroxide Ion Formation in 12CaO·7Al2O3. <i>Journal of Physical Chemistry B</i> , 2005, 109, 11900-11906.	1.2	91
184	Heavy hole doping of epitaxial thin films of a wide gap p-type semiconductor, LaCuOSe, and analysis of the effective mass. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	91
185	Heteroepitaxial growth and optoelectronic properties of layered iron oxyarsenide, LaFeAsO. <i>Applied Physics Letters</i> , 2008, 93, 162504.	1.5	91
186	Three-dimensionally stacked flexible integrated circuit: Amorphous oxide/polymer hybrid complementary inverter using n-type a-In-Ga-Zn-O and p-type poly-(9,9-dioctylfluorene-co-bithiophene) thin-film transistors. <i>Applied Physics Letters</i> , 2010, 96, .	1.5	91
187	Generation of electron carriers in insulating thin film of MgIn2O4spinel by Li+implantation. <i>Journal of Applied Physics</i> , 1994, 76, 7935-7941.	1.1	90
188	Structural relaxation in amorphous oxide semiconductor, a-In-Ga-Zn-O. <i>Journal of Applied Physics</i> , 2012, 111, .	1.1	90
189	Highly Dispersed Ru on Electride [Ca ₂₄ Al ₂₈ O ₆₄] ⁴⁺ (e ⁺) ₄ as a Catalyst for Ammonia Synthesis. <i>ACS Catalysis</i> , 2014, 4, 674-680.	5.5	90
190	Copper-Based Intermetallic Electride Catalyst for Chemoselective Hydrogenation Reactions. <i>Journal of the American Chemical Society</i> , 2017, 139, 17089-17097.	6.6	90
191	Diffusion-Limited a-IGZO/Pt Schottky Junction Fabricated at 200 °C on a Flexible Substrate. <i>IEEE Electron Device Letters</i> , 2011, 32, 1695-1697.	2.2	89
192	Conversion of an ultra-wide bandgap amorphous oxide insulator to a semiconductor. <i>NPG Asia Materials</i> , 2017, 9, e359-e359.	3.8	89
193	Computational Prediction of Boron-Based MAX Phases and MXene Derivatives. <i>Chemistry of Materials</i> , 2020, 32, 6947-6957.	3.2	89
194	Effects of fluorine dimer excimer laser radiation on the optical transmission and defect formation of various types of synthetic SiO ₂ glasses. <i>Applied Physics Letters</i> , 1999, 74, 2755-2757.	1.5	88
195	A germanate transparent conductive oxide. <i>Nature Communications</i> , 2011, 2, 470.	5.8	88
196	Performance boosting strategy for perovskite light-emitting diodes. <i>Applied Physics Reviews</i> , 2019, 6, 031402.	5.5	88
197	Wide-gap layered oxycalcogenide semiconductors: Materials, electronic structures and optoelectronic properties. <i>Thin Solid Films</i> , 2006, 496, 8-15.	0.8	86
198	Tiered Electron Anions in Multiple Voids of LaScSi and Their Applications to Ammonia Synthesis. <i>Advanced Materials</i> , 2017, 29, 1700924.	11.1	85

#	ARTICLE	IF	CITATIONS
199	Electron field emission from TiO ₂ nanotube arrays synthesized by hydrothermal reaction. <i>Applied Physics Letters</i> , 2006, 89, 043114.	1.5	84
200	Room Temperature-Stable Electride as a Synthetic Organic Reagent: Application to Pinacol Coupling Reaction in Aqueous Media. <i>Organic Letters</i> , 2007, 9, 4287-4289.	2.4	84
201	Electronic Structure and Electron Correlation in LaFeAsO _{1-x} F _x and LaFePO _{1-x} F _x . <i>Journal of the Physical Society of Japan</i> , 2008, 77, 093714.	0.7	84
202	Device characteristics improvement of a-InGaZnO TFTs by low-temperature annealing. <i>Thin Solid Films</i> , 2010, 518, 3017-3021.	0.8	84
203	Exploration for Two-Dimensional Electrides via Database Screening and Ab Initio Calculation. <i>Physical Review X</i> , 2014, 4, .	2.8	84
204	Exploration of Stable Strontium Phosphide-Based Electrides: Theoretical Structure Prediction and Experimental Validation. <i>Journal of the American Chemical Society</i> , 2017, 139, 15668-15680.	6.6	84
205	Absolute emission current density of O ⁻ from 12CaO ₇ Al ₂ O ₃ crystal. <i>Applied Physics Letters</i> , 2002, 80, 4259-4261.	1.5	83
206	Maximum Incorporation of Oxygen Radicals, O ⁻ and O ₂ ⁻ , into 12CaO ₇ Al ₂ O ₃ with a Nanoporous Structure. <i>Chemistry of Materials</i> , 2003, 15, 1851-1854.	3.2	83
207	High Critical Current Density 4 MA/cm ² in Co-Doped BaFe ₂ As ₂ Epitaxial Films Grown on (La,Sr)(Al,Ta)O ₃ Substrates without Buffer Layers. <i>Applied Physics Express</i> , 2010, 3, 063101.	1.1	83
208	Structural chemistry of superconducting pnictides and pnictide oxides with layered structures. <i>Zeitschrift fÃ¼r Kristallographie</i> , 2011, 226, .	1.1	83
209	Unusually Large Enhancement of Thermopower in an Electric Field Induced Two-Dimensional Electron Gas. <i>Advanced Materials</i> , 2012, 24, 740-744.	11.1	83
210	Origin of the Red Color of Satsuma Copper-Ruby Glass as Determined by EXAFS and Optical Absorption Spectroscopy. <i>Journal of the American Ceramic Society</i> , 1999, 82, 689-695.	1.9	82
211	(Invited) Roles of Hydrogen in Amorphous Oxide Semiconductor. <i>ECS Transactions</i> , 2013, 54, 103-113.	0.3	82
212	Extraordinary Strong Band-Edge Absorption in Distorted Chalcogenide Perovskites. <i>Solar Rrl</i> , 2020, 4, 1900555.	3.1	82
213	Intense thermal field electron emission from room-temperature stable electride. <i>Applied Physics Letters</i> , 2005, 87, 254103.	1.5	81
214	Simple Criterion on Colloid Formation in SiO ₂ Glasses by Ion Implantation. <i>Japanese Journal of Applied Physics</i> , 1993, 32, 3892-3894.	0.8	80
215	Chirped-pulse amplification of ultraviolet femtosecond pulses by use of Ce ³⁺ :LiCaAlF ₆ as a broadband, solid-state gain medium. <i>Optics Letters</i> , 2001, 26, 301.	1.7	80
216	ESR and optical absorption of Cu ²⁺ in Na ₂ O-SiO ₂ glasses. <i>Journal of Non-Crystalline Solids</i> , 1979, 33, 103-115.	1.5	79

#	ARTICLE	IF	CITATIONS
217	Electronic structure and transport properties in the transparent amorphous oxide semiconductor $2\text{CdO}\cdots\text{GeO}_2$. <i>Physical Review B</i> , 2002, 66, .	1.1	79
218	Crystal growth of $\text{Ca}_{12}\text{Al}_{14}\text{O}_{33}$ by the floating zone method. <i>Journal of Crystal Growth</i> , 2002, 237-239, 801-805.	0.7	79
219	Intrinsic excitonic photoluminescence and band-gap engineering of wide-gap-type oxychalcogenide epitaxial films of LnCuOCh ($\text{Ln}=\text{La, Pr, and Nd}$; $\text{Ch}=\text{S or Se}$) semiconductor alloys. <i>Journal of Applied Physics</i> , 2003, 94, 5805-5808.	1.1	79
220	Electronic and magnetic phase diagram of superconductors, $\text{SmFeAsO}_{1-x}\text{F}_x$. <i>New Journal of Physics</i> , 2010, 12, 033005.	1.2	79
221	Mixed Valence Tin Oxides as Novel van der Waals Materials: Theoretical Predictions and Potential Applications. <i>Advanced Energy Materials</i> , 2016, 6, 1501190.	10.2	79
222	Stability and high-frequency operation of amorphous In-Ga-Zn-O thin-film transistors with various passivation layers. <i>Thin Solid Films</i> , 2012, 520, 3778-3782.	0.8	78
223	Preparation of transparent p-type $(\text{La}_{1-x}\text{Sr}_x\text{O})\text{CuS}$ thin films by r.f. sputtering technique. <i>Thin Solid Films</i> , 2002, 411, 125-128.	0.8	77
224	Partial oxidation of methane to syngas over promoted C ₁₂ A ₇ . <i>Applied Catalysis A: General</i> , 2004, 277, 239-246.	2.2	77
225	Synthesis and properties of $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ electride: review of single crystal and thin film growth. <i>Philosophical Magazine</i> , 2012, 92, 2596-2628.	0.7	77
226	Mechanism Switching of Ammonia Synthesis Over Ru-Loaded Electride Catalyst at Metal-Insulator Transition. <i>Journal of the American Chemical Society</i> , 2015, 137, 14517-14524.	6.6	77
227	Layered Halide Double Perovskites $\text{Cs}_3\text{M}_2\text{Sb}_2\text{X}_9$ ($\text{M}=\text{Sn, Tl}$)	0.784	74
228	Generation of E ⁺ centers and oxygen hole centers in synthetic silica glasses by β^3 irradiation. <i>Physical Review B</i> , 1993, 48, 3116-3123.	1.1	76
229	Electronic Structure of Oxygen Dangling Bond in Glassy SiO ₂ : The Role of Hyperconjugation. <i>Physical Review Letters</i> , 2003, 90, 186404.	2.9	76
230	Field-induced water electrolysis switches an oxide semiconductor from an insulator to a metal. <i>Nature Communications</i> , 2010, 1, 118.	5.8	76
231	Superconductivity and phase instability of NH ₃ -free Na-intercalated FeSe _{1-z} S _z . <i>Nature Communications</i> , 2014, 5, 4756.	5.8	76
232	Ultraviolet-radiation-induced chemical reactions through one-and two-photon absorption processes in GeO ₂ -SiO ₂ glasses. <i>Optics Letters</i> , 1995, 20, 1184.	1.7	75
233	Cross-sectional TEM observation of copper-implanted SiO ₂ glass. <i>Journal of Non-Crystalline Solids</i> , 1992, 143, 157-161.	1.5	74
234	Formation and decay of nonbridging oxygen hole centers in SiO ₂ glasses induced by F2 laser irradiation: In situ observation using a pump and probe technique. <i>Applied Physics Letters</i> , 2001, 79, 1757-1759.	1.5	74

#	ARTICLE	IF	CITATIONS
235	Electron Confinement in Channel Spaces for One-Dimensional Electride. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4966-4971.	2.1	74
236	n-type electrical conduction in transparent thin films of delafossite-type AgInO ₂ . <i>Applied Physics Letters</i> , 1998, 72, 1036-1038.	1.5	73
237	One-step solution synthesis of white-light-emitting films via dimensionality control of the Cs-Cu-I system. <i>APL Materials</i> , 2019, 7, .	2.2	73
238	A Highly Efficient and Stable Blue-Emitting Cs ₅ Cu ₃ Cl ₆ I ₂ with a 1D Chain Structure. <i>Advanced Materials</i> , 2020, 32, e2002945.	11.1	73
239	Superconducting glass-ceramic rods in BiCaSrCu ₂ O _x prepared by crystallization under a temperature gradient. <i>Applied Physics Letters</i> , 1988, 53, 1341-1342.	1.5	72
240	Colloid formation effects on depth profile of implanted Ag in SiO ₂ glass. <i>Applied Physics Letters</i> , 1993, 63, 2050-2052.	1.5	72
241	Probing interface properties of nanocomposites by third-order nonlinear optics. <i>Applied Physics A: Materials Science and Processing</i> , 1996, 62, 403-415.	1.1	72
242	Fabrication of Highly Conductive 12CaO·7Al ₂ O ₃ Thin Films Encaging Hydride Ions by Proton Implantation. <i>Advanced Materials</i> , 2003, 15, 1100-1103.	11.1	72
243	Electronic Structures and Device Applications of Transparent Oxide Semiconductors: What Is the Real Merit of Oxide Semiconductors?. <i>International Journal of Applied Ceramic Technology</i> , 2005, 2, 285-294.	1.1	72
244	First-principles study of native point defects in crystalline indium gallium zinc oxide. <i>Journal of Applied Physics</i> , 2009, 105, .	1.1	72
245	Periodic nanostructure array in crossed holographic gratings on silica glass by two interfered infrared-femtosecond laser pulses. <i>Applied Physics Letters</i> , 2001, 79, 1228-1230.	1.5	71
246	Simple and Efficient Fabrication of Room Temperature Stable Electride: Melt-Solidification and Glass Ceramics. <i>Journal of the American Chemical Society</i> , 2005, 127, 1370-1371.	6.6	71
247	Strong Localization of Anionic Electrons at Interlayer for Electrical and Magnetic Anisotropy in Two-Dimensional Y ₂ C Electride. <i>Journal of the American Chemical Society</i> , 2017, 139, 615-618.	6.6	71
248	Preparation and electrical properties of Bi ₂ S ₃ whiskers. <i>Journal of Applied Physics</i> , 1995, 78, 1376-1378.	1.1	70
249	Electromagnetic properties and electronic structure of the iron-based layered superconductor LaFePO. <i>Physical Review B</i> , 2008, 77, .	1.1	70
250	Intermetallic Electride Catalyst as a Platform for Ammonia Synthesis. <i>Angewandte Chemie</i> , 2018, 131, 835.	1.6	70
251	Characteristic fast H ⁺ ion conduction in oxygen-substituted lanthanum hydride. <i>Nature Communications</i> , 2019, 10, 2578.	5.8	70
252	Water-induced superconductivity in SrFe ₂ As ₂ . <i>Physical Review B</i> , 2009, 80, .	1.1	69

#	ARTICLE	IF	CITATIONS
253	Pressure-Induced Superconductivity in Iron Pnictide Compound $\text{SrFe}_{2\langle\text{sub}\rangle 2\langle/\text{sub}\rangle}\text{As}_{2\langle\text{sub}\rangle 2\langle/\text{sub}\rangle}$. Journal of the Physical Society of Japan, 2009, 78, 025001.	0.7	69
254	Interface and bulk effects for bias-light-illumination instability in amorphous-Ga-Zn-O thin-film transistors. Journal of the Society for Information Display, 2010, 18, 789-795.	0.8	69
255	Ultra-wide bandgap amorphous oxide semiconductors for NBIS-free thin-film transistors. APL Materials, 2019, 7, .	2.2	69
256	Formation and Desorption of Oxygen Species in Nanoporous Crystal $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$. Chemistry of Materials, 2004, 16, 104-110.	3.2	68
257	Photoelectron Spectroscopic Study of $\text{C}12\text{A}7\text{:e}$ -and Alq_3 Interface: The Formation of a Low Electron-Injection Barrier. Journal of Physical Chemistry C, 2007, 111, 8403-8406.	1.5	68
258	Josephson junction in cobalt-doped BaFe_2As_2 epitaxial thin films on $(\text{La},\text{Sr})(\text{Al},\text{Ta})\text{O}_3$ bicrystal substrates. Applied Physics Letters, 2010, 96, .	1.5	68
259	Material Design of p-Type Transparent Amorphous Semiconductor, Cu-Sn . Advanced Materials, 2018, 30, e1706573.	11.1	68
260	Direct Activation of Cobalt Catalyst by $12\text{CaO}\cdot 7\text{Al}_{2\langle\text{sub}\rangle 2\langle/\text{sub}\rangle}\text{O}_{3\langle\text{sub}\rangle 3\langle/\text{sub}\rangle}$ Electride for Ammonia Synthesis. ACS Catalysis, 2019, 9, 1670-1679.	5.5	68
261	Czochralski Growth of $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ Crystals. Crystal Growth and Design, 2006, 6, 1602-1605.	1.4	67
262	Electronic structure and optical properties of SrCu_2O_2 . Journal of Applied Physics, 2002, 91, 3074-3078.	1.1	66
263	Reactive Solid-Phase Epitaxial Growth of $\text{Na}_{x}\text{CoO}_2(x \approx 0.83)$ via Lateral Diffusion of Na into a Cobalt Oxide Epitaxial Layer. Crystal Growth and Design, 2005, 5, 25-28.	1.4	66
264	High electrical conductivity of layered cobalt oxide $\text{Ca}_3\text{Co}_4\text{O}_9$ epitaxial films grown by topotactic ion-exchange method. Applied Physics Letters, 2006, 89, 032111.	1.5	66
265	Atomically-flat, chemically-stable, superconducting epitaxial thin film of iron-based superconductor, cobalt-doped. Solid State Communications, 2009, 149, 2121-2124.	0.9	66
266	Exploring Electro-active Functionality of Transparent Oxide Materials. Japanese Journal of Applied Physics, 2013, 52, 090001.	0.8	66
267	Electrical conductivity control in transparent p-type $(\text{LaO})\text{CuS}$ thin films prepared by rf sputtering. Journal of Applied Physics, 2002, 91, 9177-9181.	1.1	65
268	High-intensity atomic oxygen radical anion emission mechanism from $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ crystal surface. Surface Science, 2003, 527, 100-112.	0.8	65
269	Energy band structure of LaCuOCh ($\text{Ch} = \text{S, Se and Te}$) calculated by the full-potential linearized augmented plane-wave method. Journal of Physics Condensed Matter, 2004, 16, 5179-5186.	0.7	65
270	Electron Carrier Generation in a Refractory Oxide $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ by Heating in Reducing Atmosphere: Conversion from an Insulator to a Persistent Conductor. Journal of the American Ceramic Society, 2006, 89, 3294-3298.	1.9	65

#	ARTICLE	IF	CITATIONS
271	Cobalt-Substitution-Induced Superconductivity in a New Compound with ZrCuSiAs-Type Structure, SrFeAsF. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 113709.	0.7	65
272	Effects of post-annealing on (110) Cu ₂ O epitaxial films and origin of low mobility in Cu ₂ O thin-film transistor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2192-2197.	0.8	65
273	Hopping and optical absorption of electrons in nano-porous crystal 12CaO·7Al ₂ O ₃ . <i>Thin Solid Films</i> , 2003, 445, 161-167.	0.8	64
274	Diffusion and reactions of interstitial oxygen species in amorphous SiO ₂ : A review. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 224-232.	1.5	64
275	Structural defects in chromium-ion-implanted vitreous silica. <i>Physical Review B</i> , 1989, 40, 10543-10549.	1.1	63
276	Fabrication of room temperature-stable 12CaO·7Al ₂ O ₃ electrode: a review. <i>Journal of Materials Science: Materials in Electronics</i> , 2007, 18, 5-14.	1.1	63
277	Hydrogen Ordering and New Polymorph of Layered Perovskite Oxyhydrides: Sr ₂ V ₄ H _x . <i>Journal of the American Chemical Society</i> , 2014, 136, 7221-7224.	6.6	63
278	Porous Glass-Ceramic in the Ca _{0.5} TiO ₂ -P ₂ O ₅ System. <i>Journal of the American Ceramic Society</i> , 1989, 72, 1587-1590.	1.9	62
279	Coalescence of nanosized copper colloid particles formed in Cu-implanted SiO ₂ glass by implantation of fluorine ions: Formation of violet copper colloids. <i>Applied Physics Letters</i> , 1992, 60, 2613-2615.	1.5	62
280	Effect of Xe ²⁺ light (7.2 eV) on the infrared and vacuum ultraviolet absorption properties of hydroxyl groups in silica glass. <i>Physical Review B</i> , 1999, 59, 4066-4073.	1.1	62
281	Large Photoresponse in Amorphous In-Ga-Zn-O and Origin of Reversible and Slow Decay. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, H324.	2.2	62
282	Ferroelectricity Driven by Twisting of Silicate Tetrahedral Chains. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 8088-8092.	7.2	62
283	Correlation between Ge F ⁺ Centers and Optical Absorption Bands in f-SiO ₂ :GeO ₂ Glasses. <i>Japanese Journal of Applied Physics</i> , 1996, 35, L234-L236.	0.8	61
284	Atomic structure of [0001]-tilt grain boundaries in ZnO: A high-resolution TEM study of fiber-textured thin films. <i>Physical Review B</i> , 2004, 70, .	1.1	61
285	Nanoporous Crystal 12CaO·7Al ₂ O ₃ : A Playground for Studies of Ultraviolet Optical Absorption of Negative Ions. <i>Journal of Physical Chemistry B</i> , 2007, 111, 1946-1956.	1.2	61
286	A Metal-insulator Transition in R ₂ O ₂ Bi with an Unusual Bi ²⁺ Square Net (R = Rare Earth or Y). <i>Journal of the American Chemical Society</i> , 2011, 133, 2394-2397.	6.6	60
287	Hydride-Based Electride Material, LnH ₂ (Ln = La, Ce, or Y). <i>Inorganic Chemistry</i> , 2016, 55, 8833-8838.	1.9	60
288	Unique nanocages of 12CaO·7Al ₂ O ₃ boost heterolytic hydrogen activation and selective hydrogenation of heteroarenes over ruthenium catalyst. <i>Green Chemistry</i> , 2017, 19, 749-756.	4.6	60

#	ARTICLE	IF	CITATIONS
289	Diffusion and Reactions of Hydrogen in F ₂ -Laser-Irradiated SiO ₂ Glass. <i>Physical Review Letters</i> , 2002, 89, 135507.	2.9	59
290	Direct Synthesis of Powdery Inorganic Electride [Ca ₂₄ Al ₂₈ O ₆₄] ₄₊ (e ⁻) ₄ and Determination of Oxygen Stoichiometry. <i>Chemistry of Materials</i> , 2009, 21, 2589-2591.	3.2	59
291	n-type conversion of SnS by isovalent ion substitution: Geometrical doping as a new doping route. <i>Scientific Reports</i> , 2015, 5, 10428.	1.6	59
292	Enhanced Catalytic Ammonia Synthesis with Transformed BaO. <i>ACS Catalysis</i> , 2018, 8, 10977-10984.	5.5	59
293	Material Design of Green-Light-Emitting Semiconductors: Perovskite-Type Sulfide SrHfS ₃ . <i>Journal of the American Chemical Society</i> , 2019, 141, 5343-5349.	6.6	59
294	Porous glass-ceramics composed of a titanium phosphate crystal skeleton: A review. <i>Journal of Non-Crystalline Solids</i> , 1995, 190, 185-197.	1.5	58
295	Long luminescent glass: Tb ³⁺ -activated ZnO-B ₂ O ₃ -SiO ₂ glass. <i>Journal of Non-Crystalline Solids</i> , 1998, 241, 71-73.	1.5	58
296	Vacuum ultraviolet reflectance and electron energy loss spectra of. <i>Journal of Physics Condensed Matter</i> , 1998, 10, 3669-3677.	0.7	58
297	Holographic writing of volume-type microgratings in silica glass by a single chirped laser pulse. <i>Applied Physics Letters</i> , 2002, 81, 1137-1139.	1.5	58
298	Growth mechanism for single-crystalline thin film of InGaO ₃ (ZnO) ₅ by reactive solid-phase epitaxy. <i>Journal of Applied Physics</i> , 2004, 95, 5532-5539.	1.1	58
299	Electrical Properties and Structure of p-Type Amorphous Oxide Semiconductor _x ZnO _{1-x} Rh ₂ O ₃ . <i>Advanced Functional Materials</i> , 2005, 15, 968-974.	7.8	58
300	Elucidation of Codoping Effects on the Solubility Enhancement of Er ³⁺ in SiO ₂ Glass: Striking Difference between Al and P Codoping. <i>Journal of Physical Chemistry B</i> , 2006, 110, 7617-7620.	1.2	58
301	Mechanisms of oxygen ion diffusion in a nanoporous complex oxide 12CaO·7Al ₂ O ₃ . <i>Physical Review B</i> , 2006, 73, .	1.1	58
302	Laser-induced color centers in silica. , 2001, 4347, 155.		57
303	Optical and Carrier Transport Properties of Cospattered Zn-In-Sn-O Films and Their Applications to TFTs. <i>Journal of the Electrochemical Society</i> , 2008, 155, H390.	1.3	57
304	Amorphous In-Ga-Zn-O thin-film transistor with coplanar homojunction structure. <i>Thin Solid Films</i> , 2009, 518, 1309-1313.	0.8	57
305	Oxygen ion conduction in 12CaO·7Al ₂ O ₃ : O ²⁻ conduction mechanism and possibility of O ²⁻ fast conduction. <i>Solid State Ionics</i> , 2009, 180, 550-555.	1.3	57
306	Ferromagnetic quasi-atomic electrons in two-dimensional electride. <i>Nature Communications</i> , 2020, 11, 1526.	5.8	57

#	ARTICLE	IF	CITATIONS
307	Third-order optical nonlinearity originating from room-temperature exciton in layered compounds LaCuOS and LaCuOSe. <i>Applied Physics Letters</i> , 2004, 84, 879-881.	1.5	56
308	Hydride Ion as Photoelectron Donor in Microporous Crystal. <i>Journal of the American Chemical Society</i> , 2005, 127, 12454-12455.	6.6	56
309	Localized and Delocalized Electrons in Room-Temperature Stable Electride [Ca ₂₄ Al ₂₈ O ₆₄] ⁴⁺ (O ²⁻) ₂ _i_x_y_z_{1-x-y-z} Analysis of Optical Reflectance Spectra. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4753-4760.		
310	42.1: <i>Invited Paper</i>: Improved Amorphous In-Ga-Zn-O TFTs. <i>Digest of Technical Papers SID International Symposium</i> , 2008, 39, 621-624.	0.1	56
311	Simple Analytical Model of On Operation of Amorphous In-Ga-Zn-O Thin-Film Transistors. <i>IEEE Transactions on Electron Devices</i> , 2011, 58, 3463-3471.	1.6	56
312	Bleaching of peroxy radical in SiO ₂ glass with 5 eV light. <i>Journal of Non-Crystalline Solids</i> , 1990, 116, 289-292.	1.5	55
313	Non-vacuum and PLD growth of next generation TCO materials. <i>Thin Solid Films</i> , 2003, 445, 193-198.	0.8	55
314	Observation of carrier dynamics in CdO thin films by excitation with femtosecond laser pulse. <i>Thin Solid Films</i> , 2003, 445, 182-185.	0.8	55
315	Hydride Ion as a Two-Electron Donor in a Nanoporous Crystalline Semiconductor 12CaO·7Al ₂ O ₃ . <i>Journal of Physical Chemistry B</i> , 2005, 109, 23836-23842.	1.2	55
316	Origin of Diameter-Dependent Growth Direction of Silicon Nanowires. <i>Nano Letters</i> , 2006, 6, 1552-1555.	4.5	55
317	Intrinsic defect formation in amorphous SiO ₂ by electronic excitation: Bond dissociation versus Frenkel mechanisms. <i>Physical Review B</i> , 2008, 78, .	1.1	55
318	High-Entropy van der Waals Materials Formed from Mixed Metal Dichalcogenides, Halides, and Phosphorus Trisulfides. <i>Journal of the American Chemical Society</i> , 2021, 143, 7042-7049.	6.6	55
319	Fourier transform infrared attenuated total reflection spectra of ion-implanted silica glasses. <i>Journal of Applied Physics</i> , 1991, 69, 8079-8082.	1.1	54
320	Second-harmonic generation from electrically poled SiO ₂ glasses: effects of OH concentration, defects, and poling conditions. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1995, 12, 644.	0.9	54
321	Long lasting phosphorescence properties of Tb-activated reduced calcium aluminate glasses. <i>Journal of Physics Condensed Matter</i> , 1998, 10, 9541-9547.	0.7	54
322	Mechanism for Heteroepitaxial Growth of Transparent P-Type Semiconductor: LaCuOS by Reactive Solid-Phase Epitaxy. <i>Crystal Growth and Design</i> , 2004, 4, 301-307.	1.4	54
323	P-13: Photosensitivity of Amorphous IGZO TFTs for Active-Matrix Flat-Panel Displays. <i>Digest of Technical Papers SID International Symposium</i> , 2008, 39, 1215-1218.	0.1	54
324	Field-modulated thermopower in SrTiO ₃ -based field-effect transistors with amorphous 12CaO ₇ -Al ₂ O ₃ glass gate insulator. <i>Applied Physics Letters</i> , 2009, 95, .	1.5	54

#	ARTICLE	IF	CITATIONS
325	Visible to vacuum-UV range optical absorption of oxygen dangling bonds in amorphous SiO ₂ . xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msub><mml:mrow>/><mml:mn>2</mml:mn></mml:msub></mml:math>. Physical Review B, 2011, 84, .	1.1	54
326	Behavior of VO ₂₊ as a spectroscopic probe for characterization of glasses. Journal of Non-Crystalline Solids, 1979, 33, 125-129.	1.5	53
327	Formation of Oxygen Radicals in 12CaO·7Al ₂ O ₃ : Instability of Extraframework Oxide Ions and Uptake of Oxygen Gas. Journal of Physical Chemistry B, 2004, 108, 8920-8925.	1.2	53
328	Excitonic blue luminescence from p-LaCuOSe _x •n-InGaZn ₅ O ₈ light-emitting diode at room temperature. Applied Physics Letters, 2005, 87, 211107.	1.5	53
329	Vibrational Dynamics and Oxygen Diffusion in a Nanoporous Oxide Ion Conductor 12CaO·7Al ₂ O ₃ Studied by ¹⁸ O Labeling and Micro-Raman Spectroscopy. Journal of Physical Chemistry C, 2007, 111, 14855-14861.	1.5	53
330	Amorphous In-Ga-Zn-O Dual-Gate TFTs: Current-Voltage Characteristics and Electrical Stress Instabilities. IEEE Transactions on Electron Devices, 2012, 59, 1928-1935.	1.6	53
331	Formation Mechanism of Boron-Based Nanosheet through the Reaction of MgB ₂ with Water. Journal of Physical Chemistry C, 2017, 121, 10587-10593.	1.5	53
332	Properties and mechanism of photochromism in reduced calcium aluminate glasses. Journal of Applied Physics, 1990, 67, 2840-2847.	1.1	52
333	Organic field-effect transistors based on new TTF-based liquid crystalline materials. Synthetic Metals, 2005, 149, 219-223.	2.1	52
334	High electron doping to a wide band gap semiconductor 12CaO·7Al ₂ O ₃ thin film. Applied Physics Letters, 2007, 90, 182105.	1.5	52
335	Stripe antiferromagnetic correlations in CeFeAsO _{1-x} . xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mtext>LaFeAsO</mml:mtext></mml:mrow><mml:mrow><mml:mn>1</mml:mn><mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mi>x</mml:mi></mml:mrow></mml:msub></mml:mrow><mml:mprescripts /><mml:mi>A</mml:mi></mml:mprescripts /></mml:mrow></mml:math>	1.1	52
336	Surface of Room-Temperature-Stable Electride [Ca ₂₄ Al ₂₈ O ₆₄] ⁴⁺ (e ⁻) ₄ : Preparation and Its Characterization by Atomic-Resolution Scanning Tunneling Microscopy. ACS Nano, 2011, 5, 1907-1914.	7.3	52
337	Structural analysis and superconductivity of CeFeAsO _{1-x} . xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msub><mml:mrow>/><mml:mrow><mml:mn>1</mml:mn><mml:mo>-</mml:mo><mml:mi>x</mml:mi></mml:mrow></mml:msub><mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msub><mml:mrow><mml:mi>H</mml:mi></mml:mrow></mml:msub></mml:math>	1.1	52
338	Enhanced N ₂ Dissociation on Ru-Loaded Inorganic Electride. Journal of the American Chemical Society, 2014, 136, 2216-2219.	6.6	52
339	ESR and optical absorption of cupric ion in borate glasses. Journal of Non-Crystalline Solids, 1979, 34, 339-356.	1.5	51
340	Chemical interaction in ion-implanted amorphous SiO ₂ and application to formation and modification of nanosize colloid particles. Journal of Non-Crystalline Solids, 1995, 187, 457-472.	1.5	51
341	Transparent Organic Thin-Film Transistor with a Laterally Grown Non-Planar Phthalocyanine Channel. Advanced Materials, 2004, 16, 312-316.	11.1	51
342	Formation of inorganic electride thin films via site-selective extrusion by energetic inert gas ions. Journal of Applied Physics, 2005, 97, 023510.	1.1	51

#	ARTICLE	IF	CITATIONS
343	Interstitial oxygen molecules in amorphous SiO ₂ . III. Measurements of dissolution kinetics, diffusion coefficient, and solubility by infrared photoluminescence. <i>Journal of Applied Physics</i> , 2005, 98, 013529.	1.1	51
344	Lattice Dynamics of LaFeAsO _{1-x-y} F _x and PrFeAsO _{1-x-y} via Inelastic X-Ray Scattering and First-Principles Calculation. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 103715.	0.7	51
345	Layered Iron Pnictide Superconductors: Discovery and Current Status. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 1-8.	0.7	51
346	Intrinsic carrier mobility in amorphous In-Ga-Zn-O thin-film transistors determined by combined field-effect technique. <i>Applied Physics Letters</i> , 2010, 96, 262105.	1.5	51
347	Coexistence of Light and Heavy Carriers Associated with Superconductivity and Antiferromagnetism in CeNi _{0.8} Bi _{2.9} a Bi Square Net. <i>Physical Review Letters</i> , 2011, 106, 057002.	51	51
348	Two dimensional inorganic electride-promoted electron transfer efficiency in transfer hydrogenation of alkynes and alkenes. <i>Chemical Science</i> , 2015, 6, 3577-3581.	3.7	51
349	ESR of vanadyl ions in phosphate glasses. <i>Journal of Non-Crystalline Solids</i> , 1980, 37, 427-432.	1.5	50
350	Atomic and electronic structures of Cu/a-Al ₂ O ₃ interfaces prepared by pulsed-laser deposition. <i>Science and Technology of Advanced Materials</i> , 2003, 4, 575-584.	2.8	50
351	Thin film fabrication of nano-porous 12CaO·7Al ₂ O ₃ crystal and its conversion into transparent conductive films by light illumination. <i>Thin Solid Films</i> , 2003, 445, 309-312.	0.8	50
352	Opto-electronic properties and light-emitting device application of widegap layered oxychalcogenides: LaCuOCh (Ch= chalcogen) and La ₂ CdO ₂ Se ₂ . <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2006, 203, 2800-2811.	0.8	50
353	Comprehensive studies on the stabilities of a-In-Ga-Zn-O based thin film transistor by constant current stress. <i>Thin Solid Films</i> , 2010, 518, 3012-3016.	0.8	50
354	Thin Film Growth and Device Fabrication of Iron-Based Superconductors. <i>Journal of the Physical Society of Japan</i> , 2012, 81, 011011.	0.7	50
355	Roles of Hydrogen in Amorphous Oxide Semiconductor In-Ga-Zn-O: Comparison of Conventional and Ultra-High-Vacuum Sputtering. <i>ECS Journal of Solid State Science and Technology</i> , 2014, 3, Q3085-Q3090.	0.9	50
356	Pressure-Induced Topological and Structural Phase Transitions in an Antiferromagnetic Topological Insulator*. <i>Chinese Physics Letters</i> , 2020, 37, 066401.	1.3	50
357	Dissociative and Associative Concerted Mechanism for Ammonia Synthesis over Co-Based Catalyst. <i>Journal of the American Chemical Society</i> , 2021, 143, 12857-12866.	6.6	50
358	Electronic structure and properties of oxide glasses (II) Basicity measured by copper(II) ion probe in Na ₂ O-P ₂ O ₅ , K ₂ O-B ₂ O ₃ and K ₂ SO ₄ -ZnSO ₄ glasses. <i>Journal of Non-Crystalline Solids</i> , 1978, 29, 173-186.	1.5	49
359	Formation of oxygen-deficient type structural defects and state of ions in SiO ₂ glasses implanted with transition metal ions. <i>Journal of Non-Crystalline Solids</i> , 1990, 120, 250-255.	1.5	49
360	Fluorine-doped SiO ₂ glasses for F ₂ excimer laser optics: fluorine content and color-center formation. <i>Optics Letters</i> , 1999, 24, 1549.	1.7	49

#	ARTICLE	IF	CITATIONS
361	Oxygen-Related Intrinsic Defects in GlassySiO ₂ : Interstitial Ozone Molecules. Physical Review Letters, 2000, 84, 302-305.	2.9	49
362	Ferromagnetic spin fluctuation in LaFeAsO_{x} . Physical Review B, 2008, 78, .	1.5	49
363	Low Threshold Voltage and Carrier Injection Properties of Inverted Organic Light-Emitting Diodes with $[\text{Ca}_{24}\text{Al}_{28}\text{O}_{64}]^{4+}$ Cathode and Cu_{2-x}Se Anode. Journal of Physical Chemistry C, 2009, 113, 18379-18384.	1.5	49
364	Route to n -type doping in SnS. Applied Physics Letters, 2015, 106, .	1.5	49
365	Holographic Encoding of Permanent Gratings Embedded in Diamond by Two Beam Interference of a Single Femtosecond Near-Infrared Laser Pulse. Japanese Journal of Applied Physics, 2000, 39, L767-L769.	0.8	48
366	Two classes of superconductors discovered in our material research: Iron-based high temperature superconductor and electride superconductor. Physica C: Superconductivity and Its Applications, 2009, 469, 314-325.	0.6	48
367	Frontiers of Research on Iron-Based Superconductors toward Their Application. Japanese Journal of Applied Physics, 2012, 51, 010005.	0.8	48
368	Importance of Implantation Sequence in the Formation of Nanometer Size Colloid Particles Embedded in Amorphous SiO ₂ : Formation of Composite Colloids with Cu Core and aCu ₂ O Shell by Coimplantation of Cu and F. Physical Review Letters, 1995, 74, 110-113.	2.9	47
369	Atomic and Electronic Structures of Ni/YSZ(111) Interface. Materials Transactions, 2004, 45, 2137-2143.	0.4	47
370	Spin Dynamics in Iron-Based Layered Superconductor $(\text{La}_{0.87}\text{Ca}_{0.13})\text{FePO}$ Revealed by P31 and La139 NMR Studies. Physical Review Letters, 2008, 101, 077006.	2.9	47
371	Antiferromagnetic bipolar semiconductor LaMnPO with ZrCuSiAs-type structure. Journal of Applied Physics, 2009, 105, 093916.	1.1	47
372	DC superconducting quantum interference devices fabricated using bicrystal grain boundary junctions in Co-doped BaFe ₂ As ₂ epitaxial films. Superconductor Science and Technology, 2010, 23, 082001.	1.8	47
373	Electronic interactions between a stable electride and a nano-alloy control the chemoselective reduction reaction. Chemical Science, 2016, 7, 5969-5975.	3.7	47
374	Kinetic evidence: the rate-determining step for ammonia synthesis over electride-supported Ru catalysts is no longer the nitrogen dissociation step. Catalysis Science and Technology, 2017, 7, 47-50.	2.1	47
375	Electride and superconductivity behaviors in Mn ₅ Si ₃ -type intermetallics. Npj Quantum Materials, 2017, 2, .	1.8	47
376	Electrides as a New Platform of Topological Materials. Physical Review X, 2018, 8, .	2.8	47
377	UV-emitting diode composed of transparent oxide semiconductors: p-SrCu ₂ O ₂ /n-ZnO. Electronics Letters, 2000, 36, 984.	0.5	46
378	Preparation and crystal structure analysis of CeCuOS. Journal of Solid State Chemistry, 2003, 170, 182-187.	1.4	46

#	ARTICLE	IF	CITATIONS
379	Device applications of transparent oxide semiconductors: Excitonic blue LED and transparent flexible TFT. <i>Journal of Electroceramics</i> , 2006, 17, 267-275.	0.8	46
380	Operation Characteristics of Thin-Film Transistors Using Very Thin Amorphous In-Ga-Zn-O Channels. <i>Electrochemical and Solid-State Letters</i> , 2011, 14, H197.	2.2	46
381	Structural defects and chemical interaction of implanted ions with substrate structure in amorphousSiO ₂ . <i>Physical Review B</i> , 1993, 48, 13469-13473.	1.1	45
382	Field-Induced Current Modulation in Nanoporous Semiconductor, Electron-Doped 12CaO·7Al ₂ O ₃ . <i>Chemistry of Materials</i> , 2005, 17, 6311-6316.	3.2	45
383	Effect of 3d transition metal doping on the superconductivity in quaternary fluoroarsenide CaFeAsF. <i>New Journal of Physics</i> , 2009, 11, 025012.	1.2	45
384	Electron effective mass and mobility limits in degenerate perovskite stannate BaSnO_3 . <i>Physical Review B</i> , 2017, 95, .	4.1	45
385	Optical and Electrical Properties of Perovskite Variant $(\text{CH}_3\text{NH}_3)_2\text{SnI}_6$. <i>Journal of Physical Chemistry C</i> , 2018, 122, 10749-10754.	1.5	45
386	Toward 2D Magnets in the $(\text{MnBi}_2\text{Te}_4)(\text{Bi}_2\text{Te}_3)_n$ Bulk Crystal. <i>Advanced Materials</i> , 2020, 32, e2001815.	11.1	45
387	Ruthenium Catalysts Promoted by Lanthanide Oxyhydrides with High Hydride-Ion Mobility for Low-Temperature Ammonia Synthesis. <i>Advanced Energy Materials</i> , 2021, 11, 2003723.	10.2	45
388	Ammonia Decomposition over CaNH-Supported Ni Catalysts via an NH ²⁺ -Vacancy-Mediated Mars-van Krevelen Mechanism. <i>ACS Catalysis</i> , 2021, 11, 11005-11015.	5.5	45
389	Crystal structure of LaCuOS _{1-x} Sex oxychalcogenides. <i>Thin Solid Films</i> , 2002, 411, 115-118.	0.8	44
390	Role of Mobile Interstitial Oxygen Atoms in Defect Processes in Oxides: Interconversion between Oxygen-Associated Defects in SiO ₂ Glass. <i>Physical Review Letters</i> , 2004, 92, 015504.	2.9	44
391	Surface Dissolution and Diffusion of Oxygen Molecules in SiO ₂ Glass. <i>Journal of the Ceramic Society of Japan</i> , 2004, 112, 559-562.	1.3	44
392	Sol-gel synthesis of monolithic silica gels and glasses from phase-separating tetraethoxysilane-water binary system. <i>Chemical Communications</i> , 2009, , 2580.	2.2	44
393	High-temperature thermoelectric properties of La-doped BaSnO ₃ ceramics. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2010, 173, 29-32.	1.7	44
394	Entropic shrinkage of an oxide glass. <i>Nature Materials</i> , 2015, 14, 312-317.	13.3	44
395	Electron paramagnetic resonance spectroscopy of titanium-ion-implanted silica. <i>Journal of Applied Physics</i> , 1990, 67, 7526-7530.	1.1	43
396	Protonic Conduction in Phosphate Glasses. <i>Journal of the Electrochemical Society</i> , 1994, 141, L64-L65.	1.3	43

#	ARTICLE	IF	CITATIONS
397	Photoinduced generation of electron anions in H-doped nanoporous oxide $12\text{CaO}^{\cdot\cdot\cdot}\text{Al}_2\text{O}_3$: Toward an optically controlled formation of electrides. <i>Applied Physics Letters</i> , 2005, 86, 092101.	1.5	43
398	Origins of Hole Doping and Relevant Optoelectronic Properties of Wide Gap p-Type Semiconductor, LaCuOSe . <i>Journal of the American Chemical Society</i> , 2010, 132, 15060-15067.	6.6	43
399	High critical-current density with less anisotropy in $\text{BaFe}_2(\text{As},\text{P})_2$ epitaxial thin films: Effect of intentionally grown $\langle i \rangle \text{c} \langle /i \rangle$ -axis vortex-pinning centers. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	43
400	Model of the Electronic Structure of Electron-Doped Iron-Based Superconductors: Evidence for Enhanced Spin Fluctuations by Diagonal Electron Hopping. <i>Physical Review Letters</i> , 2014, 113, 027002.	2.9	43
401	Modulation Effect of Interlayer Spacing on the Superconductivity of Electron-Doped FeSe-Based Intercalates. <i>Inorganic Chemistry</i> , 2015, 54, 3346-3351.	1.9	43
402	High Electron Density on Ru in Intermetallic YRu_2 : The Application to Catalyst for Ammonia Synthesis. <i>Journal of Physical Chemistry C</i> , 2018, 122, 10468-10475.	1.5	43
403	Palladium-bearing intermetallic electride as an efficient and stable catalyst for Suzuki cross-coupling reactions. <i>Nature Communications</i> , 2019, 10, 5653.	5.8	43
404	Evidence for pair generation of an $\text{E}^{\cdot\cdot\cdot}$ center and a nonbridging oxygen-hole center in β -ray-irradiated fluorine-doped low-OH synthetic silica glasses. <i>Physical Review B</i> , 1992, 45, 10818-10821.	1.1	42
405	Amorphous transparent electroconductor $2\text{CdO}\cdots\text{GeO}_2$: Conversion of amorphous insulating cadmium germanate by ion implantation. <i>Applied Physics Letters</i> , 1995, 67, 2663-2665.	1.5	42
406	Yellow Emission from Zinc Oxide giving an Electron Spin Resonance Signal at $g=1.96$. <i>Japanese Journal of Applied Physics</i> , 1999, 38, L113-L115.	0.8	42
407	Optical gaps of alkali borate and alkali fluoroborate glasses. <i>Journal of Applied Physics</i> , 2002, 91, 4149-4153.	1.1	42
408	Encoding of holographic grating and periodic nano-structure by femtosecond laser pulse. <i>Applied Surface Science</i> , 2002, 197-198, 688-698.	3.1	42
409	Photoluminescence from Au ion-implanted nanoporous single-crystal $12\text{CaO}^{\cdot\cdot\cdot}\text{Al}_2\text{O}_3$. <i>Physical Review B</i> , 2006, 73, .	1.1	42
410	Secondary electron emission and glow discharge properties of $12\text{CaO}\cdot\text{Al}_2\text{O}_3$ electride for fluorescent lamp applications. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 034410.	2.8	42
411	Identical effects of indirect and direct electron doping of superconducting $\text{BaFe}_{m-1}\text{Al}_m\text{O}_{3n+1}$ ($m=1,2$) on the physical properties. <i>Physical Review B</i> , 2012, 85, 134508.	1.1	42
412	Thin film growth by pulsed laser deposition and properties of 122-type iron-based superconductor $\text{AE}(\text{Fe}_{1-x}\text{Co}_x)_{2-x}\text{As}_2$ (AE =alkaline earth). <i>Superconductor Science and Technology</i> , 2012, 25, 084015.	1.8	42
413	The scalable pinacol coupling reaction utilizing the inorganic electride $[\text{Ca}_2\text{N}]^{+}\text{e}^{-}$ as an electron donor. <i>Chemical Communications</i> , 2014, 50, 4791-4794.	2.2	42
414	Hydrogenated Borophene Shows Catalytic Activity as Solid Acid. <i>ACS Omega</i> , 2019, 4, 14100-14104.	1.6	42

#	ARTICLE	IF	CITATIONS
415	Acid-durable electride with layered ruthenium for ammonia synthesis: boosting the activity via selective etching. <i>Chemical Science</i> , 2019, 10, 5712-5718.	3.7	42
416	Formation of nanoscale phosphorus colloids in implanted SiO ₂ glass. <i>Journal of Non-Crystalline Solids</i> , 1992, 142, 287-290.	1.5	41
417	New amorphous semiconductor: 2CdO _x ...PbO _x . <i>Applied Physics Letters</i> , 1996, 68, 661-663.	1.5	41
418	Electrical and Optical Properties of Layered Oxsulfides with CuS Layers: Sr _x Cu _y M _z O _{3-x-y-z} S System (M =) T _j ETQq0 0 0 rgBT _{3.2} /Overlock	41	
419	Wide gap p-type degenerate semiconductor: Mg-doped LaCuOSe. <i>Thin Solid Films</i> , 2003, 445, 304-308.	0.8	41
420	Superoxide Ion Encaged in Nanoporous Crystal 12CaO·7Al ₂ O ₃ Studied by Continuous Wave and Pulsed Electron Paramagnetic Resonance. <i>Journal of Physical Chemistry B</i> , 2004, 108, 18557-18568.	1.2	41
421	Semimetallic Two-Dimensional TiB ₁₂ : Improved Stability and Electronic Properties Tunable by Biaxial Strain. <i>Chemistry of Materials</i> , 2017, 29, 5922-5930.	3.2	41
422	Large third-order optical nonlinearity of nanometer-sized amorphous semiconductor: Phosphorous colloids formed in SiO ₂ glass by ion implantation. <i>Applied Physics Letters</i> , 1992, 61, 2747-2749.	1.5	40
423	Electrical conduction due to protons and alkali-metal ions in oxide glasses. <i>Physical Review B</i> , 1993, 48, 15621-15625.	1.1	40
424	Heteroepitaxial growth of layered semiconductors, LaZnOPn (Pn=P and As). <i>Thin Solid Films</i> , 2008, 516, 5800-5804.	0.8	40
425	Doping effects in amorphous oxides. <i>Journal of the Ceramic Society of Japan</i> , 2012, 120, 447-457.	0.5	40
426	Superconductivity in noncentrosymmetric ternary equiatomic pnictides La <i>x</i> MP <i>y</i> (<i>x</i> =0.5, <i>y</i> =0.5). <i>T_j</i> ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.1	40
427	Ferromagnetic instability of interlayer floating electrons in the quasi-two-dimensional electrideY ₂ C. <i>Physical Review B</i> , 2015, 92, .	1.1	40
428	Fast lithium conducting glass-ceramics in the Li ₂ O-CaO-TiO ₂ -Al ₂ O ₃ -P ₂ O ₅ system. <i>Solid State Ionics</i> , 1991, 44, 293-297.	1.3	39
429	Preparation of Cd _{1-x} Y _x Sb ₂ O ₆ thin film on glass substrate by radio frequency sputtering. <i>Applied Physics Letters</i> , 1994, 65, 406-408.	1.5	39
430	Carrier generation and compensation in Y- and Nb-dopedCaTiO ₃ single crystals. <i>Physical Review B</i> , 1997, 56, 12998-13005.	1.1	39
431	Electronic transport in degenerate amorphous oxide semiconductors. <i>Philosophical Magazine Letters</i> , 1999, 79, 755-761.	0.5	39
432	Pair generation of Ge electron centers and self-trapped hole centers inGeO ₂ ~SiO ₂ glasses by KrF excimer-laser irradiation. <i>Physical Review B</i> , 1999, 60, 7166-7169.	1.1	39

#	ARTICLE	IF	CITATIONS
433	Optical properties of SrMoO ₃ thin film. <i>Journal of Applied Physics</i> , 2000, 87, 4617-4619.	1.1	39
434	Novel film growth technique of single crystalline In ₂ O ₃ (ZnO) _m (m=integer) homologous compound. <i>Thin Solid Films</i> , 2002, 411, 147-151.	0.8	39
435	Thermoelectric properties of layered oxyselenides La _{1-x} S _x CuOSe (x=0 to 0.2). <i>Journal of Applied Physics</i> , 2004, 95, 3594-3597.	1.1	39
436	Valence-band structures of layered oxychalcogenides, LaCuOCh (Ch=S, Se, and Te), studied by ultraviolet photoemission spectroscopy and energy-band calculations. <i>Journal of Applied Physics</i> , 2005, 98, 043506.	1.1	39
437	Role of hydrogen atoms in the photoinduced formation of stable electron centers in H-doped $^{12}\text{CaO}^{7\text{Al}}\text{O}_3$. <i>Physical Review B</i> , 2006, 73, .	1.1	39
438	Control of carrier concentration and surface flattening of CuGaO ₂ epitaxial films for a p-channel transparent transistor. <i>Thin Solid Films</i> , 2008, 516, 5790-5794.	0.8	39
439	High-Pressure Studies on Superconducting Iron-Based LaFeAsO _{1-x} F _x , LaFePO and SrFe ₂ As ₂ . <i>Journal of the Physical Society of Japan</i> , 2008, 77, 78-83.	0.7	39
440	Heteroepitaxial film growth of layered compounds with the ZrCuSiAs-type and ThCr ₂ Si ₂ -type structures: From Cu-based semiconductors to Fe-based superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 2009, 469, 657-666.	0.6	39
441	Controlled bipolar doping in Cu ₃ N (100) thin films. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	39
442	Superconductivity in room-temperature stable electrode and high-pressure phases of alkali metals. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2015, 373, 20140450.	1.6	39
443	Ion-solid chemistry in implanted amorphous SiO ₂ . <i>Nuclear Instruments & Methods in Physics Research B</i> , 1994, 91, 510-514.	0.6	38
444	Characteristics of 5-eV absorption band in sputter deposited GeO ₂ -SiO ₂ thin glass films. <i>Applied Physics Letters</i> , 1994, 64, 282-284.	1.5	38
445	UV-VUV laser induced phenomena in SiO ₂ glass. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2004, 218, 323-331.	0.6	38
446	Work function engineering via LaAlO ₃ /SrTiO ₃ polar interfaces. <i>Physical Review B</i> , 2011, 84, .	1.1	38
447	Heteroepitaxial growth of SnSe films by pulsed laser deposition using Se-rich targets. <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	38
448	High-field transport properties of a P-doped BaFe ₂ As ₂ film on technical substrate. <i>Scientific Reports</i> , 2017, 7, 39951.	1.6	38
449	Control of nitrogen activation ability by Co-Mo bimetallic nanoparticle catalysts prepared via sodium naphthalenide-reduction. <i>Journal of Catalysis</i> , 2018, 364, 31-39.	3.1	38
450	Unique Catalytic Mechanism for Ru-Loaded Ternary Intermetallic Electrides for Ammonia Synthesis. <i>Journal of the American Chemical Society</i> , 2022, 144, 8683-8692.	6.6	38

#	ARTICLE	IF	CITATIONS
451	Defect formation and structural alternation in modified SiO ₂ glasses by irradiation with F ₂ laser or ArF excimer laser. <i>Journal of Vacuum Science & Technology</i> an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2000, 18, 2891.	1.6	37
452	Two-Dimensional Spin Density Wave State in LaFeAsO. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 043705.	0.7	37
453	Band alignment of InGaZnO ₄ /Si interface by hard x-ray photoelectron spectroscopy. <i>Journal of Applied Physics</i> , 2012, 112, .	1.1	37
454	Ammonia synthesis over Co-Mo alloy nanoparticle catalyst prepared via sodium naphthalene-driven reduction. <i>Chemical Communications</i> , 2016, 52, 14369-14372.	2.2	37
455	Reversible Optical Change of Amorphous Red Phosphorus in Reduced Phosphate Glasses. <i>Journal of the American Ceramic Society</i> , 1985, 68, 7-9.	1.9	36
456	Phonon scattering in electron transport phenomena of ITO films. <i>Vacuum</i> , 2000, 59, 492-499.	1.6	36
457	Electronic Structure of Sr ₂ Cu ₂ ZnO ₂ S ₂ Layered Oxsulfide with CuS Layers. <i>Chemistry of Materials</i> , 2002, 14, 1037-1041.	3.2	36
458	Power dependence of defect formation in SiO ₂ glass by F ₂ laser irradiation. <i>Applied Physics Letters</i> , 2002, 81, 3164-3166.	1.5	36
459	Interstitial oxygen molecules in amorphous SiO ₂ . I. Quantitative concentration analysis by thermal desorption, infrared photoluminescence, and vacuum-ultraviolet optical absorption. <i>Journal of Applied Physics</i> , 2005, 98, 013527.	1.1	36
460	An increased F ₂ -laser damage in wet silica glass due to atomic hydrogen: A new hydrogen-related E ² -center. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 2297-2302.	1.5	36
461	Amorphous Sn-Ga-Zn-O channel thin-film transistors. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 1920-1924.	0.8	36
462	New functionalities in abundant element oxides: ubiquitous element strategy. <i>Science and Technology of Advanced Materials</i> , 2011, 12, 034303.	2.8	36
463	Effects of low-temperature ozone annealing on operation characteristics of amorphous In-Ga-Zn-O thin-film transistors. <i>Thin Solid Films</i> , 2012, 520, 3787-3790.	0.8	36
464	Mobility- and temperature-dependent device model for amorphous In-Ga-Zn-O thin-film transistors. <i>Thin Solid Films</i> , 2014, 559, 40-43.	0.8	36
465	ARPES studies of the inverse perovskite $\text{Ca}_{\text{x}}\text{In}_{\text{2-x}}\text{Ga}_\text{3}\text{O}_\text{5}$: Experimental confirmation of a candidate 3D Dirac fermion system. <i>Physical Review B</i> , 2017, 96, .		
466	Synthesis of Rare-Earth-Based Metallic Electride Nanoparticles and Their Catalytic Applications to Selective Hydrogenation and Ammonia Synthesis. <i>ACS Catalysis</i> , 2018, 8, 11054-11058.	5.5	36
467	Metal-to-Semiconductor Transition and Electronic Dimensionality Reduction of Ca ₂ N Electride under Pressure. <i>Advanced Science</i> , 2018, 5, 1800666.	5.6	36
468	Preparation of Bragg gratings in sputter-deposited GeO ₂ -SiO ₂ glasses by excimer-laser irradiation. <i>Optics Letters</i> , 1996, 21, 1360.	1.7	35

#	ARTICLE	IF	CITATIONS
469	Effect of stability and diffusivity of extra-framework oxygen species on the formation of oxygen radicals in $12\text{CaO}\cdot\frac{1}{2}\text{Al}_2\text{O}_3$. Solid State Ionics, 2004, 173, 89-94.	1.3	35
470	Synthesis of single-phase layered oxychalcogenide $\text{La}_2\text{CdO}_2\text{Se}_2$: crystal structure, optical and electrical properties. Journal of Materials Chemistry, 2004, 14, 2946.	6.7	35
471	Comparison of crystal structures and the effects of Co substitution in a new member of the Fe-1111 superconductor family AeFeAsF ($\text{Ae} = \text{Ca}$ and Sr): a possible candidate for a higher- T_c superconductor. Superconductor Science and Technology, 2009, 22, 055016.	1.8	35
472	Microstructure and transport properties of [001]-tilt bicrystal grain boundaries in iron pnictide superconductor, cobalt-doped BaFe_2As_2 . Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2012, 177, 515-519.	1.7	35
473	From antiferromagnetic insulator to ferromagnetic metal: Effects of hydrogen substitution in LaMnAsO . Physical Review B, 2013, 87, .	1.1	35
474	SnAs with the NaCl -type Structure: Type-I Superconductivity and Single Valence State of Sn . Chemistry of Materials, 2014, 26, 7209-7213.	3.2	35
475	Enhanced critical-current in P-doped BaFe_2As_2 thin films on metal substrates arising from poorly aligned grain boundaries. Scientific Reports, 2016, 6, 36828.	1.6	35
476	Geometrical Frustration of B-H Bonds in Layered Hydrogen Borides Accessible by Soft Chemistry. CheM, 2020, 6, 406-418.	5.8	35
477	Electronic structure and properties of oxide glasses (I) -Electron distribution on alkali borate glass networks. Journal of Non-Crystalline Solids, 1978, 29, 159-171.	1.5	34
478	Excimer Laser Crystallization of Amorphous Indium-Tin-Oxide and Its Application to Fine Patterning. Japanese Journal of Applied Physics, 1998, 37, L1119-L1121.	0.8	34
479	Study on electronic structure of CaTiO_3 by spectroscopic measurements and energy band calculations. Journal of Physics Condensed Matter, 1999, 11, 3535-3545.	0.7	34
480	Materials design and example of long lasting phosphorescent glasses utilizing electron trapped centers. Journal of Non-Crystalline Solids, 2000, 274, 257-263.	1.5	34
481	Simultaneous fabrication of laser-active colour centres and permanent microgratings in lithium fluoride by a single femtosecond pulse. Journal of Physics Condensed Matter, 2003, 15, L399-L405.	0.7	34
482	Functionalities of a Nanoporous Crystal $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ Originating from the Incorporation of Active Anions. Bulletin of the Chemical Society of Japan, 2007, 80, 872-884. <small>$\text{<math xmlns:mml="http://www.w3.org/1998/Math/MathML">}$ $\text{display="block">\text{LaCo}$$\text{</math>}$$\text{<math display="block">\text{B}$$\text{</math>}$$\text{<math display="block">\text{A Co-Based Layered}$$\text{</math>}$</small>	2.0	34
483	<small>$\text{<math display="block">\text{A Co-Based Layered}$$\text{</math>}$$\text{Superconductor with a}$$\text{<math display="block">\text{ThCr}$$\text{</math>}$$\text{Structure. Physical Review Letters, 2011, 106, 237001}$</small>	2.9	34
484	Magnetic Structure and Electromagnetic Properties of LnCrAsO with a ZrCuSiAs -type Structure ($\text{Ln} = \text{Ce}, \text{Pr}, \text{Nd}, \text{Sm}, \text{Eu}, \text{Gd}, \text{Tb}, \text{Dy}, \text{Ho}, \text{Er}, \text{Tm}, \text{Y}$). Physical Review Letters, 2011, 106, 237001.	1.9	34
485	NH ₂ Dianion Entrapped in a Nanoporous $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ Crystal by Ammonothermal Treatment: Reaction Pathways, Dynamics, and Chemical Stability. Journal of the American Chemical Society, 2014, 136, 11698-11706.	6.6	34
486	Effects of residual hydrogen in sputtering atmosphere on structures and properties of amorphous In-Ga-Zn-O thin films. Journal of Applied Physics, 2015, 118, .	1.1	34

#	ARTICLE	IF	CITATIONS
487	Large Oblate Hemispheroidal Ruthenium Particles Supported on Calcium Amide as Efficient Catalysts for Ammonia Decomposition. <i>Chemistry - A European Journal</i> , 2018, 24, 7976-7984.	1.7	34
488	Comparison of calcium phosphate glass ceramics with apatite ceramics implanted in bone. An interface study ^{II} . <i>Biomaterials</i> , 1987, 8, 234-236.	5.7	33
489	Silver ion selective porous lithium titanium phosphate glass-ceramics cation exchanger and its application to bacteriostatic materials. <i>Materials Research Bulletin</i> , 1994, 29, 1157-1162.	2.7	33
490	Time-resolved photoluminescence for diagnosis of resistance to ArF excimer laser damage to CaF ₂ single crystals. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1999, 16, 1153.	0.9	33
491	Optical Properties and Two-Dimensional Electronic Structure in Wide-Gap Layered Oxychalcogenide: La ₂ CdO ₂ Se ₂ . <i>Journal of Physical Chemistry B</i> , 2004, 108, 17344-17351.	1.2	33
492	Energetics of Formation and Oxidation of Microporous Calcium Aluminates: A New Class of Electrides and Ionic Conductors. <i>Chemistry of Materials</i> , 2005, 17, 5574-5579.	3.2	33
493	Epitaxial film growth and optoelectrical properties of layered semiconductors, LaMnXO (X=P, As, and) Tj ETQq1 1 0,784314 rgBT /Overlaid Enhancement of the critical temperature of the pnictide superconductor $\text{LaFeAsO}_{1-x}\text{Fe}_x\text{O}$ via $\text{La}_{2-x}\text{Fe}_{3-x}\text{O}_{10-x}$. <i>A. Physical Review B</i> , 2010, 81, .	1.1	33
494	Determination of the local structure of a cage with an oxygen ion in Ca ₁₂ Al ₁₄ O ₃₃ . <i>Acta Crystallographica Section B: Structural Science</i> , 2011, 67, 193-204.	1.8	33
495	Narrow Bandgap in BaZn_2As_2 and Its Chemical Origins. <i>Journal of the American Chemical Society</i> , 2014, 136, 14959-14965.	6.6	33
496	Anchoring Bond between Ru and N Atoms of Ru/Ca ₂ NH Catalyst: Crucial for the High Ammonia Synthesis Activity. <i>Journal of Physical Chemistry C</i> , 2017, 121, 20900-20904.	1.5	33
497	Elucidation of the stereochemistry of Tl+ in oxide glasses by electron spin resonance spectroscopy. <i>Journal of Non-Crystalline Solids</i> , 1982, 51, 217-240.	1.5	32
498	Porous glass-ceramics cation exchangers: Cation exchange properties of porous glass-ceramics with skeleton of fast Li ion-conducting LiTi ₂ (PO ₄) ₃ crystal. <i>Journal of Materials Research</i> , 1994, 9, 755-761.	1.2	32
499	Heteroepitaxial Growth of Zinc Oxide Single Crystal Thin Films on (111) Plane YSZ by Pulsed Laser Deposition. <i>Materials Research Society Symposia Proceedings</i> , 1999, 570, 309.	0.1	32
500	Optical fiber for deep ultraviolet light. <i>IEEE Photonics Technology Letters</i> , 2001, 13, 978-980.	1.3	32
501	Li-Doped NiO Epitaxial Thin Film with Atomically Flat Surface. <i>Journal of Materials Research</i> , 2004, 19, 913-920.	1.2	32
502	Pressure dependence of the superconductor transition temperature of Ca _{1-x} Ir _x Li ₂ Si ₂ O ₅ . <i>Structural, magnetic, and electrical properties of Li₂Si₂O₅</i> . <i>Physica B</i> , 2010, 411, 32.	1.1	32
503	Structural, magnetic, and electrical properties of Li ₂ Si ₂ O ₅ . <i>Physica B</i> , 2010, 411, 32.	1.1	32
504	Structural, magnetic, and electrical properties of Li ₂ Si ₂ O ₅ . <i>Physica B</i> , 2010, 411, 32.	1.1	32

#	ARTICLE	IF	CITATIONS
505	Growth of high-quality SnS epitaxial films by H ₂ S flow pulsed laser deposition. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	32
506	Solid phase epitaxial growth of high mobility La:BaSnO ₃ thin films co-doped with interstitial hydrogen. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	32
507	Chemical Design and Example of Transparent Bipolar Semiconductors. <i>Journal of the American Chemical Society</i> , 2017, 139, 17175-17180.	6.6	32
508	Identifying quasi-2D and 1D electrides in yttrium and scandium chlorides via geometrical identification. <i>Npj Computational Materials</i> , 2018, 4, .	3.5	32
509	High-Performance Indium Gallium Tin Oxide Transistors with an Al ₂ O ₃ Gate Insulator Deposited by Atomic Layer Deposition at a Low Temperature of 150 Å°C: Roles of Hydrogen and Excess Oxygen in the Al ₂ O ₃ Dielectric Film. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 28451-28461.	4.0	32
510	Unintended Carbon-Related Impurity and Negative Bias Instability in High-Mobility Oxide TFTs. <i>IEEE Electron Device Letters</i> , 2021, 42, 1319-1322.	2.2	32
511	Different calcium phosphate bioglass ceramics implanted in rabbit cortical bone. An interface study. <i>Biomaterials</i> , 1984, 5, 362-364.	5.7	31
512	Photosensitive Characteristics of Dopant-Free, Ultraviolet-Sensitive Calcium Aluminate Glasses. <i>Journal of the American Ceramic Society</i> , 1987, 70, 867-870.	1.9	31
513	Porous Glass-Ceramics with a Skeleton of the Fast-Lithium-Conducting Crystal Li _{1+x} Ti _{2-x} Al _x (PO ₄) ₃ . <i>Journal of the American Ceramic Society</i> , 1992, 75, 2862-2864.	1.9	31
514	Fabrication of heteroepitaxial thin films of layered oxychalcogenides LnCuOCh (Ln = La–Nd; Ch = T _j ETQq0 0 0 rgBT /Overlock 10 Tf 514). <i>J. Cryst. Growth</i> , 1992, 123, 132-131.	1.2	31
515	In situobservation of the formation, diffusion, and reactions of hydrogenous species in F ₂ -laser-irradiated SiO ₂ glass using a pump-and-probe technique. <i>Physical Review B</i> , 2006, 74, .	1.1	31
516	Surface Modification of Glass Substrates for Oxide Heteroepitaxy: Pasteable Three-Dimensionally Oriented Oxide Thin Films. <i>Advanced Materials</i> , 2006, 18, 1649-1652.	11.1	31
517	Valence band structure of BaCuSF and BaCuSeF. <i>Journal of Applied Physics</i> , 2006, 100, 083705.	1.1	31
518	Coexistence of superconductivity and antiferromagnetic ordering in the layered superconductor SmFePO. <i>Physical Review B</i> , 2008, 78, .	1.1	31
519	Coexistence of Superconductivity and Magnetism in LaFeAs(O _{0.94} F _{0.06}) Probed by Muon Spin Relaxation. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 103703.	0.7	31
520	New method for fabrication of superconducting pipes in the Bi–Sr–Ca–Cu–O system. <i>Journal of Materials Research</i> , 1993, 8, 1-4.	1.2	31
521	ESR study of radiation induced paramagnetic defect centers localized on a phosphorus in binary phosphate glasses. <i>Journal of Non-Crystalline Solids</i> , 1985, 71, 261-267.	1.5	30
522	Novel Transparent and Electroconductive Amorphous Semiconductor: Amorphous AgSbO ₃ Film. <i>Japanese Journal of Applied Physics</i> , 1995, 34, L281-L284.	0.8	30

#	ARTICLE	IF	CITATIONS
523	Defect formation in SiO ₂ :GeO ₂ glasses studied by irradiation with excimer laser light. Physical Review B, 1996, 53, R11921-R11923.	1.1	30
524	68.3: <i>Invited Paper</i>: Transparent Amorphous Oxide Semiconductors for High Performance TFT. Digest of Technical Papers SID International Symposium, 2007, 38, 1830-1833.	0.1	30
525	Solid State Syntheses of 12SrO·7Al ₂ O ₃ and Formation of High Density Oxygen Radical Anions, O ^{>} and O ₂ ^{>} . Chemistry of Materials, 2008, 20, 5987-5996.	3.2	30
526	Thin film and bulk fabrication of room-temperature-stable electride C ₁₂ A ₇ :e ⁻ utilizing reduced amorphous 12CaO·7Al ₂ O ₃ (C ₁₂ A ₇). Journal of Non-Crystalline Solids, 2008, 354, 2772-2776.	1.5	30
527	Frontiers of Research on Iron-Based Superconductors toward Their Application. Japanese Journal of Applied Physics, 2012, 51, 010005.	0.8	30
528	Electric double-layer transistor using layered iron selenide Mott insulator TlFe _{1.6} Se ₂ . Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 3979-3983.	3.3	30
529	Hierarchical dielectric orders in layered ferroelectrics Bi ₂ SiO ₅ . IUCrJ, 2014, 1, 160-164.	1.0	30
530	Pressure effect on iron-based superconductor LaFeAsO _{1-x} H _x : Peculiar response of 1111-type structure. Scientific Reports, 2016, 6, 39646.	1.6	30
531	Multiple Roles of Hydrogen Treatments in Amorphous In-Ga-Zn-O Films. ECS Journal of Solid State Science and Technology, 2017, 6, P365-P372. Realization of Mott-insulating electrides in dimorphic $\text{Y}_{\langle \text{mml:mi} \rangle} \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle^{\text{normal}}$ $\text{b}_{\langle \text{mml:mi} \rangle} \langle \text{mml:mn} \rangle_5 \langle \text{mml:mn} \rangle_{\langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle^{\text{normal}}}$ $\text{S}_{\langle \text{mml:mi} \rangle} \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle^{\text{normal}}$ $\text{b}_{\langle \text{mml:mi} \rangle} \langle \text{mml:mn} \rangle_3 \langle \text{mml:mn} \rangle_{\langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle}$.	0.9	30
532	High-Mobility p-type and n-type Copper Nitride Semiconductors by Direct Nitriding Synthesis and In Silico Doping Design. Advanced Materials, 2018, 30, e1801968.	1.1	30
533	EPR spectra of lead(3+) and silver(0) in glass. The Journal of Physical Chemistry, 1980, 84, 2316-2319.	2.9	29
534	Nature of doping into pure silica glass by plasma torch CVD. Journal of Non-Crystalline Solids, 1987, 95-96, 609-616.	1.5	29
535	Electrical Conduction in Magnesium Phosphate Glasses Containing Heavy Water. Journal of the American Ceramic Society, 1989, 72, 294-297.	1.9	29
536	Application of a microporous glass-ceramics with a skeleton of CaTi ₄ (PO ₄) ₆ to carriers for immobilization of enzymes. Journal of Bioscience and Bioengineering, 1991, 72, 384-391.	0.9	29
537	Low and small resistance hole-injection barrier for NPB realized by wide-gap p-type degenerate semiconductor, LaCuOSe:Mg. Organic Electronics, 2008, 9, 890-894.	1.4	29
538	Possible Unconventional Superconductivity in Iron-Based Layered Compound LaFePO: Study of Heat Capacity. Journal of the Physical Society of Japan, 2008, 77, 094715.	0.7	29
539	High-pressure synthesis of the indirectly electron-doped iron pnictide superconductor $\text{Sr}_{\langle \text{mml:mi} \rangle} \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mtextr} \rangle \langle \text{mml:mtextr} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle^{1.1} \langle \text{mml:mn} \rangle^{2.9} \langle \text{mml:math} \rangle$. Physical Review B, 2010, 82, .	0.7	29

#	ARTICLE	IF	CITATIONS
541	Application of $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ electrode as a new electrode for superoxide ion generation and hydroxylation of an arylboronic acid. <i>Electrochemistry Communications</i> , 2012, 17, 52-55.	2.3	29
542	Electrical and magnetic properties of hole-doped $\text{Sr}_{1+x}\text{La}_{1-x}\text{FeO}_4$. <i>Physical Review B</i> , 1994, 49, 10194-10199.	1.1	28
543	Photochemical processes induced by 157-nm light in H_2 -impregnated glassy $\text{SiO}_2:\text{OH}$. <i>Optics Letters</i> , 1999, 24, 863.	1.7	28
544	Effects of H_2 impregnation on excimer-laser-induced oxygen-deficient center formation in synthetic SiO_2 glass. <i>Applied Physics Letters</i> , 2002, 80, 3916-3918.	1.5	28
545	Excess Oxygen in $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ Studied by Thermogravimetric Analysis. <i>Chemistry Letters</i> , 2005, 34, 586-587.	0.7	28
546	Potential profiling of the nanometer-scale charge-depletion layer in $n\text{-ZnO}\cdot p\text{-NiO}$ junction using photoemission spectroscopy. <i>Applied Physics Letters</i> , 2006, 89, 153502.	1.5	28
547	Apparent bipolarity and Seebeck sign inversion in a layered semiconductor: LaZnOP . <i>Physical Review B</i> , 2007, 76, .	1.1	28
548	Layer-by-layer epitaxial growth of polar $\text{MgO}(111)$ thin films. <i>Physical Review B</i> , 2010, 82, .	1.1	28
549	Models of stoichiometric and oxygen-deficient surfaces of subnanoporous $12\text{CaO}\cdot7\text{Al}_{2\text{x}}\text{O}_{3\text{x}}$. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2011, 467, 2066-2083.	1.0	28
550	$\langle i\rangle T_{c\text{max}}$ Maximum in Solid Solution of Pyrite $\text{IrSe}_{2\text{x}}\text{RhSe}_{2\text{x}}$ Induced by Destabilization of Anion Dimers. <i>Journal of the American Chemical Society</i> , 2012, 134, 20001-20004.	6.6	28
551	Superconductivity induced by hydrogen anion substitution in 1111-type iron arsenides. <i>Current Opinion in Solid State and Materials Science</i> , 2013, 17, 49-58.	5.6	28
552	Thermoelectric properties and figure of merit of perovskite-type $\text{Ba}_{1-x}\text{LaxSnO}_3$ with $x=0.002\text{--}0.008$. <i>Solid State Communications</i> , 2013, 172, 49-53.	0.9	28
553	Surface reactivity and oxygen migration in amorphous indium-gallium-zinc oxide films annealed in humid atmosphere. <i>Applied Physics Letters</i> , 2013, 103, 201904.	1.5	28
554	Film Texture, Hole Transport and Field-Effect Mobility in Polycrystalline SnO Thin Films on Glass. <i>ECS Journal of Solid State Science and Technology</i> , 2014, 3, Q3040-Q3044.	0.9	28
555	Electron Donation Enhanced CO Oxidation over Ru-Loaded $12\text{CaO}\cdot7\text{Al}_{2\text{x}}\text{O}_{3\text{x}}$ Electride Catalyst. <i>Journal of Physical Chemistry C</i> , 2015, 119, 11725-11731.	1.5	28
556	Defect formation in amorphous SiO_2 by ion implantation: Electronic excitation effects and chemical effects. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1998, 141, 566-574.	0.6	27
557	Electronic transport and optical properties of proton-implanted amorphous $2\text{CdO}\cdot\text{GeO}_2$ films. <i>Journal of Non-Crystalline Solids</i> , 2000, 274, 313-318.	1.5	27
558	Preparation of n-type conductive transparent thin films of $\text{AgInO}_2:\text{Sn}$ with delafossite-type structure by pulsed laser deposition. <i>Journal of Applied Physics</i> , 2000, 88, 3067-3069.	1.1	27

#	ARTICLE	IF	CITATIONS
559	Carrier generation in highly oriented WO ₃ films by proton or helium implantation. <i>Journal of Applied Physics</i> , 2002, 92, 2017-2022.	1.1	27
560	Fabrication and thermoelectric properties of layered cobaltite, $\beta\text{-Sr}_{0.32}\text{Na}_{0.21}\text{CoO}_2$ epitaxial films. <i>Applied Physics Letters</i> , 2006, 88, 082109.	1.5	27
561	Iron-specific phonon density of states in the superconductors $\text{LaFeAsO}_{1-x}\text{Fx}$ and $\text{La}_{1-x}\text{Ca}_x\text{FePO}$. <i>Physical Review B</i> , 2008, 78, .	1.1	27
562	Systematic A75sNMR study of the dependence of low-lying excitations on F doping in the iron oxypnictide $\text{LaFeAsO}_{1-x}\text{Fx}$. <i>Physical Review B</i> , 2009, 79, .	1.1	27
563	Iron based superconductors processing and properties. <i>International Materials Reviews</i> , 2012, 57, 311-327.	9.4	27
564	Roles of Pseudo-Closed s^{2+} Orbitals for Different Intrinsic Hole Generation between Tl Bi and In Bi Bromide Double Perovskites. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 258-262.	2.1	27
565	Zeolitic Intermetallics: LnNiSi (Ln = La-Nd). <i>Journal of the American Chemical Society</i> , 2019, 141, 3376-3379.	6.6	27
566	Air-Stable Calcium Cyanamide-Supported Ruthenium Catalyst for Ammonia Synthesis and Decomposition. <i>ACS Applied Energy Materials</i> , 2020, 3, 6573-6582.	2.5	27
567	Room-Temperature Fast H e^- Conduction in Oxygen-Substituted Lanthanum Hydride. <i>Journal of the American Chemical Society</i> , 2022, 144, 1523-1527.	6.6	27
568	Cation Exchange Properties of LiTi ₂ O ₃ (PO ₄) ₃ and Synthesis of Its Microporous Materials via Glass. <i>Journal of the Electrochemical Society</i> , 1993, 140, L7-L9.	1.3	26
569	Novel approach for synthesizing Ge fine particles embedded in glass by ion implantation: Formation of Ge nanocrystal in SiO ₂ :GeO ₂ glasses by proton implantation. <i>Applied Physics Letters</i> , 1994, 65, 1632-1634.	1.5	26
570	Proton e^- implantation e^+ induced nanosized Ge crystal formation in SiO ₂ :GeO ₂ glasses. <i>Journal of Applied Physics</i> , 1996, 80, 1357-1363.	1.1	26
571	Charge transfer band observed in bismuth mixed-valence oxides, $\text{Bi}_{1-x}\text{Y}_x\text{O}_{1.5+\delta}$ ($x = 0.3$). <i>Solid State Communications</i> , 1997, 104, 705-708.	0.9	26
572	Generation of optical absorption bands in CaF ₂ single crystals by ArF excimer laser irradiation: Effect of yttrium impurity. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1998, 16, 3052-3057.	0.9	26
573	Built-in Nanostructures in Transparent Oxides for Novel Photonic and Electronic Functions Materials. <i>International Journal of Applied Ceramic Technology</i> , 2004, 1, 106-118.	1.1	26
574	Superconductivity in Defective Pyrite-Type Iridium Chalcogenides $\text{Ir}_{1-x}\text{M}_{x}\text{I}_{2+x}$ ($M = \text{S}, \text{Se}, \text{Te}$). <i>Journal of Solid State Chemistry</i> , 1998, 141, 29-33.	2.9	26
575	2012, 109, 217002. Switching of intra-orbital spin excitations in electron-doped iron pnictide superconductors. <i>Physical Review B</i> , 2013, 88, .	1.1	26
576	Charge Compensation by Excess Oxygen in Amorphous In $\text{Ga}_x\text{Zn}_{1-x}\text{O}$ Films Deposited by Pulsed Laser Deposition. <i>Journal of Display Technology</i> , 2015, 11, 518-522.	1.3	26

#	ARTICLE	IF	CITATIONS
577	Origin of Lower Film Density and Larger Defect Density in Amorphous In-Ga-Zn-O Deposited at High Total Pressure. <i>Journal of Display Technology</i> , 2015, 11, 523-527.	1.3	26
578	In-situ growth of superconducting SmO _{1-x} F _x FeAs thin films by pulsed laser deposition. <i>Scientific Reports</i> , 2016, 6, 35797.	1.6	26
579	Large-moment antiferromagnetic order in overdoped high- T _c superconductor SmFeAsO _{1-x} D. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E4354-E4359.	3.3	26
580	Ternary inorganic electrides with mixed bonding. <i>Physical Review B</i> , 2019, 99, .	1.1	26
581	Structural distribution and rigidity of the glass network determined by EPR of Cu ²⁺ . <i>Journal of Non-Crystalline Solids</i> , 1980, 40, 291-303.	1.5	25
582	Effects of coimplantation of silicon and nitrogen on structural defects and Si-N bond formation in silica glass. <i>Physical Review B</i> , 1991, 43, 11966-11970.	1.1	25
583	Effect of Al ₂ O ₃ additives on the formation of superconducting whiskers (2212 phase) in melt-quenched BiSrCaCu ₂ O _x . <i>Journal of Materials Research</i> , 1992, 7, 1599-1601.	1.2	25
584	Preferred concentration enhancement of photobleachable defects responsible for 5 eV optical absorption band in SiO ₂ :GeO ₂ glass preform by heating in a H ₂ atmosphere. <i>Applied Physics Letters</i> , 1993, 63, 479-481.	1.5	25
585	Paramagnetic resonance of E ² -type centers in Si-implanted amorphous SiO ₂ . Si ²⁹ hyperfine structure and characteristics of Zeeman resonances. <i>Journal of Non-Crystalline Solids</i> , 1994, 179, 39-50.	1.5	25
586	Electronic structure of polycrystalline AMoO ₃ (A=Sr or Ba). <i>Journal of Applied Physics</i> , 1999, 85, 6502-6505.	1.1	25
587	Interaction of F ₂ excimer laser with SiO ₂ glasses: Towards the third generation of synthetic SiO ₂ glasses. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2000, 166-167, 691-697.	0.6	25
588	Electric Field Emission of High Density O ⁺ Ions from 12CaO...7Al ₂ O ₃ Engineered to Incorporate Oxygen Radicals. <i>Electrochemical and Solid-State Letters</i> , 2002, 5, J13.	2.2	25
589	Application of a Transparent Conductive Substrate with an Atomically Flat and Stepped Surface to Lateral Growth of an Organic Molecule: Vanadyl Phthalocyanine. <i>Advanced Materials</i> , 2003, 15, 1258-1262.	11.1	25
590	Coloration and Decoloration of Tungsten Phosphate Glasses by Heat Treatments at the Temperature Far below T _g under a Controlled Ambient. <i>Chemistry of Materials</i> , 2006, 18, 2810-2816.	3.2	25
591	Anion Incorporation-induced Cage Deformation in 12CaO·7Al ₂ O ₃ Crystal. <i>Chemistry Letters</i> , 2007, 36, 902-903.	0.7	25
592	Temperature Dependence of the Chemical Potential in Na _x CoO ₂ : Implications for the Large Thermoelectric Power. <i>Journal of the Physical Society of Japan</i> , 2007, 76, 103709.	0.7	25
593	Iodometric Determination of Electrons Incorporated into Cages in 12CaO·7Al ₂ O ₃ Crystals. <i>Journal of Physical Chemistry C</i> , 2010, 114, 15354-15357.	1.5	25
594	Metamagnetic Behavior and Kondo Breakdown in Heavy-Fermion CeFePO. <i>Physical Review Letters</i> , 2011, 107, 277002.	2.9	25

#	ARTICLE	IF	CITATIONS
595	First-Principles and Microkinetic Study on the Mechanism for Ammonia Synthesis Using Ru-Loaded Hydride Catalyst. <i>Journal of Physical Chemistry C</i> , 2020, 124, 2070-2078.	1.5	25
596	Large electrical conductivity enhancement of WO ₃ thin films produced by ion implantation. <i>Journal of Applied Physics</i> , 1998, 84, 5610-5613.	1.1	24
597	Interaction of F ₂ excimer laser pulses with hydroxy groups in SiO ₂ glass: Hydrogen bond formation and bleaching of vacuum ultraviolet absorption edge. <i>Journal of Chemical Physics</i> , 2001, 115, 9473-9476.	1.2	24
598	NbO ₂ F: An oxyfluoride phase with wide band gap and electrochromic properties. <i>Applied Physics Letters</i> , 2002, 80, 4732-4734.	1.5	24
599	Electrical and Photonic Functions Originating from Low-Dimensional Structures in Wide-Gap Semiconductors LnCuOCh (Ln=lanthanide, Ch=chalcogen): A Review. <i>Journal of the Ceramic Society of Japan</i> , 2005, 113, 10-16.	1.3	24
600	Magnetic and carrier transport properties of Mn-doped p-type semiconductor LaCuOSe: An investigation of the origin of ferromagnetism. <i>Journal of Applied Physics</i> , 2006, 100, 033717.	1.1	24
601	Active anion manipulation for emergence of active functions in the nanoporous crystal 12CaO·7Al ₂ O ₃ : a case study of abundant element strategy. <i>Journal of Materials Science</i> , 2007, 42, 1872-1883.	1.7	24
602	Magnetic lattice dynamics of the oxygen-free FeAs pnictides: how sensitive are phonons to magnetic ordering?. <i>Journal of Physics Condensed Matter</i> , 2010, 22, 315701.	0.7	24
603	Electron injection barriers between air-stable electrode with low work function, C ₁₂ A ₇ :e ⁻ , and pentacene, C ₆₀ and copper phthalocyanine. <i>Journal of Materials Chemistry</i> , 2012, 22, 4278.	6.7	24
604	Functioning of traditional ceramics 12CaO·7Al ₂ O ₃ utilizing built-in nano-porous structure. <i>Science and Technology of Advanced Materials</i> , 2004, 5, 409-416.	2.8	23
605	Vacuum-ultraviolet absorption of hydrogenated and deuterated silanol groups and interstitial water molecules in amorphousSiO ₂ . <i>Physical Review B</i> , 2005, 72, .	1.1	23
606	Function Cultivation of Transparent Oxides Utilizing Built-In Nanostructure. <i>Bulletin of the Chemical Society of Japan</i> , 2006, 79, 1-24.	2.0	23
607	Synthesis, structure and physical properties of layered semiconductors MCuFCh (M=Sr, Eu, Ch=S, Se). <i>Journal of Solid State Chemistry</i> , 2006, 179, 1668-1673.	1.4	23
608	⁷⁵As-NMR Studies on LaFeAsO_{1-_x}F_x_{1-x}</sub> (_x=0.14) under a Pressure of 3 GPa. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 023709.	0.7	23
609	Angular and field properties of the critical current and melting line of Co-doped SrFe₂As₂epitaxial films. <i>Superconductor Science and Technology</i> , 2009, 22, 125011.	1.8	23
610	Fe₃O₄(1~1%) thin films with bulk-like properties: growth and atomic characterization. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 022001.	1.3	23
611	Controlling factors of _xT_x dome structure in 1111-type iron arsenide superconductors. <i>Physical Review B</i> , 2014, 89, .	1.1	23
612	Positive Gate Bias Instability Induced by Diffusion of Neutral Hydrogen in Amorphous In-Ga-Zn-O Thin-Film Transistor. <i>IEEE Electron Device Letters</i> , 2014, 35, 832-834.	2.2	23

#	ARTICLE	IF	CITATIONS
613	Effects of Atmospheric Composition on the Molecular Structure of Synthesized Silicon Oxycarbides. Journal of the American Ceramic Society, 2015, 98, 3373-3380.	1.9	23
614	Effects of disorder on the intrinsically hole-doped iron-based superconductor $K_xFe_2As_3$. $K_x \cdot \frac{Fe_2}{Fe_2} \cdot As_3$	1.1	23
615	Evidence for superior current carrying capability of iron pnictide tapes under hydrostatic pressure. Physical Review Materials, 2017, 1, .	0.9	23
616	Superconducting Glass-Ceramic Fine Rods in $Bi_1Ca_1Sr_1Cu_2Al_0.5O_x$ Prepared under a Temperature Gradient $-T_c$ and the Texture of Specimen -. Japanese Journal of Applied Physics, 1989, 28, L1929-L1931.	0.8	22
617	Pore size control in porous glass-ceramics with skeleton of NASICON-type crystal $CaTi_4(PO_4)_6$. Journal of Non-Crystalline Solids, 1992, 139, 90-92.	1.5	22
618	Excimer laser crystallization of amorphous indium-tin oxide thin films and application to fabrication of Bragg gratings. Thin Solid Films, 1999, 351, 137-140.	0.8	22
619	New adjustment technique for time coincidence of femtosecond laser pulses using third harmonic generation in air and its application to holograph encoding system. Review of Scientific Instruments, 2002, 73, 1711-1714.	0.6	22
620	All oxide transparent MISFET using high-k dielectrics gates. Microelectronic Engineering, 2004, 72, 294-298.	1.1	22
621	Applications of Wide-Band-Gap Materials for Optoelectronic Functional Devices Fabricated by a Pair of Interfering Femtosecond Laser Pulses. Japanese Journal of Applied Physics, 2005, 44, 910-913.	0.8	22
622	Electronic insulator-conductor conversion in hydride ion-doped $12CaO\cdot7Al_2O_3$ by electron-beam irradiation. Applied Physics Letters, 2005, 86, 022109.	1.5	22
623	Pore-Free $12CaO\cdot7Al_2O_3$ Single-Crystal Growth by Melt State Control using the Floating Zone Method. Crystal Growth and Design, 2008, 8, 1271-1275. Evidence for Bardeen-Cooper-Schrieffer-type superconducting behavior in the electride Ca_2O_2 . $Ca_2 \cdot O_2$	1.4	22
624			

#	ARTICLE	IF	CITATIONS
631	Direct Observation of Interfacial Charge Transfer between Rutile TiO_{2} and Ultrathin CuO_x Film by Visible-light Illumination and Its Application for Efficient Photocatalysis. <i>ChemCatChem</i> , 2018, 10, 3666-3670.	1.8	22
632	Solarization mechanism of glass containing Ce^{3+} and As^{5+} . <i>Journal of Non-Crystalline Solids</i> , 1984, 63, 357-363.	1.5	21
633	F-doped and H ₂ -impregnated synthetic SiO_2 glasses for 157 nm optics. <i>Journal of Vacuum Science & Technology B, Microelectronics Processing and Phenomena</i> , 1999, 17, 3280.	1.6	21
634	Pulsed laser deposition system for producing oxide thin films at high temperature. <i>Review of Scientific Instruments</i> , 2001, 72, 3340-3343.	0.6	21
635	Fluorine doped silica glass fiber for deep ultraviolet light. <i>Journal of Non-Crystalline Solids</i> , 2004, 349, 133-138.	1.5	21
636	Two-dimensional electronic structure and multiple excitonic states in layered oxychalcogenide semiconductors, $LaCuOCh$ ($Ch=S, Se, Te$): Optical properties and relativistic ab initio study. <i>Thin Solid Films</i> , 2005, 486, 98-103.	0.8	21
637	Creation of new functions in transparent oxides utilizing nanostructures embedded in crystal and artificially encoded by laser pulses. <i>Semiconductor Science and Technology</i> , 2005, 20, S92-S102.	1.0	21
638	Interstitial oxygen molecules in amorphous SiO_2 . II. The influence of common dopants ($SiOH, SiF$, and) $T_j ETQq0\ 0\ 0\ rgBT /Overlock\ 10\ T$ Physics, 2005, 98, 013528.	1.1	21
639	Focus on Iron-Based Superconductors. <i>New Journal of Physics</i> , 2009, 11, 025003.	1.2	21
640	Layered mixed-anion compounds: Epitaxial growth, active function exploration, and device application. <i>Journal of the European Ceramic Society</i> , 2009, 29, 245-253.	2.8	21
641	Metal-Semiconductor Field-Effect Transistor Made Using Amorphous In-Ga-Zn-O Channel and Bottom Pt Schottky Contact Structure at 200Å. <i>ECS Solid State Letters</i> , 2012, 1, Q8-Q10.	1.4	21
642	Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. <i>Journal of Display Technology</i> , 2014, 10, 979-983.	1.3	21
643	Chemosselective reduction and oxidation of ketones in water through control of the electron transfer pathway. <i>Scientific Reports</i> , 2015, 5, 10366.	1.6	21
644	Structure and stability of CaH_2 surfaces: on the possibility of electron-rich surfaces in metal hydrides for catalysis. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5550-5558. <i>Surface electron states on the quasi two-dimensional excess electron compound</i> : $\text{CaH}_2 \text{ and } N_{x/\text{mml:mi}}$	5.2	21
645	$Y_{x/\text{mml:mi}} \text{ and } C_{y/\text{mml:mn}} \text{ and } Y_{z/\text{mml:msub}}$ Physical Review B, 2017, 95.	1.1	21
646	Self-organized Ruthenium-Barium Core-Shell Nanoparticles on a Mesoporous Calcium Amide Matrix for Efficient Low-Temperature Ammonia Synthesis. <i>Angewandte Chemie</i> , 2018, 130, 2678-2682.	1.6	21
647	Negative-hydrogen-ion production from a nanoporous $12CaO\cdot 7Al_2O_3$ electrode surface. <i>Applied Physics Express</i> , 2018, 11, 066201.	1.1	21
648	Boosting carrier mobility and stability in indium-zinc-tin oxide thin-film transistors through controlled crystallization. <i>Scientific Reports</i> , 2020, 10, 18868.	1.6	21

#	ARTICLE	IF	CITATIONS
649	Crystalline boron monosulfide nanosheets with tunable bandgaps. <i>Journal of Materials Chemistry A</i> , 2021, 9, 24631-24640.	5.2	21
650	Highâ€Performance Pâ€Channel Tin Halide Perovskite Thin Film Transistor Utilizing a 2Dâ€“3D Coreâ€“Shell Structure. <i>Advanced Science</i> , 2022, 9, e2104993.	5.6	21
651	Evidence for Protonic Conduction in Alkaliâ€Free Phosphate Glasses. <i>Journal of the Electrochemical Society</i> , 1991, 138, 2928-2930.	1.3	20
652	Proton-magic-angle-spinning NMR and IR absorption spectra of strongly hydrogen-bonded hydroxyl groups in oxide glasses. <i>Journal of Non-Crystalline Solids</i> , 1992, 142, 103-107.	1.5	20
653	Enhancement of Electrical Conductivity of Polycrystalline $\hat{\gamma}$ -PbO by Exposure to Ozone Gas at Room Temperature. <i>Chemistry of Materials</i> , 1996, 8, 2769-2773.	3.2	20
654	New mixed-valence oxides of bismuth: $\text{Bi1}^{\text{x}}\text{YxO1.5+}\hat{\gamma}$ ($\text{x}=0.4$). <i>Journal of Materials Chemistry</i> , 1997, 7, 943-946.	6.7	20
655	Reproducibility of O- Negative Ion Emission from C12A7 Crystal Surface. <i>Japanese Journal of Applied Physics</i> , 2002, 41, L530-L532.	0.8	20
656	Self-Adjusted, Three-Dimensional Lattice-Matched Buffer Layer for Growing ZnO Epitaxial Film:â‰ Homologous Series Layered Oxide, $\text{InGaO}_3(\text{ZnO})_5$. <i>Crystal Growth and Design</i> , 2006, 6, 2451-2456.	1.4	20
657	Novel Room Temperature Stable Electride $12\text{SrO 7Al}_2\text{O}_3$ Thin Films: Fabrication, Optical and Electron Transport Properties. <i>Journal of the Ceramic Society of Japan</i> , 2007, 115, 567-570.	0.5	20
658	Superconducting Transition in Electron-Doped $12\text{CaO}\cdot\text{Al}_2\text{O}_5\cdot\text{Al}_2\text{O}_3$. <i>Materials Transactions</i> , 2008, 49, 1748-1752.	0.4	20
659	Photovoltaic properties of n-type amorphous $\text{In}_{0.4}\text{Ga}_{0.6}\text{Zn}_{0.2}\text{O}$ and p-type single crystal Si heterojunction solar cells: Effects of Ga content. <i>Thin Solid Films</i> , 2012, 520, 3808-3812.	0.8	20
660	Large magnetocaloric effect in van der Waals crystal CrBr_3 . <i>Frontiers of Physics</i> , 2019, 14, 1.	2.4	20
661	Unconventional excitonic states with phonon sidebands in layered silicon diphosphide. <i>Nature Materials</i> , 2022, 21, 773-778.	13.3	20
662	Coordination of Pb^{2+} in oxide glasses determined by ESR and properties of binary lead glasses.. <i>Journal of the Ceramic Association Japan</i> , 1982, 90, 544-551.	0.2	19
663	Heteroepitaxial growth of single-phase zinc blende ZnS films on transparent substrates by pulsed laser deposition under H_2S atmosphere. <i>Solid State Communications</i> , 2002, 124, 411-415.	0.9	19
664	Built-in Quantum Dots in Nano-Porous Crystal $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$: Simplified Views for Electronic Structure and Carrier Transport. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 774-782.	0.8	19
665	Optoelectronic properties and electronic structure of YCuOSe . <i>Journal of Applied Physics</i> , 2007, 102, 113714.	1.1	19

#	ARTICLE	IF	CITATIONS
667	Structural and photo-induced properties of Eu ²⁺ -doped Ca ₂ ZnSiO ₇ : A red phosphor for white light generation by blue ray excitation. <i>Journal of Luminescence</i> , 2007, 122-123, 339-341.	1.5	19
668	Direct imaging of doped fluorine in LaFeAsO _{1-x} F _x superconductor by atomic scale spectroscopy. <i>Applied Physics Letters</i> , 2009, 95, .	1.5	19
669	Fabrication and electron transport properties of epitaxial films of electron-doped 12CaO·7Al ₂ O ₃ and 12SrO·7Al ₂ O ₃ . <i>Journal of Solid State Chemistry</i> , 2010, 183, 385-391.	1.4	19
670	Transport and magnetic properties of Co-doped BaFe ₂ As ₂ epitaxial thin films grown on MgO substrate. <i>Superconductor Science and Technology</i> , 2010, 23, 105016.	1.8	19
671	Layered Hydride CaNiGeH with a ZrCuSiAs-type Structure: Crystal Structure, Chemical Bonding, and Magnetism Induced by Mn Doping. <i>Journal of the American Chemical Society</i> , 2012, 134, 11687-11694.	6.6	19
672	Effects of Pb Doping on Hole Transport Properties and Thin-Film Transistor Characteristics of SnO Thin Films. <i>ECS Journal of Solid State Science and Technology</i> , 2015, 4, Q26-Q30.	0.9	19
673	N-type conduction in SnS by anion substitution with Cl. <i>Applied Physics Express</i> , 2016, 9, 051201. Heavy electron doping induced antiferromagnetic phase as the parent for the iron oxypnictide superconductor$\text{LaFeAs}_{1-x}\text{O}_x$. <i>Physical Review B</i> , 2016, 94, .	1.1	19
674	Physical Review B, 2016, 94, . <i>Physical Review B</i> , 2016, 94, .	1.1	19
675	Luminescence and Raman Detection of Molecular Cl ₂ and ClClO Molecules in Amorphous SiO ₂ Matrix. <i>Journal of Physical Chemistry C</i> , 2017, 121, 5261-5266.	1.5	19
676	Efficient charge generation layer for tandem OLEDs: Bi-layered MoO ₃ /ZnO-based oxide semiconductor. <i>Organic Electronics</i> , 2017, 46, 133-138.	1.4	19
677	Electron Transfer from Support/Promotor to Metal Catalyst: Requirements for Effective Support. <i>Catalysis Letters</i> , 2022, 152, 307-314.	1.4	19
678	Superconductivity at 48 K of heavily hydrogen-doped SmFeAsO epitaxial films grown by topotactic chemical reaction using$\text{Ca}_{1-x}\text{H}_x\text{O}_{2-y}$. <i>Physical Review Materials</i> , 2019, 3, .	0.9	19
679	LaRuSi Electride Disrupts the Scaling Relations for Ammonia Synthesis. <i>Chemistry of Materials</i> , 2022, 34, 1677-1685.	3.2	19
680	Pressure-induced reemergence of superconductivity in BaIr ₂ Ge ₇ and Ba ₃ Ir ₄ Ge ₁₆ with cage structures. <i>Matter and Radiation at Extremes</i> , 2022, 7, .	1.5	19
681	Solution of the spin Hamiltonian with orthorhombic hf and g tensors ($I = S = 1/2$). II. Application to PO ₄ ⁴⁻ and Tl ²⁺ centers in anisotropic matrices. <i>Journal of Chemical Physics</i> , 1982, 76, 3429-3432.	1.2	18
682	Structural defects and the state of implanted ions in silica glasses implanted with silicon and/or nitrogen ions. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1992, 65, 375-379.	0.6	18
683	Integrated microporous glass-ceramics with skeleton of LiTi ₂ (PO ₄) ₃ with three-dimensional network structure and of Ti(HPO ₄) ₂ ·2H ₂ O with two-dimensional layered structure. <i>Journal of Non-Crystalline Solids</i> , 1993, 162, 287-293.	1.5	18
684	Structural factor controlling nanasize copper formation in doped amorphous silica by ion implantation. <i>Journal of Non-Crystalline Solids</i> , 1994, 178, 160-165.	1.5	18

#	ARTICLE		IF	CITATIONS
685	Nanometer-scale heterogeneity in SiO ₂ -GeO ₂ glass preforms and fibers prepared by vapor phase axial deposition method. <i>Journal of Applied Physics</i> , 1996, 80, 3115-3117.		1.1	18
686	Ce ³⁺ :LiCaAlF ₆ crystal for high-gain or high-peak-power amplification of ultraviolet femtosecond pulses and new potential ultraviolet gain medium: Ce ³⁺ :LiSr _{0.8} Ca _{0.2} AlF ₆ . <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2001, 7, 542-550.		1.9	18
687	Translucent Ceramics of 12CaO·7Al ₂ O ₃ with Microporous Structure. <i>Journal of Materials Research</i> , 2002, 17, 1244-1247.		1.2	18
688	Spontaneous oxygen loading into SiO ₂ glass by thermal anneal. <i>Journal of Non-Crystalline Solids</i> , 2004, 349, 205-208.		1.5	18
689	Bistable resistance switching in surface-oxidized C ₁₂ A ₇ single-crystal. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 161, 76-79.		1.7	18
690	Pressure studies of (La,Sm)FeAsO _{1-x} F _x and LaFePO. <i>Physica C: Superconductivity and Its Applications</i> , 2009, 469, 413-417.		0.6	18
691	Fabrication of Flat MgO(111) Films on Al ₂ O ₃ (0001) Substrates by Pulsed Laser Deposition. <i>Applied Physics Express</i> , 2009, 2, 091403.		1.1	18
692	Steady-state photoconductivity of amorphous In-Ga-Zn-O. <i>Thin Solid Films</i> , 2010, 518, 3000-3003.		0.8	18
693	Magnetic scattering and electron pair breaking by rare-earth-ion substitution in BaFe ₂ As ₂ epitaxial films. <i>New Journal of Physics</i> , 2013, 15, 073019.		1.2	18
694	Recent progress in pulsed laser deposition of iron based superconductors. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 345301.		1.3	18
695	Nonequilibrium Rock-Salt-Type Pb-Doped SnSe with High Carrier Mobilities > 300 cm ² /(Vs). <i>Chemistry of Materials</i> , 2016, 28, 2278-2286.		3.2	18
696	The Unique Electronic Structure of Mg ₂ Si: Shaping the Conduction Bands of Semiconductors with Multicenter Bonding. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10135-10139.		7.2	18
697	Material Design of Transparent Oxide Semiconductors for Organic Electronics: Why Do Zinc Silicate Thin Films Have Exceptional Properties?. <i>Advanced Electronic Materials</i> , 2018, 4, 1700352.		2.6	18
698	How fluorine minimizes density fluctuations of silica glass: Molecular dynamics study with machine-learning assisted force-matching potential. <i>Materials and Design</i> , 2021, 197, 109210.		3.3	18
699	Hypercoordinate two-dimensional transition-metal borides for spintronics and catalyst applications. <i>Journal of Materials Chemistry C</i> , 0, .		2.7	18
700	B ₅ N ₃ and B ₇ N ₅ Monolayers with High Carrier Mobility and Excellent Optical Performance. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 4823-4832.		2.1	18
701	Shallow Valence Band of Rutile GeO ₂ and P-type Doping. <i>Journal of Physical Chemistry C</i> , 2020, 124, 25721-25728.		1.5	18
702	Hexagonal BaTiO ₃ (3 <i>x</i>)H _i O _x Oxyhydride as a Water-Durable Catalyst Support for Chemoselective Hydrogenation. <i>Journal of the American Chemical Society</i> , 2022, 144, 6453-6464.		6.6	18

#	ARTICLE	IF	CITATIONS
703	Photosensitivity and structural defects in dopant-free ultraviolet-sensitive calcium aluminate glasses. <i>Journal of Non-Crystalline Solids</i> , 1987, 95-96, 717-724.	1.5	17
704	Precipitation of nanometer-sized SnO ₂ crystals and Sn depth profile in heat-treated float glass. <i>Journal of Non-Crystalline Solids</i> , 2002, 311, 273-280.	1.5	17
705	Degenerate electrical conductive and excitonic photoluminescence properties of epitaxial films of wide gap p-type layered oxychalcogenides, LnCuOCh (Ln=La, Pr and Nd; Ch=S or Se). <i>Applied Physics A: Materials Science and Processing</i> , 2004, 79, 1521-1523.	1.1	17
706	Natural nanostructures in ionic semiconductors. <i>Microelectronic Engineering</i> , 2004, 73-74, 620-626.	1.1	17
707	Quantum beat between two excitonic levels split by spin-orbit interactions in the oxychalcogenide LaCuOS. <i>Optics Letters</i> , 2004, 29, 1659.	1.7	17
708	Hall coefficient and H c2 in underdoped LaFeAsO 0.95 F 0.05. <i>Europhysics Letters</i> , 2008, 84, 37005.	0.7	17
709	Structural Transformation of Ca-Arrangements and Carrier Transport Properties in Ca _{0.33} CoO ₂ Epitaxial Films. <i>Applied Physics Express</i> , 0, 2, 035503.	1.1	17
710	High-Pressure ⁵⁷ Fe Mössbauer Spectroscopy of LaFeAsO. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 123703.	0.7	17
711	Ligand Field Modification around Cu ²⁺ Ions in Sodium Borate Glass by Codoping. <i>Journal of Physical Chemistry A</i> , 2011, 115, 5081-5088.	1.1	17
712	Emergence of magnetism and controlling factors of superconductivity in Li/Na-ammonia intercalated $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" \rangle \langle mml:mrow \rangle \langle mml:mi \rangle FeS \langle /mml:mi \rangle \langle mml:msub \rangle \langle mml:mi \rangle e \langle /mml:mi \rangle \langle mml:mrow \rangle \langle mml:mn \rangle 1 \langle /mml:mn \rangle \langle mml:mo \rangle \wedge \langle /mml:mo \rangle \langle mml:mi \rangle z \langle /mml:mi \rangle \langle mml:mi \rangle T \langle /mml:mi \rangle \langle mml:msub \rangle \langle mml:mi \rangle e \langle /mml:mi \rangle \langle mml:mi \rangle z \langle /mml:mi \rangle \langle mml:msub \rangle \langle /mml:msub \rangle \langle /mml:mrow \rangle \langle /mml:math \rangle .$	1.1	17
713	SnS thin films prepared by H ₂ S-free process and its <i>p</i> -type thin film transistor. <i>AIP Advances</i> , 2016, 6, .	0.6	17
714	Transparent Conductive Oxides. <i>Springer Handbooks</i> , 2017, , 1-1.	0.3	17
715	Semimetallic bands derived from interlayer electrons in the quasi-two-dimensional electrode $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" \rangle \langle mml:mrow \rangle \langle mml:msub \rangle \langle mml:mi \rangle Y \langle /mml:mi \rangle \langle mml:mn \rangle 2 \langle /mml:mn \rangle \langle mml:msub \rangle \langle mml:mi \rangle C \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:math \rangle .$ <i>Physical Review B</i> , 2017, 96..	1.1	17
716	p-Type Transparent Quadruple Perovskite Halide Conductors: Fact or Fiction?. <i>Advanced Functional Materials</i> , 2020, 30, 1909906.	7.8	17
717	Higher-order topological crystalline insulating phase and quantized hinge charge in topological electrode apatite. <i>Physical Review Research</i> , 2020, 2, .	1.3	17
718	Dopant-Free Ultraviolet-Sensitive Calcium Aluminate Glasses. <i>Journal of the American Ceramic Society</i> , 1985, 68, C-304-C-305.	1.9	16
719	Temperature Dependence of Infrared Absorption Spectra of Hydroxyl Groups in Soda Germanate Glasses. <i>Journal of the American Ceramic Society</i> , 1989, 72, 44-48.	1.9	16
720	Porous NaTi ₂ O ₄ PO ₄ Glass Ceramics. <i>Journal of the Electrochemical Society</i> , 1990, 137, 3149-3151.	1.3	16

#	ARTICLE	IF	CITATIONS
721	Transparent, Conducting, Amorphous Oxides: Effect of Chemical Composition on Electrical and Optical Properties of Cadmium Germanates. <i>Journal of the American Ceramic Society</i> , 1997, 80, 22-26.	1.9	16
722	High photosensitivity and nanometer-scale phase separation in $\text{GeO}_2\text{-SiO}_2$ glass thin films. <i>Optics Letters</i> , 1999, 24, 1352.	1.7	16
723	Photochemistry in phosphorus-doped silica glass by ArF excimer laser irradiation: Crucial effect of H ₂ loading. <i>Journal of Applied Physics</i> , 2002, 91, 4121-4124.	1.1	16
724	Electrical properties and local structure of n-type conducting amorphous indium sulphide. <i>Philosophical Magazine Letters</i> , 2004, 84, 665-671.	0.5	16
725	Carrier Generation in Wide-Gap Conductor, Zinc Antimonate. <i>Journal of the American Ceramic Society</i> , 2005, 88, 2793-2797.	1.9	16
726	Localisation assisted by the lattice relaxation and the optical absorption of extra-framework electrons in $12\text{CaO}\text{-Al}_2\text{O}_3$. <i>Materials Science and Engineering C</i> , 2005, 25, 722-726.	3.8	16
727	Reactions of SiCl groups in amorphous SiO ₂ with mobile interstitial chemical species: Formation of interstitial Cl ₂ and HCl molecules, and role of interstitial H ₂ O molecules. <i>Journal of Applied Physics</i> , 2005, 98, 043515.	1.1	16
728	Unusual Pseudogap Features Observed in Iron Oxypnictide Superconductors. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 61-64.	0.7	16
729	Tunable work function in $\text{MgO}/\text{Nb}:\text{SrTiO}_3$:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><math>\langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} / \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle 3 \langle \text{mml:mn} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle \text{surfaces} studied by Kelvin probe technique. <i>Physical Review B</i> , 2011, 83, .	1.1	16
730	Enhanced anisotropic spin fluctuations below tetragonal-to-orthorhombic transition in $\text{LaFeAs}(\text{O}_{1-x}\text{Fx})$ probed by ⁷⁵ As and ¹³⁹ La NMR. <i>Physical Review B</i> , 2012, 85, .	1.1	16
731	Unusual pressure effects on the superconductivity of indirectly electron-doped $(\text{Ba}_{1-x}\text{La}_x)\text{Fe}_2\text{As}_2$ epitaxial films. <i>Physical Review B</i> , 2013, 88, .	1.1	16
732	Anomalous scaling behavior in a mixed-state Hall effect of a cobalt-doped BaFe ₂ As ₂ epitaxial film with a high critical current density over 1 MA/cm ² . <i>Physical Review B</i> , 2013, 87, .	1.1	16
733	Positive-Bias Stress Test on Amorphous In _x Ga _{1-x} Zn _{1-y} O Thin Film Transistor: Annealing-Temperature Dependence. <i>Journal of Display Technology</i> , 2014, 10, 975-978.	1.3	16
734	Examination of the ambient effects on the stability of amorphous indium-gallium-zinc oxide thin film transistors using a laser-glass-sealing technology. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	16
735	Enhancing the three-dimensional electronic structure in 1111-type iron arsenide superconductors by H substitution. <i>Physical Review B</i> , 2014, 89, .	1.1	16
736	An Exceptionally Narrow Band-Gap ($\sim 1/4$ eV) Silicate Predicted in the Cubic Perovskite Structure: BaSiO_3 . <i>Inorganic Chemistry</i> , 2017, 56, 10535-10542.	1.9	16
737	Heteroepitaxial Thin-Film Growth of a Ternary Nitride Semiconductor CaZn_2N_2 . <i>ACS Applied Electronic Materials</i> , 2019, 1, 1433-1438.	2.0	16
738	Hydrogen Boride Sheets as Reductants and the Formation of Nanocomposites with Metal Nanoparticles. <i>Chemistry Letters</i> , 2020, 49, 789-793.	0.7	16

#	ARTICLE	IF	CITATIONS
739	Ethanol-ethylene conversion mechanism on hydrogen boride sheets probed by <i>in situ</i> infrared absorption spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 7724-7734.	1.3	16
740	HRTEM Characterization of Atomic Structures in Cu/ALPHA-Al ₂ O ₃ (0001) Interface. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2003, 52, 555-559.	0.1	16
741	Preparation of Monolithic Porous Titania-Silica Ceramics. <i>Journal of the American Ceramic Society</i> , 1990, 73, 2536-2538.	1.9	15
742	Optical and electrical properties of proton-implanted amorphous SiO ₂ , GeO ₂ -SiO ₂ , MgO-P ₂ O ₅ and nanocrystalline MgIn ₂ O ₄ : novel materials by proton implantation. <i>Journal of Non-Crystalline Solids</i> , 1995, 182, 109-118.	1.5	15
743	Formation and photobleaching of 5 eV bands in ion-implanted SiO ₂ :Ge and SiO ₂ glasses for photosensitive materials. <i>Journal of Physics Condensed Matter</i> , 1995, 7, L343-L350.	0.7	15
744	Formation of hydrogen tungsten bronze by proton implantation. <i>Materials Research Bulletin</i> , 1999, 34, 115-121.	2.7	15
745	Formation of nanometer-sized SnO ₂ colloids and change in Sn-depth concentration profile in float glass induced by oxygen diffusion from atmosphere at temperatures above T _g . <i>Journal of Non-Crystalline Solids</i> , 2001, 281, 1-5.	1.5	15
746	Modification of sol-gel-derived amorphous Al ₂ O ₃ thin films by F ₂ excimer laser irradiation at ambient temperature. <i>Journal of Materials Research</i> , 2001, 16, 1003-1009.	1.2	15
747	EPITAXIAL GROWTH OF TRANSPARENT CONDUCTIVE OXIDES. <i>International Journal of Modern Physics B</i> , 2002, 16, 173-180.	1.0	15
748	Effect of F ₂ laser power on defect formation in high-purity SiO ₂ glass. <i>Journal of Non-Crystalline Solids</i> , 2003, 322, 73-77.	1.5	15
749	Elucidation of coordination structure around Ce ³⁺ in dopedSiO ₂ glasses using pulsed electron paramagnetic resonance: Effect of phosphorus, boron, and phosphorus-boron codoping. <i>Physical Review B</i> , 2005, 72, .	1.1	15
750	Fluorine laser-induced silicon hydride Si-H groups in silica. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 526-529.	1.5	15
751	Electronic and magnetic properties of layered LnFePO (Ln=La and Ce). <i>Journal of Physics and Chemistry of Solids</i> , 2008, 69, 2916-2918.	1.9	15
752	Characterization of copper selenide thin film hole-injection layers deposited at room temperature for use with p-type organic semiconductors. <i>Journal of Applied Physics</i> , 2008, 104, .	1.1	15
753	Thermal conductivity and Seebeck coefficient of $\text{CaO}_{12} \text{Mn}_{15}$ with a cage structure. <i>Physical Review B</i> , 2009, 80, .	1.1	15
754	Two-Dimensional Spin Dynamics in the Itinerant Ferromagnet LaCoPO Revealed by Magnetization and 31P-NMR Measurements. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 113705.	0.7	15
755	-ray-induced intrinsic defect processes in fluorine-doped synthetic SiO ₂ glasses of different fluorine concentrations. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 161, 96-99.	1.7	15
756	Coherent Optical Phonons in the Iron Oxypnictide SmFeAsO _{1-x} F _x (x=0.075). <i>Journal of the Physical Society of Japan</i> , 2011, 80, 013707.	0.7	15

#	ARTICLE	IF	CITATIONS
757	Operation model with carrier-density dependent mobility for amorphous In-Ga-Zn-O thin-film transistors. <i>Thin Solid Films</i> , 2012, 520, 3791-3795.	0.8	15
758	Indium-Based Ultraviolet-Transparent Electroconductive Oxyfluoride InOF: Ambient-Pressure Synthesis and Unique Electronic Properties in Comparison with $In_{2}O_3$. <i>Journal of the American Chemical Society</i> , 2013, 135, 13080-13088.	6.6	15
759	Strong enhancement of superconductivity in inorganic electride $12CaO\cdot7Al_2O_3$ under high pressure. <i>Journal of the Korean Physical Society</i> , 2013, 63, 477-480.	0.3	15
760	Robust Spin Fluctuations and $s\pm$ Pairing in the Heavily Electron Doped Iron-Based Superconductors. <i>Journal of the Physical Society of Japan</i> , 2013, 82, 083702.	0.7	15
761	The atomic structure, band gap, and electrostatic potential at the (112)[11Å] twin grain boundary of CuInSe ₂ . <i>Applied Physics Letters</i> , 2014, 104, .	1.5	15
762	Growth of c -Axis-Oriented Superconducting KFe ₂ As ₂ Thin Films. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 14293-14301.	4.0	15
763	Selective monocarboxylation of olefins at $12CaO\cdot7Al_2O_3$ electride cathode. <i>Electrochemistry Communications</i> , 2014, 44, 45-48.	2.3	15
764	Electron anions and the glass transition temperature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10007-10012.	3.3	15
765	Chlorine-Tolerant Ruthenium Catalyst Derived Using the Unique Anion-Exchange Properties of $12CaO\cdot7Al_2O_3$ for Ammonia Synthesis. <i>ChemCatChem</i> , 2017, 9, 3078-3083. ¹⁸	1.5	15
766	Tunable Light Emission through the Range 1.8-3.2 eV and p-Type Conductivity at Room Temperature for Nitride Semiconductors, $Ca(Mg_{1-x}Zn_x)_{2-x}N$ ($x = T_j ETQq_0 / 0.0 rgB^{15}$). <i>Overlock</i>		
767	Multiple Color Inorganic Thin-Film Phosphor, RE-Doped Amorphous Gallium Oxide (RE = Rare Earth: Pr, Nd, Er). <i>Science</i> , 2019, 216, 1700833.	0.8	15
768	Chemical stability of hydrogen boride nanosheets in water. <i>Communications Materials</i> , 2021, 2, .	2.9	15
769	Efficient Ammonia Synthesis over Phase-Separated Nickel-Based Intermetallic Catalysts. <i>Journal of Physical Chemistry C</i> , 2020, 124, 28589-28595.	1.5	15
770	Effect of randomness on the ESR hyperfine structure of Cd+. <i>Journal of Non-Crystalline Solids</i> , 1981, 44, 149-155.	1.5	14
771	Solution of the spin Hamiltonian with orthorhombic hf and g tensors ($I = S = 1/2$). I. Theory. <i>Journal of Chemical Physics</i> , 1982, 76, 3422-3428.	1.2	14
772	Photosensitive Mechanism of Dopant-Free, Ultraviolet-Sensitive Calcium Aluminate Glasses. <i>Journal of the American Ceramic Society</i> , 1987, 70, 870-873.	1.9	14
773	Porous glass-ceramics with skeleton of two-dimensional layered crystal $Ti(HPO_4)_2 \cdot 2H_2O$. <i>Journal of Non-Crystalline Solids</i> , 1992, 139, 86-89.	1.5	14
774	Valence states of bismuth in new mixed-valence oxides: $Bi_{x}Y_{1.5+x}$ ($x = 0.4$) by XANES. <i>Materials Research Bulletin</i> , 1999, 34, 373-379.	2.7	14

#	ARTICLE	IF	CITATIONS
775	Correlation between oxygen-deficient center formation and volume compaction in synthetic SiO_2 glass upon ArF or F ₂ excimer-laser irradiation. <i>Applied Optics</i> , 2004, 43, 2332.	2.1	14
776	Excitonic properties related to valence band levels split by spin-orbit interaction in layered oxychalcogenide LaCuOCh(Ch=S,Se). <i>Journal of Luminescence</i> , 2005, 112, 66-70.	1.5	14
777	Epitaxial Growth of a Copper-phthalocyanine on a Transparent Conductive Substrate with an Atomically Flat Surface. <i>Crystal Growth and Design</i> , 2005, 5, 143-146.	1.4	14
778	Epitaxial Film Growth and Superconducting Behavior of Sodium-Cobalt Oxyhydrate, $\text{Na}_x\text{CoO}_2\cdot y\text{H}_2\text{O}$ ($x \approx 1/4$) $T_c \approx 1.8\text{ K}$. <i>Journal of Superconductivity and Novel Magnetism</i> , 2006, 19, 141-144.	1.4	14
779	Hydrogen-related radiation defects in SiO ₂ -based glasses. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2008, 266, 2971-2975.	0.6	14
780	Oxygen Exchange at the Internal Surface of Amorphous SiO_2 Studied by Photoluminescence of Isotopically Labeled Oxygen Molecules. <i>Physical Review Letters</i> , 2009, 102, 175502.	2.9	14
781	MgFeGe as an isoelectronic and isostructural analog of the superconductor LiFeAs. <i>Physical Review B</i> , 2012, 85, .	1.1	14
782	Superconductivity in LaTMBN and La ₃ TM ₂ B ₂ N ₃ (TM = Transition Metal) Synthesized under High Pressure. <i>Journal of the American Chemical Society</i> , 2012, 134, 2516-2519.	6.6	14
783	Widely bandgap tunable amorphous Cd-Ga-O oxide semiconductors exhibiting electron mobilities up to $10\text{ cm}^2/\text{V}\text{s}$. <i>Applied Physics Letters</i> , 2015, 106, 082106.	1.5	14
784	Examination of interfacial charge transfer in photocatalysis using patterned CuO thin film deposited on TiO ₂ . <i>APL Materials</i> , 2015, 3, 104409.	2.2	14
785	Difficulty of carrier generation in orthorhombic PbO. <i>Journal of Applied Physics</i> , 2016, 119, .	1.1	14
786	Green apatites: hydride ions, electrons and their interconversion in the crystallographic channel. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 8186-8195.	1.3	14
787	Topotactic Synthesis of Mesoporous $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ Mesocrystalline Microcubes toward Catalytic Ammonia Synthesis. <i>Chemistry of Materials</i> , 2018, 30, 4498-4502.	3.2	14
788	Effects of Base Pressure on Growth and Optoelectronic Properties of Amorphous In-Ga-Zn-O: Ultralow Optimum Oxygen Supply and Bandgap Widening. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1700832.	0.8	14
789	Magnetic measurements of superconducting glass-ceramic fine rods in Bi ₁ Ca ₁ Sr ₁ Cu ₂ Al _{0.5} O ₇ prepared under a temperature gradient. <i>Applied Physics Letters</i> , 1989, 55, 1578-1580.	1.5	13
790	New Oxide Phase $\text{Cd}_{2(1-x)}\text{Y}_{2(1-x)}\text{Sb}_{2-x}\text{O}_7$ Pyrochlore with a Wide Band Gap and High Electrical Conductivity. <i>Japanese Journal of Applied Physics</i> , 1994, 33, L238-L240.	0.8	13
791	Reaction kinetics of oxygen-deficient centers with diffusing oxygen molecules in silica glass. <i>Journal of Non-Crystalline Solids</i> , 1994, 179, 70-74.	1.5	13
792	Preparation of Electroconductive and Transparent Thin Films of AgSbO ₃ . <i>Journal of the Ceramic Society of Japan</i> , 1995, 103, 455-459.	1.3	13

#	ARTICLE	IF	CITATIONS
793	Nanometer-sized Ge particles in $\text{GeO}_2\text{-SiO}_2$ glasses produced by proton implantation: Combined effects of electronic excitation and chemical reaction. <i>Journal of Applied Physics</i> , 1997, 82, 4232-4235.	1.1	13
794	Bi-self-trapped-exciton model for Frenkel defect formation in amorphous SiO_2 by proton irradiation. <i>Physical Review B</i> , 1999, 60, 10616-10619.	1.1	13
795	Growth of epitaxial ZnO thin films on lattice-matched buffer layer: Application of $\text{InGaO}_3(\text{ZnO})_6$ single-crystalline thin film. <i>Thin Solid Films</i> , 2005, 486, 28-32.	0.8	13
796	Thermoelectric properties of delafossite-type layered oxides $\text{AgIn}_{1-x}\text{Sn}_x\text{O}_2$. <i>Journal of Applied Physics</i> , 2005, 98, 013706.	1.1	13
797	Modification of vacuum-ultraviolet absorption of SiOH groups in SiO_2 glass with temperature, F_2 laser irradiation, and H-D isotope exchange. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 2307-2310.	1.5	13
798	Growth and structure of heteroepitaxial thin films of homologous compounds $\text{RAO}_3(\text{MO})_m$ by reactive solid-phase epitaxy: Applicability to a variety of materials and epitaxial template layers. <i>Thin Solid Films</i> , 2006, 496, 64-69.	0.8	13
799	Diffusion of nitrogen molecules in amorphous SiO_2 . <i>Applied Physics Letters</i> , 2007, 91, .	1.5	13
800	Direct Evidence for Cage Conduction Band in Superconducting Cement $12\text{CaO}\cdot 7\text{Al}_2\text{O}_5\text{-}3\text{Ca}_3\text{Al}_2\text{O}_5$ by Low-Energy High-Resolution Photoemission Spectroscopy. <i>Journal of the Physical Society of Japan</i> , 2010, 79, 103704.	0.7	13
801	Formation and quantification of peroxide anions in nanocages of $12\text{CaO}\cdot 7\text{Al}_2\text{O}_5$. <i>RSC Advances</i> , 2013, 3, 18311.	1.7	13
802	Superconducting Properties and Phase Diagram of Indirectly Electron-Doped $(\text{Sr}_{1-x}\text{Ti}_x\text{O})_{100}$ by Low-Energy High-Resolution Photoemission Spectroscopy. <i>Transactions on Applied Superconductivity</i> , 2013, 23, 7300405-7300405.	1.1	13
803	Epitaxial growth and electronic structure of a layered zinc pnictide semiconductor, $\text{I}^2\text{-BaZn}_2\text{As}_2$. <i>Thin Solid Films</i> , 2014, 559, 100-104.	0.8	13
804	Hydrogen-Substituted Superconductors $\text{SmFeAsO}_{1-x}\text{H}_x$ Misidentified As Oxygen-Deficient SmFeAsO_{1-x} . <i>Inorganic Chemistry</i> , 2015, 54, 11567-11573.	1.9	13
805	An Anti CuO_2 -type Metal Hydride Square Net Structure in $\text{Ln}_2\text{M}_2\text{As}_2\text{H}_2$ ($\text{Ln}=\text{La or Sm}$, $\text{M}=\text{Ti, V, Cr, or Mn}$). <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2932-2935.	7.2	13
806	Ultrawide band gap amorphous oxide semiconductor, Ga-Zn-O . <i>Thin Solid Films</i> , 2016, 614, 84-89.	0.8	13
807	Effects of thermal annealing on elimination of deep defects in amorphous In-Ga-Zn-O thin-film transistors. <i>Thin Solid Films</i> , 2016, 614, 73-78.	0.8	13
808	Highly hydrogen-sensitive thermal desorption spectroscopy system for quantitative analysis of low hydrogen concentration (10^{14} to 10^{16} atoms/cm ³) in thin-film samples. <i>Review of Scientific Instruments</i> , 2017, 88, 053103.	0.6	13
809	Effects of working pressure and annealing on bulk density and nanopore structures in amorphous In-Ga-Zn-O thin-film transistors. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 03BB03.	0.8	13

#	ARTICLE	IF	CITATIONS
811	High pressure growth and electron transport properties of superconducting $\text{SmFeAsO}_{1-x}\text{H}_x$ single crystals. <i>Journal of Asian Ceramic Societies</i> , 2017, 5, 357-363.	1.0	13
812	Superconductivity in Alkaline Earth Metal-Filled Skutterudites $\text{Ba}_{1-x}\text{Ir}_{4}\text{X}_{12}$ ($\text{X} = \text{As}, \text{P}$). <i>Journal of the American Chemical Society</i> , 2017, 139, 8106-8109.	6.6	13
813	Probing a divergent van Hove singularity of graphene with a Ca_{2}N support: A layered electride as a solid-state dopant. <i>Physical Review B</i> . 2017, 96, .	1.1	13
814	Intermetallic ZrPd_3 -Embedded Nanoporous ZrC as an Efficient and Stable Catalyst of the Suzuki Cross-Coupling Reaction. <i>ACS Catalysis</i> , 2020, 10, 14366-14374.	5.5	13
815	Heavily Hydride-ion-doped 1111-type Iron-based Superconductors: Synthesis, Physical Properties and Electronic Structure. <i>Journal of the Physical Society of Japan</i> , 2020, 89, 051006.	0.7	13
816	Anisotropic structure of alkali metaphosphate glasses. <i>Journal of the American Ceramic Society</i> , 2020, 103, 3631-3641.	1.9	13
817	Molecular dynamics study on the co-doping effect of Al_2O_3 and fluorine to reduce Rayleigh scattering of silica glass. <i>Journal of the American Ceramic Society</i> , 2021, 104, 5001-5015.	1.9	13
818	MXene Phase with C_3 Structure Unit: A Family of 2D Electrides. <i>Advanced Functional Materials</i> , 2021, 31, 2100009.	7.8	13
819	Caging-Pnictogen-Induced Superconductivity in Skutterudites IrX_3 ($\text{X} = \text{As}, \text{P}$). <i>Journal of the American Chemical Society</i> , 2022, 144, 6208-6214.	6.6	13
820	Fast proton conducting glasses: Creation by proton implantation and a requirement for fast proton conduction. <i>Journal of Applied Physics</i> , 1997, 81, 1296-1301.	1.1	12
821	Overall water splitting on Cu(I) -containing ternary oxides, $\text{CuMO}_2(\text{M}=\text{Fe, Ga, Al})$ with delafossite structure. <i>Studies in Surface Science and Catalysis</i> , 1999, , 301-304.	1.5	12
822	P-29: Modeling of Amorphous Oxide Semiconductor Thin Film Transistors and Subgap Density of States. <i>Digest of Technical Papers SID International Symposium</i> , 2008, 39, 1277-1280. <i>Mechanism of phase transitions and electronic density of states in LaFeAsO</i>	0.1	12
823	LaFeAsO ($\text{La}_{1-x}\text{M}_{x}\text{FeAsO}$) ($\text{M} = \text{Mn, Fe, Co, Ni}$) and SmFeAsO ($\text{Sm}_{1-x}\text{M}_{x}\text{FeAsO}$) ($\text{M} = \text{Mn, Fe, Co, Ni}$). <i>Physical Review B</i> , 2008, 78, .	1.1	12
824	Photo-induced charge state conversion of Eu^{2+} in $\text{Ca}_2\text{ZnSi}_2\text{O}_7$. <i>Journal of Applied Physics</i> , 2009, 106, 053105.	1.1	12
825	Short-channel nanowire transistor using a nanoporous crystal semiconductor $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2010, 173, 37-40.	1.7	12
826	Structural study of polar $\text{MgO}(111)$ epitaxial thin films grown on SrTiO_3 ($\text{SrTiO}_3(111)$). <i>Physical Review B</i> , 2011, 84, .	1.1	12
827	$\text{Ge}_{1-x}\text{M}_{x}\text{FeAsO}$ ($\text{M} = \text{Mn, Fe, Co, Ni}$) and $\text{Ge}_{1-x}\text{M}_{x}\text{FeAsO}$ ($\text{M} = \text{Mn, Fe, Co, Ni}$). <i>Physical Review B</i> , 2012, 85, .	1.1	12
828	Chloride-stabilized Strontium Mayenite: Expansion of Versatile Material Family. <i>Journal of the American Ceramic Society</i> , 2014, 97, 4037-4044.	1.9	12

#	ARTICLE	IF	CITATIONS
829	Diffusion and Reactions of Photoinduced Interstitial Oxygen Atoms in Amorphous SiO ₂ Impregnated with ¹⁸ O-Labeled Interstitial Oxygen Molecules. <i>Journal of Physical Chemistry C</i> , 2014, 118, 4282-4286.	1.5	12
830	Analyses of Surface and Interfacial Layers in Polycrystalline <math formula_type="inline"><math>\text{Cu}_{2}\text{O}</math></math> Thin-Film Transistors. <i>Journal of Display Technology</i> , 2015, 11, 720-724.	1.3	12
831	Rattling of Oxygen Ions in a Sub-Nanometer-Sized Cage Converts Terahertz Radiation to Visible Light. <i>ACS Nano</i> , 2017, 11, 12358-12364.	7.3	12
832	Symmetric Ambipolar Thin-Film Transistors and High-Gain CMOS-like Inverters Using Environmentally Friendly Copper Nitride. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 35132-35137.	4.0	12
833	An Oxygen-Effervescent Aluminate Glass. <i>Journal of the American Ceramic Society</i> , 1987, 70, C-38-C-39.	1.9	11
834	Protonic conduction in PbO-SiO ₂ glasses: a quantitative estimation. <i>Journal of Materials Science Letters</i> , 1990, 9, 1443-1444.	0.5	11
835	Formation of copper nanoscale particles in implanted silica glass. <i>Journal of Materials Science Letters</i> , 1992, 11, 1257-1259.	0.5	11
836	Anomalous fringe pattern of Ag colloid in phosphate glasses by implantation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1993, 80-81, 1233-1236.	0.6	11
837	Photoemission studies on valence band structure of AgSbO ₃ . <i>Solid State Communications</i> , 1995, 95, 399-403.	0.9	11
838	Enhancement of carrier generation in MgIn ₂ O ₄ thin film prepared by pulsed laser deposition technique. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1998, 54, 51-54.	1.7	11
839	Permanent refractive-index changes in GeO ₂ glass slabs induced by irradiation with sub band gap light. <i>Journal of Non-Crystalline Solids</i> , 1998, 239, 104-107.	1.5	11
840	Holographic writing of micro-gratings and nanostructures on amorphous SiO ₂ by near infrared femtosecond pulses. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2002, 191, 89-97.	0.6	11
841	Electron transport in InGaO ₃ (ZnO) _m (m=integer) studied using single-crystalline thin films and transparent MISFETs. <i>Thin Solid Films</i> , 2003, 445, 322-326.	0.8	11
842	Role of Interstitial Voids in Oxides on Formation and Stabilization of Reactive Radicals: A Interstitial HO ₂ Radicals in F ₂ -Laser-Irradiated Amorphous SiO ₂ . <i>Journal of the American Chemical Society</i> , 2006, 128, 5371-5374.	6.6	11
843	Combinatorial Study on In-Ga-Zn-O Semiconductor Films as Active-channel Layers for Thin-film Transistor. <i>Materials Research Society Symposia Proceedings</i> , 2006, 928, 1.	0.1	11
844	Growth of 12CaO·7Al ₂ O ₃ single crystal with tetragonal symmetry by Czochralski method. <i>Thin Solid Films</i> , 2008, 516, 5772-5776.	0.8	11
845	Pressure Study of Superconducting Oxypnictide LaFePO. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 023701.	0.7	11
846	Humidity-Sensitive Electrical Conductivity in Ca ₁₂ Al _{14-x} Si _x O ₃₂ Cl _{2+x} (0.4<x<3.4) Ceramics. <i>Electrochemical and Solid-State Letters</i> , 2009, 12, J11.	2.2	11

#	ARTICLE	IF	CITATIONS
847	Field-assisted sustainable O ²⁻ ion emission from fluorine-substituted 12CaO·7Al ₂ O ₃ with improved thermal stability. Solid State Ionics, 2009, 180, 1113-1117.	1.3	11
848	La ₂ Sb, a layered superconductor with metal-metal bonds. Chemical Communications, 2011, 47, 3778.	2.2	11
849	Hydrogen substitution effect on the superconductivity of LnNiAsO (Ln = La-Nd). Superconductor Science and Technology, 2012, 25, 084017.	1.8	11
850	Structural study of Fe ₃ O ₄ O ₂ (111) thin films with bulk like magnetic and magnetotransport behaviour. Journal of Applied Physics, 2014, 115, 17C107.	1.1	11
851	Surface Treatment for Conductive 12%CaO...7%Al ₂ O ₃ Electride Powder by Rapid Thermal Annealing Processing and Its Application to Ammonia Synthesis. ChemCatChem, 2014, 6, 1317-1323.	1.8	11
852	Room-temperature fabrication of light-emitting thin films based on amorphous oxide semiconductor. AIP Advances, 2016, 6, .	0.6	11
853	Key Factors for Insulator-Superconductor Transition in FeSe Thin Films by Electric Field. IEEE Transactions on Applied Superconductivity, 2017, 27, 1-5.	1.1	11
854	Low anisotropic upper critical fields in SmO _{1-x} F _x FeAs thin films with a layered hybrid structure. Superconductor Science and Technology, 2019, 32, 044003.	1.8	11
855	Phonon scattering-limited mobility in the representative cubic perovskite semiconductors SrGeO ₃ , BaSnO ₃ , and SrTiO ₃ , and crystal engineering of tin monoxide by external pressure. Journal of Advanced Ceramics, 2021, 10, 565-577.	8.9	11
856	Crystal and electronic structure engineering of tin monoxide by external pressure. Journal of Advanced Ceramics, 2021, 10, 565-577.	8.9	11
857	Improved color uniformity in white light-emitting diodes using newly developed phosphors. Optics Express, 2018, 26, 24784.	1.7	11
858	Suppression of Rayleigh Scattering in Silica Glass by Codoping Boron and Fluorine: Molecular Dynamics Simulations with Force-Matching and Neural Network Potentials. Journal of Physical Chemistry C, 2022, 126, 2264-2275.	1.5	11
859	ESR of Cu ²⁺ and Tl ²⁺ in thallium borate glasses. Journal of Materials Science, 1981, 16, 57-64.	1.7	10
860	Superconducting Bi ₂ Sr ₂ Ca ₁ Cu ₂ O _{8+y} Glass-Ceramics with Different Melting Histories. Japanese Journal of Applied Physics, 1993, 32, 1082-1090.	0.8	10
861	Formation of electronic conducting amorphous WO ₃ thin films by ion implantation. Journal of Non-Crystalline Solids, 1998, 241, 190-194.	1.5	10
862	Structure and Refractive Indices of Proton-Implanted LiNbO ₃ . Japanese Journal of Applied Physics, 2000, 39, 2653-2656.	0.8	10
863	Spin-glass-like behavior of CaNi _{1-x} Mn _x . Journal of Physical Review B, 2011, 84, .	2.2	10
864	Electronic Structure and Photovoltaic Properties of n-Type Amorphous In-Ga-Zn-O and p-Type Single Crystal Si Heterojunctions. Electrochemical and Solid-State Letters, 2011, 14, H346.	2.2	10

#	ARTICLE	IF	CITATIONS
865	Fabrication and characterization of ZnS:(Cu,Al) thin film phosphors on glass substrates by pulsed laser deposition. <i>Thin Solid Films</i> , 2014, 559, 18-22.	0.8	10
866	Photochemistry of Nanocage Ca ₁₂ Al ₁₄ ⁺ _x Si _x O ₃₂ Cl _{2+<x></x>} (_x = 0.0 and 3.4). <i>Crystals. Chemistry Letters</i> , 2014, 43, 1371-1373.	0.7	10
867	Pulsed laser deposition of SmFeAsO _{1-x} on MgO(100) substrates. <i>Applied Surface Science</i> , 2018, 437, 418-428.	3.1	10
868	Multiple states and roles of hydrogen in p-type SnS semiconductors. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 20952-20956.	1.3	10
869	Stabilization Factor of Anion-Excess Fluorite Phase for Fast Anion Conduction. <i>Chemistry of Materials</i> , 2021, 33, 1867-1874.	3.2	10
870	Origins of the coloration from structure and valence state of bismuth oxide glasses. <i>Journal of Non-Crystalline Solids</i> , 2021, 560, 120720.	1.5	10
871	Floating Interlayer and Surface Electrons in 2D Materials: Graphite, Electrides, and Electrenes. <i>Small Science</i> , 2021, 1, 2100020.	5.8	10
872	Novel solid-phase epitaxy for multi-component materials with extremely high vapor pressure elements: An application to KFe ₂ As ₂ . <i>Applied Physics Express</i> , 2016, 9, 055505.	1.1	10
873	Photochemical Reaction in a Reduced Soda-Lime-Silica Glass Containing Ce ³⁺ and As ³⁺ . <i>Journal of the American Ceramic Society</i> , 1983, 66, c192-c193.	1.9	9
874	Effect of composition on the rates of photodarkening and silver photodoping in amorphous P ₆₅ Se films. <i>Applied Physics Letters</i> , 1990, 57, 1595-1596.	1.5	9
875	Electronic structure of hole-doped Sr _{1+x} La _{1-x} FeO ₄ studied by UPS and XAS. <i>Physical Review B</i> , 1994, 49, 10200-10205.	1.1	9
876	Large Enhancement of Electrical Conductivity in Magnesium Phosphate Glasses by Ion Implantation of Proton. <i>Journal of the Ceramic Society of Japan</i> , 1996, 104, 688-690.	1.3	9
877	Photonic materials utilizing naturally occurring nanostructures. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 166, 141-147.	2.0	9
878	Interconversion between non-bridging oxygen hole center and peroxy radical in F2-laser-irradiated SiO ₂ glass. <i>Journal of Non-Crystalline Solids</i> , 2004, 345-346, 219-223.	1.5	9
879	Tetragonal-Orthorhombic Phase Transition and F-Doping Effects on the Crystal Structure in the Iron-Based High-T _c Superconductor LaFeAsO. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 32-35.	0.7	9
880	Isotope Effect on the Infrared Photoluminescence Decay of Interstitial Oxygen Molecules in Amorphous SiO ₂ . <i>Applied Physics Express</i> , 2009, 2, 056502.	1.1	9
881	F-doping dependence of ⁷⁵ As nuclear quadrupole resonance frequency in LaFeAs(O _{1-x} F _x). <i>Physica C: Superconductivity and Its Applications</i> , 2010, 470, S282-S283.	0.6	9
882	Terahertz conductivity measurement of FeSe _{0.5} Te _{0.5} and Co-doped BaFe ₂ As ₂ thin films. <i>Physica C: Superconductivity and Its Applications</i> , 2011, 471, 634-638.	0.6	9

#	ARTICLE	IF	CITATIONS
883	Excimer laser crystallization of InGaZnO ₄ on SiO ₂ substrate. Journal of Materials Science: Materials in Electronics, 2011, 22, 1694-1696.	1.1	9
884	Light Irradiation History Sensor Using Amorphous In-Ga-Zn-O Thin-Film Transistor Exposed to Ozone Annealing. IEEE Electron Device Letters, 2012, 33, 384-386.	2.2	9
885	Work function modulation in MgO on SrTiO_3 by utilizing low dimensionalization of magnetic ordering in $\text{Nb}_{x}\text{TiO}_{y}$ thin-film growth. Physical Review B, 2014, 90, 115102.	1.1	9
886	Electron microscopy study of the effect of oxygen on the structure of Cu ₂ O thin-film transistors. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2015, 33, 051211.	1.1	9
887	Detection of dead layers and defects in polycrystalline Cu ₂ O thin-film transistors by x-ray reflectivity and photoresponse spectroscopy analyses. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2015, 33, 051211.	0.6	9
888	Transparent amorphous oxide semiconductor thin film phosphor, In–Mg–O:Eu. Journal of the Ceramic Society of Japan, 2016, 124, 532-535.	0.5	9
889	Critical behavior and magnetocaloric effect in layered structure Tb ₂ C. Journal Physics D: Applied Physics, 2016, 49, 335002.	1.3	9
890	BaFe ₂ (As _{1-x} P _x) ₂ thin films grown on practical metalâ€“tape substrates and their critical current densities. Superconductor Science and Technology, 2017, 30, 044003.	1.8	9
891	Quantum phase transition under pressure in the heavily hydrogen-doped iron-based superconductor LaFeAsO. Physical Review B, 2017, 96, 104502.	1.1	9
892	Role of fluorine in two-dimensional dichalcogenide of SnSe ₂ . Scientific Reports, 2018, 8, 1645.	1.6	9
893	Electron Affinity Control of Amorphous Oxide Semiconductors and Its Applicability to Organic Electronics. Advanced Materials Interfaces, 2018, 5, 1801307.	1.9	9
894	Structure and photoelastic constant of binary ns ₂ -type metal cation containing silicate glasses. Journal of Non-Crystalline Solids, 2019, 521, 119526.	1.5	9
895	Intrinsic and Extrinsic Defects in Layered Nitride Semiconductor SrTiN ₂ . Journal of Physical Chemistry C, 2019, 123, 19307-19314.	1.5	9
896	Magnetism induced by interlayer electrons in the quasi-two-dimensional electride Y_{2}C : Inelastic neutron scattering study. Physical Review B, 2020, 102, 104402.	1.1	9
897	A View on Formation Gap in Transition Metal Hydrides and Its Collapse. Journal of the American Chemical Society, 2021, 143, 11345-11348.	6.6	9
898	Hole Concentration Reduction in CuI by Zn Substitution and its Mechanism: Toward Device Applications. ACS Applied Materials & Interfaces, 2022, 14, 33463-33471.	4.0	9
899	Photochromism of reduced calcium aluminate glasses. Materials Research Bulletin, 1988, 23, 171-176.	2.7	8
900	Formation and Optical Absorption Spectra of Mixed Valence State of Tl in Tl ₂ Nb ₂ O _{6+x} with Pyrochlore Structure. Bulletin of the Chemical Society of Japan, 1996, 69, 111-115.	2.0	8

#	ARTICLE	IF	CITATIONS
901	Novel n-type conducting amorphous chalcogenide CdS _x In ₂ S _x : an extension of working hypothesis for conducting amorphous oxides. <i>Journal of Non-Crystalline Solids</i> , 1998, 227-230, 804-809.	1.5	8
902	ArF excimer laser irradiation effects in AlF ₃ -based fluoride glasses for vacuum ultraviolet optics. <i>Journal of Applied Physics</i> , 1999, 85, 3038-3043.	1.1	8
903	Transparent p- and n-Type Conductive Oxides With Delafossite Structure. <i>Materials Research Society Symposia Proceedings</i> , 2000, 623, 235.	0.1	8
904	Transparent conducting oxide, InSbO ₄ with random rutile structure. <i>Vacuum</i> , 2002, 65, 81-84.	1.6	8
905	Nano-fabrication of optical devices in transparent dielectrics: volume gratings in SiO ₂ and DFB Color center laser in LiF. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2004, 218, 332-336.	0.6	8
906	Elucidation of Phosphorus Co-doping Effect on Photoluminescence in Ce ³⁺ -activated SiO ₂ Glasses: Determination of Solvation Shell Structure by Pulsed EPR. <i>Chemistry Letters</i> , 2005, 34, 1116-1117.	0.7	8
907	Formation of Intrinsic Point Defects in Fluorine-doped Synthetic SiO ₂ Glass by ⁶⁰ Co γ -ray Irradiation. <i>Chemistry Letters</i> , 2007, 36, 266-267.	0.7	8
908	Detection of Infrared Silent Proton in Hydrogen-Reduced Tungsten Phosphate Glasses by Thermal Desorption. <i>Chemistry of Materials</i> , 2007, 19, 4385-4386.	3.2	8
909	Reactivity of SiCl and SiF groups in SiO ₂ glass with mobile interstitial O ₂ and H ₂ O molecules. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 514-517.	1.5	8
910	Electronic structures of MnP-based crystals: LaMnOP, BaMn ₂ P ₂ , and KMnP. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2010, 173, 239-243.	1.7	8
911	Origin of high-density hole doping and anisotropic hole transport in a wide gap layered semiconductor LaCu ₂ OSe studied by first-principles calculations. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2010, 207, 1636-1641.	0.8	8
912	Exchange between interstitial oxygen molecules and network oxygen atoms in amorphousSiO ₂ studied by O18isotope labeling and infrared photoluminescence spectroscopy. <i>Physical Review B</i> , 2011, 83, .	1.1	8
913	Superconductivity in Nb ₂ O ₅ studied by first-principles calculations. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011, 207, 1636-1641.	0.8	8
914	Ultralow-Dissipative Conductivity by Dirac Fermions in BaFe ₂ As ₂ . <i>Journal of the Physical Society of Japan</i> , 2013, 82, 043709.	0.7	8
915	Characteristic Coordination Structure around Nd Ions in Sol-gel-Derived Nd-Al-Codoped Silica Glasses. <i>Journal of Physical Chemistry B</i> , 2014, 118, 8792-8797.	1.2	8
916	Effects of sulfur substitution in amorphous InGaZnO ₄ ; optical properties and first-principles calculations. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 537-541.	0.5	8
917	Epilogue: Superconducting materials past, present and future. <i>Physica C: Superconductivity and Its Applications</i> , 2015, 514, 437-443.	0.6	8
918	Interlayer states arising from anionic electrons in the honeycomb-lattice-based compounds AeAlSi () Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.1	8

#	ARTICLE	IF	CITATIONS
919	Organic light-emitting diode lighting with high out-coupling and reliability: Application of transparent amorphous ZnO–SiO ₂ semiconductor thick film. <i>Organic Electronics</i> , 2017, 51, 103-110.	1.4	8
920	Cubic Fluorite-Type CaH ₂ with a Small Bandgap. <i>Journal of the American Chemical Society</i> , 2017, 139, 11317-11320.	6.6	8
921	CsFe ₄ Se ₄ : A Compound Closely Related to Alkali-Intercalated FeSe Superconductors. <i>Inorganic Chemistry</i> , 2018, 57, 4502-4509.	1.9	8
922	Structure and Electronic Properties of [Ca ₂₄ Al ₂₈ O ₆₄] ⁴⁺ ·4e ⁻ Surfaces: Opportunities for Termination-Controlled Electron Transfer. <i>Journal of Physical Chemistry C</i> , 2019, 123, 6030-6036.	1.5	8
923	Ship-in-a-Bottle Synthesis of High Concentration of N ₂ Molecules in a Cage-Structured Electride. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 1295-1299.	2.1	8
924	Origin of Metallic Nature of Na ₃ N. <i>Journal of the American Chemical Society</i> , 2021, 143, 69-72. Characteristic mechanism for fast conduction in H_{x}^{+} conduction in $LaH_{2.5}$. $O_{0.25}$ x $LaH_{2.5}$.	6.6	8
925	The Formation of Trapped Electrons upon the Thermal Dehydrationcondensation of Hydrated Hydrogenorthophosphates. <i>Bulletin of the Chemical Society of Japan</i> , 1978, 51, 2882-2885.	2.0	7
926	Paramagnetic Centers Localized on a Phosphorus Ion in Gamma-Irradiated Metaphosphate Glasses. <i>Journal of the Ceramic Association Japan</i> , 1985, 93, 217-224.	0.2	7
927	Preferred molecular orientation at crystal growth front in Ca(PO ₃) ₂ glass. <i>Journal of Materials Science Letters</i> , 1985, 4, 244-246.	0.5	7
928	Development of Calcium Phosphate Glass-Ceramics for Surgical and Dental Use. <i>Phosphorous and Sulfur and the Related Elements</i> , 1987, 30, 337-340.	0.2	7
929	Bioceramics Composed of Calcium Polyphosphate Fibers. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1993, 76, 247-250.	0.8	7
930	Features of valence band structure of. <i>Journal of Physics Condensed Matter</i> , 1996, 8, 303-312.	0.7	7
931	Carrier doping into MgIn ₂ O ₄ epitaxial thin films by proton implantation. <i>Journal of Applied Physics</i> , 2002, 91, 2112-2117.	1.1	7
932	<title>Advances in silica-based glasses for UV and vacuum UV laser optics</title>, 2003, 5122, 1.		7
933	Laser-active colour centres with functional periodic structures in LiF fabricated by two interfering femtosecond laser pulses. <i>Radiation Measurements</i> , 2004, 38, 759-762.	0.7	7
934	Preparation of Semiconductive La-Doped BaSnO ₃ by a Polymerized Complex Method and the Thermoelectric Properties. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2007, 54, 639-644.	0.1	7
935	Thermoelectric Properties of the Layered Cobaltite Ca ₃ Co ₄ O ₉ Epitaxial Films Fabricated by Topotactic Ion-Exchange Method. <i>Materials Transactions</i> , 2007, 48, 2104-2107.	0.4	7

#	ARTICLE	IF	CITATIONS
937	Electrical and optical properties of copper-based chalcogenide thin films deposited by pulsed laser deposition at room temperature: Toward channel thin film transistor fabricable at room temperature. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 2007-2012.	0.8	7
938	Pressure Effects on Superconducting and Structural Properties for Nickel-Based Superconductors LaNi _X O (X = P and As). <i>Journal of the Physical Society of Japan</i> , 2008, 77, 119-120.	0.7	7
939	Single Crystal Growth of Nanoporous C ₁₂ A ₇ :e ⁻ by Controlling Melt State. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 7345-9.	0.9	7
940	Intense Atomic Oxygen Emission from Incandescent Zirconia. <i>Journal of Physical Chemistry C</i> , 2009, 113, 9436-9439.	1.5	7
941	Diffusion of oxygen molecules in fluorine-doped amorphous SiO ₂ . <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2010, 173, 158-161.	1.7	7
942	Electrical and magnetic properties of quaternary compounds LnMnPO (Ln=Nd, Sm, Gd) with ZrCuSiAs-type structure. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2010, 173, 47-50.	1.7	7
943	Fabrication of Atomically Flat ScAlMgO ₄ Epitaxial Buffer Layer and Low-Temperature Growth of High-Mobility ZnO Films. <i>Crystal Growth and Design</i> , 2010, 10, 1084-1089.	1.4	7
944	Maximum applied voltage detector using amorphous In-Ga-Zn-O thin-film transistor exposed to ozone annealing. <i>Solid-State Electronics</i> , 2012, 75, 74-76.	0.8	7
945	Superconducting compounds with metallic square net. <i>Solid State Communications</i> , 2012, 152, 666-670.	0.9	7
946	Magnetotransport Properties across Verwey Transition in Fe ₃ O ₄ (111) Epitaxial Thin Films. <i>Applied Physics Express</i> , 2013, 6, 073009.	1.1	7
947	Luminescence of non-bridging oxygen hole centers in crystalline SiO ₂ . <i>AIP Conference Proceedings</i> , 2014, , .	0.3	7
948	Strong charge density wave fluctuation and sliding state in PdTl with quasi-one-dimensional PdTe chains. <i>Physical Review B</i> , 2016, 93, .	1.1	7
949	Surface tailoring of newly developed amorphous Zn Si O thin films as electron injection/transport layer by plasma treatment: Application to inverted OLEDs and hybrid solar cells. <i>Applied Surface Science</i> , 2018, 434, 995-1000.	3.1	7
950	Insulator-like behavior coexisting with metallic electronic structure in strained FeSe thin films grown by molecular beam epitaxy. <i>Physical Review B</i> , 2019, 99, .	1.1	7
951	Superconducting transition temperatures in the electronic and magnetic phase diagrams of Sr ₂ VFeAsO ₃ , a superconductor. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 115801.	0.7	7
952	Double Charge Polarity Switching in Sb-Doped SnSe with Switchable Substitution Sites. <i>Advanced Functional Materials</i> , 2021, 31, 2008092.	7.8	7
953	Oxide TFTs., 2016, , 1111-1144.		7
954	Fishtail effect and the vortex phase diagram of high-entropy alloy superconductor. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	7

#	ARTICLE	IF	CITATIONS
955	Degenerated Hole Doping and Ultra-low Lattice Thermal Conductivity in Polycrystalline SnSe by Nonequilibrium Isovalent Te Substitution. Advanced Science, 2022, 9, e2105958.	5.6	7
956	Optical absorption of Ni(II)-complex in Na ₂ O-K ₂ O-SiO ₂ glasses and change in the coordination of the complex upon annealing.. Journal of the Ceramic Association Japan, 1978, 86, 567-569.	0.2	6
957	ESR detection of pressure-induced structural change around Pb ²⁺ and Cd ²⁺ in soda borate glasses. Solid State Communications, 1982, 43, 769-771.	0.9	6
958	Properties and mechanism of solarization in As-doped soda-lime-silica glasses with ultraviolet radiation. Journal of Non-Crystalline Solids, 1990, 125, 98-106.	1.5	6
959	Chemical reactions of Ge-related species in SiO ₂ : GeO ₂ optical fibers., 1993, 2044, 78.		6
960	Origin of enormous photon-induced volume expansion of GeO ₂ -SiO ₂ thin glass films. Nuclear Instruments & Methods in Physics Research B, 1998, 141, 625-628.	0.6	6
961	Detection and analysis of ²⁹ Si hyperfine structures in ESR spectra of E ²⁻ and E ²⁺ -type centers in SiO ₂ glasses. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1998, 54, 38-42.	1.7	6
962	Observation of Electronic Structure in Conduction Band of CaTiO ₃ . Journal of the Ceramic Society of Japan, 1998, 106, 964-967.	1.3	6
963	Ion-beam doping of silver in amorphous As ₂ S ₃ thin films. Journal of Applied Physics, 2002, 92, 1821-1824.	1.1	6
964	Heteroepitaxial growth of wide gap p-type semiconductors: LnCuOCh (Ln=La, Pr and Nd; Ch=S or Se) by reactive solid-phase epitaxy. Applied Physics A: Materials Science and Processing, 2004, 79, 1517-1520.	1.1	6
965	Vacuum-ultraviolet absorption of interstitial O ₂ and H ₂ O molecules in SiO ₂ glass. Journal of Non-Crystalline Solids, 2006, 352, 2303-2306.	1.5	6
966	Epitaxial film growth, optical, electrical, and magnetic properties of layered oxide In ₃ FeTi ₂ O ₁₀ . Journal of Applied Physics, 2007, 101, 103714.	1.1	6
967	Fabrication of ScAlMgO ₄ epitaxial thin films using ScGaO ₃ (ZnO) _m buffer layers and its application to lattice-matched buffer layer for ZnO epitaxial growth. Thin Solid Films, 2008, 516, 5842-5846.	0.8	6
968	Large domain growth of GaN epitaxial films on lattice-matched buffer layer ScAlMgO ₄ . Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2009, 161, 66-70.	1.7	6
969	Tuning of Surface Roughness and Lattice Constant in MgO(111)/Al ₂ O ₃ (0001) Grown by Laser Energy Controlled Pulsed Laser Deposition. Japanese Journal of Applied Physics, 2011, 50, 085503.	0.8	6
970	Effect of Oxygen Flow Rate on the Electrical Properties of a Transparent SiON/Ag/SiON Multilayer. Electrochemical and Solid-State Letters, 2011, 15, H23-H26.	2.2	6
971	P.142L: <i>Late News Poster</i> : Electron Injecting Material for OLEDs driven by Oxide TFTs: Amorphous C ₁₂ A ₇ Electride. Digest of Technical Papers SID International Symposium, 2013, 44, 1473-1476.	0.1	6
972	Crossover between magnetism and superconductivity in LaFeAsO with low H-doping level. Journal of Physics Condensed Matter, 2014, 26, 295701.	0.7	6

#	ARTICLE	IF	CITATIONS
973	Multi-Spinning Properties of Phosphorous-Doped $\text{BaFe}_{2-x}\text{As}_2$ Epitaxial Films: Comparison Between $\text{La}_x\text{Sr}_{2-x}\text{Al}_y\text{Ta}_z\text{O}_3$ and MgO Substrates. <i>IEEE Transactions on Applied Superconductivity</i> , 2015, 25, 1-5.	1.1	6
974	69-4: NBIS-Stable Oxide Thin-Film Transistors Using Ultra-Wide Bandgap Amorphous Oxide Semiconductors. <i>Digest of Technical Papers SID International Symposium</i> , 2016, 47, 951-953.	0.1	6
975	High Oxidation Tolerance of Ru Nanoparticles on $12\text{CaO}\cdot7\text{Al}_2\text{O}_3\cdot3\text{CaO}$ Electride. <i>Journal of Physical Chemistry C</i> , 2016, 120, 8711-8716.	1.5	6
976	Amorphous Gallium Oxide as an Improved Host for Inorganic Light-Emitting Thin Film Semiconductor Fabricated at Room Temperature on Glass. <i>ECS Journal of Solid State Science and Technology</i> , 2017, 6, P410-P414.	0.9	6
977	First Principles Evolutionary Search for New Electrides along the Dimensionality of Anionic Electrons. <i>Journal of Computer Chemistry Japan</i> , 2017, 16, 135-138.	0.0	6
978	Transition Metal-doped Amorphous Oxide Semiconductor Thin-film Phosphor, Chromium-doped Amorphous Gallium Oxide. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800198.	0.8	6
979	Improved polaronic transport under a strong Mott-Hubbard interaction in Cu-substituted NiO. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 853-858.	3.0	6
980	Reversible 3D-2D structural phase transition and giant electronic modulation in nonequilibrium alloy semiconductor, lead-tin-selenide. <i>Science Advances</i> , 2021, 7, .	4.7	6
981	Coexistence of magnetism and superconductivity in thin films of the Fe-based superconductor $\text{Ba}_{x}\text{La}_x\text{Fe}_{2}\text{As}_2$. <i>Journal of Physics Condensed Matter</i> , 2020, 32, 485804.	0.7	6
982	Breaking of Thermopower-Conductivity Trade-off in LaTiO_3 Film around Mott Insulator to Metal Transition. <i>Advanced Science</i> , 2021, 8, 2102097.	5.6	6
983	Large phonon drag thermopower boosted by massive electrons and phonon leaking in $\text{LaAlO}_3/\text{LaNiO}_3/\text{LaAlO}_3$ heterostructure. <i>Nano Letters</i> , 2021, 21, 9240-9246.	4.5	6
984	Facile Synthesis of Ti_{2}AC ($\text{A} = \text{Zn, Al, In, and Ga}$) MAX Phases by Hydrogen Incorporation into Crystallographic Voids. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11245-11251.	2.1	6
985	Electronic and Lattice Thermal Conductivity Switching by 3D-2D Crystal Structure Transition in Nonequilibrium $(\text{Pb}_{1-x}\text{i}_x\text{Sn}_x)\text{Se}$. <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	6
986	Electronic Correlation Strength of Inorganic Electrides from First Principles. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 12020-12025.	2.1	6
987	ESR-detection of immiscibility in $\text{K}_2\text{O}\text{-BaO}\text{-B}_2\text{O}_3$ glasses. <i>Journal of the Ceramic Association Japan</i> , 1979, 87, 237-241.	0.2	5
988	Effect of quenching rate and annealing on ESR of Cu^{2+} and β^3 -induced Cd^+ in low alkali borate glasses. <i>Journal of Non-Crystalline Solids</i> , 1983, 55, 3-14.	1.5	5
989	ESR Lineshape of Cu^{2+} and β^3 -Induced Cd^{+} in Soda Borate Glasses. <i>Journal of the Ceramic Association Japan</i> , 1984, 92, 350-359.	0.2	5
990	Protonic Conduction and O-H Bonding State in Phosphate Glasses. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1990, 51, 113-116.	0.8	5

#	ARTICLE	IF	CITATIONS
991	Absorption spectral changes with ultraviolet-illumination in $\text{GeO}_{2\text{-}}\text{SiO}_{2\text{-}}$ glass films prepared by sputtering deposition. <i>Radiation Effects and Defects in Solids</i> , 1995, 136, 133-136.	0.4	5
992	Comparison of formation process of ultraviolet induced color centers in $\text{GeO}_2\text{-SiO}_2$ glass fiber preform and Ge-implanted SiO_2 . <i>Nuclear Instruments & Methods in Physics Research B</i> , 1996, 116, 150-153.	0.6	5
993	Optical absorption spectra and the nature of conduction carriers of hole-doped $\text{Sr}_{1+x}\text{La}_{1-x}\text{FeO}_4$. <i>Solid State Communications</i> , 1996, 97, 411-415.	0.9	5
994	Damage behavior of SiO_2 glass induced by 193-nm radiation under a simulated operating mode of lithography laser. , 2001,,.		5
995	Function Cultivation in Transparent Oxides Utilizing Natural and Artificial Nanostructures. , 2006, , 3-61.		5
996	Integrated Circuits Based on Amorphous Indium-Gallium-Zinc-Oxide-Channel Thin-Film Transistors. <i>ECS Transactions</i> , 2006, 3, 293-300.	0.3	5
997	Phosphorus co-doping effect on photoluminescence in Ce^{3+} -doped SiO_2 glasses: The formation of unique ligand field by P-co-doping. <i>Journal of Luminescence</i> , 2007, 122-123, 355-358.	1.5	5
998	Characterization of epitaxial Co-doped BaFe_2As_2 thin films. <i>Physica C: Superconductivity and Its Applications</i> , 2011, 471, 1181-1184.	0.6	5
999	Superconductivity in a PbFCl -type pnictide: NbSiAs . <i>Europhysics Letters</i> , 2012, 99, 27002.	0.7	5
1000	Formation and annihilation of intrinsic defects induced by electronic excitation in high-purity crystalline SiO_2 . <i>Journal of Applied Physics</i> , 2013, 113, 143511.	1.1	5
1001	Layered Compounds $\text{BaM}_{2\text{-}}\text{Ge}_{4\text{-}}\text{Ch}_{6\text{-}}$ ($\text{M} = \text{Rh}, \text{Ir}$ and $\text{Ch} = \text{S}, \text{Se}$) with Pyrite-Type Building Blocks and $\text{Ge}\text{-Ch}$ Heteromolecule-Like Anions. <i>Inorganic Chemistry</i> , 2014, 53, 5684-5691.	1.9	5
1002	An Anti $\text{CuO}_{2\text{-}}$ -type Metal Hydride Square Net Structure in $\text{Ln}_{2\text{-}}\text{M}_{2\text{-}}\text{As}_{2\text{-}}\text{H}_{x\text{-}}$ ($\text{Ln}=\text{La or Sm}, \text{M}=\text{Ti, V, Cr, or Mn}$). <i>Angewandte Chemie</i> , 2015, 127, 2975-2978.	1.6	5
1003	The Key Indicator for the Control of Metal Particle Sizes on Supports from First-Principles and Experimental Observation. <i>Journal of Physical Chemistry C</i> , 2016, 120, 21879-21887. xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mi>mathvariant="bold"> LaAl </mml:mi><mml:msub><mml:mi>mathvariant="bold"> O </mml:mi><mml:mn>3</mml:mn></mml:msub></mml:mrow><mml:mo>/</mml:mo><mml:mrow><mml:mi>mathvariant="bold"> SrTi </mml:mi><mml:msub><mml:mi>mathvariant="bold"> O </mml:mi><mml:mn>3</mml:mn></mml:msub></mml:mrow></mml:math> and < mml:math>	1.5	5
1004	Thermoelectric properties and figure of merit of perovskite-type $\text{Sr}_{1-x}\text{La}_x\text{SnO}_3$ ceramics. <i>Ceramics International</i> , 2017, 43, 9653-9657.	2.3	5
1005	Oxidation Number Estimation of Ca in Ca-N Compounds from Ca K -edge XANES Spectra. <i>Bulletin of the Chemical Society of Japan</i> , 2017, 90, 963-965.	2.0	5
1006	Structural Series in the Ternary $\text{A}-\text{Mn}-\text{As}$ System ($\text{A} = \text{Alkali Metal}$): Double-Layer-Type CsMn_4As_3 and RbMn $_4\text{As}_3$ and Tunnel-Type KMn_4As_3 . <i>Inorganic Chemistry</i> , 2018, 57, 4997-5003.	1.9	5
1007	Doping Induced Polymorph and Carrier Polarity Changes in LaSeF. <i>Chemistry of Materials</i> , 2018, 30, 597-601.	3.2	5

#	ARTICLE	IF	CITATIONS
1009	Crystal Structure Built from a GeO ₆ â€“GeO ₅ Polyhedra Network with High Thermal Stability: $\text{^{12}SrGe}_2\text{O}_5$. ACS Applied Electronic Materials, 2019, 1, 1989-1993.	2.0	5
1010	Stabilization and heteroepitaxial growth of metastable tetragonal FeS thin films by pulsed laser deposition. Superconductor Science and Technology, 2019, 32, 054002.	1.8	5
1011	Strain Engineering at Heterointerfaces: Application to an Iron Pnictide Superconductor, Cobalt-Doped BaFe ₂ As ₂ . ACS Applied Materials & Interfaces, 2020, 12, 50096-50104.	4.0	5
1012	Critical temperature and critical current density of hydrogen-doped SmFeAsO epitaxial films fabricated by thermal annealing with binary hydrides. Applied Physics Express, 2020, 13, 073002.	1.1	5
1013	C ₂ Vacancy-Mediated N ₂ Activation over Ni-Loaded Rare-Earth Dicarbides for Ammonia Synthesis. ACS Catalysis, 2021, 11, 7595-7603.	5.5	5
1014	Effect of crystallization temperature and additives on the orientation degree of calcium phosphate glass-ceramics prepared by unidirectional crystallization. Journal of Materials Science Letters, 1987, 6, 394-396.	0.5	4
1015	Effect of cooling rate of Bi ₂ Sr ₂ Ca ₁ Cu ₂ O _x melt on the superconducting properties of the resultant polycrystalline ceramics. Physica C: Superconductivity and Its Applications, 1991, 185-189, 2389-2390.	0.6	4
1016	Generation of Active Oxygen Species on Reaction Between Ceramics in CaO-SiO ₂ -P ₂ O ₅ System and Polymorphonuclear Cells. Phosphorus, Sulfur and Silicon and the Related Elements, 1993, 76, 243-246.	0.8	4
1017	Discoloration of Alumina Ceramics with Ultraviolet Radiation and Elucidation of Its Mechanism. Journal of the Ceramic Society of Japan, 1993, 101, 1189-1191.	1.3	4
1018	Approach to novel crystalline and amorphous oxide materials for optoelectronics by ion implantation. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1996, 41, 39-45.	1.7	4
1019	<title>Solarization of AlF _x </formula><inf><roman>3</roman></inf></formula>-based fluoride glasses for VUV optics by ArF excimer laser irradiation</title>., 1998, 3424, 146.	4	
1020	Ultraviolet Femtosecond Pulse Amplification with High Gain Using Solid-State, Broad-Band Gain Medium Ce ³⁺ :LiCaAlF ₆ . Japanese Journal of Applied Physics, 2001, 40, 2308-2309.	0.8	4
1021	Hopping and optical absorption of electrons in nano-porous crystal 12CaO·7Al ₂ O ₃ . Thin Solid Films, 2003, 445, 161-161.	0.8	4
1022	Interstitial OH Radicals in F ₂ -Laser-Irradiated Bulk Amorphous SiO ₂ . Journal of Physical Chemistry B, 2006, 110, 10224-10227.	1.2	4
1023	52.2: Highly Efficient Field Emission from Spin-Coated Electride Powder. Digest of Technical Papers SID International Symposium, 2006, 37, 1642.	0.1	4
1024	Possible Polaron Effect in Complex Terahertz Conductivity of Electron-Doped Nanoporous Crystal 12CaO·7Al ₂ O ₃ . Journal of the Physical Society of Japan, 2006, 75, 084715.	0.7	4
1025	Development of latent images due to transient free carrier electrons by femtosecond laser pulses and its application to grating shape trimming. Applied Physics Letters, 2007, 90, 011107.	1.5	4
1026	Advances in transparent electronics: From materials to devices I. Thin Solid Films, 2008, 516, 1313.	0.8	4

#	ARTICLE	IF	CITATIONS
1027	Insulator-conductor transition in $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ films: On the stability of the crystal lattice under Ar+ bombardment. <i>Thin Solid Films</i> , 2008, 516, 1350-1353.	0.8	4
1028	Superconducting Gap and Pseudogap Structure in $\text{LaFeAsO}_{1-x}\text{Fx}$ Probed by STM/STS. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 151-152.	0.7	4
1029	Mössbauer Spectroscopy of $\text{La}_{0.87}\text{Ca}_{0.13}\text{FePO}$ and $\text{LaFeAsO}_{0.93}\text{F}_{0.07}$ under External Magnetic Field and Nuclear Resonant Inelastic Scattering of $\text{La}_{0.87}\text{Ca}_{0.13}\text{FePO}$. <i>Journal of the Physical Society of Japan</i> , 2009, 78, 024704.	0.7	4
1030	Sustainable Thermionic O ⁺ Emission from Stoichiometric $12\text{CaO}\cdots7\text{Al}_2\text{O}_3$ with Nanoporous Crystal Structure. <i>Journal of the Electrochemical Society</i> , 2009, 156, G1.	1.3	4
1031	75 As and 139 La NMR studies on $\text{LaFeAs(O}_{1-x}\text{Fx})$. <i>Physica B: Condensed Matter</i> , 2009, 404, 3089-3094.	1.3	4
1032	Magneto-optical imaging of iron-oypnictide superconductor LaFeAs(O,F) . <i>Physica C: Superconductivity and Its Applications</i> , 2010, 470, S406-S407.	0.6	4
1033	Impurities in FeAs-based superconductor, SrFe_2As_2 , studied by first-principles calculations. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2010, 173, 244-247.	1.7	4
1034	Transparent Amorphous Oxide Semiconductors for Flexible Electronics. , 2011, , 459-487.		4
1035	Crucial dependence of excimer laser toughness of wet-silica on excess oxygen. <i>Journal of Non-Crystalline Solids</i> , 2011, 357, 1875-1878.	1.5	4
1036	Thermoelectric Properties of P -Type BaSnO_3 Ceramics Doped with Cobalt. <i>Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2011, 58, 149-154.	0.1	4
1037	Flexibility with a metallic skin. <i>Nature Chemistry</i> , 2012, 4, 252-253.	6.6	4
1038	Control of Surface Work Function by Depositing Insulating Oxide Capping Layers. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 110125.	0.8	4
1039	Superconductivity and physical properties of strongly electron correlated compounds $\text{La}_n\text{Ru}_{3n+1}\text{B}_{2n}$ ($n = 1, 2$, and 3). <i>Europhysics Letters</i> , 2013, 104, 17003.	0.7	4
1040	Superconductivity in 1111-type $\text{CaFeAsF}_{1-x}\text{H}_x$ induced by selective hydrogen elimination. <i>Applied Physics Letters</i> , 2013, 103, 142601.	1.5	4
1041	Apparent high mobility ~30 cm ² /Vs of amorphous InGaZnO thin-film transistor and its origin. <i>Journal of the Ceramic Society of Japan</i> , 2013, 121, 295-298.	0.5	4
1042	A superconducting surprise comes of age. <i>Physics World</i> , 2015, 28, 31-36.	0.0	4
1043	P-177L: Late-News Poster : Highly Efficient Inverted OLEDs using A New Transparent Amorphous Oxide Semiconductor. <i>Digest of Technical Papers SID International Symposium</i> , 2015, 46, 1714-1716.	0.1	4
1044	Structure determination in thin film $\text{B}_{(1-x)}\text{A}_x\text{M}_{(1-y)}\text{Y}_y\text{O}_z$ ($x < 0.1$, $y < 0.1$, $z < 0.1$) by Rietveld refinement. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 101-106.	0.1	4

#	ARTICLE	IF	CITATIONS
1045	Transformation of the Chromium Coordination Environment in LaCrAsO Induced by Hydride Doping: Formation of La ₂ Cr ₂ As ₂ O _y H _x . Inorganic Chemistry, 2017, 56, 13642-13645.	1.9	4
1046	Cation Clustering in Intermetallics: The Modular Bonding Schemes of CaCu and Ca ₂ Cu. Inorganic Chemistry, 2019, 58, 10313-10322.	1.9	4
1047	Robust two-gap strong coupling superconductivity associated with low-lying phonon modes in pressurized Nb ₅ Ir ₃ O superconductors. Chinese Physics B, 2019, 28, 107401.	0.7	4
1048	Pressure-induced quantum critical point in the heavily hydrogen-doped iron-based superconductor LaFeAsO. Physical Review B, 2019, 99, .	1.1	4
1049	Shubnikovâ€“de Haas oscillations in the three-dimensional Dirac fermion system Ca ₃ PbO. Physical Review B, 2019, 99, .	1.1	4
1050	Pseudogap Control of Physical and Chemical Properties in CeFeSi-Type Intermetallics. Inorganic Chemistry, 2019, 58, 2848-2855.	1.9	4
1051	Amorphous In-Ga-Zn-O Thin Film Transistors: Fabrication and Properties. , 2012, , 485-536.		4
1052	Design, Synthesis, and Optoelectronic Properties of the High-Purity Phase in Layered $\langle i \rangle AETM \langle /i \rangle N_{2} \langle /sub \rangle$ ($\langle i \rangle AE \langle /i \rangle = Sr, Ba; \langle i \rangle TM \langle /i \rangle = Ti, Zr, Hf$) Semiconductors. Inorganic Chemistry, 2022, 61, 6650-6659.	1.9	4
1053	18â€“Crownâ€“6 Additive to Enhance Performance and Durability in Solutionâ€“Processed Halide Perovskite Electronics. Small, 2022, 18, .	5.2	4
1054	Concentrations of Residual Carbonate Ions in the Bi-Sr-Ca-Cu-O Glasses. Journal of the American Ceramic Society, 1992, 75, 1658-1661.	1.9	3
1055	Modification of magnesium phosphate glass by H ⁺ irradiation:Formation of oh-bond and phosphorus-colloid. Radiation Effects and Defects in Solids, 1995, 136, 311-316.	0.4	3
1056	Proton-implantation-induced optical phenomena in SiO ₂ :GeO ₂ glasses: formation of photosensitive defects and nanometer sized Ge crystals. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1998, 54, 18-23.	1.7	3
1057	Room Temperature Operation of UV-LED Composed of TCO Hetero p-n Junction, p-SrCu ₂ O ₂ /n-ZnO. Materials Research Society Symposia Proceedings, 2000, 623, 283.	0.1	3
1058	Electron paramagnetic centers in donor-doped CaTiO ₃ single crystals. Physical Review B, 2000, 61, 7440-7447.	1.1	3
1059	Formation of Microstructure in SiO ₂ Thin Film by a Femtosecond Laser Pulse. Japanese Journal of Applied Physics, 2002, 41, 4400-4403.	0.8	3
1060	Biocomposite Materials for Biotechnology. Biological and Medical Physics Series, 2004, , 163-194.	0.3	3
1061	Inter-granular current in iron-oxypnictide superconductors. Physica C: Superconductivity and Its Applications, 2010, 470, 993-995.	0.6	3
1062	Magneto-optical imaging of polycrystalline LaFePO _{1-x} F _x . Physica C: Superconductivity and Its Applications, 2010, 470, S300-S301.	0.6	3

#	ARTICLE	IF	CITATIONS
1063	Interface atomic structure of LaCuOSe:Mg epitaxial thin film and MgO substrate. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 229-233.	1.7	3
1064	Fabrication of GaN epitaxial thin film on InGaZnO4 single-crystalline buffer layer. Thin Solid Films, 2010, 518, 2996-2999.	0.8	3
1065	Pressure effect on iron-based superconductors Ca(Fe _{1-x} Co _x)AsF. Journal of Physics: Conference Series, 2010, 200, 012151.	0.3	3
1066	Frenkel defect process in amorphous silica. , 2011, , .		3
1067	Oxygen-excess amorphous SiO ₂ with ¹⁸ O-labeled interstitial oxygen molecules. Journal of Non-Crystalline Solids, 2011, 357, 1842-1845.	1.5	3
1068	High-Pressure Studies for Iron-Based Superconductors. Japanese Journal of Applied Physics, 2011, 50, 05FD01.	0.8	3
1069	Elucidation of codoping effect in Cu ²⁺ -containing sodium borate glass. Journal of Non-Crystalline Solids, 2012, 358, 2446-2449.	1.5	3
1070	Local structure around rare-earth ions in B ₂ O ₃ glass at high pressure. Journal of Applied Physics, 2013, 113, .	1.1	3
1071	4.1: <i>Invited Paper</i> : Electronic Structure, Carrier Transport, Defects and Impurities in Amorphous Oxide Semiconductor. Digest of Technical Papers SID International Symposium, 2013, 44, 11-13.	0.1	3
1072	Evidence of Spin Resonance Signal in Oxygen Free Superconducting CaFe _{0.88} Co _{0.12} AsF: An Inelastic Neutron Scattering Study. Journal of the Physical Society of Japan, 2013, 82, 104716.	0.7	3
1073	Superconductivity of Ca ₂ InN with a layered structure embedding an anionic indium chain array. Superconductor Science and Technology, 2014, 27, 055005.	1.8	3
1074	Comparison of impurity effect between two T _x H _{1-x} LaFeAsO _{1.88} domes in LaFeAsO _{1.88} . Journal of Physics Condensed Matter, 2014, 26, 435702.	0.7	3
1075	The Unique Electronic Structure of Mg ₂ Si: Shaping the Conduction Bands of Semiconductors with Multicenter Bonding. Angewandte Chemie, 2017, 129, 10269-10273.	1.6	3
1076	Transparent amorphous oxide semiconductors: Materials design, electronic structure, and device applications. , 2017, , .		3
1077	Superconductivity induced by field-driven proton injection. Science Bulletin, 2018, 63, 5-6.	4.3	3
1078	Gapless magnetic excitation in a heavily electron-doped antiferromagnetic phase of LaFeAsO0.5D0.5. Physical Review B, 2018, 98, .	1.1	3
1079	Flux growth and magneto-transport properties of cubic antiperovskite Ca ₃ PbO single crystals. Materials Research Bulletin, 2018, 106, 1-6.	2.7	3
1080	Amorphous Oxide Semiconductor Thin-Film Transistors. , 2019, , 573-587.		3

#	ARTICLE	IF	CITATIONS
1081	Quantum dynamics of hydrogen in the iron-based superconductor $\text{LaFeAsO}_{0.1}$ measured with inelastic neutron spectroscopy. <i>Physical Review B</i> , 2019, 99, .	11	0
1082	Particulate Generation on Surface of Iron Selenide Films by Air Exposure. <i>Journal of Superconductivity and Novel Magnetism</i> , 2019, 32, 3047-3055.	0.8	3
1083	Transition Metal-doped Ru Nanoparticles Loaded on Metal Hydrides for Efficient Ammonia Synthesis from First Principles. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1529-1534.	1.5	3
1084	Potential Interaction of Noble Gas Atoms and Anionic Electrons in Ca ₂ N. <i>Journal of Physical Chemistry C</i> , 2020, 124, 12213-12219.	1.5	3
1085	Ion Substitution Effect on Defect Formation in Two-Dimensional Transition Metal Nitride Semiconductors, AE_{2} ($\text{AE} = \text{Ca, Sr, and Ba}$). <i>Inorganic Chemistry</i> , 2021, 60, 10227-10234.	1.9	3
1086	Ultrafast optical stress on BaFe ₂ As ₂ . <i>Physical Review Research</i> , 2021, 3, .	1.3	3
1087	Oxide TFTs. , 2012, , 729-749.		3
1088	INTERACTION OF SiO ₂ GLASSES WITH HIGH ENERGY ION BEAMS AND VACUUM UV EXCIMER LASER PULSES. , 2000, , 213-233.		3
1089	Electronic Structures of Group III-V Element Haeckelite Compounds: A Novel Family of Semiconductors, Dirac Semimetals, and Topological Insulators. <i>Advanced Functional Materials</i> , 0, , 2110930.	7.8	3
1090	Characteristic Resistive Switching of Rare-Earth Oxyhydrides by Hydride Ion Insertion and Extraction. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 19766-19773.	4.0	3
1091	Unique Conduction Band Minimum of Semiconductors Possessing a Zincblende-Type Framework. <i>Inorganic Chemistry</i> , 2022, 61, 10359-10364.	1.9	3
1092	Photobleaching Mechanism in Amorphous Red Phosphorus. <i>Journal of the Ceramic Society of Japan</i> , 1989, 97, 351-354.	1.3	2
1093	Electrical Properties of Silver Photodoped Amorphous Red Phosphorus. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1990, 51, 157-160.	0.8	2
1094	Superconducting ceramics of Bi ₂ Sr ₂ Ca ₁ Cu ₂ O _x prepared by heating in a vacuum-sealed vessel. <i>Applied Physics Letters</i> , 1992, 60, 2300-2302.	1.5	2
1095	POROUS TITANIUM PHOSPHATE GLASS-CERAMICS WITH BACTERIOSTATIC ACTIVITIES. <i>Phosphorus Research Bulletin</i> , 1996, 6, 253-256.	0.1	2
1096	Photoconduction in multicomponent oxide glasses. <i>Journal of Non-Crystalline Solids</i> , 1998, 224, 43-49.	1.5	2
1097	<title>Color center formation and time-resolved photoluminescence for ArF excimer laser irradiation in CaF ₂ single crystals</title>. , 1998, 3424, 60.		2
1098	Fabrication of nonerasable gratings in SiO ₂ glasses by a two-beam holographic method using infrared femtosecond laser pulses. , 2001, , .		2

#	ARTICLE	IF	CITATIONS
1099	X-ray Amorphous P-type Conductive Oxide; ZnRh ₂ O ₄ . Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	2
1100	High-Density Electron Anions in a Nanoporous Single Crystal: [Ca ₂₄ Al ₂₈ O ₆₄] ₄₊ (4e ⁻).. ChemInform, 2003, 34, no.	0.1	2
1101	Two-Dimensional Electronic Structures in Layered Oxychalcogenide Semiconductors, LaCuOCh (Ch=S, ₂ rgBT /Over	0.1	2
1102	Synthesis of Layered Perovskites Ba _{n+1} S _n O _{3n+1} by Coprecipitation Method and Their Thermoelectric Properties. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2004, 51, 875-880.	0.1	2
1103	Decomposition of peroxy radicals in SiO ₂ glass with X-rays or KrF laser light. Physica Status Solidi C: Current Topics in Solid State Physics, 2005, 2, 314-317.	0.8	2
1104	Bipolar Room Temperature Ferromagnetic Semiconductor LaMnOP. Japanese Journal of Applied Physics, 2005, 44, L1344-L1347.	0.8	2
1105	Stable Inorganic Electride C ₁₂ A ₇ :e ⁻ : Electronic Properties and Structure. Nihon Kessho Gakkaishi, 2007, 49, 171-178.	0.0	2
1106	Preparation of Fe-Oxipnictides Superconductors: Solid-State Sintering, High Pressure Synthesis and Flux Method. Journal of the Physical Society of Japan, 2008, 77, 23-26.	0.7	2
1107	Photoemission Study of the Electronic Structure of LaFeAsO _{1-x} F _x and LaFePO _{1-x} F _x . Journal of the Physical Society of Japan, 2008, 77, 69-71.	0.7	2
1108	Hydrogen permeation of tungsten phosphate glass thin films. Solid State Ionics, 2009, 180, 556-559.	1.3	2
1109	Electron tunneling using STM/STS on iron-based oxypnictides. Physica C: Superconductivity and Its Applications, 2010, 470, S315-S316.	0.6	2
1110	Inhomogeneous broadening and peak shift of the 7.6 eV optical absorption band of oxygen vacancies in SiO ₂ . , 2014, , .		2
1111	New LaMAsH _x (M = Co, Ni, or Cu) Arsenides with Covalent H Chains. Journal of the American Chemical Society, 2014, 136, 17390-17393.	6.6	2
1112	Fabrication and opto-electrical properties of amorphous (Zn,B)O thin film by pulsed laser deposition. Journal of the Ceramic Society of Japan, 2015, 123, 523-526.	0.5	2
1113	31-4: Novel Inorganic Electron Injection and Transport Materials Enabling Large-Sized Inverted OLEDs Driven by Oxide TFTs. Digest of Technical Papers SID International Symposium, 2016, 47, 401-404.	0.1	2
1114	Amorphous pnictide semiconductor BaZn ₂ As ₂ exhibiting high hole mobility. Applied Physics Letters, 2016, 109, .	1.5	2
1115	Gritty Surface Sample Holder Invented To Obtain Correct X-ray Absorption Fine Structure Spectra for Concentrated Materials by Fluorescence Yield. Analytical Chemistry, 2016, 88, 3455-3458.	3.2	2
1116	P-187: Electronic Structures of Various Color Light-Emitting Amorphous Oxide Semiconductor Thin Films. Digest of Technical Papers SID International Symposium, 2017, 48, 1974-1976.	0.1	2

#	ARTICLE	IF	CITATIONS
1117	Nanocomposite Phosphor Consisting of $\text{Ca}_{2-\text{x}}\text{Eu}_{\text{x}}\text{SiO}_2$ Single Nanocrystals Embedded in Crystalline SiO_2 . <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 41405-41412.	4.0	2
1118	Superconductivity in non-centrosymmetric sulfide $\text{Y}_{\text{x}}\text{S}_{4}$. <i>Europhysics Letters</i> , 2018, 121, 57001.	0.7	2
1119	Pâ€197: Lateâ€News Poster: NBTSâ€free Oxide TFTs with High Mobility of $40 \text{ cm}^2/\text{Vs}$: A Possible Origin for NBTS Instability. <i>Digest of Technical Papers SID International Symposium</i> , 2019, 50, 1349-1350.	0.1	2
1120	Hydrogen-Insertion-Induced Itinerant Ferromagnetism in $\text{Zr}_2\text{CoH}_{4.8}$ with Co Chains. <i>Journal of Physical Chemistry C</i> , 2019, 123, 14964-14968.	1.5	2
1121	Anomalous Charge State Evolution and Its Control of Superconductivity in $\text{M}_3\text{Al}_2\text{C}$ ($\text{M}=\text{Mo}, \text{W}$). <i>IScience</i> , 2020, 23, 101196.	1.9	2
1122	Enormous photon-induced volume expansion of Ge-doped silica thin films. , 1999, , .		2
1123	Defect Formation in $\text{SiO}_2:\text{P}_2\text{O}_5$ Glasses by Excimer Laser Irradiation: Effects of Hydrogen Loading. , 2001, , .		2
1124	Superconductivity in the Layered Cage Compound $\text{Ba}_3\text{Rh}_4\text{Ge}_{16}$. <i>Chinese Physics Letters</i> , 2021, 38, 127402.	1.3	2
1125	Characterization of Oxide Glasses by Magnetic Resonance and Optical Absorption of Metallic Probe Ions. <i>Journal of the Ceramic Association Japan</i> , 1979, 87, 7-18.	0.2	1
1126	Photon-induced ESR centers associated with p-block elements in oxide glasses. <i>Journal of Non-Crystalline Solids</i> , 1982, 52, 129-133.	1.5	1
1127	Photobleaching in Amorphous Red Phosphorus. <i>Journal of the Ceramic Society of Japan</i> , 1989, 97, 346-350.	1.3	1
1128	DTA Studies for Thermochromism and Thermal Bleaching in Reduced Phosphate Glasses. <i>Journal of the Ceramic Society of Japan</i> , 1989, 97, 823-827.	1.3	1
1129	Carrier compensation and generation in $\text{Ca}_{1-x}\text{YxTiO}_3$ and $\text{CaTi}_{1-x}\text{Nb}_x\text{O}_3$ single crystals. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 1998, 54, 60-63.	1.7	1
1130	Optical Materials for Vacuum Ultraviolet Lithography: Interaction of Materials with Excimer Laser Pulses.. <i>The Review of Laser Engineering</i> , 1999, 27, 616-622.	0.0	1
1131	Low Electrically Resistive Transparent Indium-Tin-Oxide Epitaxial Film on (001) Surface of YSZ by Pulsed Laser Deposition. <i>Materials Research Society Symposia Proceedings</i> , 2000, 623, 253.	0.1	1
1132	Publisherâ€™s Note: Diffusion and Reactions of Hydrogen in F2-Laser-Irradiated SiO2 Glass [Phys. Rev. Lett. 89, 135507 (2002)]. <i>Physical Review Letters</i> , 2002, 89, .	2.9	1
1133	Fine-Pitched Microgratings Encoded by Interference of UV Femtosecond Laser Pulses. <i>Journal of Nanoscience and Nanotechnology</i> , 2002, 2, 321-323.	0.9	1
1134	Generation of Intense 25-fs Pulses at 290 nm by Use of a Hollow Fiber Filled with High-Pressure Argon Gas. <i>Japanese Journal of Applied Physics</i> , 2002, 41, L986-L988.	0.8	1

#	ARTICLE	IF	CITATIONS
1135	Photo-Induced Insulator-Semiconductor Transition in $12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ (C12A7). Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	1
1136	Thermoelectric Properties of Epitaxial Films of Layered Cobalt Oxides Fabricated by Topotactic Ion-Exchange Methods., 2006, , .		1
1137	Energetics of Formation and Oxidation of Microporous Calcium Aluminates: A New Class of Electrides and Ionic Conductors.. ChemInform, 2006, 37, no.	0.1	1
1138	35.5L: Late-News Paper: An Ambipolar Oxide TFT. Digest of Technical Papers SID International Symposium, 2011, 42, 486-487.	0.1	1
1139	Solid-state source of atomic oxygen for low-temperature oxidation processes: Application to pulsed laser deposition of $\text{TiO}_2:\text{N}$ films. Review of Scientific Instruments, 2012, 83, 023903.	0.6	1
1140	New Frontiers Opened Up Through Function Cultivation in Transparent Oxides., 2013, , 455-487.		1
1141	P.3: 3â€¢ Stacked Complementary TFT Devices using nâ€¢type In_2O_3 and pâ€¢type F8T2 TFTs â€” Operation Confirmation of NOT and NAND Logic Circuits â€“. Digest of Technical Papers SID International Symposium, 2013, 44, 995-998.	0.1	1
1142	P-176L:Late-News Poster: Deposition and Structuring Processes of a Newly Developed Transparent Amorphous Oxide Semiconductor for the Electron Transport and Injection Layers of AM-OLEDs. Digest of Technical Papers SID International Symposium, 2015, 46, 1710-1713.	0.1	1
1143	STM/STS study of the superconducting gap in $\text{SmFeAsO}_1\text{F}$. Solid State Communications, 2015, 204, 33-36.	0.9	1
1144	Crystal structure and physical properties of new transition metal based pnictide compounds: LaTM_2AsN (TM = Fe, Co, and Ni). APL Materials, 2015, 3, 041509.	2.2	1
1145	Why high-pressure sputtering must be avoided to deposit a-In-Ga-Zn-O films., 2016, , .		1
1146	Ferrimagnetic Cage Framework in $\text{Ca}_{12}\text{Fe}_{10}\text{Si}_4\text{O}_{32}\text{Cl}_6$. Inorganic Chemistry, 2017, 56, 566-572.	1.9	1
1147	Pâ€¢13: Quantitative Analysis and Deconvolution of Subgap States in Amorphous $\text{In}_x\text{Ga}_y\text{Zn}_z\text{O}$. Digest of Technical Papers SID International Symposium, 2017, 48, 1273-1275.	0.1	1
1148	Thin-film Growth and Device Fabrication of Iron-based Superconductors. TEION KOGAKU (Journal of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.1	
1149	Characterization and structure of a fiber of $\text{BaO}\text{SnO}_2\text{P}_2\text{O}_5\text{B}_2\text{O}_3$ glass with a very small photoelastic constant. Japanese Journal of Applied Physics, 2018, 57, 080310.	0.8	1
1150	Pressure-induced quantum critical behavior in $\text{LaFeAsO}_{1-x}\text{H}_x$ studied via NMR. AIP Advances, 2018, 8, 101331.	0.6	1
1151	Phase transition in CaFeAsH : bridging 1111 and 122 iron-based superconductors. Dalton Transactions, 2018, 47, 12964-12971.	1.6	1
1152	New Amorphous $\text{In}\text{Ga}\text{Zn}\text{O}$ Thin-Film Transistor-Based Optical Pixel Sensor for Optical Input Signal With Short Wavelength. IEEE Transactions on Electron Devices, 2019, 66, 3841-3846.	1.6	1

#	ARTICLE	IF	CITATIONS
1153	Superconductivity from buckled-honeycomb-vacancy ordering. <i>Science Bulletin</i> , 2021, 66, 327-331.	4.3	1
1154	Ammonia Synthesis: Ruthenium Catalysts Promoted by Lanthanide Oxyhydrides with High Hydrideâ€¢ion Mobility for Lowâ€¢Temperature Ammonia Synthesis (Adv. Energy Mater. 4/2021). <i>Advanced Energy Materials</i> , 2021, 11, 2170018.	10.2	1
1155	Why Ca2NH works as an efficient and stable support of Ru catalyst in ammonia synthesis. <i>Research on Chemical Intermediates</i> , 2021, 47, 235-248.	1.3	1
1156	Electronic and crystal structures of LnFeAsO _{1-x} H _x (Ln = La, Sm) studied by x-ray absorption spectroscopy, x-ray emission spectroscopy, and x-ray diffraction (part I: Tj ETQq0 0 0 rgBT /Overlap 10 Tf 50 617 To)		
1157	Local Structure Properties of Hydrogenated and Nonhydrogenated Amorphous Inâ€“Gaâ€“Znâ€“O Thin Films Using XAFS and High-Energy XRD. <i>Journal of Physical Chemistry C</i> , 2021, 125, 13619-13628.	1.5	1
1158	Present status of amorphous Inâ€“Gaâ€“Znâ€“O thin-film transistors. , 0, .		1
1159	Insulator-metal Transition of an Alumina Cement Constituent, C12A7, Realized by Employing a Built-in Nanostructure: Fabrication of Highly Transparent Conductive Thin Films and Their Application to an Electron Injection Electrode in Organic Devices Utilizing the Low Work Function. <i>Hyomen Kagaku</i> , 2008, 29, 2-9.	0.0	1
1160	High-Temperature Thermoelectric Properties of La-Doped Ba _{1-x} Sr _x SnO ₃ Ceramics. <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2009, 56, 555-560.	0.1	1
1161	Effects of Melting Temperature on the Properties of High-Tc Superconducting Bi ₂ Sr ₂ CaCu ₂ O _x Glass-Ceramics. , 1991, , 809-812.		1
1162	Oxide TFTs. , 2015, , 1-28.		1
1163	High-Mobility Metastable Rock-Salt Type (Sn,Ca)Se Thin Film Stabilized by Direct Epitaxial Growth on a YSZ (111) Single-Crystal Substrate. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 18682-18689.	4.0	1
1164	Electronic Transport Properties of Hole-Doped Sr _{1+x} La _{1-x} CrO _{4+Î¸} . <i>Journal of the Ceramic Society of Japan</i> , 1995, 103, 1112-1116.	1.3	0
1165	High Efficiency-Carrier-Generation in Li ^{+/-} -Implanted MgIn ₂ O ₄ Thin Films. <i>Journal of the Ceramic Society of Japan</i> , 1997, 105, 275-277.	1.3	0
1166	Electron Spin Resonance Centers in Donor-Doped CaTiO ₃ ; Single Crystals. <i>Solid State Phenomena</i> , 1999, 67-68, 283-290.	0.3	0
1167	Electronic Structure of SrNb ₈ O ₁₄ and Mg ₃ Nb ₆ O ₁₁ Studied by Spectroscopic Methods. <i>Chemistry of Materials</i> , 2000, 12, 2659-2663.	3.2	0
1168	Bipolar Electrical Conductive Transparent Oxide, CuInO ₂ . <i>Materials Research Society Symposia Proceedings</i> , 2001, 666, 3141.	0.1	0
1169	Transparent P-type Conducting LaCuOS Layered Oxysulfide. <i>Materials Research Society Symposia Proceedings</i> , 2001, 666, 271.	0.1	0
1170	Deep-UV Transparent Conductive Î²-Ga ₂ O ₃ Film. <i>Materials Research Society Symposia Proceedings</i> , 2001, 666, 291.	0.1	0

#	ARTICLE	IF	CITATIONS
1171	Transparent Conducting Indium-Tin-Oxide Thin Film with Extremely Flattened Surface. Materials Research Society Symposia Proceedings, 2001, 666, 3151.	0.1	0
1172	Optical transparency of SiO ₂ glass in vacuum ultraviolet region and defect formation by F ₂ laser., 2001, 4347, 223.	0	0
1173	Fabrication and Current Injection UV-Light Emission from a Transparent p-n Heterojunction Composed of p-SrCu₂O₃ and n-ZnO. Key Engineering Materials, 2002, 214-215, 75-80.	0.4	0
1174	Time-resolved gain-spectrum measurement scheme using two potential laser media and a streak camera. Review of Scientific Instruments, 2001, 72, 2875-2878.	0.6	0
1175	Wide-gap P-type Conductive Properties in Layered Oxychalcogenides. Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	0
1176	Micrograting formation with femtosecond ultraviolet laser on optical materials., 2002, , .	0	0
1177	Heteroepitaxial Growth of a Wide Gap P-type Oxsulfide, LaCuOS. Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	0
1178	Light-Induced Conversion of an Insulating Refractory Oxide into a Persistent Electronic Conductor.. ChemInform, 2003, 34, no-no.	0.1	0
1179	Observation of carrier dynamics in CdO thin films by excitation with femtosecond laser pulse. Thin Solid Films, 2003, 445, 182-182.	0.8	0
1180	The Alchemy of Today: Functioning of Traditional Ceramics Utilizing Nanostructure. Materials Science Forum, 2003, 437-438, 1-6.	0.3	0
1181	Electrical and Photonic Functions in Transparent Oxide Semiconductors: Utilization of Built-in Nanostructure. Materials Research Society Symposia Proceedings, 2003, 796, 13.	0.1	0
1182	Exploration of Novel Functions in Transparent Oxides Based on Built-in Nanostructures. Nihon Kessho Gakkaishi, 2004, 46, 48-52.	0.0	0
1183	Carrier transport of extended and localized states in InGaO ₃ (ZnO)5. Materials Research Society Symposia Proceedings, 2004, 811, 90.	0.1	0
1184	Persistent Electronic Conduction in 12CaO ₇ Al ₂ O ₃ Thin Films Produced by Ar Ion Implantation: Selective Kick-Out Effect Leads to Electride Thin Films. Materials Research Society Symposia Proceedings, 2004, 811, 85.	0.1	0
1185	Formation and Desorption of Oxygen Species in Nanoporous Crystal 12CaO ₇ -7Al ₂ O ₃ .. ChemInform, 2004, 35, no.	0.1	0
1186	NANO-MATERIALS 2004: beyond traditional material discipline. Science and Technology of Advanced Materials, 2004, 5, 407-407.	2.8	0
1187	Optical Properties and Two-Dimensional Electronic Structure in Wide-Gap Layered Oxychalcogenide: La ₂ CdO ₂ Se ₂ .. ChemInform, 2005, 36, no.	0.1	0
1188	Electrical and Photonic Functions Originating from Low-Dimensional Structures in Wide-Gap Semiconductors LnCuOCh (Ln: Lanthanide, Ch: Chalcogen): A Review. ChemInform, 2005, 36, no.	0.1	0

#	ARTICLE	IF	CITATIONS
1189	Plasticity of Fe-Oxypnictides Superconductor. Journal of the Physical Society of Japan, 2008, 77, 125-126.	0.7	0
1190	Photoluminescence Study of Diffusion and Reactions of ^{18}O -labeled Interstitial Oxygen Molecules in Amorphous SiO_2 . ECS Transactions, 2009, 25, 277-285.	0.3	0
1191	Oxide Glass/Amorphous Metal Alloy Laminated Membrane for Hydrogen Separation. Chemistry Letters, 2009, 38, 502-503.	0.7	0
1192	Ca-Doping and Thermoelectric Properties of Ca_xCoO_2 Epitaxial Films. Ceramic Engineering and Science Proceedings, 0, , 93-105.	0.1	0
1193	$12\text{CaO}\cdot7\text{Al}_2\text{O}_3$ (C12A7) β -phase at 1000°C . Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2009, 641-646.	0.1	0
1194	Superconductivity of $\text{LaFeAsO}_{1-x}\text{F}_x$ under high pressure studied using NMR. Journal of Physics: Conference Series, 2010, 200, 012042.	0.3	0
1195	75As-nuclear magnetic relaxation on $\text{LaFeAsO}_1\text{F}$ under pressure. Physica C: Superconductivity and Its Applications, 2010, 470, S347-S348.	0.6	0
1196	Low-temperature lattice anomaly in $\text{LaFeAsO}_0.93\text{F}_{0.07}$ probed by X-ray absorption spectroscopy: Evidence for strong electron-lattice interaction. Physica C: Superconductivity and Its Applications, 2010, 470, S311-S312.	0.6	0
1197	Pressure Studies for 1111 and 11 Type Iron-based Superconductors. Materials Research Society Symposia Proceedings, 2010, 1254, 202.	0.1	0
1198	Non-conventional Materials. , 2011, , 313-351.		0
1199	Layer-by-layer epitaxial growth of polar MgO (111) films with atomically flat surfaces. Proceedings of SPIE, 2011, ,	0.8	0
1200	52.3: A Use of Electrically Conductive Oxide Ceramic ($12\text{CaO}\cdot7\text{Al}_2\text{O}_3$) Electrode having Low Work Function and Low Sputtering Yield for Fluorescent Lamps. Digest of Technical Papers SID International Symposium, 2011, 42, 762-765.	0.1	0
1201	Solid-phase epitaxial growth of (111)-oriented Si film on $\text{InGaO}_3(\text{ZnO})_5$ buffer layer. Journal of Materials Science: Materials in Electronics, 2011, 22, 920-923.	1.1	0
1202	Doping effects in amorphous oxides. Journal of the Ceramic Society of Japan, 2012, 120, 616-A-616-A.	0.5	0
1203	^{18}O -labeled interstitial oxygen molecules as probes to study reactions involving oxygen-related species in amorphous SiO_2 . Journal of Non-Crystalline Solids, 2012, 358, 3524-3530.	1.5	0
1204	Characteristic shift of a CTFT inverter using n-type IGZO and p-type F8T2 TFTs after temperature and operation stresses., 2012, ,		0
1205	The Fifth International Conference on the Science and Technology for Advanced Ceramics (STAC-5) and the Second International Conference on Advanced Materials Development and Integration of Novel Structured Metallic and Inorganic Materials (AIMDI2) June 22-24, 2011. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2012, 177, 499.	1.7	0
1206	Homogeneous coexistence and phase segregation in 1111 iron-based pnictides studied via NMR. Journal of the Korean Physical Society, 2013, 62, 2004-2006.	0.3	0

#	ARTICLE	IF	CITATIONS
1207	Publisher's Note: From antiferromagnetic insulator to ferromagnetic metal: Effects of hydrogen substitution in LaMnAsO [Phys. Rev. B87, 020401(R) (2013)]. Physical Review B, 2013, 87, .	1.1	0
1208	Amorphous Oxide Semiconductor Thin Films. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2013, 64, 392-395.	0.1	0
1209	Light irradiation and applied voltage history sensors using amorphous In-Ga-Zn-O thin-film transistors exposed to ozone annealing and fabricated under high oxygen pressure., 2014, , .		0
1210	News and analysis on materials solutions to energy challenges. MRS Bulletin, 2014, 39, 483-483.	1.7	0
1211	Converting â€œAbundant Ingredientsâ€ to Functional Materials. Hyomen Kagaku, 2014, 35, 267-269.	0.0	0
1212	Study of Iron-Based Superconductor by Means of X-ray, Neutron, Muon Beams. Nihon Kessho Gakkaishi, 2015, 57, 5-12.	0.0	0
1213	Novel oxide semiconductors for OLEDs and catalysis. , 2016, , .		0
1214	P-234: Late-News Poster : OLED Lighting with High Out-Coupling Efficiency and Reliability. Digest of Technical Papers SID International Symposium, 2017, 48, 2035-2038.	0.1	0
1215	Publisher's Note: Amorphous Gallium Oxide as an Improved Host for Inorganic Light-Emitting Thin Film Semiconductor Fabricated at Room Temperature on Glass [<i>ECS J. Solid State Sci. Technol.,</i>6, P410 (2017)]. ECS Journal of Solid State Science and Technology, 2017, 6, X1-X1.	0.9	0
1216	Solution-Processable P-type Transparent Amorphous Semiconductor for Flexible Electronics. , 2018, , .		0
1217	19-4: Late-News Paper: New P-type Amorphous Semiconductor with High Transparency and High Mobility of 9 cm ² /Vs for Next-Generation Displays. Digest of Technical Papers SID International Symposium, 2018, 49, 236-238.	0.1	0
1218	On the Origin of the Negative Thermal Expansion Behavior of YCu. Inorganic Chemistry, 2019, 58, 11819-11827.	1.9	0
1219	Exotic Crystal Structures and Electronic Structures in Novel Structured Inorganic Materials. , 2019, , 107-120.		0
1220	15.1: Invited Paper: Understanding and controlling electronic defects in amorphous oxide semiconductor. Digest of Technical Papers SID International Symposium, 2021, 52, 97-99.	0.1	0
1221	Electronic and crystal structures of LnFeAsO _x (Ln = La, Sm) studied by x-ray absorption spectroscopy, x-ray emission spectroscopy, and x-ray diffraction: II pressure dependence. Journal of Physics Condensed Matter, 2021, 33, 255603.	0.7	0
1222	2D Electrides: MXene Phase with C ₃ Structure Unit: A Family of 2D Electrides (Adv. Funct.) Tj ETQq0 0.0 rgBT /Overlock 10		
1223	Comment on Weber et al. Mayenite-Based Electride C ₁₂ A ₇ e ⁺ : A Reactivity and Stability Study. Catalysts 2021, 11, 334. Catalysts, 2021, 11, 1154.	1.6	0
1224	Approach to Transparent ElectroActive Materials: Fabrication of UV-LED composed of transparent oxide semiconductors and Holographic Encoding of Micro-gratings on Non-photosensitive Transparent Dielectrics. The Review of Laser Engineering, 2001, 29, 175-176.	0.0	0

#	ARTICLE	IF	CITATIONS
1225	Vacuum-Ultraviolet Transparency of Silica Glass and its Interaction with Vacuum-Ultraviolet Lasers.. Nihon Kessho Gakkaishi, 2002, 44, 182-188.	0.0	0
1226	é«˜æ€§èƒ½ãƒ‐ã,ãƒ‐ãƒ« TFT å®Ýç¾ã«å‘ã•ã¥ã,çãƒ¢ãƒ«ãƒ•ã,¡ã,1é...,ãŒ‐ç‰©åŠå°Žå½“ã®æee‐™æŽç‘ç¢ã•ãƒ‐ã,ã,ãƒ‐ãƒ« TFT		
1227	í¼`ç¬‐40å›ží¼%é€œ~Žå›žè·. Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers 2009, 63, 638-640.	0.0	0
1228	Ubiquitous Element Strategy for Functional Inorganic Materials. Trends in the Sciences, 2009, 14, 54-59.	0.0	0
1229	High-Pressure Studies for Iron-Based Superconductors. Japanese Journal of Applied Physics, 2011, 50, 05FD01.	0.8	0
1230	Tuning of Surface Roughness and Lattice Constant in MgO(111)/Al ₂ O ₃ (0001) Grown by Laser Energy Controlled Pulsed Laser Deposition. Japanese Journal of Applied Physics, 2011, 50, 085503.	0.8	0
1231	Iron-Based Superconductors. , 2012, , 1-52.		0
1232	Characterization of ion irradiated a-carbon films. , 1996, , 999-1002.		0
1233	Design of Functional Inorganic Materials by Ion Beams. Approach to High Performance Oxide Glassy and Amorphous Materials by Ion Implantation.. Hyomen Kagaku, 1997, 18, 279-285.	0.0	0
1234	Excimer laser crystallization of amorphous indium-tin oxide thin films and application to fabrication of Bragg gratings. , 1999, , 209-212.		0
1235	Introduction: Discovery and Current Status. Springer Series in Materials Science, 2015, , 3-19.	0.4	0
1236	Electrical Conduction in Curved Hexagonal Borophane. SSRN Electronic Journal, 0, , .	0.4	0
1237	Growth, Properties, and Device Fabrication of Iron-Based Superconductor Thin-Films. , 2020, , 213-241.		0
1238	Low Residual Carrier Density and High In-Grain Mobility in Polycrystalline Zn ₃ N ₂ Films on a Glass Substrate. ACS Applied Electronic Materials, 2022, 4, 2026-2031.	2.0	0
1239	Ammonia Decomposition Mediated by Anion Vacancy at the Interface between CaNH with a Rock Salt Structure and Ni Nanoparticle. Nihon Kessho Gakkaishi, 2022, 64, 160-164.	0.0	0
1240	Catalyst for Ammonia Synthesis; History and Current Status. Journal of the Institute of Electrical Engineers of Japan, 2022, 142, 346-350.	0.0	0