

# Hideo Hosono

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2040971/publications.pdf>

Version: 2024-02-01

1,240  
papers

88,712  
citations

553

126  
h-index

601

260  
g-index

1325  
all docs

1325  
docs citations

1325  
times ranked

35413  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electron Transfer from Support/Promotor to Metal Catalyst: Requirements for Effective Support. <i>Catalysis Letters</i> , 2022, 152, 307-314.	1.4	19
2	Suppression of Rayleigh Scattering in Silica Glass by Codoping Boron and Fluorine: Molecular Dynamics Simulations with Force-Matching and Neural Network Potentials. <i>Journal of Physical Chemistry C</i> , 2022, 126, 2264-2275.	1.5	11
3	Room-Temperature Fast H <sup>+</sup> Conduction in Oxygen-Substituted Lanthanum Hydride. <i>Journal of the American Chemical Society</i> , 2022, 144, 1523-1527.	6.6	27
4	LaRuSi Electride Disrupts the Scaling Relations for Ammonia Synthesis. <i>Chemistry of Materials</i> , 2022, 34, 1677-1685.	3.2	19
5	Fishtail effect and the vortex phase diagram of high-entropy alloy superconductor. <i>Applied Physics Letters</i> , 2022, 120, .	1.5	7
6	Electronic and Lattice Thermal Conductivity Switching by 3D $\rightarrow$ 2D Crystal Structure Transition in Nonequilibrium (Pb <sub>1-x</sub> ) <sub>2</sub> (Sn <sub>x</sub> ) <sub>2</sub> Se. <i>Advanced Electronic Materials</i> , 2022, 8, .	2.6	6
7	Caging-Pnictogen-Induced Superconductivity in Skutterudites IrX <sub>3</sub> (X = As, P). <i>Journal of the American Chemical Society</i> , 2022, 144, 6208-6214.	6.6	13
8	Degenerated Hole Doping and Ultra-Low Lattice Thermal Conductivity in Polycrystalline SnSe by Nonequilibrium Isovalent Te Substitution. <i>Advanced Science</i> , 2022, 9, e2105958.	5.6	7
9	Hexagonal BaTiO <sub>3</sub> H <sub>2</sub> Oxyhydride as a Water-Durable Catalyst Support for Chemoselective Hydrogenation. <i>Journal of the American Chemical Society</i> , 2022, 144, 6453-6464.	6.6	18
10	Characteristic mechanism for fast H <sup>+</sup> conduction in	3.8	8
11	High-Performance Channel Tin Halide Perovskite Thin Film Transistor Utilizing a 2D $\rightarrow$ 3D Core-Shell Structure. <i>Advanced Science</i> , 2022, 9, e2104993.	5.6	21
12	High-Mobility Metastable Rock-Salt Type (Sn,Ca)Se Thin Film Stabilized by Direct Epitaxial Growth on a YSZ (111) Single-Crystal Substrate. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 18682-18689.	4.0	1
13	Design, Synthesis, and Optoelectronic Properties of the High-Purity Phase in Layered A <sub>2</sub> N <sub>2</sub> (A = Sr, Ba; TM = Ti, Zr, Hf) Semiconductors. <i>Inorganic Chemistry</i> , 2022, 61, 6650-6659.	1.9	4
14	Characteristic Resistive Switching of Rare-Earth Oxyhydrides by Hydride Ion Insertion and Extraction. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 19766-19773.	4.0	3
15	Low Residual Carrier Density and High In-Grain Mobility in Polycrystalline Zn <sub>3</sub> N <sub>2</sub> Films on a Glass Substrate. <i>ACS Applied Electronic Materials</i> , 2022, 4, 2026-2031.	2.0	0
16	Pressure-induced reemergence of superconductivity in BaIr <sub>2</sub> Ge <sub>7</sub> and Ba <sub>3</sub> Ir <sub>4</sub> Ge <sub>16</sub> with cage structures. <i>Matter and Radiation at Extremes</i> , 2022, 7, .	1.5	19
17	Unique Catalytic Mechanism for Ru-Loaded Ternary Intermetallic Electrides for Ammonia Synthesis. <i>Journal of the American Chemical Society</i> , 2022, 144, 8683-8692.	6.6	38
18	Ammonia Decomposition Mediated by Anion Vacancy at the Interface between CaNH with a Rock Salt Structure and Ni Nanoparticle. <i>Nihon Kessho Gakkaishi</i> , 2022, 64, 160-164.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Catalyst for Ammonia Synthesis; History and Current Status. Journal of the Institute of Electrical Engineers of Japan, 2022, 142, 346-350.	0.0	0
20	Unconventional excitonic states with phonon sidebands in layered silicon diphosphide. Nature Materials, 2022, 21, 773-778.	13.3	20
21	Unique Conduction Band Minimum of Semiconductors Possessing a Zincblende-Type Framework. Inorganic Chemistry, 2022, 61, 10359-10364.	1.9	3
22	Hole Concentration Reduction in CuI by Zn Substitution and its Mechanism: Toward Device Applications. ACS Applied Materials & Interfaces, 2022, 14, 33463-33471.	4.0	9
23	18-Crown-6 Additive to Enhance Performance and Durability in Solution-Processed Halide Perovskite Electronics. Small, 2022, 18, .	5.2	4
24	How fluorine minimizes density fluctuations of silica glass: Molecular dynamics study with machine-learning assisted force-matching potential. Materials and Design, 2021, 197, 109210.	3.3	18
25	Double Charge Polarity Switching in Sb-Doped SnSe with Switchable Substitution Sites. Advanced Functional Materials, 2021, 31, 2008092.	7.8	7
26	Superconductivity from buckled-honeycomb-vacancy ordering. Science Bulletin, 2021, 66, 327-331.	4.3	1
27	Ruthenium Catalysts Promoted by Lanthanide Oxyhydrides with High Hydride-Ion Mobility for Low-Temperature Ammonia Synthesis. Advanced Energy Materials, 2021, 11, 2003723.	10.2	45
28	Ethanol-ethylene conversion mechanism on hydrogen boride sheets probed by <i>in situ</i> infrared absorption spectroscopy. Physical Chemistry Chemical Physics, 2021, 23, 7724-7734.	1.3	16
29	Ammonia Synthesis: Ruthenium Catalysts Promoted by Lanthanide Oxyhydrides with High Hydride-Ion Mobility for Low-Temperature Ammonia Synthesis (Adv. Energy Mater. 4/2021). Advanced Energy Materials, 2021, 11, 2170018.	10.2	1
30	Ship-in-a-Bottle Synthesis of High Concentration of N <sub>2</sub> Molecules in a Cage-Structured Electride. Journal of Physical Chemistry Letters, 2021, 12, 1295-1299.	2.1	8
31	Why Ca <sub>2</sub> NH works as an efficient and stable support of Ru catalyst in ammonia synthesis. Research on Chemical Intermediates, 2021, 47, 235-248.	1.3	1
32	Stabilization Factor of Anion-Excess Fluorite Phase for Fast Anion Conduction. Chemistry of Materials, 2021, 33, 1867-1874.	3.2	10
33	15.1: Invited Paper: Understanding and controlling electronic defects in amorphous oxide semiconductor. Digest of Technical Papers SID International Symposium, 2021, 52, 97-99.	0.1	0
34	Advances in Materials and Applications of Inorganic Electrides. Chemical Reviews, 2021, 121, 3121-3185.	23.0	125
35	Reversible 3D-2D structural phase transition and giant electronic modulation in nonequilibrium alloy semiconductor, lead-tin-selenide. Science Advances, 2021, 7, .	4.7	6
36	Molecular dynamics study on the co-doping effect of Al <sub>2</sub> O <sub>3</sub> and fluorine to reduce Rayleigh scattering of silica glass. Journal of the American Ceramic Society, 2021, 104, 5001-5015.	1.9	13

#	ARTICLE	IF	CITATIONS
37	Two-dimensional bipolar ferromagnetic semiconductors from layered antiferromagnets. <i>Physical Review Materials</i> , 2021, 5, .	0.9	22
38	MXene Phase with C <sub>3</sub> Structure Unit: A Family of 2D Electrides. <i>Advanced Functional Materials</i> , 2021, 31, 2100009.	7.8	13
39	Crystal and electronic structure engineering of tin monoxide by external pressure. <i>Journal of Advanced Ceramics</i> , 2021, 10, 565-577.	8.9	11
40	High-Entropy van der Waals Materials Formed from Mixed Metal Dichalcogenides, Halides, and Phosphorus Trisulfides. <i>Journal of the American Chemical Society</i> , 2021, 143, 7042-7049.	6.6	55
41	Electronic and crystal structures of LnFeAsO <sub>1-x</sub> H <sub>x</sub> (Ln = La, Sm) studied by x-ray absorption spectroscopy, x-ray emission spectroscopy, and x-ray diffraction (part I): Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.7	0
42	B <sub>5</sub> N <sub>3</sub> and B <sub>7</sub> N <sub>5</sub> Monolayers with High Carrier Mobility and Excellent Optical Performance. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 4823-4832.	2.1	18
43	Origins of the coloration from structure and valence state of bismuth oxide glasses. <i>Journal of Non-Crystalline Solids</i> , 2021, 560, 120720.	1.5	10
44	Electronic and crystal structures of LnFeAsO <sub>1-x</sub> H <sub>x</sub> (Ln = La, Sm) studied by x-ray absorption spectroscopy, x-ray emission spectroscopy, and x-ray diffraction: II pressure dependence. <i>Journal of Physics Condensed Matter</i> , 2021, 33, 255603.	0.7	0
45	2D Electrides: MXene Phase with C <sub>3</sub> Structure Unit: A Family of 2D Electrides (Adv. Funct.) Tj ETQq1 1,0.784314 rgBT /O	7.8	13
46	Local Structure Properties of Hydrogenated and Nonhydrogenated Amorphous InGaZnO Thin Films Using XAFS and High-Energy XRD. <i>Journal of Physical Chemistry C</i> , 2021, 125, 13619-13628.	1.5	1
47	Electron-Deficient-Type Electride Ca <sub>5</sub> Pb <sub>3</sub> : Extension of Electride Chemical Space. <i>Journal of the American Chemical Society</i> , 2021, 143, 8821-8828.	6.6	22
48	High-Performance Indium Gallium Tin Oxide Transistors with an Al <sub>2</sub> O <sub>3</sub> Gate Insulator Deposited by Atomic Layer Deposition at a Low Temperature of 150 Å°C: Roles of Hydrogen and Excess Oxygen in the Al <sub>2</sub> O <sub>3</sub> Dielectric Film. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 28451-28461.	4.0	32
49	C <sub>2</sub> Vacancy-Mediated N <sub>2</sub> Activation over Ni-Loaded Rare-Earth Dicarbides for Ammonia Synthesis. <i>ACS Catalysis</i> , 2021, 11, 7595-7603.	5.5	5
50	Chemical stability of hydrogen boride nanosheets in water. <i>Communications Materials</i> , 2021, 2, .	2.9	15
51	A View on Formation Gap in Transition Metal Hydrides and Its Collapse. <i>Journal of the American Chemical Society</i> , 2021, 143, 11345-11348.	6.6	9
52	Floating Interlayer and Surface Electrons in 2D Materials: Graphite, Electrides, and Electrenes. <i>Small Science</i> , 2021, 1, 2100020.	5.8	10
53	Ion Substitution Effect on Defect Formation in Two-Dimensional Transition Metal Nitride Semiconductors, (i>AE</i>TiN <sub>2</sub> (i>AE</i> = Ca, Sr, and Ba). <i>Inorganic Chemistry</i> , 2021, 60, 10227-10234.	1.9	3
54	Ammonia Decomposition over CaNH-Supported Ni Catalysts via an NH <sup>2</sup> -Vacancy-Mediated Mars-van Krevelen Mechanism. <i>ACS Catalysis</i> , 2021, 11, 11005-11015.	5.5	45

#	ARTICLE	IF	CITATIONS
55	Dissociative and Associative Concerted Mechanism for Ammonia Synthesis over Co-Based Catalyst. <i>Journal of the American Chemical Society</i> , 2021, 143, 12857-12866.	6.6	50
56	Unintended Carbon-Related Impurity and Negative Bias Instability in High-Mobility Oxide TFTs. <i>IEEE Electron Device Letters</i> , 2021, 42, 1319-1322.	2.2	32
57	Comment on Weber et al. Mayenite-Based Electride $C_{12}A_7e^{\ominus}$ : A Reactivity and Stability Study. <i>Catalysts</i> 2021, 11, 334. <i>Catalysts</i> , 2021, 11, 1154.	1.6	0
58	Ultrafast optical stress on $BaFe_2As_2$ . <i>Physical Review Research</i> , 2021, 3, .	1.3	3
59	Origin of Metallic Nature of $Na_3N$ . <i>Journal of the American Chemical Society</i> , 2021, 143, 69-72.	6.6	8
60	Crystalline boron monosulfide nanosheets with tunable bandgaps. <i>Journal of Materials Chemistry A</i> , 2021, 9, 24631-24640.	5.2	21
61	Breaking of Thermopower-Conductivity Trade-Off in $LaTiO_3$ Film around Mott Insulator to Metal Transition. <i>Advanced Science</i> , 2021, 8, 2102097.	5.6	6
62	Large phonon drag thermopower boosted by massive electrons and phonon leaking in $LaAlO_3/LaNiO_3/LaAlO_3$ heterostructure. <i>Nano Letters</i> , 2021, 21, 9240-9246.	4.5	6
63	Facile Synthesis of $Ti_2AC$ (A = Zn, Al, In, and Ga) MAX Phases by Hydrogen Incorporation into Crystallographic Voids. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11245-11251.	2.1	6
64	Mobility-stability trade-off in oxide thin-film transistors. <i>Nature Electronics</i> , 2021, 4, 800-807.	13.1	115
65	Superconductivity in the Layered Cage Compound $Ba_3Rh_4Ge_{16}$ . <i>Chinese Physics Letters</i> , 2021, 38, 127402.	1.3	2
66	Electronic Correlation Strength of Inorganic Electrides from First Principles. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 12020-12025.	2.1	6
67	First-Principles and Microkinetic Study on the Mechanism for Ammonia Synthesis Using Ru-Loaded Hydride Catalyst. <i>Journal of Physical Chemistry C</i> , 2020, 124, 2070-2078.	1.5	25
68	Improved polaronic transport under a strong Mott-Hubbard interaction in Cu-substituted NiO. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 853-858.	3.0	6
69	Transition Metal-doped Ru Nanoparticles Loaded on Metal Hydrides for Efficient Ammonia Synthesis from First Principles. <i>Journal of Physical Chemistry C</i> , 2020, 124, 1529-1534.	1.5	3
70	Geometrical Frustration of B-H Bonds in Layered Hydrogen Borides Accessible by Soft Chemistry. <i>CheM</i> , 2020, 6, 406-418.	5.8	35
71	Strain Engineering at Heterointerfaces: Application to an Iron Pnictide Superconductor, Cobalt-Doped $BaFe_2As_2$ . <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 50096-50104.	4.0	5
72	Computational Prediction of Boron-Based MAX Phases and MXene Derivatives. <i>Chemistry of Materials</i> , 2020, 32, 6947-6957.	3.2	89

#	ARTICLE	IF	CITATIONS
73	Vacancy-enabled N <sub>2</sub> activation for ammonia synthesis on an Ni-loaded catalyst. <i>Nature</i> , 2020, 583, 391-395.	13.7	309
74	Intermetallic ZrPd <sub>3</sub> -Embedded Nanoporous ZrC as an Efficient and Stable Catalyst of the Suzuki Cross-Coupling Reaction. <i>ACS Catalysis</i> , 2020, 10, 14366-14374.	5.5	13
75	A Highly Efficient and Stable Blue-Emitting Cs <sub>5</sub> Cu <sub>3</sub> Cl <sub>6</sub> I <sub>2</sub> with a 1D Chain Structure. <i>Advanced Materials</i> , 2020, 32, e2002945.	11.1	73
76	Contribution of Nitrogen Vacancies to Ammonia Synthesis over Metal Nitride Catalysts. <i>Journal of the American Chemical Society</i> , 2020, 142, 14374-14383.	6.6	126
77	Magnetism induced by interlayer electrons in the quasi-two-dimensional electride $Y_{2}C$ : Inelastic neutron scattering study. <i>Physical Review B</i> , 2020, 102, .	1.1	9
78	Boosting carrier mobility and stability in indium-zinc-tin oxide thin-film transistors through controlled crystallization. <i>Scientific Reports</i> , 2020, 10, 18868.	1.6	21
79	Potential Interaction of Noble Gas Atoms and Anionic Electrons in Ca <sub>2</sub> N. <i>Journal of Physical Chemistry C</i> , 2020, 124, 12213-12219.	1.5	3
80	p-type Transparent Quadruple Perovskite Halide Conductors: Fact or Fiction?. <i>Advanced Functional Materials</i> , 2020, 30, 1909906.	7.8	17
81	Pressure-Induced Topological and Structural Phase Transitions in an Antiferromagnetic Topological Insulator*. <i>Chinese Physics Letters</i> , 2020, 37, 066401.	1.3	50
82	Heavily Hydride-ion-doped 1111-type Iron-based Superconductors: Synthesis, Physical Properties and Electronic Structure. <i>Journal of the Physical Society of Japan</i> , 2020, 89, 051006.	0.7	13
83	Ferromagnetic quasi-atomic electrons in two-dimensional electride. <i>Nature Communications</i> , 2020, 11, 1526.	5.8	57
84	Phonon scattering limited mobility in the representative cubic perovskite semiconductors SrGeO <sub>3</sub> , BaSnO <sub>3</sub> , and SrTiO <sub>3</sub> . <i>Applied Physics Express</i> , 2020, 13, 073002.	1.1	5
85	Critical temperature and critical current density of hydrogen-doped SmFeAsO epitaxial films fabricated by thermal annealing with binary hydrides. <i>Applied Physics Express</i> , 2020, 13, 073002.	1.1	5
86	Air-Stable Calcium Cyanamide-Supported Ruthenium Catalyst for Ammonia Synthesis and Decomposition. <i>ACS Applied Energy Materials</i> , 2020, 3, 6573-6582.	2.5	27
87	Anomalous Charge State Evolution and Its Control of Superconductivity in M <sub>3</sub> Al <sub>2</sub> C (M = Mo, W). <i>IScience</i> , 2020, 23, 101196.	1.9	2
88	Hydrogen Boride Sheets as Reductants and the Formation of Nanocomposites with Metal Nanoparticles. <i>Chemistry Letters</i> , 2020, 49, 789-793.	0.7	16
89	Anisotropic structure of alkali metaphosphate glasses. <i>Journal of the American Ceramic Society</i> , 2020, 103, 3631-3641.	1.9	13
90	Stable single platinum atoms trapped in sub-nanometer cavities in 12CaO·7Al <sub>2</sub> O <sub>3</sub> for chemoselective hydrogenation of nitroarenes. <i>Nature Communications</i> , 2020, 11, 1020.	5.8	94

#	ARTICLE	IF	CITATIONS
91	Extraordinary Strong Band-Edge Absorption in Distorted Chalcogenide Perovskites. <i>Solar Rrl</i> , 2020, 4, 1900555.	3.1	82
92	Toward 2D Magnets in the $(\text{MnBi}_{2-x}\text{Te}_{4-x})(\text{Bi}_{2-x}\text{Te}_{3-x})_{1-x}$ Bulk Crystal. <i>Advanced Materials</i> , 2020, 32, e2001815.	11.1	45
93	Solid solution for catalytic ammonia synthesis from nitrogen and hydrogen gases at 50°C. <i>Nature Communications</i> , 2020, 11, 2001.	5.8	103
94	Shallow Valence Band of Rutile $\text{GeO}_2$ and P-type Doping. <i>Journal of Physical Chemistry C</i> , 2020, 124, 25721-25728.	1.5	18
95	Efficient Ammonia Synthesis over Phase-Separated Nickel-Based Intermetallic Catalysts. <i>Journal of Physical Chemistry C</i> , 2020, 124, 28589-28595.	1.5	15
96	Coexistence of magnetism and superconductivity in thin films of the Fe-based superconductor $\text{Ba}_{1-x}\text{La}_x\text{Fe}_2\text{As}_2$ . <i>Journal of Physics Condensed Matter</i> , 2020, 32, 485804.	0.7	6
97	Higher-order topological crystalline insulating phase and quantized hinge charge in topological electrified apatite. <i>Physical Review Research</i> , 2020, 2, .	1.3	17
98	Growth, Properties, and Device Fabrication of Iron-Based Superconductor Thin-Films. , 2020, , 213-241.		0
99	Transition Metal-Doped Amorphous Oxide Semiconductor Thin-Film Phosphor, Chromium-Doped Amorphous Gallium Oxide. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800198.	0.8	6
100	On the Origin of the Negative Thermal Expansion Behavior of YCu. <i>Inorganic Chemistry</i> , 2019, 58, 11819-11827.	1.9	0
101	Hydrogenated Borophene Shows Catalytic Activity as Solid Acid. <i>ACS Omega</i> , 2019, 4, 14100-14104.	1.6	42
102	Structure and photoelastic constant of binary ns <sup>2</sup> -type metal cation containing silicate glasses. <i>Journal of Non-Crystalline Solids</i> , 2019, 521, 119526.	1.5	9
103	Intrinsic and Extrinsic Defects in Layered Nitride Semiconductor $\text{SrTiN}_2$ . <i>Journal of Physical Chemistry C</i> , 2019, 123, 19307-19314.	1.5	9
104	Cation Clustering in Intermetallics: The Modular Bonding Schemes of CaCu and Ca <sub>2</sub> Cu. <i>Inorganic Chemistry</i> , 2019, 58, 10313-10322.	1.9	4
105	Heteroepitaxial Thin-Film Growth of a Ternary Nitride Semiconductor $\text{CaZn}_2\text{N}_2$ . <i>ACS Applied Electronic Materials</i> , 2019, 1, 1433-1438.	2.0	16
106	Performance boosting strategy for perovskite light-emitting diodes. <i>Applied Physics Reviews</i> , 2019, 6, 031402.	5.5	88
107	Amorphous Oxide Semiconductor Thin-Film Transistors. , 2019, , 573-587.		3
108	Exotic Crystal Structures and Electronic Structures in Novel Structured Inorganic Materials. , 2019, , 107-120.		0

#	ARTICLE	IF	CITATIONS
109	Robust two-gap strong coupling superconductivity associated with low-lying phonon modes in pressurized Nb <sub>5</sub> Ir <sub>3</sub> O superconductors. Chinese Physics B, 2019, 28, 107401.	0.7	4
110	Symmetric Ambipolar Thin-Film Transistors and High-Gain CMOS-like Inverters Using Environmentally Friendly Copper Nitride. ACS Applied Materials & Interfaces, 2019, 11, 35132-35137.	4.0	12
111	Tunable Light Emission through the Range 1.8–3.2 eV and p-Type Conductivity at Room Temperature for Nitride Semiconductors, Ca(Mg <sub>1-x</sub> Zn <sub>x</sub> ) <sub>2</sub> N <sub>2</sub> (0 ≤ x ≤ 1). J. Appl. Phys. 151, 074301 (2022)	1.9	15
112	New Amorphous InGaZnO Thin-Film Transistor-Based Optical Pixel Sensor for Optical Input Signal With Short Wavelength. IEEE Transactions on Electron Devices, 2019, 66, 3841-3846.	1.6	1
113	Crystal Structure Built from a GeO <sub>6</sub> –GeO <sub>5</sub> Polyhedra Network with High Thermal Stability: SrGe <sub>2</sub> O <sub>5</sub> . ACS Applied Electronic Materials, 2019, 1, 1989-1993.	2.0	5
114	Amorphous IGZO TFT with High Mobility of ~470 cm <sup>2</sup> /V s via Vertical Dimension Control Using PEALD. ACS Applied Materials & Interfaces, 2019, 11, 40300-40309.	4.0	188
115	Insulator-like behavior coexisting with metallic electronic structure in strained FeSe thin films grown by molecular beam epitaxy. Physical Review B, 2019, 99, .	1.1	7
116	Quantum dynamics of hydrogen in the iron-based superconductor LaFeAsO <sub>D</sub> measured with inelastic neutron spectroscopy. Physical Review B, 2019, 99, .		
117	Pressure-induced quantum critical point in the heavily hydrogen-doped iron-based superconductor LaFeAsO. Physical Review B, 2019, 99, .	1.1	4
118	News Poster: NBTS-free Oxide TFTs with High Mobility of 40 cm <sup>2</sup> /Vs: A Possible Origin for NBTS Instability. Digest of Technical Papers SID International Symposium, 2019, 50, 1349-1350.	0.1	2
119	Hydrogen-Insertion-Induced Itinerant Ferromagnetism in Zr <sub>2</sub> CoH <sub>4.8</sub> with Co Chains. Journal of Physical Chemistry C, 2019, 123, 14964-14968.	1.5	2
120	Characteristic fast H <sup>+</sup> ion conduction in oxygen-substituted lanthanum hydride. Nature Communications, 2019, 10, 2578.	5.8	70
121	Discovery of hexagonal ternary phase Ti <sub>2</sub> InB <sub>2</sub> and its evolution to layered boride TiB. Nature Communications, 2019, 10, 2284.	5.8	159
122	Acid-durable electride with layered ruthenium for ammonia synthesis: boosting the activity via selective etching. Chemical Science, 2019, 10, 5712-5718.	3.7	42
123	Shubnikov–de Haas oscillations in the three-dimensional Dirac fermion system Ca <sub>3</sub> PbO. Physical Review B, 2019, 99, .	1.1	4
124	Structure and Electronic Properties of [Ca <sub>24</sub> Al <sub>28</sub> O <sub>64</sub> ] <sup>4+</sup> ·4e <sup>-</sup> Surfaces: Opportunities for Termination-Controlled Electron Transfer. Journal of Physical Chemistry C, 2019, 123, 6030-6036.	1.5	8
125	Material Design of Green-Light-Emitting Semiconductors: Perovskite-Type Sulfide SrHfS <sub>3</sub> . Journal of the American Chemical Society, 2019, 141, 5343-5349.	6.6	59
126	Large magnetocaloric effect in van der Waals crystal CrBr <sub>3</sub> . Frontiers of Physics, 2019, 14, 1.	2.4	20



#	ARTICLE	IF	CITATIONS
127	Particulate Generation on Surface of Iron Selenide Films by Air Exposure. <i>Journal of Superconductivity and Novel Magnetism</i> , 2019, 32, 3047-3055.	0.8	3
128	Stabilization and heteroepitaxial growth of metastable tetragonal FeS thin films by pulsed laser deposition. <i>Superconductor Science and Technology</i> , 2019, 32, 054002.	1.8	5
129	Low anisotropic upper critical fields in SmO <sub>1-x</sub> F <sub>x</sub> /FeAs thin films with a layered hybrid structure. <i>Superconductor Science and Technology</i> , 2019, 32, 044003.	1.8	11
130	Pseudogap Control of Physical and Chemical Properties in CeFeSi-Type Intermetallics. <i>Inorganic Chemistry</i> , 2019, 58, 2848-2855.	1.9	4
131	Ternary inorganic electrides with mixed bonding. <i>Physical Review B</i> , 2019, 99, .	1.1	26
132	Electronic Defects in Amorphous Oxide Semiconductors: A Review. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1800372.	0.8	179
133	Zeolitic Intermetallics: LnNiSi (Ln = La–Nd). <i>Journal of the American Chemical Society</i> , 2019, 141, 3376-3379.	6.6	27
134	Natural van der Waals heterostructural single crystals with both magnetic and topological properties. <i>Science Advances</i> , 2019, 5, eaax9989.	4.7	193
135	Low-Temperature Synthesis of Perovskite Oxynitride-Hydrides as Ammonia Synthesis Catalysts. <i>Journal of the American Chemical Society</i> , 2019, 141, 20344-20353.	6.6	106
136	Palladium-bearing intermetallic electride as an efficient and stable catalyst for Suzuki cross-coupling reactions. <i>Nature Communications</i> , 2019, 10, 5653.	5.8	43
137	One-step solution synthesis of white-light-emitting films via dimensionality control of the Cs–Cu–I system. <i>APL Materials</i> , 2019, 7, .	2.2	73
138	Ultra-wide bandgap amorphous oxide semiconductors for NBIS-free thin-film transistors. <i>APL Materials</i> , 2019, 7, .	2.2	69
139	Intermetallic Electride Catalyst as a Platform for Ammonia Synthesis. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 825-829.	7.2	104
140	Direct Activation of Cobalt Catalyst by 12CaO·7Al <sub>2</sub> O <sub>3</sub> Electride for Ammonia Synthesis. <i>ACS Catalysis</i> , 2019, 9, 1670-1679.	5.5	68
141	Superconducting transition temperatures in the electronic and magnetic phase diagrams of Sr <sub>2</sub> VFeAsO <sub>3</sub> , a superconductor. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 115801.	0.7	7
142	Multiple Color Inorganic Thin-Film Phosphor, RE-Doped Amorphous Gallium Oxide (RE = Rare Earth: Pr, Tj). <i>ETQq0 0 0 rgBT Science</i> , 2019, 216, 1700833.	0.8	15
143	Effects of Base Pressure on Growth and Optoelectronic Properties of Amorphous InGaZnO: Ultralow Optimum Oxygen Supply and Bandgap Widening. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2019, 216, 1700832.	0.8	14
144	Superconductivity at 48 K of heavily hydrogen-doped SmFeAsO epitaxial films grown by topotactic chemical reaction using Ca <sub>2</sub> H <sub>2</sub> . <i>Physical Review Materials</i> , 2019, 3, .	0.9	19

#	ARTICLE	IF	CITATIONS
145	High Electron Density on Ru in Intermetallic $\text{YRu}_2$ : The Application to Catalyst for Ammonia Synthesis. <i>Journal of Physical Chemistry C</i> , 2018, 122, 10468-10475.	1.5	43
146	Structural Series in the Ternary $\text{AMnAs}$ System (A = Alkali Metal): Double-Layer-Type $\text{CsMn}_4\text{As}_3$ and $\text{RbMn}_4\text{As}_3$ and Tunnel-Type $\text{KMn}_4\text{As}_3$ . <i>Inorganic Chemistry</i> , 2018, 57, 4997-5003.	1.9	5
147	Large Oblate Hemispheroidal Ruthenium Particles Supported on Calcium Amide as Efficient Catalysts for Ammonia Decomposition. <i>Chemistry - A European Journal</i> , 2018, 24, 7976-7984.	1.7	34
148	Superconductivity induced by field-driven proton injection. <i>Science Bulletin</i> , 2018, 63, 5-6.	4.3	3
149	Material Design of $\text{p}$ -Type Transparent Amorphous Semiconductor, $\text{CuSnI}$ . <i>Advanced Materials</i> , 2018, 30, e1706573.	11.1	68
150	Role of fluorine in two-dimensional dichalcogenide of $\text{SnSe}_2$ . <i>Scientific Reports</i> , 2018, 8, 1645.	1.6	9
151	Self-Organized Ruthenium-Barium Core-Shell Nanoparticles on a Mesoporous Calcium Amide Matrix for Efficient Low-Temperature Ammonia Synthesis. <i>Angewandte Chemie</i> , 2018, 130, 2678-2682.	1.6	21
152	Self-Organized Ruthenium-Barium Core-Shell Nanoparticles on a Mesoporous Calcium Amide Matrix for Efficient Low-Temperature Ammonia Synthesis. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 2648-2652.	7.2	144
153	Ternary intermetallic $\text{LaCoSi}$ as a catalyst for $\text{N}_2$ activation. <i>Nature Catalysis</i> , 2018, 1, 178-185.	16.1	221
154	Roles of Pseudo-Closed $s^2$ Orbitals for Different Intrinsic Hole Generation between $\text{TlBi}$ and $\text{InBi}$ Bromide Double Perovskites. <i>Journal of Physical Chemistry Letters</i> , 2018, 9, 258-262.	2.1	27
155	Material Design of Transparent Oxide Semiconductors for Organic Electronics: Why Do Zinc Silicate Thin Films Have Exceptional Properties?. <i>Advanced Electronic Materials</i> , 2018, 4, 1700352.	2.6	18
156	Doping Induced Polymorph and Carrier Polarity Changes in $\text{LaSeF}$ . <i>Chemistry of Materials</i> , 2018, 30, 597-601.	3.2	5
157	Optical and Electrical Properties of Perovskite Variant $(\text{CH}_3\text{NH}_3)_2\text{SnI}_6$ . <i>Journal of Physical Chemistry C</i> , 2018, 122, 10749-10754.	1.5	45
158	$\text{CsFe}_4\text{Se}_4$ : A Compound Closely Related to Alkali-Intercalated $\text{FeSe}$ Superconductors. <i>Inorganic Chemistry</i> , 2018, 57, 4502-4509.	1.9	8
159	Recent advances in iron-based superconductors toward applications. <i>Materials Today</i> , 2018, 21, 278-302.	8.3	310
160	Pulsed laser deposition of $\text{SmFeAsO}_{1-x}$ on $\text{MgO}(100)$ substrates. <i>Applied Surface Science</i> , 2018, 437, 418-428.	3.1	10
161	Layered Halide Double Perovskites $\text{Cs}_{3+n}\text{M(II)}_n\text{Sb}_2\text{X}_{9+3n}$ (M = Sn, Tl) <i>Chemistry of Materials</i> , 2018, 30, 1700352.	1.1	14
162	Bandgap Optimization of Perovskite Semiconductors for Photovoltaic Applications. <i>Chemistry - A European Journal</i> , 2018, 24, 2305-2316.	1.7	103

#	ARTICLE	IF	CITATIONS
163	Surface tailoring of newly developed amorphous Zn Si O thin films as electron injection/transport layer by plasma treatment: Application to inverted OLEDs and hybrid solar cells. Applied Surface Science, 2018, 434, 995-1000.	3.1	7
164	Characterization and structure of a fiber of BaO $\cdot$ SnO $\cdot$ P <sub>2</sub> O <sub>5</sub> $\cdot$ B <sub>2</sub> O <sub>3</sub> glass with a very small photoelastic constant. Japanese Journal of Applied Physics, 2018, 57, 080310.	0.8	1
165	Pressure-induced quantum critical behavior in LaFeAsO <sub>1-x</sub> H <sub>x</sub> studied via NMR. AIP Advances, 2018, 8, 101331.	0.6	1
166	Intermetallic Electride Catalyst as a Platform for Ammonia Synthesis. Angewandte Chemie, 2018, 131, 835.	1.6	70
167	Gapless magnetic excitation in a heavily electron-doped antiferromagnetic phase of LaFeAsO <sub>0.5</sub> D <sub>0.5</sub> . Physical Review B, 2018, 98, .	1.1	3
168	Identifying quasi-2D and 1D electrides in yttrium and scandium chlorides via geometrical identification. Npj Computational Materials, 2018, 4, .	3.5	32
169	Realization of 1D $\cdot$ insulating electrides in amorphous $Y_{1-x}Ba_xCl_3$ . Physical Review Letters, 2018, 121, 087401.	1.1	30
170	Electron Affinity Control of Amorphous Oxide Semiconductors and Its Applicability to Organic Electronics. Advanced Materials Interfaces, 2018, 5, 1801307.	1.9	9
171	Synthesis of Rare-Earth-Based Metallic Electride Nanoparticles and Their Catalytic Applications to Selective Hydrogenation and Ammonia Synthesis. ACS Catalysis, 2018, 8, 11054-11058.	5.5	36
172	Enhanced Catalytic Ammonia Synthesis with Transformed BaO. ACS Catalysis, 2018, 8, 10977-10984.	5.5	59
173	Electrides as a New Platform of Topological Materials. Physical Review X, 2018, 8, .	2.8	47
174	Lead-Free Highly Efficient Blue-Emitting Cs <sub>3</sub> Cu <sub>2</sub> I <sub>5</sub> with OD Electronic Structure. Advanced Materials, 2018, 30, e1804547.	11.1	477
175	Metal-to-Semiconductor Transition and Electronic Dimensionality Reduction of Ca <sub>2</sub> N Electride under Pressure. Advanced Science, 2018, 5, 1800666.	5.6	36
176	Solution-Processable P-type Transparent Amorphous Semiconductor for Flexible Electronics. , 2018, , .		0
177	Negative-hydrogen-ion production from a nanoporous 12CaO $\cdot$ 7Al <sub>2</sub> O <sub>3</sub> electride surface. Applied Physics Express, 2018, 11, 066201.	1.1	21
178	Flux growth and magneto-transport properties of cubic antiperovskite Ca <sub>3</sub> PbO single crystals. Materials Research Bulletin, 2018, 106, 1-6.	2.7	3
179	Highly Efficient Blue-Emitting Bi-Doped Cs <sub>2</sub> SnCl <sub>6</sub> Perovskite Variant: Photoluminescence Induced by Impurity Doping. Advanced Functional Materials, 2018, 28, 1801131.	7.8	358
180	19-4: Late-News Paper: New P-type Amorphous Semiconductor with High Transparency and High Mobility of 9 cm <sup>2</sup> /Vs for Next-Generation Displays. Digest of Technical Papers SID International Symposium, 2018, 49, 236-238.	0.1	0

#	ARTICLE	IF	CITATIONS
181	Control of nitrogen activation ability by Co-Mo bimetallic nanoparticle catalysts prepared via sodium naphthalenide-reduction. <i>Journal of Catalysis</i> , 2018, 364, 31-39.	3.1	38
182	Multiple states and roles of hydrogen in p-type SnS semiconductors. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 20952-20956.	1.3	10
183	Topotactic Synthesis of Mesoporous $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ Mesocrystalline Microcubes toward Catalytic Ammonia Synthesis. <i>Chemistry of Materials</i> , 2018, 30, 4498-4502.	3.2	14
184	How we made the IGZO transistor. <i>Nature Electronics</i> , 2018, 1, 428-428.	13.1	92
185	Superconductivity in non-centrosymmetric sulfide $\text{Y}_x\text{S}_4$ . <i>Europhysics Letters</i> , 2018, 121, 57001.	0.7	2
186	Phase transition in $\text{CaFeAsH}$ : bridging 1111 and 122 iron-based superconductors. <i>Dalton Transactions</i> , 2018, 47, 12964-12971.	1.6	1
187	A high performance catalyst of shape-specific ruthenium nanoparticles for production of primary amines by reductive amination of carbonyl compounds. <i>Chemical Science</i> , 2018, 9, 5949-5956.	3.7	92
188	High-mobility p-type and n-type Copper Nitride Semiconductors by Direct Nitriding Synthesis and In Silico Doping Design. <i>Advanced Materials</i> , 2018, 30, e1801968.	11.1	30
189	Direct Observation of Interfacial Charge Transfer between Rutile $\text{TiO}_2$ and Ultrathin $\text{CuO}_x$ Film by Visible-Light Illumination and Its Application for Efficient Photocatalysis. <i>ChemCatChem</i> , 2018, 10, 3666-3670.	1.8	22
190	Improved color uniformity in white light-emitting diodes using newly developed phosphors. <i>Optics Express</i> , 2018, 26, 24784.	1.7	11
191	Luminescence and Raman Detection of Molecular $\text{Cl}_2$ and $\text{ClClO}$ Molecules in Amorphous $\text{SiO}_2$ Matrix. <i>Journal of Physical Chemistry C</i> , 2017, 121, 5261-5266.	1.5	19
192	Structure and stability of $\text{CaH}_2$ surfaces: on the possibility of electron-rich surfaces in metal hydrides for catalysis. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5550-5558.	5.2	21
193	Ru-Loaded $\text{C}_{12}\text{A}_7$ Electride as a Catalyst for Ammonia Synthesis. <i>ACS Catalysis</i> , 2017, 7, 2313-2324.	5.5	173
194	Formation Mechanism of Boron-Based Nanosheet through the Reaction of $\text{MgB}_2$ with Water. <i>Journal of Physical Chemistry C</i> , 2017, 121, 10587-10593.	1.5	53
195	Multiple Roles of Hydrogen Treatments in Amorphous $\text{InGaZnO}$ Films. <i>ECS Journal of Solid State Science and Technology</i> , 2017, 6, P365-P372.	0.9	30
196	Thermoelectric properties and figure of merit of perovskite-type $\text{Sr}_{1-x}\text{La}_x\text{SnO}_3$ ceramics. <i>Ceramics International</i> , 2017, 43, 9653-9657.	2.3	5
197	A Solution-Processed Ultrafast Optical Switch Based on a Nanostructured Epsilon-Near-Zero Medium. <i>Advanced Materials</i> , 2017, 29, 1700754.	11.1	109
198	The Unique Electronic Structure of $\text{Mg}_2\text{Si}$ : Shaping the Conduction Bands of Semiconductors with Multicenter Bonding. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 10135-10139.	7.2	18

#	ARTICLE	IF	CITATIONS
199	Unique nanocages of $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ boost heterolytic hydrogen activation and selective hydrogenation of heteroarenes over ruthenium catalyst. <i>Green Chemistry</i> , 2017, 19, 749-756.	4.6	60
200	Kinetic evidence: the rate-determining step for ammonia synthesis over electride-supported Ru catalysts is no longer the nitrogen dissociation step. <i>Catalysis Science and Technology</i> , 2017, 7, 47-50.	2.1	47
201	The Unique Electronic Structure of $\text{Mg}_2\text{Si}$ : Shaping the Conduction Bands of Semiconductors with Multicenter Bonding. <i>Angewandte Chemie</i> , 2017, 129, 10269-10273.	1.6	3
202	Highly hydrogen-sensitive thermal desorption spectroscopy system for quantitative analysis of low hydrogen concentration ( $\sim 10^{16}$ atoms/cm <sup>3</sup> ) in thin-film samples. <i>Review of Scientific Instruments</i> , 2017, 88, 053103.	0.6	13
203	Hydrogen anion and subgap states in amorphous $\text{InGaZnO}$ thin films for TFT applications. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	121
204	Large-moment antiferromagnetic order in overdoped high- $T_c$ superconductor $\text{SmFeAsO}_{1-x}\text{D}_x$ . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E4354-E4359.	3.3	26
205	Amorphous Gallium Oxide as an Improved Host for Inorganic Light-Emitting Thin Film Semiconductor Fabricated at Room Temperature on Glass. <i>ECS Journal of Solid State Science and Technology</i> , 2017, 6, P410-P414.	0.9	6
206	Oxidation Number Estimation of Ca in Ca-N Compounds from Ca $K$ -edge XANES Spectra. <i>Bulletin of the Chemical Society of Japan</i> , 2017, 90, 963-965.	2.0	5
207	P-234: Late-News Poster : OLED Lighting with High Out-Coupling Efficiency and Reliability. <i>Digest of Technical Papers SID International Symposium</i> , 2017, 48, 2035-2038.	0.1	0
208	Chlorine-Tolerant Ruthenium Catalyst Derived Using the Unique Anion-Exchange Properties of $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ for Ammonia Synthesis. <i>ChemCatChem</i> , 2017, 9, 3078-3083.	1.8	15
209	Efficient charge generation layer for tandem OLEDs: Bi-layered $\text{MoO}_3/\text{ZnO}$ -based oxide semiconductor. <i>Organic Electronics</i> , 2017, 46, 133-138.	1.4	19
210	Conversion of an ultra-wide bandgap amorphous oxide insulator to a semiconductor. <i>NPG Asia Materials</i> , 2017, 9, e359-e359.	3.8	89
211	Effects of working pressure and annealing on bulk density and nanopore structures in amorphous $\text{InGaZnO}$ thin-film transistors. <i>Japanese Journal of Applied Physics</i> , 2017, 56, 03BB03.	0.8	13
212	Interlayer states arising from anionic electrons in the honeycomb-lattice-based compounds $\text{AeAlSi}$ ( $\text{Ae} = \text{Ca, Sr, Ba}$ ). <i>Physical Review Letters</i> , 2017, 118, 087401.	1.1	8
213	$\text{BaFe}_2(\text{As}_{1-x}\text{P}_x)_2$ ( $x = 0.22 \sim 0.42$ ) thin films grown on practical metal-tape substrates and their critical current densities. <i>Superconductor Science and Technology</i> , 2017, 30, 044003.	1.8	9
214	Strong Localization of Anionic Electrons at Interlayer for Electrical and Magnetic Anisotropy in Two-Dimensional $\text{Y}_2\text{C}$ Electride. <i>Journal of the American Chemical Society</i> , 2017, 139, 615-618.	6.6	71
215	Transparent amorphous oxide semiconductors for organic electronics: Application to inverted OLEDs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 233-238.	3.3	111
216	Key Factors for Insulator-Superconductor Transition in FeSe Thin Films by Electric Field. <i>IEEE Transactions on Applied Superconductivity</i> , 2017, 27, 1-5.	1.1	11

#	ARTICLE	IF	CITATIONS
217	Ferrimagnetic Cage Framework in $\text{Ca}_{12}\text{Fe}_{10}\text{Si}_4\text{O}_{32}\text{Cl}_6$ . Inorganic Chemistry, 2017, 56, 566-572.	1.9	1
218	Quantum phase transition under pressure in the heavily hydrogen-doped iron-based superconductor $\text{LaFeAsO}$ . Physical Review B, 2017, 96, .	1.1	9
219	ARPES studies of the inverse perovskite $\text{Ca}_{13}\text{Mn}_{10}\text{O}_{36}$ : Experimental confirmation of a candidate 3D Dirac fermion system. Physical Review B, 2017, 96, .	1.3	36
220	Exploration of Stable Strontium Phosphide-Based Electrides: Theoretical Structure Prediction and Experimental Validation. Journal of the American Chemical Society, 2017, 139, 15668-15680.	6.6	84
221	Transparent Conductive Oxides. Springer Handbooks, 2017, , 1-1.	0.3	17
222	Formation and Characterization of Hydrogen Boride Sheets Derived from $\text{MgB}_2$ by Cation Exchange. Journal of the American Chemical Society, 2017, 139, 13761-13769.	6.6	157
223	Structure determination in thin film $\text{Ca}_{13}\text{Mn}_{10}\text{O}_{36}$ by X-ray diffraction. Physical Review B, 2017, 96, .	1.3	36
224	Organic light-emitting diode lighting with high out-coupling and reliability: Application of transparent amorphous $\text{ZnO}/\text{SiO}_2$ semiconductor thick film. Organic Electronics, 2017, 51, 103-110.	1.4	8
225	P-13: Quantitative Analysis and Deconvolution of Subgap States in Amorphous $\text{InGaZnO}$ . Digest of Technical Papers SID International Symposium, 2017, 48, 1273-1275.	0.1	1
226	P-187: Electronic Structures of Various Color Light-Emitting Amorphous Oxide Semiconductor Thin Films. Digest of Technical Papers SID International Symposium, 2017, 48, 1974-1976.	0.1	2
227	High-field transport properties of a P-doped $\text{BaFe}_2\text{As}_2$ film on technical substrate. Scientific Reports, 2017, 7, 39951.	1.6	38
228	Tiered Electron Anions in Multiple Voids of $\text{LaScSi}$ and Their Applications to Ammonia Synthesis. Advanced Materials, 2017, 29, 1700924.	11.1	85
229	An Exceptionally Narrow Band-Gap ( $\sim 1/4$ eV) Silicate Predicted in the Cubic Perovskite Structure: $\text{BaSiO}_3$ . Inorganic Chemistry, 2017, 56, 10535-10542.	1.9	16
230	Cubic Fluorite-Type $\text{CaH}_2$ with a Small Bandgap. Journal of the American Chemical Society, 2017, 139, 11317-11320.	6.6	8
231	Transparent amorphous oxide semiconductors: Materials design, electronic structure, and device applications. , 2017, , .		3
232	Nanocomposite Phosphor Consisting of $\text{Ca}_2\text{Eu}^{2+}$ Single Nanocrystals Embedded in Crystalline $\text{SiO}_2$ . ACS Applied Materials & Interfaces, 2017, 9, 41405-41412.	4.0	2
233	Rattling of Oxygen Ions in a Sub-Nanometer-Sized Cage Converts Terahertz Radiation to Visible Light. ACS Nano, 2017, 11, 12358-12364.	7.3	12
234	Chemical Design and Example of Transparent Bipolar Semiconductors. Journal of the American Chemical Society, 2017, 139, 17175-17180.	6.6	32

#	ARTICLE	IF	CITATIONS
235	Copper-Based Intermetallic Electride Catalyst for Chemoselective Hydrogenation Reactions. Journal of the American Chemical Society, 2017, 139, 17089-17097.	6.6	90
236	Transformation of the Chromium Coordination Environment in LaCrAsO Induced by Hydride Doping: Formation of La <sub>2</sub> Cr <sub>2</sub> As <sub>2</sub> O <sub>y</sub> H <sub>x</sub> . Inorganic Chemistry, 2017, 56, 13642-13645.	1.9	4
237	High pressure growth and electron transport properties of superconducting SmFeAsO <sub>1-x</sub> H <sub>x</sub> single crystals. Journal of Asian Ceramic Societies, 2017, 5, 357-363.	1.0	13
238	Semimetallic Two-Dimensional TiB <sub>12</sub> : Improved Stability and Electronic Properties Tunable by Biaxial Strain. Chemistry of Materials, 2017, 29, 5922-5930.	3.2	41
239	Semimetallic bands derived from interlayer electrons in the quasi-two-dimensional electride YCa <sub>2</sub> C. Physical Review B, 2017, 96, .	1.1	17
240	Electron effective mass and mobility limits in degenerate perovskite stannate BaSnO <sub>3</sub> . Physical Review B, 2017, 95, .	1.1	13
241	Quasi-two-dimensional excess electron compounds CaN <sub>2</sub> and CaN <sub>2</sub> Y. Physical Review B, 2017, 95, .	1.1	21
242	Superconductivity in Alkaline Earth Metal-Filled Skutterudites Ba <sub>4</sub> X <sub>12</sub> (X = As, P). Journal of the American Chemical Society, 2017, 139, 8106-8109.	6.6	13
243	Probing a divergent van Hove singularity of graphene with a CaN <sub>2</sub> support: A layered electride as a solid-state dopant. Physical Review B, 2017, 96, .	1.1	13
244	Publisher's Note: Amorphous Gallium Oxide as an Improved Host for Inorganic Light-Emitting Thin Film Semiconductor Fabricated at Room Temperature on Glass [ACS]. Solid State Sci. Technol., 6, P410 (2017)]. ECS Journal of Solid State Science and Technology, 2017, 6, X1-X1.	0.9	0
245	Thin-film Growth and Device Fabrication of Iron-based Superconductors. TEION KOGAKU (Journal of) Tj ETQq1 1 0.784314 rgBT /Over oc 0.1	0.1	1
246	First Principles Evolutionary Search for New Electrides along the Dimensionality of Anionic Electrons. Journal of Computer Chemistry Japan, 2017, 16, 135-138.	0.0	6
247	Electride and superconductivity behaviors in Mn <sub>5</sub> Si <sub>3</sub> -type intermetallics. Npj Quantum Materials, 2017, 2, .	1.8	47
248	Anchoring Bond between Ru and N Atoms of Ru/Ca <sub>2</sub> NH Catalyst: Crucial for the High Ammonia Synthesis Activity. Journal of Physical Chemistry C, 2017, 121, 20900-20904.	1.5	33
249	KCa <sub>2</sub> F <sub>4</sub> e <sub>4</sub> . Physical Review B, 2017, 95, .	1.1	23
250	Evidence for superior current carrying capability of iron pnictide tapes under hydrostatic pressure. Physical Review Materials, 2017, 1, .	0.9	23
251	69-4: NBIS-Stable Oxide Thin-Film Transistors Using Ultra-Wide Bandgap Amorphous Oxide Semiconductors. Digest of Technical Papers SID International Symposium, 2016, 47, 951-953.	0.1	6
252	31-4: Novel Inorganic Electron Injection and Transport Materials Enabling Large-Sized Inverted OLEDs Driven by Oxide TFTs. Digest of Technical Papers SID International Symposium, 2016, 47, 401-404.	0.1	2

#	ARTICLE	IF	CITATIONS
253	Essential role of hydride ion in ruthenium-based ammonia synthesis catalysts. <i>Chemical Science</i> , 2016, 7, 4036-4043.	3.7	195
254	Room-temperature fabrication of light-emitting thin films based on amorphous oxide semiconductor. <i>AIP Advances</i> , 2016, 6, .	0.6	11
255	Pressure effect on iron-based superconductor $\text{LaFeAsO}_{1-x}\text{H}_x$ : Peculiar response of 1111-type structure. <i>Scientific Reports</i> , 2016, 6, 39646.	1.6	30
256	Amorphous pnictide semiconductor $\text{BaZn}_2\text{As}_2$ exhibiting high hole mobility. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	2
257	Recent progress in pulsed laser deposition of iron based superconductors. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 345301.	1.3	18
258	Solid phase epitaxial growth of high mobility $\text{La}:\text{BaSnO}_3$ thin films co-doped with interstitial hydrogen. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	32
259	$\text{SnS}$ thin films prepared by $\text{H}_2\text{S}$ -free process and its $\text{p}$ -type thin film transistor. <i>AIP Advances</i> , 2016, 6, .	0.6	17
260	High Oxidation Tolerance of Ru Nanoparticles on $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ Electride. <i>Journal of Physical Chemistry C</i> , 2016, 120, 8711-8716.	1.5	6
261	Nonequilibrium Rock-Salt-Type Pb-Doped $\text{SnSe}$ with High Carrier Mobilities $\sim 300 \text{ cm}^2/(\text{Vs})$ . <i>Chemistry of Materials</i> , 2016, 28, 2278-2286.	3.2	18
262	$\text{N}$ -type conduction in $\text{SnS}$ by anion substitution with Cl. <i>Applied Physics Express</i> , 2016, 9, 051201.	1.1	19
263	The Key Indicator for the Control of Metal Particle Sizes on Supports from First-Principles and Experimental Observation. <i>Journal of Physical Chemistry C</i> , 2016, 120, 21879-21887.	1.5	5
264	Efficient and Stable Ammonia Synthesis by Self-Organized Flat Ru Nanoparticles on Calcium Amide. <i>ACS Catalysis</i> , 2016, 6, 7577-7584.	5.5	129
265	Hydride-Based Electride Material, $\text{LnH}_2$ ( $\text{Ln} = \text{La}, \text{Ce}, \text{or Y}$ ). <i>Inorganic Chemistry</i> , 2016, 55, 8833-8838.	1.9	60
266	Heavy electron doping induced antiferromagnetic phase as the parent for the iron oxypnictide superconductor $\text{LaFeAsO}_{1-x}\text{H}_x$ . <i>Physical Review B</i> , 2016, 94, 040407.	1.1	19
267	$\text{LaAlO}_3/\text{SrTiO}_3$ heterostructure. <i>Journal of Applied Physics</i> , 2016, 119, 044101.	1.1	5
268	Why high-pressure sputtering must be avoided to deposit a-In-Ga-Zn-O films. , 2016, , .		1
269	Electron anions and the glass transition temperature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10007-10012.	3.3	15
270	Novel oxide semiconductors for OLEDs and catalysis. , 2016, , .		0



#	ARTICLE	IF	CITATIONS
271	Transparent amorphous oxide semiconductor thin film phosphor, In&ndash;Mg&ndash;O:Eu. Journal of the Ceramic Society of Japan, 2016, 124, 532-535.	0.5	9
272	Strong charge density wave fluctuation and sliding state in PdTeI with quasi-one-dimensional PdTe chains. Physical Review B, 2016, 93, .	1.1	7
273	Critical behavior and magnetocaloric effect in layered structure Tb <sub>2</sub> C. Journal Physics D: Applied Physics, 2016, 49, 335002.	1.3	9
274	Ammonia synthesis over Co-Mo alloy nanoparticle catalyst prepared via sodium naphthalenide-driven reduction. Chemical Communications, 2016, 52, 14369-14372.	2.2	37
275	Discovery of earth-abundant nitride semiconductors by computational screening and high-pressure synthesis. Nature Communications, 2016, 7, 11962.	5.8	208
276	In-situ growth of superconducting SmO <sub>1-x</sub> FeAs thin films by pulsed laser deposition. Scientific Reports, 2016, 6, 35797.	1.6	26
277	Enhanced critical-current in P-doped BaFe <sub>2</sub> As <sub>2</sub> thin films on metal substrates arising from poorly aligned grain boundaries. Scientific Reports, 2016, 6, 36828.	1.6	35
278	Difficulty of carrier generation in orthorhombic PbO. Journal of Applied Physics, 2016, 119, .	1.1	14
279	Ultrawide band gap amorphous oxide semiconductor, Ga-Zn-O. Thin Solid Films, 2016, 614, 84-89.	0.8	13
280	Electronic interactions between a stable electride and a nano-alloy control the chemoselective reduction reaction. Chemical Science, 2016, 7, 5969-5975.	3.7	47
281	Effects of thermal annealing on elimination of deep defects in amorphous In-Ga-Zn-O thin-film transistors. Thin Solid Films, 2016, 614, 73-78.	0.8	13
282	Gritty Surface Sample Holder Invented To Obtain Correct X-ray Absorption Fine Structure Spectra for Concentrated Materials by Fluorescence Yield. Analytical Chemistry, 2016, 88, 3455-3458.	3.2	2
283	Mixed Valence Tin Oxides as Novel van der Waals Materials: Theoretical Predictions and Potential Applications. Advanced Energy Materials, 2016, 6, 1501190.	10.2	79
284	Electric field-induced superconducting transition of insulating FeSe thin film at 35 K. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3986-3990.	3.3	93
285	Green apatites: hydride ions, electrons and their interconversion in the crystallographic channel. Physical Chemistry Chemical Physics, 2016, 18, 8186-8195.	1.3	14
286	Water Durable Electride Y <sub>5</sub> Si <sub>3</sub> : Electronic Structure and Catalytic Activity for Ammonia Synthesis. Journal of the American Chemical Society, 2016, 138, 3970-3973.	6.6	217
287	Oxide TFTs. , 2016, , 1111-1144.		7
288	Novel solid-phase epitaxy for multi-component materials with extremely high vapor pressure elements: An application to KFe <sub>2</sub> As <sub>2</sub> . Applied Physics Express, 2016, 9, 055505.	1.1	10

#	ARTICLE	IF	CITATIONS
289	A superconducting surprise comes of age. <i>Physics World</i> , 2015, 28, 31-36. Low dimensionalization of magnetic ordering in $Sr_2VO_4$	0.0	4
290	$r^2V_4O_{13}$	1.1	9
291	Hydro Ferromagnetic instability of interlayer floating electrons in the quasi-two-dimensional electride $Y_2C$ . <i>Physical Review B</i> , 2015, 92, .	1.1	40
292	Fabrication and opto-electrical properties of amorphous (Zn,B)O thin film by pulsed laser deposition. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 523-526.	0.5	2
293	Effects of sulfur substitution in amorphous $InGaZnO_4$ : optical properties and first-principles calculations. <i>Journal of the Ceramic Society of Japan</i> , 2015, 123, 537-541.	0.5	8
294	Effects of residual hydrogen in sputtering atmosphere on structures and properties of amorphous In-Ga-Zn-O thin films. <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	34
295	Heteroepitaxial growth of SnSe films by pulsed laser deposition using Se-rich targets. <i>Journal of Applied Physics</i> , 2015, 118, .	1.1	38
296	Detection of dead layers and defects in polycrystalline $Cu_2O$ thin-film transistors by x-ray reflectivity and photoresponse spectroscopy analyses. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2015, 33, 051211.	0.6	9
297	Hydrogen-Substituted Superconductors $Sr_{1-x}H_xFeAsO_{1-x}$ Misidentified As Oxygen-Deficient $Sr_{1-x}FeAsO_{1-x}$ . <i>Inorganic Chemistry</i> , 2015, 54, 11567-11573.	1.9	13
298	Study of Iron-Based Superconductor by Means of X-ray, Neutron, Muon Beams. <i>Nihon Kessho Gakkaishi</i> , 2015, 57, 5-12.	0.0	0
299	P-176L: Late-News Poster: Deposition and Structuring Processes of a Newly Developed Transparent Amorphous Oxide Semiconductor for the Electron Transport and Injection Layers of AM-OLEDs. <i>Digest of Technical Papers SID International Symposium</i> , 2015, 46, 1710-1713.	0.1	1
300	Effects of Atmospheric Composition on the Molecular Structure of Synthesized Silicon Oxycarbides. <i>Journal of the American Ceramic Society</i> , 2015, 98, 3373-3380.	1.9	23
301	P-177L: Late-News Poster : Highly Efficient Inverted OLEDs using A New Transparent Amorphous Oxide Semiconductor. <i>Digest of Technical Papers SID International Symposium</i> , 2015, 46, 1714-1716.	0.1	4
302	An Anti $CuO_2$ type Metal Hydride Square Net Structure in $Ln_2M_2As_2H_x$ ( $Ln=La$ or $Sm$ , $M=Ti$ , $V$ , $Cr$ , or $Mn$ ). <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2932-2935.	7.2	13
303	Ligand-Hole in $[Sn_6]$ Unit and Origin of Band Gap in Photovoltaic Perovskite Variant $Cs_2SnI_6$ . <i>Bulletin of the Chemical Society of Japan</i> , 2015, 88, 1250-1255.	2.0	130
304	Chemoselective reduction and oxidation of ketones in water through control of the electron transfer pathway. <i>Scientific Reports</i> , 2015, 5, 10366.	1.6	21
305	Electron Donation Enhanced CO Oxidation over Ru-Loaded $12CaO \cdot 7Al_2O_3$ Electride Catalyst. <i>Journal of Physical Chemistry C</i> , 2015, 119, 11725-11731.	1.5	28
306	Analyses of Surface and Interfacial Layers in Polycrystalline $Cu_2O$ Thin-Film Transistors. <i>Journal of Display Technology</i> , 2015, 11, 720-724.	1.3	12

#	ARTICLE	IF	CITATIONS
307	STM/STS study of the superconducting gap in SmFeAsO <sub>1-x</sub> F. Solid State Communications, 2015, 204, 33-36.	0.9	1
308	An Anti CuO <sub>2</sub> -type Metal Hydride Square Net Structure in Ln <sub>2</sub> M <sub>2</sub> As <sub>2</sub> H <sub>x</sub> (Ln=La or Sm, M=Ti, V, Cr, or Mn). Angewandte Chemie, 2015, 127, 2975-2978.	1.6	5
309	Widely bandgap tunable amorphous Cd <sub>1-x</sub> Ga <sub>x</sub> O oxide semiconductors exhibiting electron mobilities $\mu_{e,0} \approx 10^4 \text{ cm}^2 \text{ V}^{-1} \text{ s}^{-1}$ . Applied Physics Letters, 2015, 106, 082106.	1.5	14
310	Effects of Pb Doping on Hole Transport Properties and Thin-Film Transistor Characteristics of SnO Thin Films. ECS Journal of Solid State Science and Technology, 2015, 4, Q26-Q30.	0.9	19
311	Exploration of new superconductors and functional materials, and fabrication of superconducting tapes and wires of iron pnictides. Science and Technology of Advanced Materials, 2015, 16, 033503.	2.8	188
312	n-type conversion of SnS by isovalent ion substitution: Geometrical doping as a new doping route. Scientific Reports, 2015, 5, 10428.	1.6	59
313	Epilogue: Superconducting materials past, present and future. Physica C: Superconductivity and Its Applications, 2015, 514, 437-443.	0.6	8
314	Vortex Pinning Properties of Phosphorous-Doped $\text{BaFe}_2\text{As}_2$ Epitaxial Films: Comparison Between $\text{LaSr}(\text{AlTa})\text{O}_3$ and MgO Substrates. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-5.	1.1	6
315	Intrinsic defects in a photovoltaic perovskite variant Cs <sub>2</sub> Ni <sub>6</sub> . Physical Chemistry Chemical Physics, 2015, 17, 18900-18903.	1.3	191
316	Two dimensional inorganic electrone-promoted electron transfer efficiency in transfer hydrogenation of alkynes and alkenes. Chemical Science, 2015, 6, 3577-3581.	3.7	51
317	Route to n-type doping in SnS. Applied Physics Letters, 2015, 106, .	1.5	49
318	Superconductivity in room-temperature stable electrone and high-pressure phases of alkali metals. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2015, 373, 20140450.	1.6	39
319	Modulation Effect of Interlayer Spacing on the Superconductivity of Electron-Doped FeSe-Based Intercalates. Inorganic Chemistry, 2015, 54, 3346-3351.	1.9	43
320	Electrone support boosts nitrogen dissociation over ruthenium catalyst and shifts the bottleneck in ammonia synthesis. Nature Communications, 2015, 6, 6731.	5.8	529
321	Iron-based superconductors: Current status of materials and pairing mechanism. Physica C: Superconductivity and Its Applications, 2015, 514, 399-422.	0.6	326
322	Crystal structure and physical properties of new transition metal based pnictide compounds: LaTM <sub>2</sub> AsN (TM = Fe, Co, and Ni). APL Materials, 2015, 3, 041509.	2.2	1
323	Charge Compensation by Excess Oxygen in Amorphous In <sub>1-x</sub> Ga <sub>x</sub> Zn <sub>1-x</sub> O Films Deposited by Pulsed Laser Deposition. Journal of Display Technology, 2015, 11, 518-522.	1.3	26
324	Origin of Lower Film Density and Larger Defect Density in Amorphous In <sub>1-x</sub> Ga <sub>x</sub> Zn <sub>1-x</sub> O Deposited at High Total Pressure. Journal of Display Technology, 2015, 11, 523-527.	1.3	26

#	ARTICLE	IF	CITATIONS
325	Mechanism Switching of Ammonia Synthesis Over Ru-Loaded Electride Catalyst at Metal-Insulator Transition. <i>Journal of the American Chemical Society</i> , 2015, 137, 14517-14524.	6.6	77
326	Examination of interfacial charge transfer in photocatalysis using patterned CuO thin film deposited on TiO <sub>2</sub> . <i>APL Materials</i> , 2015, 3, 104409.	2.2	14
327	Electron Confinement in Channel Spaces for One-Dimensional Electride. <i>Journal of Physical Chemistry Letters</i> , 2015, 6, 4966-4971.	2.1	74
328	Entropic shrinkage of an oxide glass. <i>Nature Materials</i> , 2015, 14, 312-317.	13.3	44
329	Introduction: Discovery and Current Status. <i>Springer Series in Materials Science</i> , 2015, , 3-19.	0.4	0
330	Oxide TFTs. , 2015, , 1-28.		1
331	Controlled bipolar doping in Cu <sub>3</sub> N (100) thin films. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	39
332	Electric double-layer transistor using layered iron selenide Mott insulator TlFe <sub>1.6</sub> Se <sub>2</sub> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 3979-3983.	3.3	30
333	Hierarchical dielectric orders in layered ferroelectrics Bi <sub>2</sub> SiO <sub>5</sub> . <i>IUCr</i> , 2014, 1, 160-164.	1.0	30
334	Effects of High-Temperature Annealing on Operation Characteristics of a-In-Ga-Zn-O TFTs. <i>Journal of Display Technology</i> , 2014, 10, 979-983.	1.3	21
335	High critical-current density with less anisotropy in BaFe <sub>2</sub> (As,P) <sub>2</sub> epitaxial thin films: Effect of intentionally grown <i>c</i> -axis vortex-pinning centers. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	43
336	Inhomogeneous broadening and peak shift of the 7.6 eV optical absorption band of oxygen vacancies in SiO <sub>2</sub> . , 2014, , .		2
337	Luminescence of non-bridging oxygen hole centers in crystalline SiO <sub>2</sub> . <i>AIP Conference Proceedings</i> , 2014, , .	0.3	7
338	Roles of Hydrogen in Amorphous Oxide Semiconductor In-Ga-Zn-O: Comparison of Conventional and Ultra-High-Vacuum Sputtering. <i>ECS Journal of Solid State Science and Technology</i> , 2014, 3, Q3085-Q3090.	0.9	50
339	Positive-Bias Stress Test on Amorphous In-Ga-Zn-O Thin Film Transistor: Annealing-Temperature Dependence. <i>Journal of Display Technology</i> , 2014, 10, 975-978.	1.3	16
340	Controlling factors of $T_{c,dome}$ structure in 1111-type iron arsenide superconductors. <i>Physical Review B</i> , 2014, 89, .	1.1	23
341	Work function modulation in MgO/Nb:SrTiO <sub>3</sub> by utilizing highly nonequilibrium thin-film growth. <i>Physical Review B</i> . 2014, 90, .	1.1	9
342	New LaMAS <sub>x</sub> (M = Co, Ni, or Cu) Arsenides with Covalent H Chains. <i>Journal of the American Chemical Society</i> , 2014, 136, 17390-17393.	6.6	2

#	ARTICLE	IF	CITATIONS
343	Examination of the ambient effects on the stability of amorphous indium-gallium-zinc oxide thin film transistors using a laser-glass-sealing technology. Applied Physics Letters, 2014, 105, .	1.5	16
344	Critical factor for epitaxial growth of cobalt-doped BaFe <sub>2</sub> As <sub>2</sub> films by pulsed laser deposition. Applied Physics Letters, 2014, 104, .	1.5	22
345	The atomic structure, band gap, and electrostatic potential at the (112)[11 $\hat{A}$ ] twin grain boundary of CuInSe <sub>2</sub> . Applied Physics Letters, 2014, 104, .	1.5	15
346	Emergence of magnetism and controlling factors of superconductivity in Li/Na-ammonia cointercalated $\text{FeS}$ . $\text{e}$ $\text{T}$		
347	Enhancing the three-dimensional electronic structure in 1111-type iron arsenide superconductors by H substitution. Physical Review B, 2014, 89, .	1.1	16
348	Structural study of Fe <sub>3</sub> O <sub>4</sub> (111) thin films with bulk like magnetic and magnetotransport behaviour. Journal of Applied Physics, 2014, 115, 17C107.	1.1	11
349	Superconductivity in noncentrosymmetric ternary equiatomic pnictides La <sub>3</sub> MP <sub>3</sub> (M = Tl, Bi, Sb, As, P, N, As, P, N). Physical Review Letters, 2014, 113, 187001.	1.1	40
350	SnAs with the NaCl-type Structure: Type-I Superconductivity and Single Valence State of Sn. Chemistry of Materials, 2014, 26, 7209-7213.	3.2	35
351	Film Texture, Hole Transport and Field-Effect Mobility in Polycrystalline SnO Thin Films on Glass. ECS Journal of Solid State Science and Technology, 2014, 3, Q3040-Q3044.	0.9	28
352	Chloride-stabilized Strontium Mayenite: Expansion of Versatile Material Family. Journal of the American Ceramic Society, 2014, 97, 4037-4044.	1.9	12
353	Mobility- and temperature-dependent device model for amorphous InGaZnO thin-film transistors. Thin Solid Films, 2014, 559, 40-43.	0.8	36
354	Bipartite magnetic parent phases in the iron oxy pnictide superconductor. Nature Physics, 2014, 10, 300-303.	6.5	115
355	Structural, magnetic, and electrical properties of Li <sub>2</sub> Ir <sub>2</sub> O <sub>7</sub> . Physical Review B, 2014, 90, 154414.	1.1	32
356	Growth of high-quality SnS epitaxial films by H <sub>2</sub> S flow pulsed laser deposition. Applied Physics Letters, 2014, 104, .	1.5	32
357	Highly Dispersed Ru on Electride [Ca <sub>24</sub> Al <sub>28</sub> O <sub>64</sub> ] <sup>4+</sup> as a Catalyst for Ammonia Synthesis. ACS Catalysis, 2014, 4, 674-680.	5.5	90
358	Enhanced N <sub>2</sub> Dissociation on Ru-Loaded Inorganic Electride. Journal of the American Chemical Society, 2014, 136, 2216-2219.	6.6	52
359	Positive Gate Bias Instability Induced by Diffusion of Neutral Hydrogen in Amorphous InGaZnO Thin-Film Transistor. IEEE Electron Device Letters, 2014, 35, 832-834.	2.2	23
360	Exploration for Two-Dimensional Electrides via Database Screening and <i>Ab Initio</i> Calculation. Physical Review X, 2014, 4, .	2.8	84

#	ARTICLE	IF	CITATIONS
361	Two-Dimensional Transition-Metal Electride $\text{Y}_{2-x}\text{C}$ . Chemistry of Materials, 2014, 26, 6638-6643.	3.2	151
362	Superconductivity of $\text{Ca}_2\text{InN}$ with a layered structure embedding an anionic indium chain array. Superconductor Science and Technology, 2014, 27, 055005.	1.8	3
363	Light irradiation and applied voltage history sensors using amorphous In-Ga-Zn-O thin-film transistors exposed to ozone annealing and fabricated under high oxygen pressure. , 2014, , .		0
364	Narrow Bandgap in $\text{Î}^2\text{-BaZn}_{2-x}\text{As}_2$ and Its Chemical Origins. Journal of the American Chemical Society, 2014, 136, 14959-14965.	6.6	33
365	The scalable pinacol coupling reaction utilizing the inorganic electride $[\text{Ca}_{2-x}\text{N}]^+ \cdot \text{e}^-$ as an electron donor. Chemical Communications, 2014, 50, 4791-4794.	2.2	42
366	Superconductivity and phase instability of $\text{NH}_3$ -free Na-intercalated $\text{FeSe}_{1-x}\text{S}_x$ . Nature Communications, 2014, 5, 4756.	5.8	76
367	Surface Treatment for Conductive $12\text{CaO} \cdot 7\text{Al}_2\text{O}_3$ Electride Powder by Rapid Thermal Annealing Processing and Its Application to Ammonia Synthesis. ChemCatChem, 2014, 6, 1317-1323.	1.8	11
368	Diffusion and Reactions of Photoinduced Interstitial Oxygen Atoms in Amorphous $\text{SiO}_2$ Impregnated with $^{18}\text{O}$ -Labeled Interstitial Oxygen Molecules. Journal of Physical Chemistry C, 2014, 118, 4282-4286.	1.5	12
369	Hydride ions in oxide hosts hidden by hydroxide ions. Nature Communications, 2014, 5, 3515.	5.8	108
370	La-Substituted $\text{CaFeAsH}$ Superconductor with $T_c = 47$ K. Journal of the Physical Society of Japan, 2014, 83, 033705.	0.7	22
371	Characteristic Coordination Structure around Nd Ions in Sol-Gel-Derived Nd-Al-Codoped Silica Glasses. Journal of Physical Chemistry B, 2014, 118, 8792-8797.	1.2	8
372	Layered Compounds $\text{BaM}_2\text{Ge}_4\text{Ch}_6$ ( $M = \text{Rh, Ir}$ and $\text{Ch} = \text{S, Se}$ ) with Pyrite-Type Building Blocks and $\text{Ge}^{\text{Ch}}$ Heteromolecule-Like Anions. Inorganic Chemistry, 2014, 53, 5684-5691.	1.9	5
373	Comparison of impurity effect between two $\text{T}_x\text{C}_x$ domes in $\text{LaFeAsO}_{1-x}\text{H}_x$ . Journal of Physics Condensed Matter, 2014, 26, 435702.	0.7	3
374	$\text{NH}_2^{\text{Ch}}$ Dianion Entrapped in a Nanoporous $12\text{CaO} \cdot 7\text{Al}_2\text{O}_3$ Crystal by Ammonothermal Treatment: Reaction Pathways, Dynamics, and Chemical Stability. Journal of the American Chemical Society, 2014, 136, 11698-11706.	6.6	34
375	Growth of $c$ -Axis-Oriented Superconducting $\text{KFe}_2\text{As}_2$ Thin Films. ACS Applied Materials & Interfaces, 2014, 6, 14293-14301.	4.0	15
376	Epitaxial growth and electronic structure of a layered zinc pnictide semiconductor, $\text{Î}^2\text{-BaZn}_2\text{As}_2$ . Thin Solid Films, 2014, 559, 100-104.	0.8	13
377	Hydrogen Ordering and New Polymorph of Layered Perovskite Oxyhydrides: $\text{Sr}_2\text{VO}_4\text{H}$ . Journal of the American Chemical Society, 2014, 136, 7221-7224.	6.6	63
378	Fabrication and characterization of $\text{ZnS}:(\text{Cu,Al})$ thin film phosphors on glass substrates by pulsed laser deposition. Thin Solid Films, 2014, 559, 18-22.	0.8	10

#	ARTICLE	IF	CITATIONS
379	High-Throughput ab Initio Screening for Two-Dimensional Electride Materials. <i>Inorganic Chemistry</i> , 2014, 53, 10347-10358.	1.9	107
380	Model of the Electronic Structure of Electron-Doped Iron-Based Superconductors: Evidence for Enhanced Spin Fluctuations by Diagonal Electron Hopping. <i>Physical Review Letters</i> , 2014, 113, 027002.	2.9	43
381	Crossover between magnetism and superconductivity in LaFeAsO with low H-doping level. <i>Journal of Physics Condensed Matter</i> , 2014, 26, 295701.	0.7	6
382	News and analysis on materials solutions to energy challenges. <i>MRS Bulletin</i> , 2014, 39, 483-483.	1.7	0
383	Selective monocarboxylation of olefins at $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ electride cathode. <i>Electrochemistry Communications</i> , 2014, 44, 45-48.	2.3	15
384	Photochemistry of Nanocage $\text{Ca}_{12}\text{Al}_{14}\text{Si}_3\text{O}_{32}\text{Cl}_2$ ( $x = 0.0$ and $3.4$ ) Crystals. <i>Chemistry Letters</i> , 2014, 43, 1371-1373.	0.7	10
385	Converting Abundant Ingredients to Functional Materials. <i>Hyomen Kagaku</i> , 2014, 35, 267-269.	0.0	0
386	Superconductivity induced by hydrogen anion substitution in 1111-type iron arsenides. <i>Current Opinion in Solid State and Materials Science</i> , 2013, 17, 49-58.	5.6	28
387	Formation and quantification of peroxide anions in nanocages of $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ . <i>RSC Advances</i> , 2013, 3, 18311.	1.7	13
388	Indium-Based Ultraviolet-Transparent Electroconductive Oxyfluoride InOF: Ambient-Pressure Synthesis and Unique Electronic Properties in Comparison with $\text{In}_2\text{O}_3$ . <i>Journal of the American Chemical Society</i> , 2013, 135, 13080-13088.	6.6	15
389	Ammonia decomposition by ruthenium nanoparticles loaded on inorganic electride $\text{C}_{12}\text{A}_7\text{e}^-$ . <i>Chemical Science</i> , 2013, 4, 3124.	3.7	148
390	Homogeneous coexistence and phase segregation in 1111 iron-based pnictides studied via NMR. <i>Journal of the Korean Physical Society</i> , 2013, 62, 2004-2006.	0.3	0
391	Activation and splitting of carbon dioxide on the surface of an inorganic electride material. <i>Nature Communications</i> , 2013, 4, 2378.	5.8	151
392	Superconductivity in $\text{Ba}_{1-x}\text{La}_x\text{Fe}_2\text{As}_2$ epitaxial films. <i>Physical Review B</i> , 2013, 88, .	1.1	12
393	Unusual pressure effects on the superconductivity of indirectly electron-doped $(\text{Ba}_{1-x}\text{La}_x)\text{Fe}_2\text{As}_2$ epitaxial films. <i>Physical Review B</i> , 2013, 88, .	1.1	16
394	Strong enhancement of superconductivity in inorganic electride $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3\text{e}^-$ under high pressure. <i>Journal of the Korean Physical Society</i> , 2013, 63, 477-480.	0.3	15
395	Superconducting Properties and Phase Diagram of Indirectly Electron-Doped $(\text{Sr}_{1-x}\text{Tl}_x)\text{Fe}_2\text{As}_2$ . <i>Transactions on Applied Superconductivity</i> , 2013, 23, 7300405-7300405.	1.1	13
396	Magnetotransport Properties across Verwey Transition in $\text{Fe}_3\text{O}_4(111)$ Epitaxial Thin Films. <i>Applied Physics Express</i> , 2013, 6, 073009.	1.1	7

#	ARTICLE	IF	CITATIONS
397	Thermoelectric properties and figure of merit of perovskite-type $\text{Ba}_{1-x}\text{La}_x\text{SnO}_3$ with $x=0.002\text{--}0.008$ . Solid State Communications, 2013, 172, 49-53.	0.9	28
398	Dicalcium nitride as a two-dimensional electride with an anionic electron layer. Nature, 2013, 494, 336-340.	13.7	386
399	$\text{Fe}_{1-x}\text{O}_{1+x}$ thin films with bulk-like properties: growth and atomic characterization. Journal Physics D: Applied Physics, 2013, 46, 022001.	1.3	23
400	From antiferromagnetic insulator to ferromagnetic metal: Effects of hydrogen substitution in $\text{LaMnAsO}$ . Physical Review B, 2013, 87, .	1.1	35
401	Local structure around rare-earth ions in $\text{B}_2\text{O}_3$ glass at high pressure. Journal of Applied Physics, 2013, 113, .	1.1	3
402	Surface reactivity and oxygen migration in amorphous indium-gallium-zinc oxide films annealed in humid atmosphere. Applied Physics Letters, 2013, 103, 201904.	1.5	28
403	New Frontiers Opened Up Through Function Cultivation in Transparent Oxides. , 2013, , 455-487.		1
404	Magnetic Structure and Electromagnetic Properties of $\text{LnCrAsO}$ with a $\text{ZrCuSiAs}$ -type Structure ( $\text{Ln} = \text{Tj, Er, Qq, O, O, rg, BT}$ ). Overlock 10 T	1.9	34
405	Ultralow-Dissipative Conductivity by Dirac Fermions in $\text{BaFe}_2\text{As}_2$ . Journal of the Physical Society of Japan, 2013, 82, 043709.	0.7	8
406	Magnetic scattering and electron pair breaking by rare-earth-ion substitution in $\text{BaFe}_2\text{As}_2$ epitaxial films. New Journal of Physics, 2013, 15, 073019.	1.2	18
407	Effects of Diffusion of Hydrogen and Oxygen on Electrical Properties of Amorphous Oxide Semiconductor, In-Ga-Zn-O. ECS Journal of Solid State Science and Technology, 2013, 2, P5-P8.	0.9	191
408	(Invited) Roles of Hydrogen in Amorphous Oxide Semiconductor. ECS Transactions, 2013, 54, 103-113.	0.3	82
409	Control of Surface Work Function by Depositing Insulating Oxide Capping Layers. Japanese Journal of Applied Physics, 2013, 52, 110125.	0.8	4
410	Superconductivity and physical properties of strongly electron correlated compounds $\text{La}_n\text{Ru}_{3n-1}\text{B}_2\text{n}$ ( $n = 1, 2, \text{ and } 3$ ). Europhysics Letters, 2013, 104, 17003.	0.7	4
411	Publisher's Note: From antiferromagnetic insulator to ferromagnetic metal: Effects of hydrogen substitution in $\text{LaMnAsO}$ [Phys. Rev. B87, 020401(R) (2013)]. Physical Review B, 2013, 87, .	1.1	0
412	Anomalous scaling behavior in a mixed-state Hall effect of a cobalt-doped $\text{BaFe}_2\text{As}_2$ epitaxial film with a high critical current density over $1 \text{ MA/cm}^2$ . Physical Review B, 2013, 87, .	1.1	16
413	$\text{Rh}_{0.95}\text{Te}$	1.1	13
414	Formation and annihilation of intrinsic defects induced by electronic excitation in high-purity crystalline $\text{SiO}_2$ . Journal of Applied Physics, 2013, 113, 143511.	1.1	5



#	ARTICLE	IF	CITATIONS
415	P.3: 3â€œ Stacked Complementary TFT Devices using nâ€œtype Î±â€œGZO and pâ€œtype F8T2 TFTs â€œ Operation Confirmation of NOT and NAND Logic Circuits â€œ. Digest of Technical Papers SID International Symposium, 2013, 44, 995-998.	0.1	1
416	Superconductivity in 1111-type CaFeAsF1âˆ™xHx induced by selective hydrogen elimination. Applied Physics Letters, 2013, 103, 142601.	1.5	4
417	4.1: <i>Invited Paper</i>: Electronic Structure, Carrier Transport, Defects and Impurities in Amorphous Oxide Semiconductor. Digest of Technical Papers SID International Symposium, 2013, 44, 11-13.	0.1	3
418	P.142L: <i>Lateâ€œNews Poster</i>: Electron Injecting Material for OLEDs driven by Oxide TFTs: Amorphous C12A7 Electride. Digest of Technical Papers SID International Symposium, 2013, 44, 1473-1476.	0.1	6
419	Switching of intra-orbital spin excitations in electron-doped iron pnictide superconductors. Physical Review B, 2013, 88, .	1.1	26
420	Hydrogen passivation of electron trap in amorphous In-Ga-Zn-O thin-film transistors. Applied Physics Letters, 2013, 103, .	1.5	112
421	Ferroelectricity Driven by Twisting of Silicate Tetrahedral Chains. Angewandte Chemie - International Edition, 2013, 52, 8088-8092.	7.2	62
422	Exploring Electro-active Functionality of Transparent Oxide Materials. Japanese Journal of Applied Physics, 2013, 52, 090001.	0.8	66
423	Apparent high mobility ~30 cm&lt;sup>2</sup>/Vs of amorphous Inâ€œGaâ€œZnâ€œO thin-film transistor and its origin. Journal of the Ceramic Society of Japan, 2013, 121, 295-298.	0.5	4
424	Evidence of Spin Resonance Signal in Oxygen Free Superconducting CaFe<sub>0.88</sub>Co<sub>0.12</sub>AsF: An Inelastic Neutron Scattering Study. Journal of the Physical Society of Japan, 2013, 82, 104716.	0.7	3
425	Amorphous Oxide Semiconductor Thin Films. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2013, 64, 392-395.	0.1	0
426	Robust Spin Fluctuations and<i>s</i>âˆ™ Pairing in the Heavily Electron Doped Iron-Based Superconductors. Journal of the Physical Society of Japan, 2013, 82, 083702.	0.7	15
427	Metal-Semiconductor Field-Effect Transistor Made Using Amorphous In-Ga-Zn-O Channel and Bottom Pt Schottky Contact Structure at 200âˆ™C. ECS Solid State Letters, 2012, 1, Q8-Q10.	1.4	21
428	Frontiers of Research on Iron-Based Superconductors toward Their Application. Japanese Journal of Applied Physics, 2012, 51, 010005.	0.8	30
429	Hydrogen substitution effect on the superconductivity of LnNiAsO (Ln = Laâ€œNd). Superconductor Science and Technology, 2012, 25, 084017.	1.8	11
430	Solid-state source of atomic oxygen for low-temperature oxidation processes: Application to pulsed laser deposition of TiO2:N films. Review of Scientific Instruments, 2012, 83, 023903.	0.6	1
431	Superconductivity in Defective Pyrite-Type Iridium Chalcogenides<math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><math>\text{Ir}_x\text{Ch}_{2.9}</math></math>	2.9	26
432	Identical effects of indirect and direct electron doping of superconducting BaFe<math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><math>\text{As}_{2}</math></math> thin films. Physical Review B, 2012, 85, .	1.1	42

#	ARTICLE	IF	CITATIONS
433	Structural analysis and superconductivity of CeFeAsO $\frac{1}{\sqrt{2}} \frac{1}{\sqrt{2}} \frac{1}{\sqrt{2}} \frac{1}{\sqrt{2}}$ <a href="#">http://dx.doi.org/10.1103/PhysRevB.85.184513</a> , Physical Review B, 2012, 85, .		
434	Enhanced anisotropic spin fluctuations below tetragonal-to-orthorhombic transition in LaFeAs(O <sub>1-x</sub> F <sub>x</sub> ) probed by <sup>75</sup> As and <sup>139</sup> La NMR. Physical Review B, 2012, 85, .	1.1	16
435	Iron based superconductors processing and properties. International Materials Reviews, 2012, 57, 311-327.	9.4	27
436	Doping effects in amorphous oxides. Journal of the Ceramic Society of Japan, 2012, 120, 616-A-616-A.	0.5	0
437	Doping effects in amorphous oxides. Journal of the Ceramic Society of Japan, 2012, 120, 447-457.	0.5	40
438	Ammonia synthesis using a stable electride as an electron donor and reversible hydrogen store. Nature Chemistry, 2012, 4, 934-940.	6.6	1,085
439	MgFeGe as an isoelectronic and isostructural analog of the superconductor LiFeAs. Physical Review B, 2012, 85, .	1.1	14
440	Layered Hydride CaNiGeH with a ZrCuSiAs-type Structure: Crystal Structure, Chemical Bonding, and Magnetism Induced by Mn Doping. Journal of the American Chemical Society, 2012, 134, 11687-11694.	6.6	19
441	Optical evidence for quantization in transparent amorphous oxide semiconductor superlattice. Physical Review B, 2012, 86, .	1.1	22
442	Elucidation of codoping effect in Cu <sup>2+</sup> -containing sodium borate glass. Journal of Non-Crystalline Solids, 2012, 358, 2446-2449.	1.5	3
443	Band alignment of InGaZnO <sub>4</sub> /Si interface by hard x-ray photoelectron spectroscopy. Journal of Applied Physics, 2012, 112, .	1.1	37
444	Structural relaxation in amorphous oxide semiconductor, a-In-Ga-Zn-O. Journal of Applied Physics, 2012, 111, .	1.1	90
445	<sup>18</sup> O-labeled interstitial oxygen molecules as probes to study reactions involving oxygen-related species in amorphous SiO <sub>2</sub> . Journal of Non-Crystalline Solids, 2012, 358, 3524-3530.	1.5	0
446	A novel phosphor for glareless white light-emitting diodes. Nature Communications, 2012, 3, 1132.	5.8	306
447	Characteristic shift of a CTFT inverter using n-type IGZO and p-type F8T2 TFTs after temperature and operation stresses. , 2012, .		0
448	$T_c$ Maximum in Solid Solution of Pyrite IrSe <sub>2</sub> ← RhSe <sub>2</sub> Induced by Destabilization of Anion Dimers. Journal of the American Chemical Society, 2012, 134, 20001-20004.	6.6	28
449	Thin Film Growth and Device Fabrication of Iron-Based Superconductors. Journal of the Physical Society of Japan, 2012, 81, 011011.	0.7	50
450	Two-dome structure in electron-doped iron arsenide superconductors. Nature Communications, 2012, 3, 943.	5.8	198

#	ARTICLE	IF	CITATIONS
451	Maximum applied voltage detector using amorphous InGaZnO thin-film transistor exposed to ozone annealing. <i>Solid-State Electronics</i> , 2012, 75, 74-76.	0.8	7
452	Electron injection barriers between air-stable electride with low work function, C <sub>12</sub> A <sub>7</sub> :e <sup>-</sup> , and pentacene, C <sub>60</sub> and copper phthalocyanine. <i>Journal of Materials Chemistry</i> , 2012, 22, 4278.	6.7	24
453	Superconductivity in a PbFCl-type pnictide: NbSiAs. <i>Europhysics Letters</i> , 2012, 99, 27002.	0.7	5
454	Superconductivity in LaTMBN and La <sub>3</sub> TM <sub>2</sub> B <sub>2</sub> N <sub>3</sub> (TM = Transition Metal) Synthesized under High Pressure. <i>Journal of the American Chemical Society</i> , 2012, 134, 2516-2519.	6.6	14
455	Light Irradiation History Sensor Using Amorphous In-Ga-Zn-O Thin-Film Transistor Exposed to Ozone Annealing. <i>IEEE Electron Device Letters</i> , 2012, 33, 384-386.	2.2	9
456	Synthesis and properties of 12CaO·7Al <sub>2</sub> O <sub>3</sub> electride: review of single crystal and thin film growth. <i>Philosophical Magazine</i> , 2012, 92, 2596-2628.	0.7	77
457	Thin film growth by pulsed laser deposition and properties of 122-type iron-based superconductor AE(Fe <sub>1-x</sub> Co <sub>x</sub> ) <sub>2</sub> As <sub>2</sub> (AE=alkaline earth). <i>Superconductor Science and Technology</i> , 2012, 25, 084015.	1.8	42
458	Flexibility with a metallic skin. <i>Nature Chemistry</i> , 2012, 4, 252-253.	6.6	4
459	Application of 12CaO·7Al <sub>2</sub> O <sub>3</sub> electride as a new electrode for superoxide ion generation and hydroxylation of an arylboronic acid. <i>Electrochemistry Communications</i> , 2012, 17, 52-55.	2.3	29
460	Microstructure and transport properties of [001]-tilt bicrystal grain boundaries in iron pnictide superconductor, cobalt-doped BaFe <sub>2</sub> As <sub>2</sub> . <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012, 177, 515-519.	1.7	35
461	The Fifth International Conference on the Science and Technology for Advanced Ceramics (STAC-5) and the Second International Conference on Advanced Materials Development and Integration of Novel Structured Metallic and Inorganic Materials (AIMD2) – June 22–24, 2011. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2012, 177, 499.	1.7	0
462	Superconducting compounds with metallic square net. <i>Solid State Communications</i> , 2012, 152, 666-670.	0.9	7
463	Operation model with carrier-density dependent mobility for amorphous InGaZnO thin-film transistors. <i>Thin Solid Films</i> , 2012, 520, 3791-3795.	0.8	15
464	Effects of low-temperature ozone annealing on operation characteristics of amorphous InGaZnO thin-film transistors. <i>Thin Solid Films</i> , 2012, 520, 3787-3790.	0.8	36
465	Photovoltaic properties of n-type amorphous InGaZnO and p-type single crystal Si heterojunction solar cells: Effects of Ga content. <i>Thin Solid Films</i> , 2012, 520, 3808-3812.	0.8	20
466	Stability and high-frequency operation of amorphous InGaZnO thin-film transistors with various passivation layers. <i>Thin Solid Films</i> , 2012, 520, 3778-3782.	0.8	78
467	Amorphous InGaZnO Dual-Gate TFTs: Current–Voltage Characteristics and Electrical Stress Instabilities. <i>IEEE Transactions on Electron Devices</i> , 2012, 59, 1928-1935.	1.6	53
468	Unusually Large Enhancement of Thermopower in an Electric Field Induced Two-Dimensional Electron Gas. <i>Advanced Materials</i> , 2012, 24, 740-744.	11.1	83

#	ARTICLE	IF	CITATIONS
469	Oxide TFTs. , 2012, , 729-749.		3
470	Frontiers of Research on Iron-Based Superconductors toward Their Application. Japanese Journal of Applied Physics, 2012, 51, 010005.	0.8	48
471	Amorphous In-Ga-Zn-O Thin Film Transistors: Fabrication and Properties. , 2012, , 485-536.		4
472	Iron-Based Superconductors. , 2012, , 1-52.		0
473	La <sub>2</sub> Sb, a layered superconductor with metal-metal bonds. Chemical Communications, 2011, 47, 3778.	2.2	11
474	A Metal-Insulator Transition in R <sub>2</sub> O <sub>2</sub> Bi with an Unusual Bi <sup>2+</sup> Square Net (R = Rare Earth or Y). Journal of the American Chemical Society, 2011, 133, 2394-2397.	6.6	60
475	Models of stoichiometric and oxygen-deficient surfaces of subnanoporous 12CaO·7Al <sub>2</sub> O <sub>3</sub> . Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2011, 467, 2066-2083.	1.0	28
476	Frenkel defect process in amorphous silica. , 2011, , .		3
477	Visible to vacuum-UV range optical absorption of oxygen dangling bonds in amorphous SiO <sub>2</sub> . Physical Review B, 2011, 84, .	1.1	54
478	Highly stable amorphous In-Ga-Zn-O thin-film transistors produced by eliminating deep subgap defects. Applied Physics Letters, 2011, 99, .	1.5	156
479	Effects of excess oxygen on operation characteristics of amorphous In-Ga-Zn-O thin-film transistors. Applied Physics Letters, 2011, 99, .	1.5	203
480	Ligand Field Modification around Cu <sup>2+</sup> Ions in Sodium Borate Glass by Codoping. Journal of Physical Chemistry A, 2011, 115, 5081-5088.	1.1	17
481	Surface of Room-Temperature-Stable Electride [Ca <sub>24</sub> Al <sub>28</sub> O <sub>64</sub> ] <sup>4+</sup> (e <sup>-</sup> ) <sub>4</sub> : Preparation and Its Characterization by Atomic-Resolution Scanning Tunneling Microscopy. ACS Nano, 2011, 5, 1907-1914.	7.3	52
482	Metamagnetic Behavior and Kondo Breakdown in Heavy-Fermion CeFePO. Physical Review Letters, 2011, 107, 277002.	2.9	25
483	Bipolar Conduction in SnO Thin Films. Electrochemical and Solid-State Letters, 2011, 14, H13.	2.2	148
484	Advantageous grain boundaries in iron pnictide superconductors. Nature Communications, 2011, 2, 409.	5.8	246
485	Non-conventional Materials. , 2011, , 313-351.		0
486	Transparent Amorphous Oxide Semiconductors for Flexible Electronics. , 2011, , 459-487.		4

#	ARTICLE	IF	CITATIONS
487	Structural chemistry of superconducting pnictides and pnictide oxides with layered structures. Zeitschrift für Kristallographie, 2011, 226, .	1.1	83
488	A germanate transparent conductive oxide. Nature Communications, 2011, 2, 470.	5.8	88
489	Hydrogen in layered iron arsenides: Indirect electron doping to induce superconductivity. Physical Review B, 2011, 84, .	1.1	109
490	Oxygen-excess amorphous SiO <sub>2</sub> with <sup>18</sup> O-labeled interstitial oxygen molecules. Journal of Non-Crystalline Solids, 2011, 357, 1842-1845.	1.5	3
491	Crucial dependence of excimer laser toughness of $\alpha$ -SiO <sub>2</sub> on excess oxygen. Journal of Non-Crystalline Solids, 2011, 357, 1875-1878.	1.5	4
492	Exchange between interstitial oxygen molecules and network oxygen atoms in amorphous SiO <sub>2</sub> studied by <sup>18</sup> O isotope labeling and infrared photoluminescence spectroscopy. Physical Review B, 2011, 83, .	1.1	8
493	Layer-by-layer epitaxial growth of polar MgO (111) films with atomically flat surfaces. Proceedings of SPIE, 2011, , .	0.8	0
494	52.3: A Use of Electrically Conductive Oxide Ceramic (12CaO·7Al <sub>2</sub> O <sub>3</sub> Electride) Electrode having Low Work Function and Low Sputtering Yield for Fluorescent Lamps. Digest of Technical Papers SID International Symposium, 2011, 42, 762-765.	0.1	0
495	35.5L: Late-News Paper: An Ambipolar Oxide TFT. Digest of Technical Papers SID International Symposium, 2011, 42, 486-487.	0.1	1
496	Thermoelectric Properties of P-Type BaSnO <sub>3</sub> Ceramics Doped with Cobalt. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2011, 58, 149-154.	0.1	4
497	Terahertz conductivity measurement of FeSe <sub>0.5</sub> Te <sub>0.5</sub> and Co-doped BaFe <sub>2</sub> As <sub>2</sub> thin films. Physica C: Superconductivity and Its Applications, 2011, 471, 634-638.	0.6	9
498	Characterization of epitaxial Co-doped BaFe <sub>2</sub> As <sub>2</sub> thin films. Physica C: Superconductivity and Its Applications, 2011, 471, 1181-1184.	0.6	5
499	Simple Analytical Model of On Operation of Amorphous InGaZnO Thin-Film Transistors. IEEE Transactions on Electron Devices, 2011, 58, 3463-3471.	1.6	56
500	Solid-phase epitaxial growth of (111)-oriented Si film on InGaO <sub>3</sub> (ZnO) <sub>5</sub> buffer layer. Journal of Materials Science: Materials in Electronics, 2011, 22, 920-923.	1.1	0
501	Excimer laser crystallization of InGaZnO <sub>4</sub> on SiO <sub>2</sub> substrate. Journal of Materials Science: Materials in Electronics, 2011, 22, 1694-1696.	1.1	9
502	Determination of the local structure of a cage with an oxygen ion in Ca <sub>12</sub> Al <sub>14</sub> O <sub>33</sub> . Acta Crystallographica Section B: Structural Science, 2011, 67, 193-204.	1.8	33
503	Ambipolar Oxide Thin-Film Transistor. Advanced Materials, 2011, 23, 3431-3434.	11.1	236
504	High-Pressure Studies for Iron-Based Superconductors. Japanese Journal of Applied Physics, 2011, 50, 05FD01.	0.8	3

#	ARTICLE	IF	CITATIONS
505	Tuning of Surface Roughness and Lattice Constant in MgO(111)/Al <sub>2</sub> O <sub>3</sub> (0001) Grown by Laser Energy Controlled Pulsed Laser Deposition. Japanese Journal of Applied Physics, 2011, 50, 085503.	0.8	6
506	Spin-glass-like behavior of CaNi <sub>1-x</sub> Mn <sub>x</sub> . Physical Review B, 2011, 84, .	1.1	10
507	Structural study of polar MgO(111) epitaxial thin films grown on SrTiO <sub>3</sub> (111). Physical Review B, 2011, 84, .	1.1	12
508	Coexistence of Light and Heavy Carriers Associated with Superconductivity and Antiferromagnetism in Bi <sub>2</sub> Te <sub>3</sub> . Physical Review B, 2011, 84, .	2.9	51
509	Structure of a Co-Based Layered Superconductor with a Bold B <sub>2</sub> Structure. Physical Review Letters, 2011, 106, 237001.	2.9	34
510	Diffusion-Limited a-IGZO/Pt Schottky Junction Fabricated at 200 °C on a Flexible Substrate. IEEE Electron Device Letters, 2011, 32, 1695-1697.	2.2	89
511	Tunable work function in MgO/Nb:SrTiO <sub>3</sub> surfaces studied by Kelvin probe technique. Physical Review B, 2011, 83, .	1.1	16
512	Depth analysis of subgap electronic states in amorphous oxide semiconductor, a-In-Ga-Zn-O, studied by hard x-ray photoelectron spectroscopy. Journal of Applied Physics, 2011, 109, 073726.	1.1	151
513	Work function engineering via LaAlO <sub>3</sub> /SrTiO <sub>3</sub> polar interfaces. Physical Review B, 2011, 84, .	1.1	38
514	Biaxially textured cobalt-doped BaFe <sub>2</sub> As <sub>2</sub> films with high critical current density over 1 MA/cm <sup>2</sup> on MgO-buffered metal-tape flexible substrates. Applied Physics Letters, 2011, 98, 242510.	1.5	110
515	Secondary electron emission and glow discharge properties of Ca <sub>12</sub> Al <sub>7</sub> O <sub>23</sub> electride for fluorescent lamp applications. Science and Technology of Advanced Materials, 2011, 12, 034410.	2.8	42
516	New functionalities in abundant element oxides: ubiquitous element strategy. Science and Technology of Advanced Materials, 2011, 12, 034303.	2.8	36
517	Electronic Structure and Photovoltaic Properties of n-Type Amorphous In-Ga-Zn-O and p-Type Single Crystal Si Heterojunctions. Electrochemical and Solid-State Letters, 2011, 14, H346.	2.2	10
518	Solvated Electrons in High-Temperature Melts and Glasses of the Room-Temperature Stable Electride [Ca <sub>24</sub> Al <sub>28</sub> O <sub>64</sub> ] <sup>4+</sup> ·4e <sup>-</sup> . Science, 2011, 333, 71-74.	6.0	127
519	Operation Characteristics of Thin-Film Transistors Using Very Thin Amorphous In-Ga-Zn-O Channels. Electrochemical and Solid-State Letters, 2011, 14, H197.	2.2	46
520	Coherent Optical Phonons in the Iron Oxyphosphide SmFeAsO <sub>1-x</sub> F <sub>x</sub> (x=0.075). Journal of the Physical Society of Japan, 2011, 80, 013707.	0.7	15
521	Effect of Oxygen Flow Rate on the Electrical Properties of a Transparent SiON/Ag/SiON Multilayer. Electrochemical and Solid-State Letters, 2011, 15, H23-H26.	2.2	6
522			

#	ARTICLE	IF	CITATIONS
523	High-Pressure Studies for Iron-Based Superconductors. Japanese Journal of Applied Physics, 2011, 50, 05FD01.	0.8	0
524	Tuning of Surface Roughness and Lattice Constant in MgO(111)/Al <sub>2</sub> O <sub>3</sub> (0001) Grown by Laser Energy Controlled Pulsed Laser Deposition. Japanese Journal of Applied Physics, 2011, 50, 085503.	0.8	0
525	Superconductivity of LaFeAsO <sub>1-x</sub> F <sub>x</sub> under high pressure studied using NMR. Journal of Physics: Conference Series, 2010, 200, 012042.	0.3	0
526	High Critical Current Density 4 MA/cm <sup>2</sup> in Co-Doped BaFe <sub>2</sub> As <sub>2</sub> Epitaxial Films Grown on (La,Sr)(Al,Ta)O <sub>3</sub> Substrates without Buffer Layers. Applied Physics Express, 2010, 3, 063101.	1.1	83
527	Magneto-optical imaging of iron-oxypnictide superconductor LaFeAs(O,F). Physica C: Superconductivity and Its Applications, 2010, 470, S406-S407.	0.6	4
528	F-doping dependence of 75As nuclear quadrupole resonance frequency in LaFeAs(O <sub>1-x</sub> F <sub>x</sub> ). Physica C: Superconductivity and Its Applications, 2010, 470, S282-S283.	0.6	9
529	Inter-granular current in iron-oxypnictide superconductors. Physica C: Superconductivity and Its Applications, 2010, 470, 993-995.	0.6	3
530	Fabrication and electron transport properties of epitaxial films of electron-doped 12CaO $\cdot$ 7Al <sub>2</sub> O <sub>3</sub> and 12SrO $\cdot$ 7Al <sub>2</sub> O <sub>3</sub> . Journal of Solid State Chemistry, 2010, 183, 385-391.	1.4	19
531	High-temperature thermoelectric properties of La-doped BaSnO <sub>3</sub> ceramics. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 29-32.	1.7	44
532	Diffusion of oxygen molecules in fluorine-doped amorphous SiO <sub>2</sub> . Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 158-161.	1.7	7
533	Electrical and magnetic properties of quaternary compounds LnMnPO (Ln=Nd, Sm, Gd) with ZrCuSiAs-type structure. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 47-50.	1.7	7
534	75As-nuclear magnetic relaxation on LaFeAsO <sub>1-x</sub> F <sub>x</sub> under pressure. Physica C: Superconductivity and Its Applications, 2010, 470, S347-S348.	0.6	0
535	Low-temperature lattice anomaly in LaFeAsO <sub>0.93</sub> F <sub>0.07</sub> probed by X-ray absorption spectroscopy: Evidence for strong electron $\cdot$ lattice interaction. Physica C: Superconductivity and Its Applications, 2010, 470, S311-S312.	0.6	0
536	Electron tunneling using STM/STS on iron-based oxypnictides. Physica C: Superconductivity and Its Applications, 2010, 470, S315-S316.	0.6	2
537	Magneto-optical imaging of polycrystalline LaFePO <sub>1-x</sub> F <sub>x</sub> . Physica C: Superconductivity and Its Applications, 2010, 470, S300-S301.	0.6	3
538	Short-channel nanowire transistor using a nanoporous crystal semiconductor 12CaO $\cdot$ 7Al <sub>2</sub> O <sub>3</sub> . Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 37-40.	1.7	12
539	Interface atomic structure of LaCuOSe:Mg epitaxial thin film and MgO substrate. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 229-233.	1.7	3
540	Impurities in FeAs-based superconductor, SrFe <sub>2</sub> As <sub>2</sub> , studied by first-principles calculations. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 244-247.	1.7	4

#	ARTICLE	IF	CITATIONS
541	Electronic structures of MnP-based crystals: LaMnOP, BaMn <sub>2</sub> P <sub>2</sub> , and KMnP. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2010, 173, 239-243.	1.7	8
542	Comprehensive studies on the stabilities of a-In-Ga-Zn-O based thin film transistor by constant current stress. Thin Solid Films, 2010, 518, 3012-3016.	0.8	50
543	Steady-state photoconductivity of amorphous In <sup>+</sup> Ga <sup>+</sup> Zn <sup>+</sup> O. Thin Solid Films, 2010, 518, 3000-3003.	0.8	18
544	Fabrication of GaN epitaxial thin film on InGaZnO <sub>4</sub> single-crystalline buffer layer. Thin Solid Films, 2010, 518, 2996-2999.	0.8	3
545	Device characteristics improvement of a-In <sup>+</sup> Ga <sup>+</sup> Zn <sup>+</sup> O TFTs by low-temperature annealing. Thin Solid Films, 2010, 518, 3017-3021.	0.8	84
546	Origin of high-density hole doping and anisotropic hole transport in a wide gap layered semiconductor LaCuOSe studied by first-principles calculations. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 1636-1641.	0.8	8
547	Subgap states, doping and defect formation energies in amorphous oxide semiconductor a-InGaZnO <sub>4</sub> studied by density functional theory. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 1698-1703.	0.8	149
548	Josephson junction in cobalt-doped BaFe <sub>2</sub> As <sub>2</sub> epitaxial thin films on (La,Sr)(Al,Ta)O <sub>3</sub> bicrystal substrates. Applied Physics Letters, 2010, 96, .	1.5	68
549	Transport and magnetic properties of Co-doped BaFe <sub>2</sub> As <sub>2</sub> epitaxial thin films grown on MgO substrate. Superconductor Science and Technology, 2010, 23, 105016.	1.8	19
550	Direct Evidence for Cage Conduction Band in Superconducting Cement 12CaO·7Al <sub>2</sub> O <sub>3</sub> by Low-Energy High-Resolution Photoemission Spectroscopy. Journal of the Physical Society of Japan, 2010, 79, 103704.	0.7	13
551	DC superconducting quantum interference devices fabricated using bicrystal grain boundary junctions in Co-doped BaFe <sub>2</sub> As <sub>2</sub> epitaxial films. Superconductor Science and Technology, 2010, 23, 082001.	1.8	47
552	Electronic and magnetic phase diagram of superconductors, SmFeAsO <sub>1-x</sub> . New Journal of Physics, 2010, 12, 033005.	1.2	79
553	Field-induced water electrolysis switches an oxide semiconductor from an insulator to a metal. Nature Communications, 2010, 1, 118.	5.8	76
554	Pressure Studies for 1111 and 11 Type Iron-based Superconductors. Materials Research Society Symposia Proceedings, 2010, 1254, 202.	0.1	0
555	Large Photoresponse in Amorphous In <sup>+</sup> Ga <sup>+</sup> Zn <sup>+</sup> O and Origin of Reversible and Slow Decay. Electrochemical and Solid-State Letters, 2010, 13, H324.	2.2	62
556	Sputtering formation of p-type SnO thin-film transistors on glass toward oxide complimentary circuits. Applied Physics Letters, 2010, 97, .	1.5	189
557	Layer-by-layer epitaxial growth of polar MgO(111) thin films. Physical Review B, 2010, 82, .	1.1	28
558	Three-dimensionally stacked flexible integrated circuit: Amorphous oxide/polymer hybrid complementary inverter using n-type a-In <sup>+</sup> Ga <sup>+</sup> Zn <sup>+</sup> O and p-type poly-(9,9-dioctylfluorene-co-bithiophene) thin-film transistors. Applied Physics Letters, 2010, 96, .	1.5	91



#	ARTICLE	IF	CITATIONS
559	Pressure dependence of the superconductor transition temperature of $\text{Ca}_{1-x}\text{Sr}_x\text{FeAs}_2$ . Physical Review B, 2010, 81, .	1.1	32
560	High-pressure synthesis of the indirectly electron-doped iron pnictide superconductor $\text{Sr}_{1-x}\text{La}_x\text{FeAs}_2$ . Physical Review B, 2010, 82, .	1.1	29
561	Intrinsic carrier mobility in amorphous $\text{InGaZnO}$ thin-film transistors determined by combined field-effect technique. Applied Physics Letters, 2010, 96, 262105.	1.5	51
562	Magnetic lattice dynamics of the oxygen-free FeAs pnictides: how sensitive are phonons to magnetic ordering?. Journal of Physics Condensed Matter, 2010, 22, 315701.	0.7	24
563	Enhancement of the critical temperature of the pnictide superconductor $\text{LaFeAsO}_{1-x}\text{F}_x$ via stripe antiferromagnetic correlations in $\text{AFeAsO}$ . Physical Review B, 2010, 81, .	1.1	52
564	Stripe antiferromagnetic correlations in $\text{AFeAsO}$ . Physical Review B, 2010, 81, .	1.1	52
565	Origins of Hole Doping and Relevant Optoelectronic Properties of Wide Gap p-Type Semiconductor, $\text{LaCuOSe}$ . Journal of the American Chemical Society, 2010, 132, 15060-15067.	6.6	43
566	Present status of amorphous $\text{InGaZnO}$ thin-film transistors. Science and Technology of Advanced Materials, 2010, 11, 044305.	2.8	1,559
567	Iodometric Determination of Electrons Incorporated into Cages in $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3\cdot 3\text{H}_2\text{O}$ Crystals. Journal of Physical Chemistry C, 2010, 114, 15354-15357.	1.5	25
568	Fabrication of Atomically Flat $\text{ScAlMgO}_4$ Epitaxial Buffer Layer and Low-Temperature Growth of High-Mobility ZnO Films. Crystal Growth and Design, 2010, 10, 1084-1089.	1.4	7
569	Material characteristics and applications of transparent amorphous oxide semiconductors. NPC Asia Materials, 2010, 2, 15-22.	3.8	852
570	Origin of definite Hall voltage and positive slope in mobility-donor density relation in disordered oxide semiconductors. Applied Physics Letters, 2010, 96, .	1.5	139
571	Interface and bulk effects for bias-light illumination instability in amorphous $\text{InGaZnO}$ thin-film transistors. Journal of the Society for Information Display, 2010, 18, 789-795.	0.8	69
572	Pressure effect on iron-based superconductors $\text{Ca}(\text{Fe}_{1-x}\text{Co}_x)\text{AsF}$ . Journal of Physics: Conference Series, 2010, 200, 012151.	0.3	3
573	<sup>75</sup> As-NMR Studies on $\text{LaFeAsO}_{1-x}\text{F}_x$ ( $x=0.14$ ) under a Pressure of 3 GPa. Journal of the Physical Society of Japan, 2009, 78, 023709.	0.7	23
574	Mössbauer Spectroscopy of $\text{La}_{0.87}\text{Ca}_{0.13}\text{FePO}$ and $\text{LaFeAsO}_{0.93}\text{F}_{0.07}$ under External Magnetic Field and Nuclear Resonant Inelastic Scattering of $\text{La}_{0.87}\text{Ca}_{0.13}\text{FePO}$ . Journal of the Physical Society of Japan, 2009, 78, 024704.	0.7	4
575	Water-induced superconductivity in $\text{SrFe}_2\text{As}_2$ . Physical Review B, 2009, 80, .	1.1	69
576	Field-modulated thermopower in $\text{SrTiO}_3$ -based field-effect transistors with amorphous $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ glass gate insulator. Applied Physics Letters, 2009, 95, .	1.5	54

#	ARTICLE	IF	CITATIONS
577	Pseudoisotropic Upper Critical Field in Cobalt-Doped $\text{SrFe}_2\text{As}_2$ Films. Physical Review Letters, 2009, 102, 117004.	2.9	104
578	Thermal conductivity and Seebeck coefficient of $\text{CaO}$ with a cage structure. Physical Review B, 2009, 80, .	1.1	15
579	Focus on Iron-Based Superconductors. New Journal of Physics, 2009, 11, 025003.	1.2	21
580	First-principles study of native point defects in crystalline indium gallium zinc oxide. Journal of Applied Physics, 2009, 105, .	1.1	72
581	Amorphous $\text{InGaZnO}$ coplanar homojunction thin-film transistor. Applied Physics Letters, 2009, 94, 133502.	1.5	168
582	Photo-induced charge state conversion of $\text{Eu}^{2+}$ in $\text{Ca}_2\text{ZnSi}_2\text{O}_7$ . Journal of Applied Physics, 2009, 106, 053105.	1.1	12
583	Direct imaging of doped fluorine in $\text{LaFeAsO}_{1-x}\text{F}_x$ superconductor by atomic scale spectroscopy. Applied Physics Letters, 2009, 95, .	1.5	19
584	Pressure Study of Superconducting Oxypnictide $\text{LaFePO}$ . Journal of the Physical Society of Japan, 2009, 78, 023701.	0.7	11
585	Angular and field properties of the critical current and melting line of Co-doped $\text{SrFe}_2\text{As}_2$ epitaxial films. Superconductor Science and Technology, 2009, 22, 125011.	1.8	23
586	Comparison of crystal structures and the effects of Co substitution in a new member of the Fe-1111 superconductor family $\text{AeFeAsF}$ (Ae = Ca and Sr): a possible candidate for a higher- $T_c$ superconductor. Superconductor Science and Technology, 2009, 22, 055016.	1.8	35
587	Single Crystal Growth of Nanoporous $\text{C}_{12}\text{A}_7$ by Controlling Melt State. Journal of Nanoscience and Nanotechnology, 2009, 9, 7345-9.	0.9	7
588	Two-Dimensional Spin Dynamics in the Itinerant Ferromagnet $\text{LaCoPO}$ Revealed by Magnetization and $^{31}\text{P}$ -NMR Measurements. Journal of the Physical Society of Japan, 2009, 78, 113705.	0.7	15
589	Effect of 3d transition metal doping on the superconductivity in quaternary fluoroarsenide $\text{CaFeAsF}$ . New Journal of Physics, 2009, 11, 025012.	1.2	45
590	Humidity-Sensitive Electrical Conductivity in $\text{Ca}_{12}\text{Al}_{14-x}\text{Si}_x\text{O}_{32}\text{Cl}_{2+x}$ ( $0 \leq x \leq 3.4$ ) Ceramics. Electrochemical and Solid-State Letters, 2009, 12, J11.	2.2	11
591	Origins of threshold voltage shifts in room-temperature deposited and annealed $\text{InGaZnO}$ thin-film transistors. Applied Physics Letters, 2009, 95, .	1.5	324
592	Sustainable Thermionic $\text{O}^+$ Emission from Stoichiometric $\text{Ca}_{12}\text{Al}_7\text{O}_{31}$ with Nanoporous Crystal Structure. Journal of the Electrochemical Society, 2009, 156, G1.	1.3	4
593	Photoluminescence Study of Diffusion and Reactions of $^{18}\text{O}$ -labeled Interstitial Oxygen Molecules in Amorphous $\text{SiO}_2$ . ECS Transactions, 2009, 25, 277-285.	0.3	0
594	Hydrogen permeation of tungsten phosphate glass thin films. Solid State Ionics, 2009, 180, 556-559.	1.3	2

#	ARTICLE	IF	CITATIONS
595	Large domain growth of GaN epitaxial films on lattice-matched buffer layer ScAlMgO <sub>4</sub> . <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 161, 66-70.	1.7	6
596	Electronic structure of the amorphous oxide semiconductor $\text{InGaZnO}_4$ : Lorentz optical model and origins of subgap states. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 860-867.	0.8	207
597	Tin monoxide as an $s$ -orbital-based $p$ -type oxide semiconductor: Electronic structures and TFT application. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2187-2191.	0.8	213
598	Effects of post-annealing on (110) $\text{Cu}_2\text{O}$ epitaxial films and origin of low mobility in $\text{Cu}_2\text{O}$ thin-film transistor. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2009, 206, 2192-2197.	0.8	65
599	Bistable resistance switching in surface-oxidized $\text{Cr}_2\text{As}_2$ single-crystal. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 161, 76-79.	1.7	18
600	<sup>75</sup> As and <sup>139</sup> La NMR studies on $\text{LaFeAs}(\text{O}_{1-x}\text{F}_x)$ . <i>Physica B: Condensed Matter</i> , 2009, 404, 3089-3094.	1.3	4
601	Amorphous $\text{InGaZnO}$ thin-film transistor with coplanar homojunction structure. <i>Thin Solid Films</i> , 2009, 518, 1309-1313.	0.8	57
602	Atomically-flat, chemically-stable, superconducting epitaxial thin film of iron-based superconductor, cobalt-doped. <i>Solid State Communications</i> , 2009, 149, 2121-2124.	0.9	66
603	Oxygen ion conduction in $\text{12CaO}\cdot\text{7Al}_2\text{O}_3$ : $\text{O}^{2-}$ conduction mechanism and possibility of $\text{O}^{2-}$ fast conduction†. <i>Solid State Ionics</i> , 2009, 180, 550-555.	1.3	57
604	Field-assisted sustainable $\text{O}^{2-}$ ion emission from fluorine-substituted $\text{12CaO}\cdot\text{7Al}_2\text{O}_3$ with improved thermal stability. <i>Solid State Ionics</i> , 2009, 180, 1113-1117.	1.3	11
605	Layered mixed-anion compounds: Epitaxial growth, active function exploration, and device application. <i>Journal of the European Ceramic Society</i> , 2009, 29, 245-253.	2.8	21
606	$\gamma$ -ray-induced intrinsic defect processes in fluorine-doped synthetic $\text{SiO}_2$ glasses of different fluorine concentrations. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 161, 96-99.	1.7	15
607	Two classes of superconductors discovered in our material research: Iron-based high temperature superconductor and electride superconductor. <i>Physica C: Superconductivity and Its Applications</i> , 2009, 469, 314-325.	0.6	48
608	Heteroepitaxial film growth of layered compounds with the $\text{ZrCuSiAs}$ -type and $\text{ThCr}_2\text{Si}_2$ -type structures: From Cu-based semiconductors to Fe-based superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 2009, 469, 657-666.	0.6	39
609	Pressure studies of $(\text{La},\text{Sm})\text{FeAsO}_{1-x}\text{F}_x$ and $\text{LaFePO}$ . <i>Physica C: Superconductivity and Its Applications</i> , 2009, 469, 413-417.	0.6	18
610	Direct Synthesis of Powdery Inorganic Electride $[\text{Ca}_{24}\text{Al}_{28}\text{O}_{64}]^{4+}(\text{e}^-)_{4-}$ and Determination of Oxygen Stoichiometry. <i>Chemistry of Materials</i> , 2009, 21, 2589-2591.	3.2	59
611	Intense Atomic Oxygen Emission from Incandescent Zirconia. <i>Journal of Physical Chemistry C</i> , 2009, 113, 9436-9439.	1.5	7
612	Origins of High Mobility and Low Operation Voltage of Amorphous Oxide TFTs: Electronic Structure, Electron Transport, Defects and Doping. <i>Journal of Display Technology</i> , 2009, 5, 273-288.	1.3	464

#	ARTICLE	IF	CITATIONS
613	Electronic Structures Above Mobility Edges in Crystalline and Amorphous In-Ga-Zn-O: Percolation Conduction Examined by Analytical Model. Journal of Display Technology, 2009, 5, 462-467.	1.3	219
614	Origins of High Mobility and Low Operation Voltage of Amorphous Oxide TFTs: Electronic Structure, Electron Transport, Defects and Doping*. Journal of Display Technology, 2009, 5, 468-483.	1.3	272
615	Antiferromagnetic bipolar semiconductor LaMnPO with ZrCuSiAs-type structure. Journal of Applied Physics, 2009, 105, 093916.	1.1	47
616	Oxygen Exchange at the Internal Surface of Amorphous $\text{SiO}_2$ Studied by Photoluminescence of Isotopically Labeled Oxygen Molecules. Physical Review Letters, 2009, 102, 175502.	2.9	14
617	Systematic $^{75}\text{NMR}$ study of the dependence of low-lying excitations on F doping in the iron oxypnictide $\text{LaFeAsO}_{1-x}\text{Fx}$ . Physical Review B, 2009, 79, .	1.1	27
618	Low Threshold Voltage and Carrier Injection Properties of Inverted Organic Light-Emitting Diodes with $[\text{Ca}_{24}\text{Al}_{28}\text{O}_{64}]^{4+}$ Cathode and $\text{Cu}_{2\text{A}}\text{Se}$ Anode. Journal of Physical Chemistry C, 2009, 113, 18379-18384.	1.5	49
619	Sol-gel synthesis of monolithic silica gels and glasses from phase-separating tetraethoxysilane-water binary system. Chemical Communications, 2009, , 2580.	2.2	44
620	To What Extent Iron-Pnictide New Superconductors Have Been Clarified: A Progress Report. Journal of the Physical Society of Japan, 2009, 78, 062001.	0.7	682
621	Epitaxial film growth and optoelectrical properties of layered semiconductors, $\text{LaMnXO}$ (X=P, As, and Tl). Journal of Applied Physics, 2009, 105, 093916.	1.1	33
622	Pressure-Induced Superconductivity in Iron Pnictide Compound $\text{SrFe}_2\text{As}_2$ . Journal of the Physical Society of Japan, 2009, 78, 025001.	0.7	69
623	Isotope Effect on the Infrared Photoluminescence Decay of Interstitial Oxygen Molecules in Amorphous $\text{SiO}_2$ . Applied Physics Express, 2009, 2, 056502.	1.1	9
624	Two-Dimensional Spin Density Wave State in $\text{LaFeAsO}$ . Journal of the Physical Society of Japan, 2009, 78, 043705.	0.7	37
625	Fabrication of Flat $\text{MgO}(111)$ Films on $\text{Al}_2\text{O}_3(0001)$ Substrates by Pulsed Laser Deposition. Applied Physics Express, 2009, 2, 091403.	1.1	18
626	High-Pressure $^{57}\text{Fe}$ Mössbauer Spectroscopy of $\text{LaFeAsO}$ . Journal of the Physical Society of Japan, 2009, 78, 123703.	0.7	17
627	Oxide Glass/Amorphous Metal Alloy Laminated Membrane for Hydrogen Separation. Chemistry Letters, 2009, 38, 502-503.	0.7	0
628	$12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ (C12A7) $\text{Ca}^{2+}$ Vacancies. Hyomen Gijutsu/Journal of the Surface Finishing Society of Japan, 2009, 63, 641-646.	0.1	0
629	Anisotropic carrier transport properties in layered cobaltate epitaxial films grown by reactive solid-phase epitaxy. Applied Physics Letters, 2009, 94, .	1.5	22
630	$1/4$ $\text{Ca}^{2+}$ Vacancies in $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ . Kyokai Joho Imeji Zasshi/Journal of the Institute of Image Information and Television Engineers, 2009, 63, 638-640.	0.0	0

#	ARTICLE	IF	CITATIONS
631	Ubiquitous Element Strategy for Functional Inorganic Materials. Trends in the Sciences, 2009, 14, 54-59.	0.0	0
632	High-Temperature Thermoelectric Properties of La-Doped Ba <sub>1-x</sub> Sr <sub>x</sub> SnO <sub>3</sub> Ceramics. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2009, 56, 555-560.	0.1	1
633	Amorphous oxide channel TFTs. Thin Solid Films, 2008, 516, 1516-1522.	0.8	166
634	Advances in transparent electronics: From materials to devices I. Thin Solid Films, 2008, 516, 1313.	0.8	4
635	Growth of 12CaO·7Al <sub>2</sub> O <sub>3</sub> single crystal with tetragonal symmetry by Czochralski method. Thin Solid Films, 2008, 516, 5772-5776.	0.8	11
636	Heteroepitaxial growth of layered semiconductors, LaZnOP <sub>n</sub> (P <sub>n</sub> =P and As). Thin Solid Films, 2008, 516, 5800-5804.	0.8	40
637	Specific contact resistances between amorphous oxide semiconductor In <sub>2</sub> O <sub>3</sub> and metallic electrodes. Thin Solid Films, 2008, 516, 5899-5902.	0.8	191
638	Control of carrier concentration and surface flattening of CuGaO <sub>2</sub> epitaxial films for a p-channel transparent transistor. Thin Solid Films, 2008, 516, 5790-5794.	0.8	39
639	Electronic structure of oxygen deficient amorphous oxide semiconductor In <sub>2</sub> O <sub>3</sub> : Optical analyses and first-principle calculations. Physica Status Solidi C: Current Topics in Solid State Physics, 2008, 5, 3098-3100.	0.8	214
640	Electrical and optical properties of copper-based chalcogenide thin films deposited by pulsed laser deposition at room temperature: Toward p-channel thin film transistor fabricable at room temperature. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 2007-2012.	0.8	7
641	Amorphous Sn <sub>2</sub> O <sub>3</sub> channel thin-film transistors. Physica Status Solidi (A) Applications and Materials Science, 2008, 205, 1920-1924.	0.8	36
642	Low and small resistance hole-injection barrier for NPB realized by wide-gap p-type degenerate semiconductor, LaCuOSe:Mg. Organic Electronics, 2008, 9, 890-894.	1.4	29
643	Nickel-based layered superconductor, LaNiOAs. Journal of Solid State Chemistry, 2008, 181, 2117-2120.	1.4	99
644	Electronic and magnetic properties of layered LnFePO (Ln=La and Ce). Journal of Physics and Chemistry of Solids, 2008, 69, 2916-2918.	1.9	15
645	Nickel-based phosphide superconductor with infinite-layer structure, BaNi <sub>2</sub> P <sub>2</sub> . Solid State Communications, 2008, 147, 111-113.	0.9	118
646	Insulator-conductor transition in 12CaO·7Al <sub>2</sub> O <sub>3</sub> films: On the stability of the crystal lattice under Ar <sup>+</sup> bombardment. Thin Solid Films, 2008, 516, 1350-1353.	0.8	4
647	Fabrication of ScAlMgO <sub>4</sub> epitaxial thin films using ScGaO <sub>3</sub> (ZnO) <sub>m</sub> buffer layers and its application to lattice-matched buffer layer for ZnO epitaxial growth. Thin Solid Films, 2008, 516, 5842-5846.	0.8	6
648	Hydrogen-related radiation defects in SiO <sub>2</sub> -based glasses. Nuclear Instruments & Methods in Physics Research B, 2008, 266, 2971-2975.	0.6	14

#	ARTICLE	IF	CITATIONS
649	Iron-Based Layered Superconductor $\text{La}[\text{O}_{1-x}\text{F}_x]\text{FeAs}$ ( $x = 0.05\text{--}0.12$ ) with $T_c = 26$ K. <i>Journal of the American Chemical Society</i> , 2008, 130, 3296-3297.	6.6	7,243
650	Superconductivity at 43 K in an iron-based layered compound $\text{LaO}_{1-x}\text{F}_x\text{FeAs}$ . <i>Nature</i> , 2008, 453, 376-378.	13.7	1,139
651	Trap densities in amorphous-InGaZnO <sub>4</sub> thin-film transistors. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	290
652	Intrinsic defect formation in amorphous SiO <sub>2</sub> by electronic excitation: Bond dissociation versus Frenkel mechanisms. <i>Physical Review B</i> , 2008, 78, .	1.1	55
653	Iron-specific phonon density of states in the superconductors $\text{LaFeAsO}_{1-x}\text{F}_x$ and $\text{La}_{1-x}\text{Ca}_x\text{FePO}$ . <i>Physical Review B</i> , 2008, 78, .	1.1	27
654	Coexistence of superconductivity and antiferromagnetic ordering in the layered superconductor $\text{SmFePO}$ . <i>Physical Review B</i> , 2008, 78, .	1.1	31
655	Superconductivity Induced by Co-Doping in Quaternary Fluoroarsenide $\text{CaFeAsF}$ . <i>Journal of the American Chemical Society</i> , 2008, 130, 14428-14429.	6.6	197
656	Spin Ordering in $\text{LaFeAsO}$ and Its Suppression in Superconductor $\text{LaFeAsO}_{0.89}\text{F}_{0.11}$ Probed by Mössbauer Spectroscopy. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 103706.	0.7	101
657	Crystallographic phase transition and high- $T_c$ superconductivity in $\text{LaFeAsO:F}$ . <i>Superconductor Science and Technology</i> , 2008, 21, 125028.	1.8	230
658	Ferromagnetic spin fluctuation in $\text{LaFeAsO}$ . <i>Physical Review B</i> , 2008, 78, .	1.1	49
659	Solid State Syntheses of $12\text{SrO}\cdot 7\text{Al}_2\text{O}_3$ and Formation of High Density Oxygen Radical Anions, $\text{O}^{\cdot -}$ and $\text{O}_2^{\cdot -}$ . <i>Chemistry of Materials</i> , 2008, 20, 5987-5996.	3.2	30
660	Crystal Structures, Optoelectronic Properties, and Electronic Structures of Layered Oxychalcogenides $\text{M}_2\text{CuOCh}$ ( $\text{M} = \text{Bi, La}; \text{Ch} = \text{S, Se, Te}$ ): Effects of Electronic Configurations of $\text{M}^{3+}$ Ions. <i>Chemistry of Materials</i> , 2008, 20, 326-334.	3.2	258
661	Localized and Delocalized Electrons in Room-Temperature Stable Electride $[\text{Ca}_{24}\text{Al}_{28}\text{O}_{64}]^{4+}(\text{O}^{2-})_2$ . Analysis of Optical Reflectance Spectra. <i>Journal of Physical Chemistry C</i> , 2008, 112, 4753-4760.	1.5	156
662	Pore-Free $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ Single-Crystal Growth by Melt State Control using the Floating Zone Method. <i>Crystal Growth and Design</i> , 2008, 8, 1271-1275.	1.4	22
663	Diffusion and reactions of interstitial oxygen species in amorphous SiO <sub>2</sub> : A review. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 224-232.	1.5	64
664	Thin film and bulk fabrication of room-temperature-stable electride $\text{C12A7:e}^{\cdot -}$ utilizing reduced amorphous $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ (C12A7). <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 2772-2776.	1.5	30
665	Factors controlling electron transport properties in transparent amorphous oxide semiconductors. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 2796-2800.	1.5	162
666	p-channel thin-film transistor using p-type oxide semiconductor, SnO. <i>Applied Physics Letters</i> , 2008, 93, .	1.5	577

#	ARTICLE	IF	CITATIONS
667	Modeling of amorphous InGaZnO <sub>4</sub> thin film transistors and their subgap density of states. Applied Physics Letters, 2008, 92, .	1.5	318
668	Electromagnetic properties and electronic structure of the iron-based layered superconductor LaFePO. Physical Review B, 2008, 77, .	1.1	70
669	Coexistence of Superconductivity and Magnetism in LaFeAs(O <sub>0.94</sub> F <sub>0.06</sub> ) Probed by Muon Spin Relaxation. Journal of the Physical Society of Japan, 2008, 77, 103703.	0.7	31
670	Preparation of Fe-Oxipnictides Superconductors: Solid-State Sintering, High Pressure Synthesis and Flux Method. Journal of the Physical Society of Japan, 2008, 77, 23-26.	0.7	2
671	Optical and electrical properties of amorphous zinc tin oxide thin films examined for thin film transistor application. Journal of Vacuum Science & Technology B, 2008, 26, 495-501.	1.3	96
672	Epitaxial growth of high mobility Cu <sub>2</sub> O thin films and application to p-channel thin film transistor. Applied Physics Letters, 2008, 93, .	1.5	222
673	Photofield-effect in amorphous InGaZnO (aIGZO) thin film transistors. Journal of Information Display, 2008, 9, 21-29.	2.1	92
674	High-Pressure Studies on Superconducting Iron-Based LaFeAsO <sub>1-x</sub> F <sub>x</sub> , LaFePO and SrFe <sub>2</sub> As <sub>2</sub> . Journal of the Physical Society of Japan, 2008, 77, 78-83.	0.7	39
675	Superconductivity in Epitaxial Thin Films of Co-Doped SrFe <sub>2</sub> As <sub>2</sub> with Bilayered FeAs Structures and their Magnetic Anisotropy. Applied Physics Express, 2008, 1, 101702.	1.1	103
676	Optical and Carrier Transport Properties of Cosputtered ZnInSnO Films and Their Applications to TFTs. Journal of the Electrochemical Society, 2008, 155, H390.	1.3	57
677	Superconducting Gap and Pseudogap in Iron-Based Layered Superconductor La(O <sub>1-x</sub> F <sub>x</sub> )FeAs. Journal of the Physical Society of Japan, 2008, 77, 063708.	0.7	102
678	Lattice Dynamics of LaFeAsO <sub>1-x</sub> F <sub>x</sub> and PrFeAsO <sub>1-x</sub> via Inelastic X-Ray Scattering and First-Principles Calculation. Journal of the Physical Society of Japan, 2008, 77, 103715.	0.7	51
679	Subgap states in transparent amorphous oxide semiconductor, InGaZnO, observed by bulk sensitive x-ray photoelectron spectroscopy. Applied Physics Letters, 2008, 92, .	1.5	298
680	Electronic Structure and Electron Correlation in LaFeAsO <sub>1-x</sub> F <sub>x</sub> and LaFePO <sub>1-x</sub> . Journal of the Physical Society of Japan, 2008, 77, 093714.	0.7	84
681	A Possible Ground State and Its Electronic Structure of a Mother Material (LaOFeAs) of New Superconductors. Journal of the Physical Society of Japan, 2008, 77, 053709.	0.7	152
682	Layered Iron Pnictide Superconductors: Discovery and Current Status. Journal of the Physical Society of Japan, 2008, 77, 1-8.	0.7	51
683	Pressure Effects on Superconducting and Structural Properties for Nickel-Based Superconductors LaNiXO (X = P and As). Journal of the Physical Society of Japan, 2008, 77, 119-120.	0.7	7
684	P <sub>29</sub> : Modeling of Amorphous Oxide Semiconductor Thin Film Transistors and Subgap Density of States. Digest of Technical Papers SID International Symposium, 2008, 39, 1277-1280.	0.1	12

#	ARTICLE	IF	CITATIONS
685	42.1: <i>Invited Paper</i>: Improved Amorphous Inâ€Gaâ€Znâ€O TFTs. Digest of Technical Papers SID International Symposium, 2008, 39, 621-624. Evidence for Bardeen-Cooper-Schrieffer-type superconducting behavior in the electride<math xmlns:mml="http://www.w3.org/1998/Math/MathML">	0.1	56

686



#	ARTICLE	IF	CITATIONS
703	Unusual Pseudogap Features Observed in Iron Oxynictide Superconductors. Journal of the Physical Society of Japan, 2008, 77, 61-64.	0.7	16
704	Photoemission Study of the Electronic Structure of LaFeAsO <sub>1-x</sub> Fx and LaFePO <sub>1-x</sub> Fx. Journal of the Physical Society of Japan, 2008, 77, 69-71.	0.7	2
705	Insulator-metal Transition of an Alumina Cement Constituent, C12A7, Realized by Employing a Built-in Nanostructure: Fabrication of Highly Transparent Conductive Thin Films and Their Application to an Electron Injection Electrode in Organic Devices Utilizing the Low Work Function. Hyomen Kagaku, 2008, 29, 2-9.	0.0	1
706	Optoelectronic properties and electronic structure of YCuOSe. Journal of Applied Physics, 2007, 102, 113714.	1.1	19
707	Heavy hole doping of epitaxial thin films of a wide gap p-type semiconductor, LaCuOSe, and analysis of the effective mass. Applied Physics Letters, 2007, 91, .	1.5	91
708	Fast Thin-Film Transistor Circuits Based on Amorphous Oxide Semiconductor. IEEE Electron Device Letters, 2007, 28, 273-275.	2.2	110
709	Diffusion of nitrogen molecules in amorphous SiO <sub>2</sub> . Applied Physics Letters, 2007, 91, .	1.5	13
710	Development of latent images due to transient free carrier electrons by femtosecond laser pulses and its application to grating shape trimming. Applied Physics Letters, 2007, 90, 011107.	1.5	4
711	Preparation of Semiconductive La-Doped BaSnO <sub>3</sub> by a Polymerized Complex Method and the Thermoelectric Properties. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2007, 54, 639-644.	0.1	7
712	Novel Room Temperature Stable Electride 12SrO·7Al <sub>2</sub> O <sub>3</sub> Thin Films: Fabrication, Optical and Electron Transport Properties. Journal of the Ceramic Society of Japan, 2007, 115, 567-570.	0.5	20
713	Functionalities of a Nanoporous Crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> Originating from the Incorporation of Active Anions. Bulletin of the Chemical Society of Japan, 2007, 80, 872-884.	2.0	34
714	Anion Incorporation-induced Cage Deformation in 12CaO·7Al <sub>2</sub> O <sub>3</sub> Crystal. Chemistry Letters, 2007, 36, 902-903.	0.7	25
715	Formation of Intrinsic Point Defects in Fluorine-doped Synthetic SiO <sub>2</sub> Glass by <sup>60</sup> Co $\gamma$ -ray Irradiation. Chemistry Letters, 2007, 36, 266-267.	0.7	8
716	Temperature Dependence of the Chemical Potential in Na <sub>x</sub> CoO <sub>2</sub> : Implications for the Large Thermoelectric Power. Journal of the Physical Society of Japan, 2007, 76, 103709.	0.7	25
717	Detection of Infrared Silent Proton in Hydrogen-Reduced Tungsten Phosphate Glasses by Thermal Desorption. Chemistry of Materials, 2007, 19, 4385-4386.	3.2	8
718	68.3: <i>Invited Paper</i> : Transparent Amorphous Oxide Semiconductors for High Performance TFT. Digest of Technical Papers SID International Symposium, 2007, 38, 1830-1833.	0.1	30
719	Fluorine laser-induced silicon hydride Si-H groups in silica. Journal of Non-Crystalline Solids, 2007, 353, 526-529.	1.5	15
720	Reactivity of SiCl and SiF groups in SiO <sub>2</sub> glass with mobile interstitial O <sub>2</sub> and H <sub>2</sub> O molecules. Journal of Non-Crystalline Solids, 2007, 353, 514-517.	1.5	8

#	ARTICLE	IF	CITATIONS
721	Combinatorial approach to thin-film transistors using multicomponent semiconductor channels: An application to amorphous oxide semiconductors in In-Ga-Zn-O system. Applied Physics Letters, 2007, 90, 242114.	1.5	219
722	High electron doping to a wide band gap semiconductor $\text{La}_{2-x}\text{Sr}_x\text{AlO}_3$ thin film. Applied Physics Letters, 2007, 90, 182105.	1.5	52
723	Epitaxial film growth, optical, electrical, and magnetic properties of layered oxide $\text{In}_3\text{FeTi}_2\text{O}_{10}$ . Journal of Applied Physics, 2007, 101, 103714.	1.1	6
724	Transparent Conducting Oxides for Photovoltaics. MRS Bulletin, 2007, 32, 242-247.	1.7	788
725	Photoelectron Spectroscopic Study of $\text{La}_{2-x}\text{Sr}_x\text{AlO}_3$ Interface: The Formation of a Low Electron-Injection Barrier. Journal of Physical Chemistry C, 2007, 111, 8403-8406.	1.5	68
726	Vibrational Dynamics and Oxygen Diffusion in a Nanoporous Oxide Ion Conductor $\text{La}_{2-x}\text{Sr}_x\text{AlO}_3$ Studied by $^{18}\text{O}$ Labeling and Micro-Raman Spectroscopy. Journal of Physical Chemistry C, 2007, 111, 14855-14861.	1.5	53
727	Nickel-Based Oxyphosphide Superconductor with a Layered Crystal Structure, $\text{LaNiOP}$ . Inorganic Chemistry, 2007, 46, 7719-7721.	1.9	268
728	Room Temperature-Stable Electride as a Synthetic Organic Reagent: Application to Pinacol Coupling Reaction in Aqueous Media. Organic Letters, 2007, 9, 4287-4289.	2.4	84
729	Nanoporous Crystal $\text{La}_{2-x}\text{Sr}_x\text{AlO}_3$ : A Playground for Studies of Ultraviolet Optical Absorption of Negative Ions. Journal of Physical Chemistry B, 2007, 111, 1946-1956.	1.2	61
730	Thermoelectric Properties of the Layered Cobaltite $\text{Ca}_{1-x}\text{Sr}_x\text{Co}_4\text{O}_9$ ; Epitaxial Films Fabricated by Topotactic Ion-Exchange Method. Materials Transactions, 2007, 48, 2104-2107.	0.4	7
731	Circuits using uniform TFTs based on amorphous In-Ga-Zn-O. Journal of the Society for Information Display, 2007, 15, 915-921.	0.8	121
732	Apparent bipolarity and Seebeck sign inversion in a layered semiconductor: $\text{LaZnOP}$ . Physical Review B, 2007, 76, .	1.1	28
733	Superconductivity in an Inorganic Electride $\text{La}_{2-x}\text{Sr}_x\text{AlO}_3$ . Journal of the American Chemical Society, 2007, 129, 7270-7271.	6.6	199
734	From Insulator to Electride: A Theoretical Model of Nanoporous Oxide $\text{La}_{2-x}\text{Sr}_x\text{AlO}_3$ . Journal of the American Chemical Society, 2007, 129, 942-951.	6.6	115
735	Metallic State in a Lime-Alumina Compound with Nanoporous Structure. Nano Letters, 2007, 7, 1138-1143.	4.5	208
736	Local coordination structure and electronic structure of the large electron mobility amorphous oxide semiconductor In-Ga-Zn-O: Experiment and ab initio calculations. Physical Review B, 2007, 75, .	1.1	275
737	Stable Inorganic Electride $\text{La}_{2-x}\text{Sr}_x\text{AlO}_3$ : Electronic Properties and Structure. Nihon Kessho Gakkaishi, 2007, 49, 171-178.	0.0	2
738	Work Function of a Room Temperature, Stable Electride $[\text{Ca}_{24}\text{Al}_{28}\text{O}_{64}]^{4+}(\text{e}^-)_{4-}$ . Advanced Materials, 2007, 19, 3564-3569.	11.1	209

#	ARTICLE	IF	CITATIONS
739	Recent progress in transparent oxide semiconductors: Materials and device application. Thin Solid Films, 2007, 515, 6000-6014.	0.8	567
740	Structural and photo-induced properties of Eu <sup>2+</sup> -doped Ca <sub>2</sub> ZnSi <sub>2</sub> O <sub>7</sub> : A red phosphor for white light generation by blue ray excitation. Journal of Luminescence, 2007, 122-123, 339-341.	1.5	19
741	Phosphorus co-doping effect on photoluminescence in Ce <sup>3+</sup> -doped SiO <sub>2</sub> glasses: The formation of unique ligand field by P-co-doping. Journal of Luminescence, 2007, 122-123, 355-358.	1.5	5
742	Giant thermoelectric Seebeck coefficient of a two-dimensional electron gas in SrTiO <sub>3</sub> . Nature Materials, 2007, 6, 129-134.	13.3	910
743	Active anion manipulation for emergence of active functions in the nanoporous crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> : a case study of abundant element strategy. Journal of Materials Science, 2007, 42, 1872-1883.	1.7	24
744	Fabrication of room temperature-stable 12CaO·7Al <sub>2</sub> O <sub>3</sub> electride: a review. Journal of Materials Science: Materials in Electronics, 2007, 18, 5-14.	1.1	63
745	Interstitial OH Radicals in F <sub>2</sub> -Laser-Irradiated Bulk Amorphous SiO <sub>2</sub> . Journal of Physical Chemistry B, 2006, 110, 10224-10227.	1.2	4
746	Electron field emission from TiO <sub>2</sub> nanotube arrays synthesized by hydrothermal reaction. Applied Physics Letters, 2006, 89, 043114.	1.5	84
747	Thermoelectric Properties of Epitaxial Films of Layered Cobalt Oxides Fabricated by Topotactic Ion-Exchange Methods. , 2006, , .		1
748	Epitaxial Film Growth and Superconducting Behavior of Sodium <sup>+</sup> Cobalt Oxyhydrate, Na <sub>x</sub> CoO <sub>2</sub> ·yH <sub>2</sub> O (x <sup>1/4</sup> ) Tj ETOq0 0 0 rgBT /Overl	1.9	14
749	Role of hydrogen atoms in the photoinduced formation of stable electron centers in H-doped 12CaO·7Al <sub>2</sub> O <sub>3</sub> . Physical Review B, 2006, 73, .	1.1	39
750	Magnetic and carrier transport properties of Mn-doped p-type semiconductor LaCuOSe: An investigation of the origin of ferromagnetism. Journal of Applied Physics, 2006, 100, 033717.	1.1	24
751	In situ observation of the formation, diffusion, and reactions of hydrogenous species in F <sub>2</sub> -laser-irradiated SiO <sub>2</sub> glass using a pump-and-probe technique. Physical Review B, 2006, 74, .	1.1	31
752	Role of Interstitial Voids in Oxides on Formation and Stabilization of Reactive Radicals: Interstitial HO <sub>2</sub> Radicals in F <sub>2</sub> -Laser-Irradiated Amorphous SiO <sub>2</sub> . Journal of the American Chemical Society, 2006, 128, 5371-5374.	6.6	11
753	High-mobility thin-film transistor with amorphous InGaZnO <sub>4</sub> channel fabricated by room temperature rf-magnetron sputtering. Applied Physics Letters, 2006, 89, 112123.	1.5	1,048
754	Synthesis of a Room Temperature Stable 12CaO·7Al <sub>2</sub> O <sub>3</sub> Electride from the Melt and Its Application as an Electron Field Emitter. Chemistry of Materials, 2006, 18, 1938-1944.	3.2	109
755	Amorphous Oxide Semiconductors for High-Performance Flexible Thin-Film Transistors. Japanese Journal of Applied Physics, 2006, 45, 4303-4308.	0.8	659
756	Origin of Diameter-Dependent Growth Direction of Silicon Nanowires. Nano Letters, 2006, 6, 1552-1555.	4.5	55

#	ARTICLE	IF	CITATIONS
757	Elucidation of Codoping Effects on the Solubility Enhancement of Er <sup>3+</sup> in SiO <sub>2</sub> Glass: Striking Difference between Al and P Codoping. Journal of Physical Chemistry B, 2006, 110, 7617-7620.	1.2	58
758	Czochralski Growth of 12CaO·7Al <sub>2</sub> O <sub>3</sub> Crystals. Crystal Growth and Design, 2006, 6, 1602-1605.	1.4	67
759	Self-Adjusted, Three-Dimensional Lattice-Matched Buffer Layer for Growing ZnO Epitaxial Film: Homologous Series Layered Oxide, InGaO <sub>3</sub> (ZnO) <sub>5</sub> . Crystal Growth and Design, 2006, 6, 2451-2456.	1.4	20
760	Mechanisms of oxygen ion diffusion in a nanoporous complex oxide 12CaO·7Al <sub>2</sub> O <sub>3</sub> . Physical Review B, 2006, 73, .	1.1	58
761	Ionic amorphous oxide semiconductors: Material design, carrier transport, and device application. Journal of Non-Crystalline Solids, 2006, 352, 851-858.	1.5	811
762	An increased F <sub>2</sub> -laser damage in wet silica glass due to atomic hydrogen: A new hydrogen-related E <sub>2</sub> -center. Journal of Non-Crystalline Solids, 2006, 352, 2297-2302.	1.5	36
763	Vacuum-ultraviolet absorption of interstitial O <sub>2</sub> and H <sub>2</sub> O molecules in SiO <sub>2</sub> glass. Journal of Non-Crystalline Solids, 2006, 352, 2303-2306.	1.5	6
764	Modification of vacuum-ultraviolet absorption of SiOH groups in SiO <sub>2</sub> glass with temperature, F <sub>2</sub> laser irradiation, and H/D isotope exchange. Journal of Non-Crystalline Solids, 2006, 352, 2307-2310.	1.5	13
765	Function Cultivation in Transparent Oxides Utilizing Natural and Artificial Nanostructures. , 2006, , 3-61.		5
766	Function Cultivation of Transparent Oxides Utilizing Built-In Nanostructure. Bulletin of the Chemical Society of Japan, 2006, 79, 1-24.	2.0	23
767	52.2: Highly Efficient Field Emission from Spin-Coated Electride Powder. Digest of Technical Papers SID International Symposium, 2006, 37, 1642.	0.1	4
768	Opto-electronic properties and light-emitting device application of widegap layered oxychalcogenides: LaCuOCh (Ch= chalcogen) and La <sub>2</sub> CdO <sub>2</sub> Se <sub>2</sub> . Physica Status Solidi (A) Applications and Materials Science, 2006, 203, 2800-2811.	0.8	50
769	Electron Carrier Generation in a Refractory Oxide 12CaO·7Al <sub>2</sub> O <sub>3</sub> by Heating in Reducing Atmosphere: Conversion from an Insulator to a Persistent Conductor. Journal of the American Ceramic Society, 2006, 89, 2431-2436.	1.9	65
770	Disorder of O <sup>2-</sup> ions and incorporation of O <sup>2-</sup> and $\langle \text{mml:math altimg="si1.gif" display="inline" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sh="http://www.elsevier.com/xml/co$	1.2	19
771	Synthesis, structure and physical properties of layered semiconductors MCuFCh (M=Sr, Eu, Ch=S, Se). Journal of Solid State Chemistry, 2006, 179, 1668-1673.	1.4	23
772	Growth and structure of heteroepitaxial thin films of homologous compounds RAO <sub>3</sub> (MO) <sub>m</sub> by reactive solid-phase epitaxy: Applicability to a variety of materials and epitaxial template layers. Thin Solid Films, 2006, 496, 64-69.	0.8	13
773	Wide-gap layered oxychalcogenide semiconductors: Materials, electronic structures and optoelectronic properties. Thin Solid Films, 2006, 496, 8-15.	0.8	86
774	Iron-Based Layered Superconductor: LaOFeP. Journal of the American Chemical Society, 2006, 128, 10012-10013.	6.6	1,207

#	ARTICLE	IF	CITATIONS
775	Field-induced current modulation in epitaxial film of deep-ultraviolet transparent oxide semiconductor Ga <sub>2</sub> O <sub>3</sub> . Applied Physics Letters, 2006, 88, 092106.	1.5	137
776	Device applications of transparent oxide semiconductors: Excitonic blue LED and transparent flexible TFT. Journal of Electroceramics, 2006, 17, 267-275.	0.8	46
777	Growth, structure and carrier transport properties of Ga <sub>2</sub> O <sub>3</sub> epitaxial film examined for transparent field-effect transistor. Thin Solid Films, 2006, 496, 37-41.	0.8	173
778	Energetics of Formation and Oxidation of Microporous Calcium Aluminates: A New Class of Electrides and Ionic Conductors.. ChemInform, 2006, 37, no.	0.1	1
779	Surface Modification of Glass Substrates for Oxide Heteroepitaxy: Pasteable Three-Dimensionally Oriented Layered Oxide Thin Films. Advanced Materials, 2006, 18, 1649-1652.	11.1	31
780	Possible Polaron Effect in Complex Terahertz Conductivity of Electron-Doped Nanoporous Crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> . Journal of the Physical Society of Japan, 2006, 75, 084715.	0.7	4
781	Coloration and Decoloration of Tungsten Phosphate Glasses by Heat Treatments at the Temperature Far below T <sub>g</sub> under a Controlled Ambient. Chemistry of Materials, 2006, 18, 2810-2816.	3.2	25
782	Combinatorial Study on In-Ga-Zn-O Semiconductor Films as Active-channel Layers for Thin-film Transistor. Materials Research Society Symposia Proceedings, 2006, 928, 1.	0.1	11
783	Integrated Circuits Based on Amorphous Indium-Gallium-Zinc-Oxide-Channel Thin-Film Transistors. ECS Transactions, 2006, 3, 293-300.	0.3	5
784	High electrical conductivity of layered cobalt oxide Ca <sub>3</sub> Co <sub>4</sub> O <sub>9</sub> epitaxial films grown by topotactic ion-exchange method. Applied Physics Letters, 2006, 89, 032111.	1.5	66
785	Valence band structure of BaCuSF and BaCuSeF. Journal of Applied Physics, 2006, 100, 083705.	1.1	31
786	Photoluminescence from Au ion-implanted nanoporous single-crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> . Physical Review B, 2006, 73, .	1.1	42
787	Potential profiling of the nanometer-scale charge-depletion layer in n-ZnO/p-NiO junction using photoemission spectroscopy. Applied Physics Letters, 2006, 89, 153502.	1.5	28
788	Fabrication and thermoelectric properties of layered cobaltite, $\hat{1}^3$ -Sr <sub>0.32</sub> Na <sub>0.21</sub> CoO <sub>2</sub> epitaxial films. Applied Physics Letters, 2006, 88, 082109.	1.5	27
789	Electrical and Photonic Functions Originating from Low-Dimensional Structures in Wide-Gap Semiconductors LnCuOCh (Ln=lanthanide, Ch=chalcogen): A Review. Journal of the Ceramic Society of Japan, 2005, 113, 10-16.	1.3	24
790	Vacuum-ultraviolet absorption of hydrogenated and deuterated silanol groups and interstitial water molecules in amorphous SiO <sub>2</sub> . Physical Review B, 2005, 72, .	1.1	23
791	Elucidation of Phosphorus Co-doping Effect on Photoluminescence in Ce <sup>3+</sup> -activated SiO <sub>2</sub> Glasses: Determination of Solvation Shell Structure by Pulsed EPR. Chemistry Letters, 2005, 34, 1116-1117.	0.7	8
792	Excess Oxygen in 12CaO·7Al <sub>2</sub> O <sub>3</sub> Studied by Thermogravimetric Analysis. Chemistry Letters, 2005, 34, 586-587.	0.7	28

#	ARTICLE	IF	CITATIONS
793	Excitonic properties related to valence band levels split by spin-orbit interaction in layered oxychalcogenide $\text{LaCuOCh}(\text{Ch}=\text{S,Se})$ . <i>Journal of Luminescence</i> , 2005, 112, 66-70.	1.5	14
794	Carrier transport and electronic structure in amorphous oxide semiconductor, $\alpha\text{-InGaZnO}_4$ . <i>Thin Solid Films</i> , 2005, 486, 38-41.	0.8	423
795	Growth of epitaxial ZnO thin films on lattice-matched buffer layer: Application of $\text{InGaO}_3(\text{ZnO})_6$ single-crystalline thin film. <i>Thin Solid Films</i> , 2005, 486, 28-32.	0.8	13
796	Carrier Generation in Wide-Gap Conductor, Zinc Antimonate. <i>Journal of the American Ceramic Society</i> , 2005, 88, 2793-2797.	1.9	16
797	Electronic Structures and Device Applications of Transparent Oxide Semiconductors: What Is the Real Merit of Oxide Semiconductors?. <i>International Journal of Applied Ceramic Technology</i> , 2005, 2, 285-294.	1.1	72
798	Electrical Properties and Structure of p-Type Amorphous Oxide Semiconductor $\text{ZnO}\cdot\text{Rh}_2\text{O}_3$ . <i>Advanced Functional Materials</i> , 2005, 15, 968-974.	7.8	58
799	Optical Properties and Two-Dimensional Electronic Structure in Wide-Gap Layered Oxychalcogenide: $\text{La}_2\text{CdO}_2\text{Se}_2$ . <i>ChemInform</i> , 2005, 36, no.	0.1	0
800	Electrical and Photonic Functions Originating from Low-Dimensional Structures in Wide-Gap Semiconductors $\text{LnCuOCh}$ (Ln: Lanthanide, Ch: Chalcogen): A Review. <i>ChemInform</i> , 2005, 36, no.	0.1	0
801	Localisation assisted by the lattice relaxation and the optical absorption of extra-framework electrons in $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ . <i>Materials Science and Engineering C</i> , 2005, 25, 722-726.	3.8	16
802	Two-dimensional electronic structure and multiple excitonic states in layered oxychalcogenide semiconductors, $\text{LaCuOCh}$ (Ch=S, Se, Te): Optical properties and relativistic ab initio study. <i>Thin Solid Films</i> , 2005, 486, 98-103.	0.8	21
803	Decomposition of peroxy radicals in $\text{SiO}_2$ glass with X-rays or KrF laser light. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2005, 2, 314-317.	0.8	2
804	Bipolar Room Temperature Ferromagnetic Semiconductor $\text{LaMnOP}$ . <i>Japanese Journal of Applied Physics</i> , 2005, 44, L1344-L1347.	0.8	2
805	Built-in Quantum Dots in Nano-Porous Crystal $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ : Simplified Views for Electronic Structure and Carrier Transport. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 774-782.	0.8	19
806	Applications of Wide-Band-Gap Materials for Optoelectronic Functional Devices Fabricated by a Pair of Interfering Femtosecond Laser Pulses. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 910-913.	0.8	22
807	Intense thermal field electron emission from room-temperature stable electride. <i>Applied Physics Letters</i> , 2005, 87, 254103.	1.5	81
808	Electronic insulator-conductor conversion in hydride ion-doped $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ by electron-beam irradiation. <i>Applied Physics Letters</i> , 2005, 86, 022109.	1.5	22
809	Formation of inorganic electride thin films via site-selective extrusion by energetic inert gas ions. <i>Journal of Applied Physics</i> , 2005, 97, 023510.	1.1	51
810	Photoinduced generation of electron anions in H-doped nanoporous oxide $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ : Toward an optically controlled formation of electrides. <i>Applied Physics Letters</i> , 2005, 86, 092101.	1.5	43

#	ARTICLE	IF	CITATIONS
811	Thermoelectric properties of delafossite-type layered oxides $\text{AgIn}_{1-x}\text{Sn}_x\text{O}_2$ . <i>Journal of Applied Physics</i> , 2005, 98, 013706.	1.1	13
812	Valence-band structures of layered oxychalcogenides, $\text{LaCuOCh}$ (Ch=S, Se, and Te), studied by ultraviolet photoemission spectroscopy and energy-band calculations. <i>Journal of Applied Physics</i> , 2005, 98, 043506.	1.1	39
813	Excitonic blue luminescence from p-LaCuOSe $\cdot$ n-InGaZn $\text{O}_8$ light-emitting diode at room temperature. <i>Applied Physics Letters</i> , 2005, 87, 211107.	1.5	53
814	Creation of new functions in transparent oxides utilizing nanostructures embedded in crystal and artificially encoded by laser pulses. <i>Semiconductor Science and Technology</i> , 2005, 20, S92-S102.	1.0	21
815	Large thermoelectric performance of heavily Nb-doped $\text{SrTiO}_3$ epitaxial film at high temperature. <i>Applied Physics Letters</i> , 2005, 87, 092108.	1.5	324
816	Elucidation of coordination structure around $\text{Ce}^{3+}$ in doped $\text{SiO}_2$ glasses using pulsed electron paramagnetic resonance: Effect of phosphorus, boron, and phosphorus-boron codoping. <i>Physical Review B</i> , 2005, 72, .	1.1	15
817	Epitaxial Growth of a Copper-phthalocyanine on a Transparent Conductive Substrate with an Atomically Flat Surface. <i>Crystal Growth and Design</i> , 2005, 5, 143-146.	1.4	14
818	Hydride Ion as Photoelectron Donor in Microporous Crystal. <i>Journal of the American Chemical Society</i> , 2005, 127, 12454-12455.	6.6	56
819	Energetics of Formation and Oxidation of Microporous Calcium Aluminates: A New Class of Electrides and Ionic Conductors. <i>Chemistry of Materials</i> , 2005, 17, 5574-5579.	3.2	33
820	Hydride Ion as a Two-Electron Donor in a Nanoporous Crystalline Semiconductor $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ . <i>Journal of Physical Chemistry B</i> , 2005, 109, 23836-23842.	1.2	55
821	Organic field-effect transistors based on new TTF-based liquid crystalline materials. <i>Synthetic Metals</i> , 2005, 149, 219-223.	2.1	52
822	Interstitial oxygen molecules in amorphous $\text{SiO}_2$ . II. The influence of common dopants ( $\text{SiOH}$ , $\text{SiF}$ , and $\text{Tj ETQq0 0 0 rgBT /Overlock 10 T$ ). <i>Physics</i> , 2005, 98, 013528.	1.1	21
823	Interstitial oxygen molecules in amorphous $\text{SiO}_2$ . III. Measurements of dissolution kinetics, diffusion coefficient, and solubility by infrared photoluminescence. <i>Journal of Applied Physics</i> , 2005, 98, 013529.	1.1	51
824	Simple and Efficient Fabrication of Room Temperature Stable Electride: A Melt-Solidification and Glass Ceramics. <i>Journal of the American Chemical Society</i> , 2005, 127, 1370-1371.	6.6	71
825	Thermodynamics and Kinetics of Hydroxide Ion Formation in $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ . <i>Journal of Physical Chemistry B</i> , 2005, 109, 11900-11906.	1.2	91
826	Interstitial oxygen molecules in amorphous $\text{SiO}_2$ . I. Quantitative concentration analysis by thermal desorption, infrared photoluminescence, and vacuum-ultraviolet optical absorption. <i>Journal of Applied Physics</i> , 2005, 98, 013527.	1.1	36
827	Reactions of $\text{SiCl}$ groups in amorphous $\text{SiO}_2$ with mobile interstitial chemical species: Formation of interstitial $\text{Cl}_2$ and $\text{HCl}$ molecules, and role of interstitial $\text{H}_2\text{O}$ molecules. <i>Journal of Applied Physics</i> , 2005, 98, 043515.	1.1	16
828	Field-Induced Current Modulation in Nanoporous Semiconductor, Electron-Doped $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ . <i>Chemistry of Materials</i> , 2005, 17, 6311-6316.	3.2	45





#	ARTICLE	IF	CITATIONS
847	Transparent oxide optoelectronics. <i>Materials Today</i> , 2004, 7, 42-51.	8.3	310
848	Transparent Organic Thin-Film Transistor with a Laterally Grown Non-Planar Phthalocyanine Channel. <i>Advanced Materials</i> , 2004, 16, 312-316.	11.1	51
849	Field Emission of Electron Anions Clathrated in Subnanometer-Sized Cages in [Ca <sub>24</sub> Al <sub>28</sub> O <sub>64</sub> ] <sup>4+(4e-)</sup> . <i>Advanced Materials</i> , 2004, 16, 685-689.	11.1	175
850	Formation and Desorption of Oxygen Species in Nanoporous Crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> . <i>ChemInform</i> , 2004, 35, no.	0.1	0
851	All oxide transparent MISFET using high- <i>k</i> dielectrics gates. <i>Microelectronic Engineering</i> , 2004, 72, 294-298.	1.1	22
852	Effect of stability and diffusivity of extra-framework oxygen species on the formation of oxygen radicals in 12CaO·7Al <sub>2</sub> O <sub>3</sub> . <i>Solid State Ionics</i> , 2004, 173, 89-94.	1.3	35
853	Functioning of traditional ceramics 12CaO·7Al <sub>2</sub> O <sub>3</sub> utilizing built-in nano-porous structure. <i>Science and Technology of Advanced Materials</i> , 2004, 5, 409-416.	2.8	23
854	NANO-MATERIALS 2004: beyond traditional material discipline. <i>Science and Technology of Advanced Materials</i> , 2004, 5, 407-407.	2.8	0
855	Photonic materials utilizing naturally occurring nanostructures. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 166, 141-147.	2.0	9
856	Laser-active colour centres with functional periodic structures in LiF fabricated by two interfering femtosecond laser pulses. <i>Radiation Measurements</i> , 2004, 38, 759-762.	0.7	7
857	Formation of Oxygen Radicals in 12CaO·7Al <sub>2</sub> O <sub>3</sub> : Instability of Extraframework Oxide Ions and Uptake of Oxygen Gas. <i>Journal of Physical Chemistry B</i> , 2004, 108, 8920-8925.	1.2	53
858	Mechanism for Heteroepitaxial Growth of Transparent P-Type Semiconductor: LaCuOS by Reactive Solid-Phase Epitaxy. <i>Crystal Growth and Design</i> , 2004, 4, 301-307.	1.4	54
859	Optical Properties and Two-Dimensional Electronic Structure in Wide-Gap Layered Oxychalcogenide: La <sub>2</sub> CdO <sub>2</sub> Se <sub>2</sub> . <i>Journal of Physical Chemistry B</i> , 2004, 108, 17344-17351.	1.2	33
860	Natural nanostructures in ionic semiconductors. <i>Microelectronic Engineering</i> , 2004, 73-74, 620-626.	1.1	17
861	Formation and Desorption of Oxygen Species in Nanoporous Crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> . <i>Chemistry of Materials</i> , 2004, 16, 104-110.	3.2	68
862	Role of Mobile Interstitial Oxygen Atoms in Defect Processes in Oxides: Interconversion between Oxygen-Associated Defects in SiO <sub>2</sub> Glass. <i>Physical Review Letters</i> , 2004, 92, 015504.	2.9	44
863	Fabrication of heteroepitaxial thin films of layered oxychalcogenides LnCuOCh (Ln = La, Nd; Ch = S, Se, Te). <i>Journal of Applied Physics</i> , 2004, 96, 104301.	1.2	31
864	Carrier transport in transparent oxide semiconductor with intrinsic structural randomness probed using single-crystalline InGaO <sub>3</sub> (ZnO) <sub>5</sub> films. <i>Applied Physics Letters</i> , 2004, 85, 1993-1995.	1.5	247

#	ARTICLE	IF	CITATIONS
865	Femtosecond-laser-encoded distributed-feedback color center laser in lithium fluoride single crystals. <i>Applied Physics Letters</i> , 2004, 84, 311-313.	1.5	97
866	Single-atomic-layered quantum wells built in wide-gap semiconductors LnCuOCh (Ln=lanthanide, Ch=chalcogen). <i>Physical Review B</i> , 2004, 69, .	1.1	97
867	Atomic structure of [0001]-tilt grain boundaries in ZnO: a high-resolution TEM study of fiber-textured thin films. <i>Physical Review B</i> , 2004, 70, .	1.1	61
868	Thermoelectric properties of layered oxyselenides $\text{La}_{1-x}\text{Sr}_x\text{CuOSe}$ ( $x=0$ to 0.2). <i>Journal of Applied Physics</i> , 2004, 95, 3594-3597.	1.1	39
869	Superoxide Ion Encaged in Nanoporous Crystal $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ Studied by Continuous Wave and Pulsed Electron Paramagnetic Resonance. <i>Journal of Physical Chemistry B</i> , 2004, 108, 18557-18568.	1.2	41
870	Synthesis of single-phase layered oxychalcogenide $\text{La}_2\text{CdO}_2\text{Se}_2$ : crystal structure, optical and electrical properties. <i>Journal of Materials Chemistry</i> , 2004, 14, 2946.	6.7	35
871	Interconversion between non-bridging oxygen hole center and peroxy radical in F <sub>2</sub> -laser-irradiated SiO <sub>2</sub> glass. <i>Journal of Non-Crystalline Solids</i> , 2004, 345-346, 219-223.	1.5	9
872	Spontaneous oxygen loading into SiO <sub>2</sub> glass by thermal anneal. <i>Journal of Non-Crystalline Solids</i> , 2004, 349, 205-208.	1.5	18
873	Fluorine doped silica glass fiber for deep ultraviolet light. <i>Journal of Non-Crystalline Solids</i> , 2004, 349, 133-138.	1.5	21
874	Correlation between oxygen-deficient center formation and volume compaction in synthetic SiO <sub>2</sub> glass upon ArF or F <sub>2</sub> excimer-laser irradiation. <i>Applied Optics</i> , 2004, 43, 2332.	2.1	14
875	Quantum beat between two excitonic levels split by spin-orbit interactions in the oxychalcogenide LaCuOS. <i>Optics Letters</i> , 2004, 29, 1659.	1.7	17
876	Synthesis of Layered Perovskites $\text{Ba}_{n+1}\text{Sn}_n\text{O}_{3n+1}$ by Coprecipitation Method and Their Thermoelectric Properties. <i>Funtai Oyobi Fummatu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2004, 51, 875-880.	0.1	2
877	Surface Dissolution and Diffusion of Oxygen Molecules in SiO <sub>2</sub> Glass. <i>Journal of the Ceramic Society of Japan</i> , 2004, 112, 559-562.	1.3	44
878	Atomic and Electronic Structures of Ni/YSZ(111) Interface. <i>Materials Transactions</i> , 2004, 45, 2137-2143.	0.4	47
879	Built-in Nanostructures in Transparent Oxides for Novel Photonic and Electronic Functions Materials. <i>International Journal of Applied Ceramic Technology</i> , 2004, 1, 106-118.	1.1	26
880	Simultaneous fabrication of laser-active colour centres and permanent microgratings in lithium fluoride by a single femtosecond pulse. <i>Journal of Physics Condensed Matter</i> , 2003, 15, L399-L405.	0.7	34
881	Single-Crystalline Films of the Homologous Series $\text{InGaO}_3(\text{ZnO})_m$ Grown by Reactive Solid-Phase Epitaxy. <i>Advanced Functional Materials</i> , 2003, 13, 139-144.	7.8	179
882	Fabrication of Highly Conductive $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$ Thin Films Encaging Hydride Ions by Proton Implantation. <i>Advanced Materials</i> , 2003, 15, 1100-1103.	11.1	72

#	ARTICLE	IF	CITATIONS
883	A p-Type Amorphous Oxide Semiconductor and Room Temperature Fabrication of Amorphous Oxide p-n Heterojunction Diodes. <i>Advanced Materials</i> , 2003, 15, 1409-1413.	11.1	154
884	Application of a Transparent Conductive Substrate with an Atomically Flat and Stepped Surface to Lateral Growth of an Organic Molecule: Vanadyl Phthalocyanine. <i>Advanced Materials</i> , 2003, 15, 1258-1262.	11.1	25
885	Light-Induced Conversion of an Insulating Refractory Oxide into a Persistent Electronic Conductor.. <i>ChemInform</i> , 2003, 34, no-no.	0.1	0
886	High-Density Electron Anions in a Nanoporous Single Crystal: [Ca <sub>24</sub> Al <sub>28</sub> O <sub>64</sub> ] <sup>4+</sup> (4e <sup>-</sup> ).. <i>ChemInform</i> , 2003, 34, no.	0.1	2
887	Non-vacuum and PLD growth of next generation TCO materials. <i>Thin Solid Films</i> , 2003, 445, 193-198.	0.8	55
888	Electron transport in InGaO <sub>3</sub> (ZnO) <sub>m</sub> (m=integer) studied using single-crystalline thin films and transparent MISFETs. <i>Thin Solid Films</i> , 2003, 445, 322-326.	0.8	11
889	Atomic and electronic structures of Cu/a-Al <sub>2</sub> O <sub>3</sub> interfaces prepared by pulsed-laser deposition. <i>Science and Technology of Advanced Materials</i> , 2003, 4, 575-584.	2.8	50
890	Preparation and crystal structure analysis of CeCuOS. <i>Journal of Solid State Chemistry</i> , 2003, 170, 182-187.	1.4	46
891	Thin film fabrication of nano-porous 12CaO·7Al <sub>2</sub> O <sub>3</sub> crystal and its conversion into transparent conductive films by light illumination. <i>Thin Solid Films</i> , 2003, 445, 309-312.	0.8	50
892	Observation of carrier dynamics in CdO thin films by excitation with femtosecond laser pulse. <i>Thin Solid Films</i> , 2003, 445, 182-185.	0.8	55
893	Wide gap p-type degenerate semiconductor: Mg-doped LaCuOSe. <i>Thin Solid Films</i> , 2003, 445, 304-308.	0.8	41
894	Frontier of transparent oxide semiconductors. <i>Solid-State Electronics</i> , 2003, 47, 2261-2267.	0.8	129
895	High-intensity atomic oxygen radical anion emission mechanism from 12CaO·7Al <sub>2</sub> O <sub>3</sub> crystal surface. <i>Surface Science</i> , 2003, 527, 100-112.	0.8	65
896	Hopping and optical absorption of electrons in nano-porous crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> . <i>Thin Solid Films</i> , 2003, 445, 161-167.	0.8	64
897	UV-detector based on pn-heterojunction diode composed of transparent oxide semiconductors, p-NiO/n-ZnO. <i>Thin Solid Films</i> , 2003, 445, 317-321.	0.8	206
898	Hopping and optical absorption of electrons in nano-porous crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> . <i>Thin Solid Films</i> , 2003, 445, 161-161.	0.8	4
899	Electronic Structure of Oxygen Dangling Bond in GlassySiO <sub>2</sub> : The Role of Hyperconjugation. <i>Physical Review Letters</i> , 2003, 90, 186404.	2.9	76
900	Fabrication and photoresponse of a pn-heterojunction diode composed of transparent oxide semiconductors, p-NiO and n-ZnO. <i>Applied Physics Letters</i> , 2003, 83, 1029-1031.	1.5	329

#	ARTICLE	IF	CITATIONS
901	Electrical and Optical Properties and Electronic Structures of LnCuOS (Ln = La <sup>1/4</sup> Nd). Chemistry of Materials, 2003, 15, 3692-3695.	3.2	94
902	Thin-Film Transistor Fabricated in Single-Crystalline Transparent Oxide Semiconductor. Science, 2003, 300, 1269-1272.	6.0	1,709
903	Effect of F2 laser power on defect formation in high-purity SiO <sub>2</sub> glass. Journal of Non-Crystalline Solids, 2003, 322, 73-77.	1.5	15
904	Maximum Incorporation of Oxygen Radicals, O <sup>-</sup> and O <sub>2</sub> <sup>-</sup> , into 12CaO·7Al <sub>2</sub> O <sub>3</sub> with a Nanoporous Structure. Chemistry of Materials, 2003, 15, 1851-1854.	3.2	83
905	Observation of carrier dynamics in CdO thin films by excitation with femtosecond laser pulse. Thin Solid Films, 2003, 445, 182-182.	0.8	0
906	The Alchemy of Today: Functioning of Traditional Ceramics Utilizing Nanostructure. Materials Science Forum, 2003, 437-438, 1-6.	0.3	0
907	Electrical and Photonic Functions in Transparent Oxide Semiconductors: Utilization of Built-in Nanostructure. Materials Research Society Symposia Proceedings, 2003, 796, 13.	0.1	0
908	High-Density Electron Anions in a Nanoporous Single Crystal: [Ca <sub>24</sub> Al <sub>28</sub> O <sub>64</sub> ] <sup>4+</sup> (4e <sup>-</sup> ). Science, 2003, 301, 626-629.	6.0	744
909	Intrinsic excitonic photoluminescence and band-gap engineering of wide-gap-type oxychalcogenide epitaxial films of LnCuOCh (Ln=La, Pr, and Nd; Ch=S or Se) semiconductor alloys. Journal of Applied Physics, 2003, 94, 5805-5808.	1.1	79
910	Fabrication and characterization of heteroepitaxial p-n junction diode composed of wide-gap oxide semiconductors p-ZnRh <sub>2</sub> O <sub>4</sub> /n-ZnO. Applied Physics Letters, 2003, 82, 823-825.	1.5	119
911	Degenerate p-type conductivity in wide-gap LaCuOS <sub>1-x</sub> Sex (x=0~1) epitaxial films. Applied Physics Letters, 2003, 82, 1048-1050.	1.5	166
912	Electron Localization and a Confined Electron Gas in Nanoporous Inorganic Electrides. Physical Review Letters, 2003, 91, 126401.	2.9	192
913	<title>Advances in silica-based glasses for UV and vacuum UV laser optics</title>. , 2003, 5122, 1.		7
914	HRTEM Characterization of Atomic Structures in Cu/.ALPHA.-Al <sub>2</sub> O <sub>3</sub> (0001) Interface. Zairyo/Journal of the Society of Materials Science, Japan, 2003, 52, 555-559.	0.1	16
915	Fabrication and Current Injection UV-Light Emission from a Transparent p-n Heterojunction Composed of p-SrCu <sub>2</sub> O <sub>2</sub> and n-ZnO. Key Engineering Materials, 2002, 214-215, 75-80.	0.4	0
916	Surface morphology and crystal quality of low resistive indium tin oxide grown on yttria-stabilized zirconia. Journal of Applied Physics, 2002, 91, 3547-3550.	1.1	116
917	Publisher's Note: Diffusion and Reactions of Hydrogen in F <sub>2</sub> -Laser-Irradiated SiO <sub>2</sub> Glass [Phys. Rev. Lett. 89, 135507 (2002)]. Physical Review Letters, 2002, 89, .	2.9	1
918	NbO <sub>2</sub> F: An oxyfluoride phase with wide band gap and electrochromic properties. Applied Physics Letters, 2002, 80, 4732-4734.	1.5	24

#	ARTICLE	IF	CITATIONS
919	Electrical conductivity control in transparent p-type (LaO)CuS thin films prepared by rf sputtering. Journal of Applied Physics, 2002, 91, 9177-9181.	1.1	65
920	Optical gaps of alkali borate and alkali fluoroborate glasses. Journal of Applied Physics, 2002, 91, 4149-4153.	1.1	42
921	Absolute emission current density of O <sup>2+</sup> from 12CaO <sup>2+</sup> ·7Al <sub>2</sub> O <sub>3</sub> crystal. Applied Physics Letters, 2002, 80, 4259-4261.	1.5	83
922	Carrier doping into MgIn <sub>2</sub> O <sub>4</sub> epitaxial thin films by proton implantation. Journal of Applied Physics, 2002, 91, 2112-2117.	1.1	7
923	Heteroepitaxial growth of a wide-gap p-type semiconductor, LaCuOS. Applied Physics Letters, 2002, 81, 598-600.	1.5	105
924	Carrier generation in highly oriented WO <sub>3</sub> films by proton or helium implantation. Journal of Applied Physics, 2002, 92, 2017-2022.	1.1	27
925	New adjustment technique for time coincidence of femtosecond laser pulses using third harmonic generation in air and its application to holograph encoding system. Review of Scientific Instruments, 2002, 73, 1711-1714.	0.6	22
926	Electronic structure and transport properties in the transparent amorphous oxide semiconductor 2CdO <sup>2+</sup> ·GeO <sub>2</sub> . Physical Review B, 2002, 66, .	1.1	79
927	EPITAXIAL GROWTH OF TRANSPARENT CONDUCTIVE OXIDES. International Journal of Modern Physics B, 2002, 16, 173-180.	1.0	15
928	Wide-gap P-type Conductive Properties in Layered Oxychalcogenides. Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	0
929	Fine-Pitched Microgratings Encoded by Interference of UV Femtosecond Laser Pulses. Journal of Nanoscience and Nanotechnology, 2002, 2, 321-323.	0.9	1
930	Reproducibility of O <sup>-</sup> Negative Ion Emission from C12A7 Crystal Surface. Japanese Journal of Applied Physics, 2002, 41, L530-L532.	0.8	20
931	Generation of Intense 25-fs Pulses at 290 nm by Use of a Hollow Fiber Filled with High-Pressure Argon Gas. Japanese Journal of Applied Physics, 2002, 41, L986-L988.	0.8	1
932	Translucent Ceramics of 12CaO · 7Al <sub>2</sub> O <sub>3</sub> with Microporous Structure. Journal of Materials Research, 2002, 17, 1244-1247.	1.2	18
933	Micrograting formation with femtosecond ultraviolet laser on optical materials. , 2002, , .		0
934	Photo-Induced Insulator-Semiconductor Transition in 12CaO · 7Al <sub>2</sub> O <sub>3</sub> (C12A7). Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	1
935	X-ray Amorphous P-type Conductive Oxide; ZnRh <sub>2</sub> O <sub>4</sub> . Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	2
936	Heteroepitaxial Growth of a Wide Gap P-type Oxysulfide, LaCuOS. Materials Research Society Symposia Proceedings, 2002, 747, 1.	0.1	0

#	ARTICLE	IF	CITATIONS
937	ZnRh <sub>2</sub> O <sub>4</sub> : A p-type semiconducting oxide with a valence band composed of a low spin state of Rh <sup>3+</sup> in a 4d <sup>6</sup> configuration. Applied Physics Letters, 2002, 80, 1207-1209.	1.5	105
938	Electronic Structure of Sr <sub>2</sub> Cu <sub>2</sub> ZnO <sub>2</sub> S <sub>2</sub> Layered Oxysulfide with CuS Layers. Chemistry of Materials, 2002, 14, 1037-1041.	3.2	36
939	Formation of Microstructure in SiO <sub>2</sub> Thin Film by a Femtosecond Laser Pulse. Japanese Journal of Applied Physics, 2002, 41, 4400-4403.	0.8	3
940	Power dependence of defect formation in SiO <sub>2</sub> glass by F <sub>2</sub> laser irradiation. Applied Physics Letters, 2002, 81, 3164-3166.	1.5	36
941	Microporous Crystal 12CaO·7Al <sub>2</sub> O <sub>3</sub> Encaging Abundant O <sup>-</sup> Radicals. Journal of the American Chemical Society, 2002, 124, 738-739.	6.6	225
942	Ion-beam doping of silver in amorphous As <sub>2</sub> S <sub>3</sub> thin films. Journal of Applied Physics, 2002, 92, 1821-1824.	1.1	6
943	Effects of H <sub>2</sub> impregnation on excimer-laser-induced oxygen-deficient center formation in synthetic SiO <sub>2</sub> glass. Applied Physics Letters, 2002, 80, 3916-3918.	1.5	28
944	Holographic writing of volume-type microgratings in silica glass by a single chirped laser pulse. Applied Physics Letters, 2002, 81, 1137-1139.	1.5	58
945	Electronic structure and optical properties of SrCu <sub>2</sub> O <sub>2</sub> . Journal of Applied Physics, 2002, 91, 3074-3078.	1.1	66
946	Photochemistry in phosphorus-doped silica glass by ArF excimer laser irradiation: Crucial effect of H <sub>2</sub> loading. Journal of Applied Physics, 2002, 91, 4121-4124.	1.1	16
947	Electric Field Emission of High Density O <sup>•-</sup> Ions from 12CaO·7Al <sub>2</sub> O <sub>3</sub> Engineered to Incorporate Oxygen Radicals. Electrochemical and Solid-State Letters, 2002, 5, J13.	2.2	25
948	Band gap engineering, band edge emission, and p-type conductivity in wide-gap LaCuOS <sub>1-x</sub> Sex oxychalcogenides. Journal of Applied Physics, 2002, 91, 4768-4770.	1.1	102
949	Precipitation of nanometer-sized SnO <sub>2</sub> crystals and Sn depth profile in heat-treated float glass. Journal of Non-Crystalline Solids, 2002, 311, 273-280.	1.5	17
950	Diffusion and Reactions of Hydrogen in F <sub>2</sub> -Laser-Irradiated SiO <sub>2</sub> Glass. Physical Review Letters, 2002, 89, 135507.	2.9	59
951	Decomposition of water by a CaTiO <sub>3</sub> photocatalyst under UV light irradiation. Materials Research Bulletin, 2002, 37, 2401-2406.	2.7	112
952	Holographic writing of micro-gratings and nanostructures on amorphous SiO <sub>2</sub> by near infrared femtosecond pulses. Nuclear Instruments & Methods in Physics Research B, 2002, 191, 89-97.	0.6	11
953	Encoding of holographic grating and periodic nano-structure by femtosecond laser pulse. Applied Surface Science, 2002, 197-198, 688-698.	3.1	42
954	Preparation of transparent p-type (La <sub>1-x</sub> Sr <sub>x</sub> O)CuS thin films by r.f. sputtering technique. Thin Solid Films, 2002, 411, 125-128.	0.8	77

#	ARTICLE	IF	CITATIONS
955	Preparation of highly conductive, deep ultraviolet transparent $\hat{\Gamma}^2$ -Ga <sub>2</sub> O <sub>3</sub> thin film at low deposition temperatures. Thin Solid Films, 2002, 411, 134-139.	0.8	261
956	Vacuum ultraviolet optical absorption band of non-bridging oxygen hole centers in SiO <sub>2</sub> glass. Solid State Communications, 2002, 122, 117-120.	0.9	92
957	Heteroepitaxial growth of single-phase zinc blende ZnS films on transparent substrates by pulsed laser deposition under H <sub>2</sub> S atmosphere. Solid State Communications, 2002, 124, 411-415.	0.9	19
958	Transparent conducting oxide, InSbO <sub>4</sub> with random rutile structure. Vacuum, 2002, 65, 81-84.	1.6	8
959	Frontier of transparent conductive oxide thin films. Vacuum, 2002, 66, 419-425.	1.6	164
960	Light-induced conversion of an insulating refractory oxide into a persistent electronic conductor. Nature, 2002, 419, 462-465.	13.7	431
961	Crystal structure of LaCuOS <sub>1-x</sub> Sex oxychalcogenides. Thin Solid Films, 2002, 411, 115-118.	0.8	44
962	Novel film growth technique of single crystalline In <sub>2</sub> O <sub>3</sub> (ZnO) <sub>m</sub> (m=integer) homologous compound. Thin Solid Films, 2002, 411, 147-151.	0.8	39
963	Crystal growth of Ca <sub>12</sub> Al <sub>14</sub> O <sub>33</sub> by the floating zone method. Journal of Crystal Growth, 2002, 237-239, 801-805.	0.7	79
964	Vacuum-Ultraviolet Transparency of Silica Glass and its Interaction with Vacuum-Ultraviolet Lasers.. Nihon Kessho Gakkaishi, 2002, 44, 182-188.	0.0	0
965	Periodic nanostructure array in crossed holographic gratings on silica glass by two interfered infrared-femtosecond laser pulses. Applied Physics Letters, 2001, 79, 1228-1230.	1.5	71
966	Physical Disorder and Optical Properties in the Vacuum Ultraviolet Region of AmorphousSiO <sub>2</sub> . Physical Review Letters, 2001, 87, 175501.	2.9	141
967	Optical fiber for deep ultraviolet light. IEEE Photonics Technology Letters, 2001, 13, 978-980.	1.3	32
968	Epitaxial growth of transparent p-type conducting CuGaO <sub>2</sub> thin films on sapphire (001) substrates by pulsed laser deposition. Journal of Applied Physics, 2001, 89, 1790.	1.1	390
969	Pulsed laser deposition system for producing oxide thin films at high temperature. Review of Scientific Instruments, 2001, 72, 3340-3343.	0.6	21
970	Electronic structure of the transparent p-type semiconductor (LaO)CuS. Physical Review B, 2001, 64, .	1.1	114
971	Chirped-pulse amplification of ultraviolet femtosecond pulses by use of Ce <sup>3+</sup> :LiCaAlF <sub>6</sub> as a broadband, solid-state gain medium. Optics Letters, 2001, 26, 301.	1.7	80
972	Holographic encoding of fine-pitched micrograting structures in amorphous SiO <sub>2</sub> thin films on silicon by a single femtosecond laser pulse. Applied Physics Letters, 2001, 78, 1038-1040.	1.5	96

#	ARTICLE	IF	CITATIONS
973	Formation and decay of nonbridging oxygen hole centers in SiO <sub>2</sub> glasses induced by F2 laser irradiation: In situ observation using a pump and probe technique. Applied Physics Letters, 2001, 79, 1757-1759.	1.5	74
974	Laser-induced color centers in silica. , 2001, 4347, 155.		57
975	Formation of nanometer-sized SnO <sub>2</sub> colloids and change in Sn-depth concentration profile in float glass induced by oxygen diffusion from atmosphere at temperatures above T <sub>g</sub> . Journal of Non-Crystalline Solids, 2001, 281, 1-5.	1.5	15
976	Electrical and Optical Properties of Layered Oxysulfides with CuS Layers: Sr <sup>2+</sup> Cu <sup>2+</sup> Mn <sup>2+</sup> O <sup>2-</sup> S System (M =) Tj ETQq 0 0 0 rgBT /Overlock	3.2	41
977	Bipolar Electrical Conductive Transparent Oxide, CuInO <sub>2</sub> . Materials Research Society Symposia Proceedings, 2001, 666, 3141.	0.1	0
978	Transparent P-type Conducting LaCuOS Layered Oxysulfide. Materials Research Society Symposia Proceedings, 2001, 666, 271.	0.1	0
979	Deep-UV Transparent Conductive $\hat{I}^2$ -Ga <sub>2</sub> O <sub>3</sub> Film. Materials Research Society Symposia Proceedings, 2001, 666, 291.	0.1	0
980	Transparent Conducting Indium-Tin-Oxide Thin Film with Extremely Flatted Surface. Materials Research Society Symposia Proceedings, 2001, 666, 3151.	0.1	0
981	Fabrication of nonerasable gratings in SiO <sub>2</sub> glasses by a two-beam holographic method using infrared femtosecond laser pulses. , 2001, , .		2
982	Optical transparency of SiO <sub>2</sub> glass in vacuum ultraviolet region and defect formation by F <sub>2</sub> laser. , 2001, 4347, 223.		0
983	Damage behavior of SiO <sub>2</sub> glass induced by 193-nm radiation under a simulated operating mode of lithography laser. , 2001, , .		5
984	Photocatalytic TiO <sub>2</sub> thin film deposited onto glass by DC magnetron sputtering. Thin Solid Films, 2001, 392, 338-344.	0.8	318
985	Fabrication of all oxide transparent p-n homojunction using bipolar CuInO <sub>2</sub> semiconducting oxide with delafossite structure. Solid State Communications, 2001, 121, 15-17.	0.9	134
986	Ce <sup>3+</sup> :LiCaAlF <sub>6</sub> crystal for high-gain or high-peak-power amplification of ultraviolet femtosecond pulses and new potential ultraviolet gain medium: Ce <sup>3+</sup> :LiSr <sub>0.8</sub> Ca <sub>0.2</sub> AlF <sub>6</sub> . IEEE Journal of Selected Topics in Quantum Electronics, 2001, 7, 542-550.	1.9	18
987	Modification of sol-gel-derived amorphous Al <sub>2</sub> O <sub>3</sub> thin films by F <sub>2</sub> excimer laser irradiation at ambient temperature. Journal of Materials Research, 2001, 16, 1003-1009.	1.2	15
988	Ultraviolet Femtosecond Pulse Amplification with High Gain Using Solid-State, Broad-Band Gain Medium Ce <sup>3+</sup> :LiCaAlF <sub>6</sub> . Japanese Journal of Applied Physics, 2001, 40, 2308-2309.	0.8	4
989	Fabrication and characterization of ultraviolet-emitting diodes composed of transparent p-n heterojunction, p-SrCu <sub>2</sub> O <sub>2</sub> and n-ZnO. Journal of Applied Physics, 2001, 89, 5720-5725.	1.1	166
990	Time-resolved gain-spectrum measurement scheme using two potential laser media and a streak camera. Review of Scientific Instruments, 2001, 72, 2875-2878.	0.6	0



#	ARTICLE	IF	CITATIONS
991	Interaction of F2 excimer laser pulses with hydroxy groups in SiO <sub>2</sub> glass: Hydrogen bond formation and bleaching of vacuum ultraviolet absorption edge. <i>Journal of Chemical Physics</i> , 2001, 115, 9473-9476.	1.2	24
992	Bipolarity in electrical conduction of transparent oxide semiconductor CuInO <sub>2</sub> with delafossite structure. <i>Applied Physics Letters</i> , 2001, 78, 1583-1585.	1.5	332
993	Room-temperature excitons in wide-gap layered-oxysulfide semiconductor: LaCuOS. <i>Applied Physics Letters</i> , 2001, 78, 2333-2335.	1.5	133
994	Defect Formation in SiO <sub>2</sub> :P <sub>2</sub> O <sub>5</sub> Glasses by Excimer Laser Irradiation: Effects of Hydrogen Loading. , 2001, , .		2
995	Approach to Transparent ElectroActive Materials: Fabrication of UV-LED composed of transparent oxide semiconductors and Holographic Encoding of Micro-gratings on Non-photosensitive Transparent Dielectrics. <i>The Review of Laser Engineering</i> , 2001, 29, 175-176.	0.0	0
996	Transparent p- and n-Type Conductive Oxides With Delafossite Structure. <i>Materials Research Society Symposia Proceedings</i> , 2000, 623, 235.	0.1	8
997	Low Electrically Resistive Transparent Indium-Tin-Oxide Epitaxial Film on (001) Surface of YSZ by Pulsed Laser Deposition. <i>Materials Research Society Symposia Proceedings</i> , 2000, 623, 253.	0.1	1
998	Room Temperature Operation of UV-LED Composed of TCO Hetero p-n Junction, p-SrCu <sub>2</sub> O <sub>2</sub> /n-ZnO. <i>Materials Research Society Symposia Proceedings</i> , 2000, 623, 283.	0.1	3
999	Phonon scattering in electron transport phenomena of ITO films. <i>Vacuum</i> , 2000, 59, 492-499.	1.6	36
1000	Interaction of F2 excimer laser with SiO <sub>2</sub> glasses: Towards the third generation of synthetic SiO <sub>2</sub> glasses. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2000, 166-167, 691-697.	0.6	25
1001	Chemical Design and Thin Film Preparation of p-Type Conductive Transparent Oxides. , 2000, 4, 407-414.		144
1002	Fabrication of surface relief gratings on transparent dielectric materials by two-beam holographic method using infrared femtosecond laser pulses. <i>Applied Physics B: Lasers and Optics</i> , 2000, 71, 119-121.	1.1	114
1003	UV-emitting diode composed of transparent oxide semiconductors: p-SrCu <sub>2</sub> O <sub>2</sub> /n-ZnO. <i>Electronics Letters</i> , 2000, 36, 984.	0.5	46
1004	Holographic Encoding of Permanent Gratings Embedded in Diamond by Two Beam Interference of a Single Femtosecond Near-Infrared Laser Pulse. <i>Japanese Journal of Applied Physics</i> , 2000, 39, L767-L769.	0.8	48
1005	Structure and Refractive Indices of Proton-Implanted LiNbO <sub>3</sub> . <i>Japanese Journal of Applied Physics</i> , 2000, 39, 2653-2656.	0.8	10
1006	Electron paramagnetic centers in donor-doped CaTiO <sub>3</sub> single crystals. <i>Physical Review B</i> , 2000, 61, 7440-7447.	1.1	3
1007	Oxygen-Related Intrinsic Defects in Glassy SiO <sub>2</sub> : Interstitial Ozone Molecules. <i>Physical Review Letters</i> , 2000, 84, 302-305.	2.9	49
1008	Transparent p-type semiconductor: LaCuOS layered oxysulfide. <i>Applied Physics Letters</i> , 2000, 77, 2701-2703.	1.5	307

#	ARTICLE	IF	CITATIONS
1009	Optical properties of SrMoO <sub>3</sub> thin film. Journal of Applied Physics, 2000, 87, 4617-4619.	1.1	39
1010	Crystal structure of metastable $\beta$ -CeZrO <sub>4</sub> phase possessing an ordered arrangement of Ce and Zr ions. Journal of Alloys and Compounds, 2000, 312, 94-103.	2.8	124
1011	Electronic transport and optical properties of proton-implanted amorphous 2CdO-GeO <sub>2</sub> films. Journal of Non-Crystalline Solids, 2000, 274, 313-318.	1.5	27
1012	Materials design and example of long lasting phosphorescent glasses utilizing electron trapped centers. Journal of Non-Crystalline Solids, 2000, 274, 257-263.	1.5	34
1013	Transparent <i>p-n</i> -Type Conducting Oxides: Design and Fabrication of <i>p-n</i> Heterojunctions. MRS Bulletin, 2000, 25, 28-36.	1.7	530
1014	Deep-ultraviolet transparent conductive $\beta$ -Ga <sub>2</sub> O <sub>3</sub> thin films. Applied Physics Letters, 2000, 77, 4166-4168.	1.5	829
1015	Preparation of n-type conductive transparent thin films of AgInO <sub>2</sub> :Sn with delafossite-type structure by pulsed laser deposition. Journal of Applied Physics, 2000, 88, 3067-3069.	1.1	27
1016	Defect formation and structural alternation in modified SiO <sub>2</sub> glasses by irradiation with F <sub>2</sub> laser or ArF excimer laser. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 2000, 18, 2891.	1.6	37
1017	Current injection emission from a transparent <i>p-n</i> junction composed of p-SrCu <sub>2</sub> O <sub>2</sub> /n-ZnO. Applied Physics Letters, 2000, 77, 475-477.	1.5	539
1018	Electronic Structure of SrNb <sub>8</sub> O <sub>14</sub> and Mg <sub>3</sub> Nb <sub>6</sub> O <sub>11</sub> Studied by Spectroscopic Methods. Chemistry of Materials, 2000, 12, 2659-2663.	3.2	0
1019	Electronic structure and optoelectronic properties of transparent p-type conducting CuAlO <sub>2</sub> . Journal of Applied Physics, 2000, 88, 4159.	1.1	413
1020	Highly electrically conductive indium-oxide thin films epitaxially grown on yttria-stabilized zirconia (100) by pulsed-laser deposition. Applied Physics Letters, 2000, 76, 2740-2742.	1.5	259
1021	INTERACTION OF SiO <sub>2</sub> GLASSES WITH HIGH ENERGY ION BEAMS AND VACUUM UV EXCIMER LASER PULSES. , 2000, , 213-233.		3
1022	Optical Materials for Vacuum Ultraviolet Lithography: Interaction of Materials with Excimer Laser Pulses.. The Review of Laser Engineering, 1999, 27, 616-622.	0.0	1
1023	F-doped and H <sub>2</sub> -impregnated synthetic SiO <sub>2</sub> glasses for 157 nm optics. Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena, 1999, 17, 3280.	1.6	21
1024	Electronic transport in degenerate amorphous oxide semiconductors. Philosophical Magazine Letters, 1999, 79, 755-761.	0.5	39
1025	Overall water splitting on Cu(I)-containing ternary oxides, CuMO <sub>2</sub> (M&dbnd;Fe, Ga, Al) with delafossite structure. Studies in Surface Science and Catalysis, 1999, , 301-304.	1.5	12
1026	Electron Spin Resonance Centers in Donor-Doped CaTiO <sub>3</sub> Single Crystals. Solid State Phenomena, 1999, 67-68, 283-290.	0.3	0

#	ARTICLE	IF	CITATIONS
1027	Study on electronic structure of CaTiO <sub>3</sub> by spectroscopic measurements and energy band calculations. <i>Journal of Physics Condensed Matter</i> , 1999, 11, 3535-3545.	0.7	34
1028	ArF excimer laser irradiation effects in AlF <sub>3</sub> -based fluoride glasses for vacuum ultraviolet optics. <i>Journal of Applied Physics</i> , 1999, 85, 3038-3043.	1.1	8
1029	Pair generation of Ge electron centers and self-trapped hole centers in GeO <sub>2</sub> -SiO <sub>2</sub> glasses by KrF excimer-laser irradiation. <i>Physical Review B</i> , 1999, 60, 7166-7169.	1.1	39
1030	Bi-self-trapped-exciton model for Frenkel defect formation in amorphous SiO <sub>2</sub> by proton irradiation. <i>Physical Review B</i> , 1999, 60, 10616-10619.	1.1	13
1031	Effects of fluorine dimer excimer laser radiation on the optical transmission and defect formation of various types of synthetic SiO <sub>2</sub> glasses. <i>Applied Physics Letters</i> , 1999, 74, 2755-2757.	1.5	88
1032	Effect of Xe <sup>2+</sup> light (7.2 eV) on the infrared and vacuum ultraviolet absorption properties of hydroxyl groups in silica glass. <i>Physical Review B</i> , 1999, 59, 4066-4073.	1.1	62
1033	Yellow Emission from Zinc Oxide giving an Electron Spin Resonance Signal at g=1.96. <i>Japanese Journal of Applied Physics</i> , 1999, 38, L113-L115.	0.8	42
1034	Excimer laser crystallization of amorphous indium-tin oxide thin films and application to fabrication of Bragg gratings. <i>Thin Solid Films</i> , 1999, 351, 137-140.	0.8	22
1035	Formation of hydrogen tungsten bronze by proton implantation. <i>Materials Research Bulletin</i> , 1999, 34, 115-121.	2.7	15
1036	Valence states of bismuth in new mixed-valence oxides: Bi <sub>1-x</sub> Y <sub>x</sub> O <sub>1.5+1/2x</sub> (x = 0.4) by XANES. <i>Materials Research Bulletin</i> , 1999, 34, 373-379.	2.7	14
1037	Fabrication of transparent p-n heterojunction thin film diodes based entirely on oxide semiconductors. <i>Applied Physics Letters</i> , 1999, 75, 2851-2853.	1.5	194
1038	Electronic structure of polycrystalline AMoO <sub>3</sub> (A=Sr or Ba). <i>Journal of Applied Physics</i> , 1999, 85, 6502-6505.	1.1	25
1039	Mechano-catalysis—a novel method for overall water splitting. <i>Physical Chemistry Chemical Physics</i> , 1999, 1, 4485-4491.	1.3	94
1040	Long lasting phosphorescence and photostimulated luminescence in Tb-ion-activated reduced calcium aluminate glasses. <i>Journal of Applied Physics</i> , 1999, 86, 3729-3733.	1.1	104
1041	Time-resolved photoluminescence for diagnosis of resistance to ArF excimer laser damage to CaF <sub>2</sub> single crystals. <i>Journal of the Optical Society of America B: Optical Physics</i> , 1999, 16, 1153.	0.9	33
1042	Photochemical processes induced by 157-nm light in H <sub>2</sub> -impregnated glassy SiO <sub>2</sub> :OH. <i>Optics Letters</i> , 1999, 24, 863.	1.7	28
1043	High photosensitivity and nanometer-scale phase separation in GeO <sub>2</sub> -SiO <sub>2</sub> glass thin films. <i>Optics Letters</i> , 1999, 24, 1352.	1.7	16
1044	Fluorine-doped SiO <sub>2</sub> glasses for F <sub>2</sub> excimer laser optics: fluorine content and color-center formation. <i>Optics Letters</i> , 1999, 24, 1549.	1.7	49

#	ARTICLE	IF	CITATIONS
1045	Heteroepitaxial Growth of Zinc Oxide Single Crystal Thin Films on (111) Plane YSZ by Pulsed Laser Deposition. Materials Research Society Symposia Proceedings, 1999, 570, 309.	0.1	32
1046	Origin of the Red Color of Satsuma Copper-Ruby Glass as Determined by EXAFS and Optical Absorption Spectroscopy. Journal of the American Ceramic Society, 1999, 82, 689-695.	1.9	82
1047	Enormous photon-induced volume expansion of Ge-doped silica thin films. , 1999, , .		2
1048	Excimer laser crystallization of amorphous indium-tin oxide thin films and application to fabrication of Bragg gratings. , 1999, , 209-212.		0
1049	Defect formation in amorphous SiO <sub>2</sub> by ion implantation: Electronic excitation effects and chemical effects. Nuclear Instruments & Methods in Physics Research B, 1998, 141, 566-574.	0.6	27
1050	Origin of enormous photon-induced volume expansion of GeO <sub>2</sub> -SiO <sub>2</sub> thin glass films. Nuclear Instruments & Methods in Physics Research B, 1998, 141, 625-628.	0.6	6
1051	Proton-implantation-induced optical phenomena in SiO <sub>2</sub> :GeO <sub>2</sub> glasses: formation of photosensitive defects and nanometer sized Ge crystals. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1998, 54, 18-23.	1.7	3
1052	Detection and analysis of <sup>29</sup> Si hyperfine structures in ESR spectra of E <sup>2</sup> and E <sup>1</sup> -type centers in SiO <sub>2</sub> glasses. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1998, 54, 38-42.	1.7	6
1053	Enhancement of carrier generation in MgIn <sub>2</sub> O <sub>4</sub> thin film prepared by pulsed laser deposition technique. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1998, 54, 51-54.	1.7	11
1054	Carrier compensation and generation in Ca <sub>1-x</sub> Y <sub>x</sub> TiO <sub>3</sub> and CaTi <sub>1-x</sub> Nb <sub>x</sub> O <sub>3</sub> single crystals. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1998, 54, 60-63.	1.7	1
1055	Mechano-catalytic overall water splitting. Chemical Communications, 1998, , 2185-2186.	2.2	139
1056	Photoconduction in multicomponent oxide glasses. Journal of Non-Crystalline Solids, 1998, 224, 43-49.	1.5	2
1057	Novel n-type conducting amorphous chalcogenide CdS-In <sub>2</sub> S <sub>x</sub> : an extension of working hypothesis for conducting amorphous oxides. Journal of Non-Crystalline Solids, 1998, 227-230, 804-809.	1.5	8
1058	Permanent refractive-index changes in GeO <sub>2</sub> glass slabs induced by irradiation with sub band gap light. Journal of Non-Crystalline Solids, 1998, 239, 104-107.	1.5	11
1059	Long luminescent glass: Tb <sup>3+</sup> -activated ZnO-B <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> glass. Journal of Non-Crystalline Solids, 1998, 241, 71-73.	1.5	58
1060	Formation of electronic conducting amorphous WO <sub>3</sub> thin films by ion implantation. Journal of Non-Crystalline Solids, 1998, 241, 190-194.	1.5	10
1061	Excimer Laser Crystallization of Amorphous Indium-Tin-Oxide and Its Application to Fine Patterning. Japanese Journal of Applied Physics, 1998, 37, L1119-L1121.	0.8	34
1062	Band-gap widening of CdO thin films. Journal of Applied Physics, 1998, 84, 6174-6177.	1.1	202

#	ARTICLE	IF	CITATIONS
1063	Long lasting phosphorescence properties of Tb-activated reduced calcium aluminate glasses. Journal of Physics Condensed Matter, 1998, 10, 9541-9547.	0.7	54
1064	Large electrical conductivity enhancement of WO <sub>3</sub> thin films produced by ion implantation. Journal of Applied Physics, 1998, 84, 5610-5613.	1.1	24
1065	n-type electrical conduction in transparent thin films of delafossite-type AgInO <sub>2</sub> . Applied Physics Letters, 1998, 72, 1036-1038.	1.5	73
1066	Experimental Evidence for Frenkel Defect Formation in Amorphous SiO <sub>2</sub> by Electronic Excitation. Physical Review Letters, 1998, 80, 317-320.	2.9	113
1067	SrCu <sub>2</sub> O <sub>2</sub> : A p-type conductive oxide with wide band gap. Applied Physics Letters, 1998, 73, 220-222.	1.5	378
1068	Generation of optical absorption bands in CaF <sub>2</sub> single crystals by ArF excimer laser irradiation: Effect of yttrium impurity. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1998, 16, 3052-3057.	0.9	26
1069	Vacuum ultraviolet reflectance and electron energy loss spectra of. Journal of Physics Condensed Matter, 1998, 10, 3669-3677.	0.7	58
1070	<title>Color center formation and time-resolved photoluminescence for ArF excimer laser irradiation in CaF <sub>2</sub> single crystals</title>. , 1998, 3424, 60.		2
1071	<title>Solarization of AlF<sub>3</sub>-based fluoride glasses for VUV optics by ArF excimer laser irradiation</title>. , 1998, 3424, 146.		4
1072	Observation of Electronic Structure in Conduction Band of CaTiO <sub>3</sub> . Journal of the Ceramic Society of Japan, 1998, 106, 964-967.	1.3	6
1073	Carrier generation and compensation in Y- and Nb-doped CaTiO <sub>3</sub> single crystals. Physical Review B, 1997, 56, 12998-13005.	1.1	39
1074	Nanometer-sized Ge particles in GeO <sub>2</sub> -SiO <sub>2</sub> glasses produced by proton implantation: Combined effects of electronic excitation and chemical reaction. Journal of Applied Physics, 1997, 82, 4232-4235.	1.1	13
1075	High Efficiency-Carrier-Generation in Li <sup>+</sup> -Implanted MgIn <sub>2</sub> O <sub>4</sub> Thin Films. Journal of the Ceramic Society of Japan, 1997, 105, 275-277.	1.3	0
1076	New mixed-valence oxides of bismuth: Bi <sub>1-x</sub> Y <sub>x</sub> O <sub>1.5+<math>\hat{\Gamma}</math></sub> ( $\hat{\Gamma}$ =0.4). Journal of Materials Chemistry, 1997, 7, 943-946.	6.7	20
1077	Fast proton conducting glasses: Creation by proton implantation and a requirement for fast proton conduction. Journal of Applied Physics, 1997, 81, 1296-1301.	1.1	12
1078	Synthesis and control of conductivity of ultraviolet transmitting $\hat{\Gamma}$ <sup>2</sup> -Ga <sub>2</sub> O <sub>3</sub> single crystals. Applied Physics Letters, 1997, 70, 3561-3563.	1.5	539
1079	Anisotropy of electrical and optical properties in $\hat{\Gamma}$ <sup>2</sup> -Ga <sub>2</sub> O <sub>3</sub> single crystals. Applied Physics Letters, 1997, 71, 933-935.	1.5	323
1080	Transparent, Conducting, Amorphous Oxides: Effect of Chemical Composition on Electrical and Optical Properties of Cadmium Germanates. Journal of the American Ceramic Society, 1997, 80, 22-26.	1.9	16

#	ARTICLE	IF	CITATIONS
1081	P-type electrical conduction in transparent thin films of CuAlO <sub>2</sub> . Nature, 1997, 389, 939-942.	13.7	1,896
1082	Charge transfer band observed in bismuth mixed-valence oxides, Bi <sub>1-x</sub> Y <sub>x</sub> O <sub>1.5+1̂</sub> (x = 0.3). Solid State Communications, 1997, 104, 705-708.	0.9	26
1083	Design of Functional Inorganic Materials by Ion Beams. Approach to High Performance Oxide Glassy and Amorphous Materials by Ion Implantation.. Hyomen Kagaku, 1997, 18, 279-285.	0.0	0
1084	Enhancement of Electrical Conductivity of Polycrystalline $\hat{I}^2$ -PbO by Exposure to Ozone Gas at Room Temperature. Chemistry of Materials, 1996, 8, 2769-2773.	3.2	20
1085	Preparation of Bragg gratings in sputter-deposited GeO <sub>2</sub> -SiO <sub>2</sub> glasses by excimer-laser irradiation. Optics Letters, 1996, 21, 1360.	1.7	35
1086	Novel oxide amorphous semiconductors: transparent conducting amorphous oxides. Journal of Non-Crystalline Solids, 1996, 203, 334-344.	1.5	238
1087	Working hypothesis to explore novel wide band gap electrically conducting amorphous oxides and examples. Journal of Non-Crystalline Solids, 1996, 198-200, 165-169.	1.5	198
1088	Probing interface properties of nanocomposites by third-order nonlinear optics. Applied Physics A: Materials Science and Processing, 1996, 62, 403-415.	1.1	72
1089	Proton-implantation-induced nanosized Ge crystal formation in SiO <sub>2</sub> :GeO <sub>2</sub> glasses. Journal of Applied Physics, 1996, 80, 1357-1363.	1.1	26
1090	Correlation between Ge $E^{\prime}$ Centers and Optical Absorption Bands in $SiO_2:GeO_2$ Glasses. Japanese Journal of Applied Physics, 1996, 35, L234-L236.	0.8	61
1091	Large Enhancement of Electrical Conductivity in Magnesium Phosphate Glasses by Ion Implantation of Proton. Journal of the Ceramic Society of Japan, 1996, 104, 688-690.	1.3	9
1092	Formation and Optical Absorption Spectra of Mixed Valence State of Tl in Tl <sub>2</sub> Nb <sub>2</sub> O <sub>6+x</sub> with Pyrochlore Structure. Bulletin of the Chemical Society of Japan, 1996, 69, 111-115.	2.0	8
1093	POROUS TITANIUM PHOSPHATE GLASS-CERAMICS WITH BACTERIOSTATIC ACTIVITIES. Phosphorus Research Bulletin, 1996, 6, 253-256.	0.1	2
1094	Comparison of formation process of ultraviolet induced color centers in GeO <sub>2</sub> -SiO <sub>2</sub> glass fiber preform and Ge-implanted SiO <sub>2</sub> . Nuclear Instruments & Methods in Physics Research B, 1996, 116, 150-153.	0.6	5
1095	Optical absorption spectra and the nature of conduction carriers of hole-doped Sr <sub>1+x</sub> La <sub>1-x</sub> FeO <sub>4</sub> . Solid State Communications, 1996, 97, 411-415.	0.9	5
1096	Approach to novel crystalline and amorphous oxide materials for optoelectronics by ion implantation. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1996, 41, 39-45.	1.7	4
1097	Defect formation in SiO <sub>2</sub> :GeO <sub>2</sub> glasses studied by irradiation with excimer laser light. Physical Review B, 1996, 53, R11921-R11923.	1.1	30
1098	New amorphous semiconductor: 2CdO·...PbO <sub>x</sub> . Applied Physics Letters, 1996, 68, 661-663.	1.5	41

#	ARTICLE	IF	CITATIONS
1099	Nanometer-scale heterogeneity in SiO <sub>2</sub> -GeO <sub>2</sub> glass preforms and fibers prepared by vapor phase axial deposition method. Journal of Applied Physics, 1996, 80, 3115-3117.	1.1	18
1100	Features of valence band structure of. Journal of Physics Condensed Matter, 1996, 8, 303-312.	0.7	7
1101	Characterization of ion irradiated a-carbon films. , 1996, , 999-1002.		0
1102	Preparation of Electroconductive and Transparent Thin Films of AgSbO <sub>3</sub> . Journal of the Ceramic Society of Japan, 1995, 103, 455-459.	1.3	13
1103	Electronic Transport Properties of Hole-Doped Sr <sub>1-x</sub> La <sub>1-x</sub> CrO <sub>4</sub> . Journal of the Ceramic Society of Japan, 1995, 103, 1112-1116.	1.3	0
1104	Photoemission studies on valence band structure of AgSbO <sub>3</sub> . Solid State Communications, 1995, 95, 399-403.	0.9	11
1105	Importance of Implantation Sequence in the Formation of Nanometer Size Colloid Particles Embedded in Amorphous SiO <sub>2</sub> : Formation of Composite Colloids with Cu Core and aCu <sub>2</sub> O Shell by Coimplantation of Cu and F. Physical Review Letters, 1995, 74, 110-113.	2.9	47
1106	Amorphous transparent electroconductor 2CdO·xGeO <sub>2</sub> : Conversion of amorphous insulating cadmium germanate by ion implantation. Applied Physics Letters, 1995, 67, 2663-2665.	1.5	42
1107	Modification of magnesium phosphate glass by H <sup>+</sup> irradiation: Formation of oh-bond and phosphorus-colloid. Radiation Effects and Defects in Solids, 1995, 136, 311-316.	0.4	3
1108	Novel Transparent and Electroconductive Amorphous Semiconductor: Amorphous AgSbO <sub>3</sub> Film. Japanese Journal of Applied Physics, 1995, 34, L281-L284.	0.8	30
1109	Absorption spectral changes with ultraviolet-illumination in GeO <sub>2</sub> -SiO <sub>2</sub> glass films prepared by sputtering deposition. Radiation Effects and Defects in Solids, 1995, 136, 133-136.	0.4	5
1110	Photochemical reactions in GeO <sub>2</sub> -SiO <sub>2</sub> glasses induced by ultraviolet irradiation: Comparison between Hg lamp and excimer laser. Physical Review B, 1995, 52, 1661-1665.	1.1	148
1111	Ultraviolet-radiation-induced chemical reactions through one-and two-photon absorption processes in GeO <sub>2</sub> -SiO <sub>2</sub> glasses. Optics Letters, 1995, 20, 1184.	1.7	75
1112	Second-harmonic generation from electrically poled SiO <sub>2</sub> glasses: effects of OH concentration, defects, and poling conditions. Journal of the Optical Society of America B: Optical Physics, 1995, 12, 644.	0.9	54
1113	Optical and electrical properties of proton-implanted amorphous SiO <sub>2</sub> , GeO <sub>2</sub> -SiO <sub>2</sub> , MgO-P <sub>2</sub> O <sub>5</sub> and nanocrystalline MgIn <sub>2</sub> O <sub>4</sub> : novel materials by proton implantation. Journal of Non-Crystalline Solids, 1995, 182, 109-118.	1.5	15
1114	Chemical interaction in ion-implanted amorphous SiO <sub>2</sub> and application to formation and modification of nanosize colloid particles. Journal of Non-Crystalline Solids, 1995, 187, 457-472.	1.5	51
1115	Porous glass-ceramics composed of a titanium phosphate crystal skeleton: A review. Journal of Non-Crystalline Solids, 1995, 190, 185-197.	1.5	58
1116	Formation and photobleaching of 5 eV bands in ion-implanted SiO <sub>2</sub> :Ge and SiO <sub>2</sub> glasses for photosensitive materials. Journal of Physics Condensed Matter, 1995, 7, L343-L350.	0.7	15

#	ARTICLE	IF	CITATIONS
1117	Preparation and electrical properties of Bi <sub>2</sub> S <sub>3</sub> whiskers. Journal of Applied Physics, 1995, 78, 1376-1378.	1.1	70
1118	Porous glass-ceramics cation exchangers: Cation exchange properties of porous glass-ceramics with skeleton of fast Li ion-conducting LiTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> crystal. Journal of Materials Research, 1994, 9, 755-761.	1.2	32
1119	New Oxide Phase $\text{Cd}_{2(1-x)}\text{Y}_x\text{Sb}_2\text{O}_7$ Pyrochlore with a Wide Band Gap and High Electrical Conductivity. Japanese Journal of Applied Physics, 1994, 33, L238-L240.	0.8	13
1120	Preparation of Cd <sub>1-x</sub> YxSb <sub>2</sub> O <sub>6</sub> thin film on glass substrate by radio frequency sputtering. Applied Physics Letters, 1994, 65, 406-408.	1.5	39
1121	Electrical and magnetic properties of hole-doped Sr <sub>1+x</sub> La <sub>1-x</sub> FeO <sub>4</sub> . Physical Review B, 1994, 49, 10194-10199.	1.1	28
1122	Electronic structure of hole-doped Sr <sub>1+x</sub> La <sub>1-x</sub> FeO <sub>4</sub> studied by UPS and XAS. Physical Review B, 1994, 49, 10200-10205.	1.1	9
1123	Novel approach for synthesizing Ge fine particles embedded in glass by ion implantation: Formation of Ge nanocrystal in SiO <sub>2</sub> -GeO <sub>2</sub> glasses by proton implantation. Applied Physics Letters, 1994, 65, 1632-1634.	1.5	26
1124	Generation of electron carriers in insulating thin film of MgIn <sub>2</sub> O <sub>4</sub> spinel by Li-implantation. Journal of Applied Physics, 1994, 76, 7935-7941.	1.1	90
1125	Ion-solid chemistry in implanted amorphous SiO <sub>2</sub> . Nuclear Instruments & Methods in Physics Research B, 1994, 91, 510-514.	0.6	38
1126	Silver ion selective porous lithium titanium phosphate glass-ceramics cation exchanger and its application to bacteriostatic materials. Materials Research Bulletin, 1994, 29, 1157-1162.	2.7	33
1127	Structural factor controlling nanosize copper formation in doped amorphous silica by ion implantation. Journal of Non-Crystalline Solids, 1994, 178, 160-165.	1.5	18
1128	Paramagnetic resonance of E <sub>g</sub> <sup>2-</sup> -type centers in Si-implanted amorphous SiO <sub>2</sub> . Si <sup>29</sup> hyperfine structure and characteristics of Zeeman resonances. Journal of Non-Crystalline Solids, 1994, 179, 39-50.	1.5	25
1129	Reaction kinetics of oxygen-deficient centers with diffusing oxygen molecules in silica glass. Journal of Non-Crystalline Solids, 1994, 179, 70-74.	1.5	13
1130	Characteristics of 5 eV absorption band in sputter deposited GeO <sub>2</sub> -SiO <sub>2</sub> thin glass films. Applied Physics Letters, 1994, 64, 282-284.	1.5	38
1131	Protonic Conduction in Phosphate Glasses. Journal of the Electrochemical Society, 1994, 141, L64-L65.	1.3	43
1132	Anomalous fringe pattern of Ag colloid in phosphate glasses by implantation. Nuclear Instruments & Methods in Physics Research B, 1993, 80-81, 1233-1236.	0.6	11
1133	Integrated microporous glass-ceramics with skeleton of LiTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> with three-dimensional network structure and of Ti(HPO <sub>4</sub> ) <sub>2</sub> ·2H <sub>2</sub> O with two-dimensional layered structure. Journal of Non-Crystalline Solids, 1993, 162, 287-293.	1.5	18
1134	Generation of E <sub>g</sub> <sup>TM</sup> centers and oxygen hole centers in synthetic silica glasses by <sup>60</sup> Co irradiation. Physical Review B, 1993, 48, 3116-3123.	1.1	76



#	ARTICLE	IF	CITATIONS
1135	Superconducting $\text{Bi}_2\text{Sr}_2\text{Ca}_1\text{Cu}_2\text{O}_{8+y}$ Glass-Ceramics with Different Melting Histories. Japanese Journal of Applied Physics, 1993, 32, 1082-1090.	0.8	10
1136	Generation of Active Oxygen Species on Reaction Between Ceramics in $\text{CaO-SiO}_2\text{-P}_2\text{O}_5$ System and Polymorphonuclear Cells. Phosphorus, Sulfur and Silicon and the Related Elements, 1993, 76, 243-246.	0.8	4
1137	Bioceramics Composed of Calcium Polyphosphate Fibers. Phosphorus, Sulfur and Silicon and the Related Elements, 1993, 76, 247-250.	0.8	7
1138	Simple Criterion on Colloid Formation in $\text{SiO}_2$ Glasses by Ion Implantation. Japanese Journal of Applied Physics, 1993, 32, 3892-3894.	0.8	80
1139	Structural defects and chemical interaction of implanted ions with substrate structure in amorphous $\text{SiO}_2$ . Physical Review B, 1993, 48, 13469-13473.	1.1	45
1140	Preferred concentration enhancement of photobleachable defects responsible for 5 eV optical absorption band in $\text{SiO}_2\text{:GeO}_2$ glass preform by heating in a $\text{H}_2$ atmosphere. Applied Physics Letters, 1993, 63, 479-481.	1.5	25
1141	Electrical conduction due to protons and alkali-metal ions in oxide glasses. Physical Review B, 1993, 48, 15621-15625.	1.1	40
1142	Colloid formation effects on depth profile of implanted Ag in $\text{SiO}_2$ glass. Applied Physics Letters, 1993, 63, 2050-2052.	1.5	72
1143	Cation Exchange Properties of $\text{LiTi}_2(\text{PO}_4)_3$ and Synthesis of Its Microporous Materials via Glass. Journal of the Electrochemical Society, 1993, 140, L7-L9.	1.3	26
1144	Discoloration of Alumina Ceramics with Ultraviolet Radiation and Elucidation of Its Mechanism. Journal of the Ceramic Society of Japan, 1993, 101, 1189-1191.	1.3	4
1145	Chemical reactions of Ge-related species in $\text{SiO}_2\text{:GeO}_2$ optical fibers. , 1993, 2044, 78.		6
1146	New method for fabrication of superconducting pipes in the $\text{Bi-Sr-Ca-Cu-O}$ system. Journal of Materials Research, 1993, 8, 1-4.	1.2	31
1147	Effect of $\text{Al}_2\text{O}_3$ additives on the formation of superconducting whiskers (2212 phase) in melt-quenched $\text{BiSrCaCu}_2\text{O}_x$ . Journal of Materials Research, 1992, 7, 1599-1601.	1.2	25
1148	Coalescence of nanosized copper colloid particles formed in Cu-implanted $\text{SiO}_2$ glass by implantation of fluorine ions: Formation of violet copper colloids. Applied Physics Letters, 1992, 60, 2613-2615.	1.5	62
1149	Superconducting ceramics of $\text{Bi}_2\text{Sr}_2\text{Ca}_1\text{Cu}_2\text{O}_x$ prepared by heating in a vacuum-sealed vessel. Applied Physics Letters, 1992, 60, 2300-2302.	1.5	2
1150	Evidence for pair generation of an $\text{E}^{\text{TM}}$ center and a nonbridging oxygen-hole center in $\text{I}^{13}\text{-ray}$ -irradiated fluorine-doped low-OH synthetic silica glasses. Physical Review B, 1992, 45, 10818-10821.	1.1	42
1151	Nature and origin of the 5-eV band in $\text{SiO}_2\text{:GeO}_2$ glasses. Physical Review B, 1992, 46, 11445-11451.	1.1	325
1152	Proton-magic-angle-spinning NMR and IR absorption spectra of strongly hydrogen-bonded hydroxyl groups in oxide glasses. Journal of Non-Crystalline Solids, 1992, 142, 103-107.	1.5	20

#	ARTICLE	IF	CITATIONS
1153	Formation of nanoscale phosphorus colloids in implanted SiO <sub>2</sub> glass. Journal of Non-Crystalline Solids, 1992, 142, 287-290.	1.5	41
1154	Cross-sectional TEM observation of copper-implanted SiO <sub>2</sub> glass. Journal of Non-Crystalline Solids, 1992, 143, 157-161.	1.5	74
1155	Porous glass-ceramics with skeleton of two-dimensional layered crystal Ti(HPO <sub>4</sub> ) <sub>2</sub> · 2H <sub>2</sub> O. Journal of Non-Crystalline Solids, 1992, 139, 86-89.	1.5	14
1156	Pore size control in porous glass-ceramics with skeleton of NASICON-type crystal CaTi <sub>4</sub> (PO <sub>4</sub> ) <sub>6</sub> . Journal of Non-Crystalline Solids, 1992, 139, 90-92.	1.5	22
1157	Large third-order optical nonlinearity of nanometer-sized amorphous semiconductor: Phosphorous colloids formed in SiO <sub>2</sub> glass by ion implantation. Applied Physics Letters, 1992, 61, 2747-2749.	1.5	40
1158	Formation of copper nanoscale particles in implanted silica glass. Journal of Materials Science Letters, 1992, 11, 1257-1259.	0.5	11
1159	Concentrations of Residual Carbonate Ions in the Bi-Sr-Ca-Cu-O Glasses. Journal of the American Ceramic Society, 1992, 75, 1658-1661.	1.9	3
1160	Porous Glass-Ceramics with a Skeleton of the Fast-Lithium-Conducting Crystal Li <sub>1+x</sub> Ti <sub>2-x</sub> Al <sub>x</sub> (PO <sub>4</sub> ) <sub>3</sub> . Journal of the American Ceramic Society, 1992, 75, 2862-2864.	1.9	31
1161	Structural defects and the state of implanted ions in silica glasses implanted with silicon and/or nitrogen ions. Nuclear Instruments & Methods in Physics Research B, 1992, 65, 375-379.	0.6	18
1162	Fast lithium conducting glass-ceramics in the Li <sub>2</sub> O-CaO-TiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> -P <sub>2</sub> O <sub>5</sub> system. Solid State Ionics, 1991, 44, 293-297.	1.3	39
1163	Effect of cooling rate of Bi <sub>2</sub> Sr <sub>2</sub> Ca <sub>1</sub> Cu <sub>2</sub> O <sub>x</sub> melt on the superconducting properties of the resultant polycrystalline ceramics. Physica C: Superconductivity and Its Applications, 1991, 185-189, 2389-2390.	0.6	4
1164	Application of a microporous glass-ceramics with a skeleton of CaTi <sub>4</sub> (PO <sub>4</sub> ) <sub>6</sub> to carriers for immobilization of enzymes. Journal of Bioscience and Bioengineering, 1991, 72, 384-391.	0.9	29
1165	Fourier transform infrared attenuated total reflection spectra of ion-implanted silica glasses. Journal of Applied Physics, 1991, 69, 8079-8082.	1.1	54
1166	Experimental evidence for the Si-Si bond model of the 7.6-eV band in SiO <sub>2</sub> glass. Physical Review B, 1991, 44, 12043-12045.	1.1	138
1167	Dependence of defects induced by excimer laser on intrinsic structural defects in synthetic silica glasses. Physical Review B, 1991, 44, 4812-4818.	1.1	94
1168	Effects of coimplantation of silicon and nitrogen on structural defects and Si-N bond formation in silica glass. Physical Review B, 1991, 43, 11966-11970.	1.1	25
1169	Evidence for Protonic Conduction in Alkali-Free Phosphate Glasses. Journal of the Electrochemical Society, 1991, 138, 2928-2930.	1.3	20
1170	Effects of Melting Temperature on the Properties of High-T <sub>c</sub> Superconducting Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>x</sub> Glass-Ceramics. , 1991, , 809-812.		1

#	ARTICLE	IF	CITATIONS
1171	Preparation of Monolithic Porous Titania-Silica Ceramics. Journal of the American Ceramic Society, 1990, 73, 2536-2538.	1.9	15
1172	Protonic conduction in PbO-SiO <sub>2</sub> glasses: a quantitative estimation. Journal of Materials Science Letters, 1990, 9, 1443-1444.	0.5	11
1173	Electron paramagnetic resonance spectroscopy of titanium-ion-implanted silica. Journal of Applied Physics, 1990, 67, 7526-7530.	1.1	43
1174	Porous NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> Glass Ceramics. Journal of the Electrochemical Society, 1990, 137, 3149-3151.	1.3	11
1175	Protonic Conduction and O-H Bonding State in Phosphate Glasses. Phosphorus, Sulfur and Silicon and the Related Elements, 1990, 51, 113-116.	0.8	5
1176	Electrical Properties of Silver Photodoped Amorphous Red Phosphorus. Phosphorus, Sulfur and Silicon and the Related Elements, 1990, 51, 157-160.	0.8	2
1177	Effect of composition on the rates of photodarkening and silver photodoping in amorphous P-Se films. Applied Physics Letters, 1990, 57, 1595-1596.	1.5	9
1178	Properties and mechanism of photochromism in reduced calcium aluminate glasses. Journal of Applied Physics, 1990, 67, 2840-2847.	1.1	52
1179	Formation of oxygen-deficient type structural defects and state of ions in SiO <sub>2</sub> glasses implanted with transition metal ions. Journal of Non-Crystalline Solids, 1990, 120, 250-255.	1.5	49
1180	Properties and mechanism of solarization in As-doped soda-lime-silica glasses with ultraviolet radiation. Journal of Non-Crystalline Solids, 1990, 125, 98-106.	1.5	6
1181	Bleaching of peroxy radical in SiO <sub>2</sub> glass with 5 eV light. Journal of Non-Crystalline Solids, 1990, 116, 289-292.	1.5	55
1182	Magnetic measurements of superconducting glass-ceramic fine rods in Bi <sub>1</sub> Ca <sub>1</sub> Sr <sub>1</sub> Cu <sub>2</sub> Al <sub>0.5</sub> O <sub>x</sub> prepared under a temperature gradient. Applied Physics Letters, 1989, 55, 1578-1580.	1.5	13
1183	Structural defects in chromium-ion-implanted vitreous silica. Physical Review B, 1989, 40, 10543-10549.	1.1	63
1184	Superconducting Glass-Ceramic Fine Rods in Bi <sub>1</sub> Ca <sub>1</sub> Sr <sub>1</sub> Cu <sub>2</sub> Al <sub>0.5</sub> O <sub>x</sub> Prepared under a Temperature Gradient -T <sub>c</sub> and the Texture of Specimen -. Japanese Journal of Applied Physics, 1989, 28, L1929-L1931.	0.8	22
1185	Temperature Dependence of Infrared Absorption Spectra of Hydroxyl Groups in Soda Germanate Glasses. Journal of the American Ceramic Society, 1989, 72, 44-48.	1.9	16
1186	Electrical Conduction in Magnesium Phosphate Glasses Containing Heavy Water. Journal of the American Ceramic Society, 1989, 72, 294-297.	1.9	29
1187	Porous Glass-Ceramic in the CaO-TiO <sub>2</sub> -P <sub>2</sub> O <sub>5</sub> System. Journal of the American Ceramic Society, 1989, 72, 1587-1590.	1.9	62
1188	Photobleaching in Amorphous Red Phosphorus. Journal of the Ceramic Society of Japan, 1989, 97, 346-350.	1.3	1

#	ARTICLE	IF	CITATIONS
1189	DTA Studies for Thermochromism and Thermal Bleaching in Reduced Phosphate Glasses. Journal of the Ceramic Society of Japan, 1989, 97, 823-827.	1.3	1
1190	Photobleaching Mechanism in Amorphous Red Phosphorus. Journal of the Ceramic Society of Japan, 1989, 97, 351-354.	1.3	2
1191	Photochromism of reduced calcium aluminate glasses. Materials Research Bulletin, 1988, 23, 171-176.	2.7	8
1192	Two-photon processes in defect formation by excimer lasers in synthetic silica glass. Applied Physics Letters, 1988, 53, 1891-1893.	1.5	167
1193	Two types of oxygen-deficient centers in synthetic silica glass. Physical Review B, 1988, 38, 12772-12775.	1.1	263
1194	Superconducting glass-ceramic rods in BiCaSrCu <sub>2</sub> O <sub>x</sub> prepared by crystallization under a temperature gradient. Applied Physics Letters, 1988, 53, 1341-1342.	1.5	72
1195	Protonic conduction in oxide glasses: simple relations between electrical conductivity, activation energy, and the o-h bonding state. Physical Review B, 1988, 38, 10166-10169.	1.1	107
1196	Occurrence of superoxide radical ion in crystalline calcium aluminate 12CaO.7Al <sub>2</sub> O <sub>3</sub> prepared via solid-state reactions. Inorganic Chemistry, 1987, 26, 1192-1195.	1.9	164
1197	Nature of doping into pure silica glass by plasma torch CVD. Journal of Non-Crystalline Solids, 1987, 95-96, 609-616.	1.5	29
1198	Photosensitivity and structural defects in dopant-free ultraviolet-sensitive calcium aluminate glasses. Journal of Non-Crystalline Solids, 1987, 95-96, 717-724.	1.5	17
1199	Development of Calcium Phosphate Glass-Ceramics for Surgical and Dental Use. Phosphorous and Sulfur and the Related Elements, 1987, 30, 337-340.	0.2	7
1200	Effect of crystallization temperature and additives on the orientation degree of calcium phosphate glass-ceramics prepared by unidirectional crystallization. Journal of Materials Science Letters, 1987, 6, 394-396.	0.5	4
1201	Comparison of calcium phosphate glass ceramics with apatite ceramics implanted in bone. An interface study. II. Biomaterials, 1987, 8, 234-236.	5.7	33
1202	Photosensitive Characteristics of Dopant-Free, Ultraviolet-Sensitive Calcium Aluminate Glasses. Journal of the American Ceramic Society, 1987, 70, 867-870.	1.9	31
1203	Photosensitive Mechanism of Dopant-Free, Ultraviolet-Sensitive Calcium Aluminate Glasses. Journal of the American Ceramic Society, 1987, 70, 870-873.	1.9	14
1204	An Oxygen-Effervescent Aluminate Glass. Journal of the American Ceramic Society, 1987, 70, C-38-C-39.	1.9	11
1205	Paramagnetic Centers Localized on a Phosphorus Ion in Gamma-Irradiated Metaphosphate Glasses. Journal of the Ceramic Association Japan, 1985, 93, 217-224.	0.2	7
1206	Preferred molecular orientation at crystal growth front in Ca(PO <sub>3</sub> ) <sub>2</sub> glass. Journal of Materials Science Letters, 1985, 4, 244-246.	0.5	7

#	ARTICLE	IF	CITATIONS
1207	Reversible Optical Change of Amorphous Red Phosphorus in Reduced Phosphate Glasses. Journal of the American Ceramic Society, 1985, 68, 7-9.	1.9	36
1208	Dopant-Free Ultraviolet-Sensitive Calcium Aluminate Glasses. Journal of the American Ceramic Society, 1985, 68, C-304-C-305.	1.9	16
1209	ESR study of radiation induced paramagnetic defect centers localized on a phosphorus in binary phosphate glasses. Journal of Non-Crystalline Solids, 1985, 71, 261-267.	1.5	30
1210	Different calcium phosphate bioglass ceramics implanted in rabbit cortical bone. An interface study. Biomaterials, 1984, 5, 362-364.	5.7	31
1211	Solarization mechanism of glass containing Ce <sup>3+</sup> and As <sup>5+</sup> . Journal of Non-Crystalline Solids, 1984, 63, 357-363.	1.5	21
1212	ESR Lineshape of Cu <sup>2+</sup> and <sup>113</sup> In-Induced Cd <sup>2+</sup> in Soda Borate Glasses. Journal of the Ceramic Association Japan, 1984, 92, 350-359.	0.2	5
1213	Photochemical Reaction in a Reduced Soda-Lime-Silica Glass Containing Ce <sup>3+</sup> and As <sup>3</sup> . Journal of the American Ceramic Society, 1983, 66, c192-c193.	1.9	9
1214	Effect of quenching rate and annealing on ESR of Cu <sup>2+</sup> and <sup>113</sup> In-induced Cd <sup>2+</sup> in low alkali borate glasses. Journal of Non-Crystalline Solids, 1983, 55, 3-14.	1.5	5
1215	Solution of the spin Hamiltonian with orthorhombic hf and g tensors (l = S = 1/2). I. Theory. Journal of Chemical Physics, 1982, 76, 3422-3428.	1.2	14
1216	Coordination of Pb <sup>2+</sup> in oxide glasses determined by ESR and properties of binary lead glasses.. Journal of the Ceramic Association Japan, 1982, 90, 544-551.	0.2	19
1217	Solution of the spin Hamiltonian with orthorhombic hf and g tensors (l = S = 1/2). II. Application to PO <sub>4</sub> <sup>3-</sup> and Tl <sup>2+</sup> centers in anisotropic matrices. Journal of Chemical Physics, 1982, 76, 3429-3432.	1.2	18
1218	Elucidation of the stereochemistry of Tl <sup>+</sup> in oxide glasses by electron spin resonance spectroscopy. Journal of Non-Crystalline Solids, 1982, 51, 217-240.	1.5	32
1219	Photon-induced ESR centers associated with p-block elements in oxide glasses. Journal of Non-Crystalline Solids, 1982, 52, 129-133.	1.5	1
1220	ESR detection of pressure-induced structural change around Pb <sup>2+</sup> and Cd <sup>2+</sup> in soda borate glasses. Solid State Communications, 1982, 43, 769-771.	0.9	6
1221	Effect of randomness on the ESR hyperfine structure of Cd <sup>2+</sup> . Journal of Non-Crystalline Solids, 1981, 44, 149-155.	1.5	14
1222	ESR of Cu <sup>2+</sup> and Tl <sup>2+</sup> in thallium borate glasses. Journal of Materials Science, 1981, 16, 57-64.	1.7	10
1223	ESR of vanadyl ions in phosphate glasses. Journal of Non-Crystalline Solids, 1980, 37, 427-432.	1.5	50
1224	Structural distribution and rigidity of the glass network determined by EPR of Cu <sup>2+</sup> . Journal of Non-Crystalline Solids, 1980, 40, 291-303.	1.5	25

#	ARTICLE	IF	CITATIONS
1225	EPR spectra of lead(3+) and silver(0) in glass. The Journal of Physical Chemistry, 1980, 84, 2316-2319.	2.9	29
1226	ESR and optical absorption of cupric ion in borate glasses. Journal of Non-Crystalline Solids, 1979, 34, 339-356.	1.5	51
1227	ESR and optical absorption of Cu <sup>2+</sup> in Na <sub>2</sub> O–SiO <sub>2</sub> glasses. Journal of Non-Crystalline Solids, 1979, 33, 103-115.	1.5	79
1228	Behavior of VO <sub>2</sub> <sup>+</sup> as a spectroscopic probe for characterization of glasses. Journal of Non-Crystalline Solids, 1979, 33, 125-129.	1.5	53
1229	ESR-detection of immiscibility in K <sub>2</sub> O–BaO–B <sub>2</sub> O <sub>3</sub> glasses.. Journal of the Ceramic Association Japan, 1979, 87, 237-241.	0.2	5
1230	Characterization of Oxide Glasses by Magnetic Resonance and Optical Absorption of Metallic Probe Ions. Journal of the Ceramic Association Japan, 1979, 87, 7-18.	0.2	1
1231	Electronic structure and properties of oxide glasses (I) –Electron distribution on alkali borate glass networks. Journal of Non-Crystalline Solids, 1978, 29, 159-171.	1.5	34
1232	Electronic structure and properties of oxide glasses (II) Basicity measured by copper(II) ion probe in Na <sub>2</sub> O–P <sub>2</sub> O <sub>5</sub> , K <sub>2</sub> O–B <sub>2</sub> O <sub>3</sub> and K <sub>2</sub> SO <sub>4</sub> –ZnSO <sub>4</sub> glasses. Journal of Non-Crystalline Solids, 1978, 29, 173-186.	1.5	49
1233	The Formation of Trapped Electrons upon the Thermal Dehydrationcondensation of Hydrated Hydrogenorthophosphates. Bulletin of the Chemical Society of Japan, 1978, 51, 2882-2885.	2.0	7
1234	Optical absorption of Ni(II) -complex in Na <sub>2</sub> O–K <sub>2</sub> O–SiO <sub>2</sub> glasses and change in the coordination of the complex upon annealing.. Journal of the Ceramic Association Japan, 1978, 86, 567-569.	0.2	6
1235	Structural Transformation of Ca-Arrangements and Carrier Transport Properties in Ca <sub>0.33</sub> Co <sub>2</sub> Epitaxial Films. Applied Physics Express, 0, 2, 035503.	1.1	17
1236	Ca-Doping and Thermoelectric Properties of Ca <sub>x</sub> CoO <sub>2</sub> Epitaxial Films. Ceramic Engineering and Science Proceedings, 0, , 93-105.	0.1	0
1237	Hypercoordinate two-dimensional transition-metal borides for spintronics and catalyst applications. Journal of Materials Chemistry C, 0, , .	2.7	18
1238	Present status of amorphous In–Ga–Zn–O thin-film transistors. , 0, .		1
1239	Electrical Conduction in Curved Hexagonal Borophane. SSRN Electronic Journal, 0, , .	0.4	0
1240	Electronic Structures of Group III–V Element Haeckelite Compounds: A Novel Family of Semiconductors, Dirac Semimetals, and Topological Insulators. Advanced Functional Materials, 0, , 2110930.	7.8	3