Bruce W Patterson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2041153/publications.pdf

Version: 2024-02-01

76 papers

7,368 citations

36 h-index 93651 72 g-index

77 all docs

77 docs citations

times ranked

77

11048 citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Insulin sensitivity and kinetics in African American and White people with obesity: Insights from different study protocols. Obesity, 2022, 30, 655-665. | 1.5 | 4 |
| 2 | Importance of CSF-based $\hat{Al^2}$ clearance with age in humans increases with declining efficacy of blood-brain barrier/proteolytic pathways. Communications Biology, 2022, 5, 98. | 2.0 | 22 |
| 3 | \hat{l}^2 Cell function and plasma insulin clearance in people with obesity and different glycemic status. Journal of Clinical Investigation, 2022, 132, . | 3.9 | 27 |
| 4 | Increased plasma fatty acid clearance, not fatty acid concentration, is associated with muscle insulin resistance in people with obesity. Metabolism: Clinical and Experimental, 2022, 132, 155216. | 1.5 | 7 |
| 5 | Nicotinamide mononucleotide increases muscle insulin sensitivity in prediabetic women. Science, 2021, 372, 1224-1229. | 6.0 | 192 |
| 6 | The association between body composition, leptin levels and glucose dysregulation in youth with cystic fibrosis. Journal of Cystic Fibrosis, 2021, 20, 796-802. | 0.3 | 9 |
| 7 | A Single Bout of Premeal Resistance Exercise Improves Postprandial Glucose Metabolism in Obese Men with Prediabetes. Medicine and Science in Sports and Exercise, 2021, 53, 694-703. | 0.2 | 9 |
| 8 | A single bout of resistance exercise improves postprandial lipid metabolism in overweight/obese men with prediabetes. Diabetologia, 2020, 63, 611-623. | 2.9 | 16 |
| 9 | Mindfulness, Education, and Exercise for age-related cognitive decline: Study protocol, pilot study results, and description of the baseline sample. Clinical Trials, 2020, 17, 581-594. | 0.7 | 13 |
| 10 | Postprandial Chylomicron Output and Transport Through Intestinal Lymphatics Are Not Impaired in Active Crohn's Disease. Gastroenterology, 2020, 159, 1955-1957.e2. | 0.6 | 4 |
| 11 | Effects of Diet versus Gastric Bypass on Metabolic Function in Diabetes. New England Journal of Medicine, 2020, 383, 721-732. | 13.9 | 164 |
| 12 | Arginine kinetics are altered in a pilot sample of adolescents and young adults with Barth syndrome. Molecular Genetics and Metabolism Reports, 2020, 25, 100675. | 0.4 | 2 |
| 13 | Tau kinetics in Alzheimer disease and primary tauopathies. Alzheimer's and Dementia, 2020, 16, e039109. | 0.4 | 0 |
| 14 | Obesity Is Associated With Increased Basal and Postprandial \hat{I}^2 -Cell Insulin Secretion Even in the Absence of Insulin Resistance. Diabetes, 2020, 69, 2112-2119. | 0.3 | 63 |
| 15 | Insulin resistance drives hepatic de novo lipogenesis in nonalcoholic fatty liver disease. Journal of Clinical Investigation, 2020, 130, 1453-1460. | 3.9 | 362 |
| 16 | Influence of adiposity, insulin resistance, and intrahepatic triglyceride content on insulin kinetics. Journal of Clinical Investigation, 2020, 130, 3305-3314. | 3.9 | 45 |
| 17 | Decreased adipose tissue oxygenation associates with insulin resistance in individuals with obesity. Journal of Clinical Investigation, 2020, 130, 6688-6699. | 3.9 | 64 |
| 18 | Biliopancreatic Diversion Induces Greater Metabolic Improvement Than Roux-en-Y Gastric Bypass. Cell Metabolism, 2019, 30, 855-864.e3. | 7.2 | 29 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | SILK studies â€" capturing the turnover of proteins linked to neurodegenerative diseases. Nature Reviews Neurology, 2019, 15, 419-427. | 4.9 | 37 |
| 20 | Stable Isotope Labeling Kinetics in CNS Translational Medicine: Introduction to SILK Technology. Handbook of Behavioral Neuroscience, 2019, 29, 173-190. | 0.7 | 0 |
| 21 | Adipose Tissue <i>CTGF</i> Expression is Associated with Adiposity and Insulin Resistance in Humans. Obesity, 2019, 27, 957-962. | 1.5 | 19 |
| 22 | Brief communication: \hat{l}^2 -cell function influences dopamine receptor availability. PLoS ONE, 2019, 14, e0212738. | 1.1 | 5 |
| 23 | Blunted fat oxidation upon submaximal exercise is partially compensated by enhanced glucose metabolism in children, adolescents, and young adults with Barth syndrome. Journal of Inherited Metabolic Disease, 2019, 42, 480-493. | 1.7 | 24 |
| 24 | Personalized nutrition: pretreatment glucose metabolism determines individual long-term weight loss responsiveness in individuals with obesity on low-carbohydrate versus low-fat diet. International Journal of Obesity, 2019, 43, 2037-2044. | 1.6 | 15 |
| 25 | Effect of alcohol ingestion on plasma glucose kinetics after Roux-en-Y gastric bypass surgery. Surgery for Obesity and Related Diseases, 2019, 15, 36-42. | 1.0 | 3 |
| 26 | Effect of Progressive Weight Loss on Lactate Metabolism: A Randomized Controlled Trial. Obesity, 2018, 26, 683-688. | 1.5 | 19 |
| 27 | Diabetes adversely affects phospholipid profiles in human carotid artery endarterectomy plaques. Journal of Lipid Research, 2018, 59, 730-738. | 2.0 | 13 |
| 28 | Diurnal Variation in PDK4 Expression Is Associated With Plasma Free Fatty Acid Availability in People. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1068-1076. | 1.8 | 13 |
| 29 | Tau Kinetics in Neurons and the Human Central Nervous System. Neuron, 2018, 97, 1284-1298.e7. | 3.8 | 381 |
| 30 | Effect of sleep on overnight cerebrospinal fluid amyloid \hat{l}^2 kinetics. Annals of Neurology, 2018, 83, 197-204. | 2.8 | 229 |
| 31 | P1â€027: KINETIC BEHAVIOR OF NEWLY GENERATED BACE1 LEAVED APP IN THE HUMAN CENTRAL NERVOUS SYSTEM IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P276. | 0.4 | O |
| 32 | O3â€01â€03: TAU KINETICS IN NEURONS AND IN THE HUMAN CNS. Alzheimer's and Dementia, 2018, 14, P1008. | 0.4 | 0 |
| 33 | Amyloid-β Plaques in Clinical Alzheimer's Disease Brain Incorporate Stable Isotope Tracer In Vivo and Exhibit Nanoscale Heterogeneity. Frontiers in Neurology, 2018, 9, 169. | 1.1 | 24 |
| 34 | HIV infection does not prevent the metabolic benefits of dietâ€induced weight loss in women with obesity, 2017, 25, 682-688. | 1.5 | 14 |
| 35 | Alterations in 3-Hydroxyisobutyrate and FGF21 Metabolism Are Associated With Protein Ingestion–Induced Insulin Resistance. Diabetes, 2017, 66, 1871-1878. | 0.3 | 43 |
| 36 | Effects of Dietary Fructose Restriction on Liver Fat, De Novo Lipogenesis, and Insulin Kinetics in Children With Obesity. Gastroenterology, 2017, 153, 743-752. | 0.6 | 189 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Associations Between \hat{l}^2 -Amyloid Kinetics and the \hat{l}^2 -Amyloid Diurnal Pattern in the Central Nervous System. JAMA Neurology, 2017, 74, 207. | 4.5 | 47 |
| 38 | Caloric Restrictionâ€Induced Decreases in Dopamine Receptor Availability are Associated with Leptin Concentration. Obesity, 2017, 25, 1910-1915. | 1.5 | 11 |
| 39 | Roux-en-Y Gastric Bypass Surgery Has Unique Effects on Postprandial FGF21 but Not FGF19 Secretion. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 3858-3864. | 1.8 | 23 |
| 40 | Amyloid \hat{l}^2 concentrations and stable isotope labeling kinetics of human plasma specific to central nervous system amyloidosis. Alzheimer's and Dementia, 2017, 13, 841-849. | 0.4 | 423 |
| 41 | VLDL Triglyceride Kinetics in Lean, Overweight, and Obese Men and Women. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4151-4160. | 1.8 | 72 |
| 42 | High-Protein Intake during Weight Loss Therapy Eliminates the Weight-Loss-Induced Improvement in Insulin Action in Obese Postmenopausal Women. Cell Reports, 2016, 17, 849-861. | 2.9 | 77 |
| 43 | Metabolic responses to xenin-25 are altered in humans with Roux-en-Y gastric bypass surgery. Peptides, 2016, 82, 76-84. | 1.2 | 12 |
| 44 | Effects of Moderate and Subsequent Progressive Weight Loss on Metabolic Function and Adipose Tissue Biology in Humans with Obesity. Cell Metabolism, 2016, 23, 591-601. | 7.2 | 592 |
| 45 | Effect of Roux-en-Y gastric bypass and laparoscopic adjustable gastric banding on gastrointestinal metabolism of ingested glucose. American Journal of Clinical Nutrition, 2016, 103, 61-65. | 2.2 | 24 |
| 46 | Physiological Mechanisms of Weight Gainâ^'Induced Steatosis in People With Obesity. Gastroenterology, 2016, 150, 79-81.e2. | 0.6 | 43 |
| 47 | Effect of hyperinsulinaemia–hyperaminoacidaemia on leg muscle protein synthesis and breakdown: reassessment of the twoâ€pool arterioâ€venous balance model. Journal of Physiology, 2015, 593, 4245-4257. | 1.3 | 9 |
| 48 | Metabolically normal obese people are protected from adverse effects following weight gain. Journal of Clinical Investigation, 2015, 125, 787-795. | 3.9 | 132 |
| 49 | Age and amyloid effects on human central nervous system amyloidâ€beta kinetics. Annals of Neurology, 2015, 78, 439-453. | 2.8 | 148 |
| 50 | Effect of Duodenal–Jejunal Bypass Surgery on Glycemic Control in Type 2 Diabetes: A Randomized Controlled Trial. Obesity, 2015, 23, 1973-1979. | 1.5 | 26 |
| 51 | DT-02-04: Tau kinetics in the human cns. , 2015, 11, P334-P335. | | 0 |
| 52 | Analysis of a compartmental model of amyloid beta production, irreversible loss and exchange in humans. Mathematical Biosciences, 2015, 261, 48-61. | 0.9 | 15 |
| 53 | Calorie Restriction and Matched Weight Loss From Exercise: Independent and Additive Effects on Glucoregulation and the Incretin System in Overweight Women and Men. Diabetes Care, 2015, 38, 1253-1262. | 4.3 | 45 |
| 54 | In vivo kinetic approach reveals slow SOD1 turnover in the CNS. Journal of Clinical Investigation, 2015, 125, 2772-2780. | 3.9 | 46 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Glucagon-Like Peptide-2 Regulates Release of Chylomicrons From the Intestine. Gastroenterology, 2014, 147, 1275-1284.e4. | 0.6 | 73 |
| 56 | Sitagliptin, a DPP-4 Inhibitor, Acutely Inhibits Intestinal Lipoprotein Particle Secretion in Healthy Humans. Diabetes, 2014, 63, 2394-2401. | 0.3 | 59 |
| 57 | CNS Amyloid-Â, Soluble APP-Â and -Â Kinetics during BACE Inhibition. Journal of Neuroscience, 2014, 34, 8336-8346. | 1.7 | 33 |
| 58 | Increased in Vivo Amyloid- \hat{l}^2 42 Production, Exchange, and Loss in Presenilin Mutation Carriers. Science Translational Medicine, 2013, 5, 189ra77. | 5.8 | 196 |
| 59 | Role of Fat Body Lipogenesis in Protection against the Effects of Caloric Overload in Drosophila. Journal of Biological Chemistry, 2013, 288, 8028-8042. | 1.6 | 104 |
| 60 | Relationship between Adipose Tissue Lipolytic Activity and Skeletal Muscle Insulin Resistance in Nondiabetic Women. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E1219-E1223. | 1.8 | 31 |
| 61 | Multiorgan Insulin Sensitivity in Lean and Obese Subjects. Diabetes Care, 2012, 35, 1316-1321. | 4.3 | 80 |
| 62 | Validation of a novel index to assess insulin resistance of adipose tissue lipolytic activity in obese subjects. Journal of Lipid Research, 2012, 53, 321-324. | 2.0 | 34 |
| 63 | In Vivo Human Apolipoprotein E Isoform Fractional Turnover Rates in the CNS. PLoS ONE, 2012, 7, e38013. | 1.1 | 43 |
| 64 | Reply to: Fractional synthesis and clearance rates for amyloid \hat{l}^2 . Nature Medicine, 2011, 17, 1179-1180. | 15.2 | 3 |
| 65 | Increased Wholeâ€Body Adiposity Without a Concomitant Increase in Liver Fat is Not Associated With Augmented Metabolic Dysfunction. Obesity, 2010, 18, 1510-1515. | 1.5 | 78 |
| 66 | Intrahepatic fat, not visceral fat, is linked with metabolic complications of obesity. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 15430-15435. | 3.3 | 853 |
| 67 | Dietary Fat and Carbohydrates Differentially Alter Insulin Sensitivity During Caloric Restriction. Gastroenterology, 2009, 136, 1552-1560. | 0.6 | 382 |
| 68 | Alterations in Adipose Tissue and Hepatic Lipid Kinetics in Obese Men and Women With Nonalcoholic Fatty Liver Disease. Gastroenterology, 2008, 134, 424-431. | 0.6 | 484 |
| 69 | Women Produce Fewer but Triglyceride-Richer Very Low-Density Lipoproteins than Men. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 1311-1318. | 1.8 | 103 |
| 70 | Absence of an Effect of Liposuction on Insulin Action and Risk Factors for Coronary Heart Disease. New England Journal of Medicine, 2004, 350, 2549-2557. | 13.9 | 680 |
| 71 | Regional muscle and adipose tissue amino acid metabolism in lean and obese women. American Journal of Physiology - Endocrinology and Metabolism, 2002, 282, E931-E936. | 1.8 | 61 |
| 72 | Methods for measuring lipid metabolism in vivo. Current Opinion in Clinical Nutrition and Metabolic Care, 2002, 5, 475-479. | 1.3 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Use of stable isotopically labeled tracers to measure very low density lipoprotein-triglyceride turnover. Journal of Lipid Research, 2002, 43, 223-33. | 2.0 | 92 |
| 74 | Orlistat Inhibits Dietary Cholesterol Absorption. Obesity, 2001, 9, 599-604. | 4.0 | 93 |
| 75 | Use of stable isotope labeling technique and mass isotopomer distribution analysis of [13C]palmitate isolated from surfactant disaturated phospholipids to study surfactantin vivo kinetics in a premature infant. Journal of Mass Spectrometry, 2000, 35, 734-738. | 0.7 | 12 |
| 76 | Decreased Production Rates of VLDL Triglycerides and ApoB-100 in Subjects Heterozygous for Familial Hypobetalipoproteinemia. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 2714-2721. | 1.1 | 60 |