

# Bruce H Wolffenbittel

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2041973/bruce-h-wolffenbittel-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

206  
papers

13,665  
citations

54  
h-index

113  
g-index

219  
ext. papers

16,348  
ext. citations

7.8  
avg, IF

5.58  
L-index

#	Paper	IF	Citations
206	Macro-B masking B deficiency.. <i>BMJ Case Reports</i> , <b>2022</b> , 15,	0.9	0
205	How low is really low? Comparison of two C-peptide assays to establish residual C-peptide production in type 1 diabetes.. <i>Diabetic Medicine</i> , <b>2022</b> , e14785	3.5	0
204	Genomic analysis of diet composition finds novel loci and associations with health and lifestyle. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 2056-2069	15.1	25
203	Association Between Peripheral Blood Cell Count Abnormalities and Health-Related Quality of Life in the General Population. <i>HemaSphere</i> , <b>2021</b> , 5, e503	0.3	2
202	Temporal exposure and consistency of endocrine disrupting chemicals in a longitudinal study of individuals with impaired fasting glucose. <i>Environmental Research</i> , <b>2021</b> , 197, 110901	7.9	1
201	Endocrine disrupting chemicals during diet-induced weight loss - A post-hoc analysis of the LOWER study. <i>Environmental Research</i> , <b>2021</b> , 192, 110262	7.9	5
200	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. <i>Nature Communications</i> , <b>2021</b> , 12, 24	17.4	30
199	Data-driven assessment, contextualisation and implementation of 134 variables in the risk for type 2 diabetes: an analysis of Lifelines, a prospective cohort study in the Netherlands. <i>Diabetologia</i> , <b>2021</b> , 64, 1268-1278	10.3	2
198	Genetic insights into biological mechanisms governing human ovarian ageing. <i>Nature</i> , <b>2021</b> , 596, 393-397	30.4	28
197	Preventive use of nitisinone in alkaptonuria. <i>Orphanet Journal of Rare Diseases</i> , <b>2021</b> , 16, 343	4.2	2
196	The anemia-independent impact of myelodysplastic syndromes on health-related quality of life. <i>Annals of Hematology</i> , <b>2021</b> , 100, 2921-2932	3	0
195	Skin autofluorescence predicts new cardiovascular disease and mortality in people with type 2 diabetes. <i>BMC Endocrine Disorders</i> , <b>2021</b> , 21, 14	3.3	5
194	Epigenome-wide association study of serum urate reveals insights into urate co-regulation and the SLC2A9 locus. <i>Nature Communications</i> , <b>2021</b> , 12, 7173	17.4	1
193	Meta-analyses identify DNA methylation associated with kidney function and damage. <i>Nature Communications</i> , <b>2021</b> , 12, 7174	17.4	0
192	Identification, Heritability, and Relation With Gene Expression of Novel DNA Methylation Loci for Blood Pressure. <i>Hypertension</i> , <b>2020</b> , 76, 195-205	8.5	12
191	Exposure to Endocrine Disrupting Chemicals in the Dutch general population is associated with adiposity-related traits. <i>Scientific Reports</i> , <b>2020</b> , 10, 9311	4.9	11
190	Impact of a Forced Dose-Equivalent Levothyroxine Brand Switch on Plasma Thyrotropin: A Cohort Study. <i>Thyroid</i> , <b>2020</b> , 30, 821-828	6.2	8

189	The effects of bariatric surgery on clinical profile, DNA methylation, and ageing in severely obese patients. <i>Clinical Epigenetics</i> , <b>2020</b> , 12, 14	7.7	7
188	Epidemiology of thyroid disorders in the Lifelines Cohort Study (the Netherlands). <i>PLoS ONE</i> , <b>2020</b> , 15, e0242795	3.7	7
187	Relationship between serum B12 concentrations and mortality: experience in NHANES. <i>BMC Medicine</i> , <b>2020</b> , 18, 307	11.4	11
186	Sex differences in cardiometabolic risk factors, pharmacological treatment and risk factor control in type 2 diabetes: findings from the Dutch Diabetes Pearl cohort. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	6
185	Genotypic diversity and phenotypic spectrum of infantile liver failure syndrome type 1 due to variants in LARS1. <i>Genetics in Medicine</i> , <b>2020</b> , 22, 1863-1873	8.1	9
184	High prevalence of impaired awareness of hypoglycemia and severe hypoglycemia among people with insulin-treated type 2 diabetes: The Dutch Diabetes Pearl Cohort. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	17
183	Epidemiology of thyroid disorders in the Lifelines Cohort Study (the Netherlands) <b>2020</b> , 15, e0242795		
182	Epidemiology of thyroid disorders in the Lifelines Cohort Study (the Netherlands) <b>2020</b> , 15, e0242795		
181	Epidemiology of thyroid disorders in the Lifelines Cohort Study (the Netherlands) <b>2020</b> , 15, e0242795		
180	Epidemiology of thyroid disorders in the Lifelines Cohort Study (the Netherlands) <b>2020</b> , 15, e0242795		
179	Epidemiology of thyroid disorders in the Lifelines Cohort Study (the Netherlands) <b>2020</b> , 15, e0242795		
178	Epidemiology of thyroid disorders in the Lifelines Cohort Study (the Netherlands) <b>2020</b> , 15, e0242795		
177	The Many Faces of Cobalamin (Vitamin B) Deficiency. <i>Mayo Clinic Proceedings Innovations, Quality &amp; Outcomes</i> , <b>2019</b> , 3, 200-214	3.1	64
176	Development and Interlaboratory Validation of Two Fast UPLC-MS-MS Methods Determining Urinary Bisphenols, Parabens and Phthalates. <i>Journal of Analytical Toxicology</i> , <b>2019</b> , 43, 452-464	2.9	11
175	Prevalence of hypoglycaemia in a random population after Roux-en-Y gastric bypass after a meal test. <i>Endocrine Connections</i> , <b>2019</b> , 8, 969-978	3.5	13
174	Postoperative use of somatostatin analogs and mortality in patients with acromegaly. <i>European Journal of Endocrinology</i> , <b>2019</b> , 180, 1-9	6.5	5
173	Once-weekly semaglutide for patients with type 2 diabetes: a cost-effectiveness analysis in the Netherlands. <i>BMJ Open Diabetes Research and Care</i> , <b>2019</b> , 7, e000705	4.5	7
172	Active smoking and macrocytosis in the general population: Two population-based cohort studies. <i>American Journal of Hematology</i> , <b>2019</b> , 94, E45-E48	7.1	3

171	Skin autofluorescence predicts incident type 2 diabetes, cardiovascular disease and mortality in the general population. <i>Diabetologia</i> , <b>2019</b> , 62, 269-280	10.3	50
170	Blood Eosinophil Count and Metabolic, Cardiac and Pulmonary Outcomes: A Mendelian Randomization Study. <i>Twin Research and Human Genetics</i> , <b>2018</b> , 21, 89-100	2.2	6
169	Metformin use during pregnancy: Is it really safe?. <i>Journal of Diabetes</i> , <b>2018</b> , 10, 984-985	3.8	1
168	Dietary patterns and physical activity in the metabolically (un)healthy obese: the Dutch Lifelines cohort study. <i>Nutrition Journal</i> , <b>2018</b> , 17, 18	4.3	28
167	Medicalising pregnancy with new diagnostic criteria for gestational diabetes mellitus: do we need more evidence? Reply to Venkataraman H and Saravanan P [letter]. <i>Diabetologia</i> , <b>2018</b> , 61, 1889-1891	10.3	1
166	DNA methylation markers associated with type 2 diabetes, fasting glucose and HbA levels: a systematic review and replication in a case-control sample of the Lifelines study. <i>Diabetologia</i> , <b>2018</b> , 61, 354-368	10.3	64
165	New diagnostic criteria for gestational diabetes mellitus and their impact on the number of diagnoses and pregnancy outcomes. <i>Diabetologia</i> , <b>2018</b> , 61, 800-809	10.3	28
164	Eye movement disorders and neurological symptoms in late-onset inborn errors of metabolism. <i>Movement Disorders</i> , <b>2018</b> , 33, 1844-1856	7	8
163	Genome-wide analyses identify a role for SLC17A4 and AADAT in thyroid hormone regulation. <i>Nature Communications</i> , <b>2018</b> , 9, 4455	17.4	75
162	Skin autofluorescence, a non-invasive biomarker for advanced glycation end products, is not related to the number of pregnancies. <i>Journal of Diabetes</i> , <b>2018</b> , 10, 899-901	3.8	
161	Possible Obesogenic Effects of Bisphenols Accumulation in the Human Brain. <i>Scientific Reports</i> , <b>2018</b> , 8, 8186	4.9	23
160	Insights uncovered from experiencing a rise in the incidence of gestational diabetes at a Melbourne hospital. Reply to Ng E, Neff M, Sztal-Mazer S [letter]. <i>Diabetologia</i> , <b>2018</b> , 61, 1884-1885	10.3	1
159	Missing heritability: is the gap closing? An analysis of 32 complex traits in the Lifelines Cohort Study. <i>European Journal of Human Genetics</i> , <b>2017</b> , 25, 877-885	5.3	43
158	Sex, BMI and age differences in metabolic syndrome: the Dutch Lifelines Cohort Study. <i>Endocrine Connections</i> , <b>2017</b> , 6, 278-288	3.5	32
157	Genomic analyses identify hundreds of variants associated with age at menarche and support a role for puberty timing in cancer risk. <i>Nature Genetics</i> , <b>2017</b> , 49, 834-841	36.3	257
156	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , <b>2017</b> , 8, 14977	17.4	105
155	Determination of reference intervals for urinary steroid profiling using a newly validated GC-MS/MS method. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2017</b> , 56, 103-112	5.9	17
154	CDC73-Related Disorders: Clinical Manifestations and Case Detection in Primary Hyperparathyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 4534-4540	5.6	39

153	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. <i>PLoS Medicine</i> , <b>2017</b> , 14, e1002383	11.6	223
152	Thyroid function and metabolic syndrome in the population-based LifeLines cohort study. <i>BMC Endocrine Disorders</i> , <b>2017</b> , 17, 65	3.3	26
151	Elevated Bone Turnover Markers after Risk-Reducing Salpingo-Oophorectomy in Women at Increased Risk for Breast and Ovarian Cancer. <i>PLoS ONE</i> , <b>2017</b> , 12, e0169673	3.7	7
150	Associations Between Systemic and Local Corticosteroid Use With Metabolic Syndrome and Body Mass Index. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 3765-3774	5.6	20
149	Influence of Storage and Inter- and Intra-Assay Variability on the Measurement of Inflammatory Biomarkers in Population-Based Biobanking. <i>Biopreservation and Biobanking</i> , <b>2017</b> , 15, 512-518	2.1	3
148	Skin autofluorescence, a non-invasive biomarker for advanced glycation end products, is associated with the metabolic syndrome and its individual components. <i>Diabetology and Metabolic Syndrome</i> , <b>2017</b> , 9, 42	5.6	29
147	No Effect of the Thr92Ala Polymorphism of Deiodinase-2 on Thyroid Hormone Parameters, Health-Related Quality of Life, and Cognitive Functioning in a Large Population-Based Cohort Study. <i>Thyroid</i> , <b>2017</b> , 27, 147-155	6.2	58
146	Skin autofluorescence is increased in young people with type 1 diabetes exposed to secondhand smoking. <i>Journal of Diabetes</i> , <b>2017</b> , 9, 308-310	3.8	2
145	Distribution of Non-Persistent Endocrine Disruptors in Two Different Regions of the Human Brain. <i>International Journal of Environmental Research and Public Health</i> , <b>2017</b> , 14,	4.6	36
144	The association between various smoking behaviors, cotinine biomarkers and skin autofluorescence, a marker for advanced glycation end product accumulation. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179330	3.7	20
143	Somatosensory function in patients with secondary adrenal insufficiency treated with two different doses of hydrocortisone-Results from a randomized controlled trial. <i>PLoS ONE</i> , <b>2017</b> , 12, e0180326	3.7	
142	Effects of Hydrocortisone on the Regulation of Blood Pressure: Results From a Randomized Controlled Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 3691-3699	5.6	26
141	52 Genetic Loci Influencing Myocardial Mass. <i>Journal of the American College of Cardiology</i> , <b>2016</b> , 68, 1435-1448	15.1	76
140	Postpartum glucose follow-up and lifestyle management after gestational diabetes mellitus: general practitioner and patient perspectives. <i>Journal of Diabetes and Metabolic Disorders</i> , <b>2016</b> , 15, 56	2.5	14
139	Agreement between Computerized and Human Assessment of Performance on the Ruff Figural Fluency Test. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163286	3.7	1
138	Eosinophil Count Is a Common Factor for Complex Metabolic and Pulmonary Traits and Diseases: The LifeLines Cohort Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0168480	3.7	18
137	Association of Circulating Markers With Outcome Parameters in the Bevacizumab and Ranibizumab in Diabetic Macular Edema Trial <b>2016</b> , 57, 6234-6241		1
136	Gestational Diabetes Mellitus:current knowledge and unmet needs. <i>Journal of Diabetes</i> , <b>2016</b> , 8, 770-783	3.8	27

135	New Locus for Skin Intrinsic Fluorescence in Type 1 Diabetes Also Associated With Blood and Skin Glycated Proteins. <i>Diabetes</i> , <b>2016</b> , 65, 2060-71	0.9	7
134	Higher hydrocortisone dose increases bilirubin in hypopituitary patients- results from an RCT. <i>European Journal of Clinical Investigation</i> , <b>2016</b> , 46, 475-80	4.6	3
133	Lifestyle and clinical determinants of skin autofluorescence in a population-based cohort study. <i>European Journal of Clinical Investigation</i> , <b>2016</b> , 46, 481-90	4.6	45
132	The effects of two different doses of hydrocortisone on cognition in patients with secondary adrenal insufficiency--results from a randomized controlled trial. <i>Psychoneuroendocrinology</i> , <b>2015</b> , 55, 36-47	5	18
131	Low levels of vitamin D are associated with multimorbidity: results from the LifeLines Cohort Study. <i>Annals of Medicine</i> , <b>2015</b> , 47, 474-81	1.5	24
130	Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. <i>Molecular Psychiatry</i> , <b>2015</b> , 20, 647-656	15.1	167
129	Diet and glycaemia: the markers and their meaning. A report of the Unilever Nutrition Workshop. <i>British Journal of Nutrition</i> , <b>2015</b> , 113, 239-48	3.6	12
128	Cohort Profile: LifeLines, a three-generation cohort study and biobank. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 1172-80	7.8	364
127	Recombinant TSH stimulated remnant ablation therapy in thyroid cancer: the success rate depends on the definition of ablation success--an observational study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0120184	3.7	3
126	Health-Related Quality of Life in Relation to Obesity Grade, Type 2 Diabetes, Metabolic Syndrome and Inflammation. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140599	3.7	51
125	The prevalence of metabolic syndrome and metabolically healthy obesity in Europe: a collaborative analysis of ten large cohort studies. <i>BMC Endocrine Disorders</i> , <b>2014</b> , 14, 9	3.3	311
124	The Genome of the Netherlands: design, and project goals. <i>European Journal of Human Genetics</i> , <b>2014</b> , 22, 221-7	5.3	184
123	Parent-of-origin-specific allelic associations among 106 genomic loci for age at menarche. <i>Nature</i> , <b>2014</b> , 514, 92-97	50.4	401
122	GWAS identifies an NAT2 acetylator status tag single nucleotide polymorphism to be a major locus for skin fluorescence. <i>Diabetologia</i> , <b>2014</b> , 57, 1623-34	10.3	23
121	High prevalence of metabolic syndrome features in patients previously treated for nonfunctioning pituitary macroadenoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e90602	3.7	7
120	Islet-after-lung transplantation in a patient with cystic fibrosis-related diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, e159-60	14.6	13
119	Validation of the measurement of intra-abdominal fat between ultrasound and CT scan in women with obesity and infertility. <i>Obesity</i> , <b>2014</b> , 22, 537-44	8	11
118	Role of premixed insulin analogues in the treatment of patients with type 2 diabetes mellitus: a narrative review. <i>Journal of Diabetes</i> , <b>2014</b> , 6, 100-10	3.8	10

117	Glucagon-like peptide 1 receptor agonist or bolus insulin with optimized basal insulin in type 2 diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, 2763-73	14.6	182
116	Effect of metformin on left ventricular function after acute myocardial infarction in patients without diabetes: the GIPS-III randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2014</b> , 311, 1526-35	27.4	116
115	Effect of obesity intervention programs on adipokines, insulin resistance, lipid profile, and low-grade inflammation in 3- to 5-y-old children. <i>Pediatric Research</i> , <b>2014</b> , 75, 352-7	3.2	12
114	Combined effects of smoking and alcohol on metabolic syndrome: the LifeLines cohort study. <i>PLoS ONE</i> , <b>2014</b> , 9, e96406	3.7	60
113	Incidence, causative mechanisms, and anatomic localization of stroke in pituitary adenoma patients treated with postoperative radiation therapy versus surgery alone. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2013</b> , 87, 53-9	4	25
112	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , <b>2013</b> , 45, 1274-1283	36.3	1904
111	Common variants associated with plasma triglycerides and risk for coronary artery disease. <i>Nature Genetics</i> , <b>2013</b> , 45, 1345-52	36.3	597
110	Associations between smoking, components of metabolic syndrome and lipoprotein particle size. <i>BMC Medicine</i> , <b>2013</b> , 11, 195	11.4	78
109	Circulating alpha-klotho levels are not disturbed in patients with type 2 diabetes with and without macrovascular disease in the absence of nephropathy. <i>Cardiovascular Diabetology</i> , <b>2013</b> , 12, 116	8.7	14
108	Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. <i>Nature Genetics</i> , <b>2013</b> , 45, 145-54	36.3	505
107	Common variation in cholesteryl ester transfer protein: relationship of first major adverse cardiovascular events with the apolipoprotein B/apolipoprotein A-I ratio and the total cholesterol/high-density lipoprotein cholesterol ratio. <i>Journal of Clinical Lipidology</i> , <b>2013</b> , 7, 56-64	4.9	11
106	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , <b>2013</b> , 45, 501-12	36.3	437
105	Data harmonization and federated analysis of population-based studies: the BioSHaRE project. <i>Emerging Themes in Epidemiology</i> , <b>2013</b> , 10, 12	3.9	80
104	A meta-analysis of thyroid-related traits reveals novel loci and gender-specific differences in the regulation of thyroid function. <i>PLoS Genetics</i> , <b>2013</b> , 9, e1003266	6	146
103	Ethnic differences in glycemic markers in patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2013</b> , 36, 2931-6	14.6	62
102	Thyroid hormone status and health-related quality of life in the LifeLines Cohort Study. <i>Thyroid</i> , <b>2013</b> , 23, 1066-73	6.2	35
101	Impact of race/ethnicity on efficacy and safety of two starter insulin regimens in patients with type 2 diabetes: a posthoc analysis of the DURABLE trial. <i>Ethnicity and Disease</i> , <b>2013</b> , 23, 393-400	1.8	12
100	Metformin in non-diabetic patients presenting with ST elevation myocardial infarction: rationale and design of the glycometabolic intervention as adjunct to primary percutaneous intervention in ST elevation myocardial infarction (GIPS)-III trial. <i>Cardiovascular Drugs and Therapy</i> , <b>2012</b> , 26, 417-26	3.9	32

99	A prospective cohort study on radiation-induced hypothyroidism: development of an NTCP model. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2012</b> , 84, e351-6	4	68
98	Seventy-five genetic loci influencing the human red blood cell. <i>Nature</i> , <b>2012</b> , 492, 369-75	50.4	257
97	The incidence of second tumours and mortality in pituitary adenoma patients treated with postoperative radiotherapy versus surgery alone. <i>Radiotherapy and Oncology</i> , <b>2012</b> , 104, 125-30	5.3	36
96	The results of CHD7 analysis in clinically well-characterized patients with Kallmann syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, E858-62	5.6	51
95	The Diabetes Pearl: Diabetes biobanking in The Netherlands. <i>BMC Public Health</i> , <b>2012</b> , 12, 949	4.1	24
94	Effects of previous growth hormone excess and current medical treatment for acromegaly on cognition. <i>European Journal of Clinical Investigation</i> , <b>2012</b> , 42, 1317-24	4.6	22
93	Meta-analyses identify 13 loci associated with age at menopause and highlight DNA repair and immune pathways. <i>Nature Genetics</i> , <b>2012</b> , 44, 260-8	36.3	243
92	Discovery and fine mapping of serum protein loci through transethnic meta-analysis. <i>American Journal of Human Genetics</i> , <b>2012</b> , 91, 744-53	11	58
91	Large-scale gene-centric meta-analysis across 32 studies identifies multiple lipid loci. <i>American Journal of Human Genetics</i> , <b>2012</b> , 91, 823-38	11	189
90	The plasma leptin/adiponectin ratio predicts first cardiovascular event in men: a prospective nested case-control study. <i>European Journal of Internal Medicine</i> , <b>2012</b> , 23, 755-9	3.9	40
89	Differential effects of comorbidity on antihypertensive and glucose-regulating treatment in diabetes mellitus—a cohort study. <i>PLoS ONE</i> , <b>2012</b> , 7, e38707	3.7	23
88	New perspectives on diagnostics, prognosis, and therapy in aggressive endocrine tumours. <i>Journal of Oncology</i> , <b>2012</b> , 2012, 820938	4.5	
87	Large-scale gene-centric meta-analysis across 39 studies identifies type 2 diabetes loci. <i>American Journal of Human Genetics</i> , <b>2012</b> , 90, 410-25	11	214
86	Cognitive performance after postoperative pituitary radiotherapy: a dosimetric study of the hippocampus and the prefrontal cortex. <i>European Journal of Endocrinology</i> , <b>2012</b> , 166, 171-9	6.5	25
85	Quality of life is impaired in association with the need for prolonged postoperative therapy by somatostatin analogs in patients with acromegaly. <i>European Journal of Endocrinology</i> , <b>2012</b> , 166, 585-92	6.5	44
84	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , <b>2011</b> , 43, 1131-8	36.3	415
83	Cholesteryl ester transfer protein inhibition in cardiovascular risk management: ongoing trials will end the confusion. <i>Cardiovascular Therapeutics</i> , <b>2011</b> , 29, e89-99	3.3	26
82	Tyrosine positron emission tomography and protein synthesis rate in pituitary adenoma: different effects of surgery and radiation therapy. <i>Radiotherapy and Oncology</i> , <b>2011</b> , 98, 213-6	5.3	5



81	Vitamin D deficiency: universal risk factor for multifactorial diseases?. <i>Current Drug Targets</i> , <b>2011</b> , 12, 97-106	3	24
80	Cognitive functioning in patients treated for nonfunctioning pituitary macroadenoma and the effects of pituitary radiotherapy. <i>Clinical Endocrinology</i> , <b>2011</b> , 74, 481-7	3.4	49
79	Medication adherence affects treatment modifications in patients with type 2 diabetes. <i>Clinical Therapeutics</i> , <b>2011</b> , 33, 121-34	3.5	24
78	The role of overprotection by the partner in coping with diabetes: a moderated mediation model. <i>Psychology and Health</i> , <b>2011</b> , 26, 95-111	2.9	21
77	Comparison of MRI-assessed body fat content between lean women with polycystic ovary syndrome (PCOS) and matched controls: less visceral fat with PCOS. <i>Human Reproduction</i> , <b>2011</b> , 26, 1495-500	5.7	46
76	Randomized trial on the influence of the length of two insulin pen needles on glycemic control and patient preference in obese patients with diabetes. <i>Diabetes Technology and Therapeutics</i> , <b>2011</b> , 13, 737-41	8.1	46
75	The DURABILITY of Basal versus Lispro mix 75/25 insulin Efficacy (DURABLE) trial: comparing the durability of lispro mix 75/25 and glargine. <i>Diabetes Care</i> , <b>2011</b> , 34, 249-55	14.6	37
74	In women with polycystic ovary syndrome and obesity, loss of intra-abdominal fat is associated with resumption of ovulation. <i>Human Reproduction</i> , <b>2011</b> , 26, 2505-12	5.7	44
73	Wnt signaling and Dupuytren's disease. <i>New England Journal of Medicine</i> , <b>2011</b> , 365, 307-17	59.2	153
72	A genome-wide screen for interactions reveals a new locus on 4p15 modifying the effect of waist-to-hip ratio on total cholesterol. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002333	6	25
71	The subcutaneous abdominal fat and not the intraabdominal fat compartment is associated with anovulation in women with obesity and infertility. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 2107-12	5.6	30
70	The impact of social comparison information on motivation in patients with diabetes as a function of regulatory focus and self-efficacy. <i>Health Psychology</i> , <b>2010</b> , 29, 438-45	5	38
69	Quality, quantity and harmony: the DataSHaPER approach to integrating data across bioclinical studies. <i>International Journal of Epidemiology</i> , <b>2010</b> , 39, 1383-93	7.8	117
68	Replication of the five novel loci for uric acid concentrations and potential mediating mechanisms. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 387-95	5.6	79
67	The pituitary gland and age-dependent regulation of body composition. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 3664-74	5.6	9
66	Thyroid peroxidase antibodies, levels of thyroid stimulating hormone and development of hypothyroidism in euthyroid subjects. <i>European Journal of Internal Medicine</i> , <b>2010</b> , 21, 555-9	3.9	31
65	Plasma apolipoprotein M responses to statin and fibrate administration in type 2 diabetes mellitus. <i>Atherosclerosis</i> , <b>2010</b> , 213, 247-50	3.1	12
64	The metabolic syndrome in cancer survivors. <i>Lancet Oncology</i> , <b>2010</b> , 11, 193-203	21.7	147

63	Support behavior and relationship satisfaction in couples dealing with diabetes: main and moderating effects. <i>Journal of Family Psychology</i> , <b>2010</b> , 24, 578-86	2.7	30
62	Automated mass spectrometric analysis of urinary free catecholamines using on-line solid phase extraction. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2010</b> , 878, 1506-12	3.2	49
61	A systematic literature review: prescribing indicators related to type 2 diabetes mellitus and cardiovascular risk management. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2010</b> , 19, 319-34	2.6	17
60	Identifying targets to improve treatment in type 2 diabetes; the Groningen Initiative to aNalyze Type 2 diabetes Treatment (GIANTT) observational study. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2010</b> , 19, 1078-86	2.6	7
59	DURAbility of basal versus lispro mix 75/25 insulin efficacy (DURABLE) trial 24-week results: safety and efficacy of insulin lispro mix 75/25 versus insulin glargine added to oral antihyperglycemic drugs in patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2009</b> , 32, 1007-13	14.6	103
58	Vertebral fracture assessment in supine position: comparison by using conventional semiquantitative radiography and visual radiography. <i>Radiology</i> , <b>2009</b> , 251, 822-8	20.5	49
57	Racial and ethnic differences in mean plasma glucose, hemoglobin A1c, and 1,5-anhydroglucitol in over 2000 patients with type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 1689-94	5.6	163
56	Quantitative ultrasound does not identify patients with an inflammatory disease at risk of vertebral deformities. <i>BMC Musculoskeletal Disorders</i> , <b>2008</b> , 9, 72	2.8	3
55	Haemoglobin A1c goal attainment in relation to dose in patients with diabetes mellitus taking metformin: a nested, case-control study. <i>Clinical Drug Investigation</i> , <b>2008</b> , 28, 487-93	3.2	
54	Type 2 diabetes mellitus: prevention of macrovascular complications. <i>Expert Review of Cardiovascular Therapy</i> , <b>2008</b> , 6, 323-41	2.5	21
53	The follow-up of patients with differentiated thyroid cancer and undetectable thyroglobulin (Tg) and Tg antibodies during ablation. <i>European Journal of Endocrinology</i> , <b>2008</b> , 158, 77-83	6.5	55
52	Influence of elevated cardiometabolic risk factor levels on treatment changes in type 2 diabetes. <i>Diabetes Care</i> , <b>2008</b> , 31, 501-3	14.6	14
51	High prevalence of morphometric vertebral deformities in patients with inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 740-7	2.2	20
50	Cross-sectional versus sequential quality indicators of risk factor management in patients with type 2 diabetes. <i>Medical Care</i> , <b>2008</b> , 46, 133-41	3.1	25
49	Comparison of 11C-methionine PET and 18F-fluorodeoxyglucose PET in differentiated thyroid cancer. <i>Nuclear Medicine Communications</i> , <b>2008</b> , 29, 711-6	1.6	8
48	Universal risk factors for multifactorial diseases: LifeLines: a three-generation population-based study. <i>European Journal of Epidemiology</i> , <b>2008</b> , 23, 67-74	12.1	226
47	The diagnostic value of 124I-PET in patients with differentiated thyroid cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2008</b> , 35, 958-65	8.8	94
46	In Response to Dr. Klein et al.. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2008</b> , 70, 962	4	

45	Locoregional control in patients with palpable medullary thyroid cancer: results of standardized compartment-oriented surgery. <i>Head and Neck</i> , <b>2007</b> , 29, 857-63	4.2	21
44	Immediate postoperative radiotherapy in residual nonfunctioning pituitary adenoma: beneficial effect on local control without additional negative impact on pituitary function and life expectancy. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2007</b> , 67, 863-9	4	81
43	Radiotherapy is not associated with reduced quality of life and cognitive function in patients treated for nonfunctioning pituitary adenoma. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2007</b> , 68, 986-91	4	47
42	High plasma cholesteryl ester transfer protein levels may favour reduced incidence of cardiovascular events in men with low triglycerides. <i>European Heart Journal</i> , <b>2007</b> , 28, 1012-8	9.5	63
41	Low dietary sodium and exogenous angiotensin II infusion decrease plasma adiponectin concentrations in healthy men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 1821-6	5.6	48
40	Thyroid function is associated with components of the metabolic syndrome in euthyroid subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 491-6	5.6	339
39	Characterization of the human visceral adipose tissue secretome. <i>Molecular and Cellular Proteomics</i> , <b>2007</b> , 6, 589-600	7.6	179
38	Detection of bone metastases in thyroid cancer patients: bone scintigraphy or 18F-FDG PET?. <i>Nuclear Medicine Communications</i> , <b>2007</b> , 28, 597-602	1.6	11
37	A sensitive Tg assay or rHTSH stimulated Tg: what's the best in the long-term follow-up of patients with differentiated thyroid carcinoma?. <i>PLoS ONE</i> , <b>2007</b> , 2, e816	3.7	11
36	An increased coronary risk is paradoxically associated with common cholesteryl ester transfer protein gene variations that relate to higher high-density lipoprotein cholesterol: a population-based study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 3382-8	5.6	101
35	Clinical utility of an automated immunochemiluminometric thyroglobulin assay in differentiated thyroid carcinoma. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 686-91	5.5	14
34	Biochemical markers in the follow-up of medullary thyroid cancer. <i>Thyroid</i> , <b>2006</b> , 16, 1163-70	6.2	43
33	Thyroglobulin (Tg) recovery testing with quantitative Tg antibody measurement for determining interference in serum Tg assays in differentiated thyroid carcinoma. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 1196-9	5.5	27
32	Risk factors for chronic transplant dysfunction and cardiovascular disease are related to accumulation of advanced glycation end-products in renal transplant recipients. <i>Nephrology Dialysis Transplantation</i> , <b>2006</b> , 21, 2263-9	4.3	36
31	Determinants of life expectancy in medullary thyroid cancer: age does not matter. <i>Clinical Endocrinology</i> , <b>2006</b> , 65, 729-36	3.4	94
30	One-year follow-up effects of diabetes rehabilitation for patients with prolonged self-management difficulties. <i>Patient Education and Counseling</i> , <b>2006</b> , 60, 16-23	3.1	32
29	Steroid 11-beta-hydroxylase deficiency caused by compound heterozygosity for a novel mutation, p.G314R, in one CYP11B1 allele, and a chimeric CYP11B2/CYP11B1 in the other allele. <i>Hormone Research in Paediatrics</i> , <b>2005</b> , 63, 284-93	3.3	12
28	Different cycle ergometer outcomes in severely obese men and women without documented cardiopulmonary morbidities before bariatric surgery. <i>Chest</i> , <b>2005</b> , 128, 256-62	5.3	14

27	Daily high doses of fluoxetine for weight loss and improvement in lifestyle before bariatric surgery. <i>Obesity Surgery</i> , <b>2005</b> , 15, 1185-91	3.7	10
26	Hip bone mineral density, bone turnover and risk of fracture in patients on long-term suppressive L-thyroxine therapy for differentiated thyroid carcinoma. <i>European Journal of Endocrinology</i> , <b>2005</b> , 153, 23-9	6.5	55
25	The effect of cholesteryl ester transfer protein -629C->A promoter polymorphism on high-density lipoprotein cholesterol is dependent on serum triglycerides. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 4198-204	5.6	54
24	The metabolic syndrome and disturbances in hormone levels in long-term survivors of disseminated testicular cancer. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 3718-25	2.2	161
23	Plasma cholesteryl ester transfer is a determinant of intima-media thickness in type 2 diabetic and nondiabetic subjects: role of CETP and triglycerides. <i>Diabetes</i> , <b>2005</b> , 54, 3554-9	0.9	68
22	Physician, organizational, and patient factors associated with suboptimal blood pressure management in type 2 diabetic patients in primary care. <i>Diabetes Care</i> , <b>2004</b> , 27, 123-8	14.6	46
21	Advanced glycation end products in kidney transplant patients: a putative role in the development of chronic renal transplant dysfunction. <i>American Journal of Kidney Diseases</i> , <b>2004</b> , 43, 966-75	7.4	26
20	Liquid chromatographic method for the quantitative determination of Nepsilon-carboxymethyllysine in human plasma proteins. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2004</b> , 808, 163-8	3.2	17
19	Nurse-led shared care diabetes projects: lessons from the nurses' viewpoint. <i>Health Policy</i> , <b>2003</b> , 66, 11-27	3.2	10
18	A consumer health record for supporting the patient-centered management of chronic diseases. <i>Informatics for Health and Social Care</i> , <b>2003</b> , 28, 117-27		13
17	Tissue factor pathway inhibitor and other endothelium-dependent hemostatic factors in elderly individuals with normal or impaired glucose tolerance and type 2 diabetes. <i>Diabetes Care</i> , <b>2002</b> , 25, 1340-5	14.6	47
16	Health-related quality of life and treatment satisfaction in Dutch patients with type 2 diabetes. <i>Diabetes Care</i> , <b>2002</b> , 25, 458-63	14.6	354
15	Glucose-mediated cross-linking of collagen in rat tendon and skin. <i>Clinica Chimica Acta</i> , <b>2002</b> , 321, 69-76	6.2	62
14	Rosiglitazone. <i>Expert Opinion on Pharmacotherapy</i> , <b>2001</b> , 2, 467-78	4	13
13	Effect of atorvastatin on LDL oxidation and antioxidants in normocholesterolemic type 2 diabetic patients. <i>Clinica Chimica Acta</i> , <b>2001</b> , 311, 91-4	6.2	31
12	Cytochrome P450, peroxisome proliferation, and cytoplasmic fatty acid-binding protein content in liver, heart and kidney of the diabetic rat. <i>Molecular and Cellular Biochemistry</i> , <b>1999</b> , 192, 53-61	4.2	29
11	The use of sulphonylureas in the elderly. <i>Drugs and Aging</i> , <b>1999</b> , 15, 471-81	4.7	29
10	Miglitol, a new alpha-glucosidase inhibitor. <i>Expert Opinion on Pharmacotherapy</i> , <b>1999</b> , 1, 149-56	4	58

9	Repaglinide--a new compound for the treatment of patients with type 2 diabetes. <i>Netherlands Journal of Medicine</i> , <b>1999</b> , 55, 229-34	0.5	17
8	Rosiglitazone. <i>Drugs</i> , <b>1999</b> , 57, 931-932	12.1	
7	Microdialysis assessment of local adipose tissue lipolysis during adrenergic stimulation in upper-body-obese subjects with type II diabetes. <i>Clinical Science</i> , <b>1999</b> , 97, 421	6.5	3
6	Efficacy and safety of a new cholesterol synthesis inhibitor, atorvastatin, in comparison with simvastatin and pravastatin, in subjects with hypercholesterolemia. <i>Netherlands Journal of Medicine</i> , <b>1998</b> , 52, 131-7	0.5	7
5	Beneficial gamma-knife radiosurgery in a patient with Nelson's syndrome. <i>Clinical Neurology and Neurosurgery</i> , <b>1998</b> , 100, 60-3	2	30
4	Repaglinide. <i>Drugs and Aging</i> , <b>1998</b> , 13, 181	4.7	1
3	Prevention of complications in non-insulin-dependent diabetes mellitus (NIDDM). <i>Drugs</i> , <b>1995</b> , 50, 263-88	2.1	33
2	Inhibition of nitric oxide formation by guanidines. <i>European Journal of Pharmacology</i> , <b>1993</b> , 249, 101-6	5.3	120
1	Determinants of injecting insulin in elderly patients with type II diabetes mellitus. <i>Patient Education and Counseling</i> , <b>1993</b> , 22, 117-25	3.1	17