

Yujie Zhou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2042032/publications.pdf>

Version: 2024-02-01

119
papers

2,073
citations

304602

22
h-index

302012

39
g-index

129
all docs

129
docs citations

129
times ranked

2654
citing authors

#	ARTICLE	IF	CITATIONS
1	Angiographic quantitative flow ratio-guided coronary intervention (FAVOR III China): a multicentre, randomised, sham-controlled trial. <i>Lancet, The</i> , 2021, 398, 2149-2159.	6.3	175
2	A Highly Sensitive and Stretchable Yarn Strain Sensor for Human Motion Tracking Utilizing a Wrinkle-Assisted Crack Structure. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 36052-36062.	4.0	141
3	High-Performance Wearable Strain Sensor Based on Graphene/Cotton Fabric with High Durability and Low Detection Limit. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 1474-1485.	4.0	125
4	Triglyceride glucose index for predicting cardiovascular outcomes after percutaneous coronary intervention in patients with type 2 diabetes mellitus and acute coronary syndrome. <i>Cardiovascular Diabetology</i> , 2020, 19, 31.	2.7	102
5	Design of Helically Double-Leveled Gaps for Stretchable Fiber Strain Sensor with Ultralow Detection Limit, Broad Sensing Range, and High Repeatability. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 4345-4352.	4.0	91
6	Elevated Plasma IL-37, IL-18, and IL-18BP Concentrations in Patients with Acute Coronary Syndrome. <i>Mediators of Inflammation</i> , 2014, 2014, 1-9.	1.4	81
7	Exogenous interleukin 37 ameliorates atherosclerosis via inducing the Treg response in ApoE-deficient mice. <i>Scientific Reports</i> , 2017, 7, 3310.	1.6	57
8	The atherogenic index of plasma plays an important role in predicting the prognosis of type 2 diabetic subjects undergoing percutaneous coronary intervention: results from an observational cohort study in China. <i>Cardiovascular Diabetology</i> , 2020, 19, 23.	2.7	53
9	Effect of Remote Ischemic Preconditioning in the Elderly Patients With Coronary Artery Disease With Diabetes Mellitus Undergoing Elective Drug-Eluting Stent Implantation. <i>Angiology</i> , 2014, 65, 660-666.	0.8	51
10	Gender-specific associations between atherogenic index of plasma and the presence and severity of acute coronary syndrome in very young adults: a hospital-based observational study. <i>Lipids in Health and Disease</i> , 2019, 18, 99.	1.2	51
11	Circulating Th1, Th2, and Th17 Levels in Hypertensive Patients. <i>Disease Markers</i> , 2017, 2017, 1-12.	0.6	50
12	Endoplasmic Reticulum Stress Affects Lipid Metabolism in Atherosclerosis Via CHOP Activation and Over-Expression of miR-33. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 1995-2010.	1.1	46
13	The Protective Effect of Interleukin-37 on Vascular Calcification and Atherosclerosis in Apolipoprotein E-Deficient Mice with Diabetes. <i>Journal of Interferon and Cytokine Research</i> , 2015, 35, 530-539.	0.5	45
14	CYP2C19 genotype and adverse cardiovascular outcomes after stent implantation in clopidogrel-treated Asian populations: A systematic review and meta-analysis. <i>Platelets</i> , 2019, 30, 229-240.	1.1	42
15	Prognostic value of systemic inflammatory response index in patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Annals of Medicine</i> , 2022, 54, 1667-1677.	1.5	37
16	Sfrp5/Wnt Pathway: A Protective Regulatory System in Atherosclerotic Cardiovascular Disease. <i>Journal of Interferon and Cytokine Research</i> , 2019, 39, 472-482.	0.5	36
17	The sensibility of the new blood lipid indicator "atherogenic index of plasma (AIP) in menopausal women with coronary artery disease. <i>Lipids in Health and Disease</i> , 2020, 19, 27.	1.2	33
18	Human epicardial adipose tissue-derived and circulating secreted frizzled-related protein 4 (SFRP4) levels are increased in patients with coronary artery disease. <i>Cardiovascular Diabetology</i> , 2017, 16, 133.	2.7	30

#	ARTICLE	IF	CITATIONS
19	PCSK9 Variants in Familial Hypercholesterolemia: A Comprehensive Synopsis. <i>Frontiers in Genetics</i> , 2020, 11, 1020.	1.1	29
20	Prognostic Impact of Multiple Lymphocyte-Based Inflammatory Indices in Acute Coronary Syndrome Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 811790.	1.1	29
21	Invasive Management Strategies and Antithrombotic Treatments in Patients With Non-ST-Segment Elevation Acute Coronary Syndrome in China. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	1.4	27
22	Chemerin Ameliorated Cardiac Ischemia-Reperfusion Injury Is Associated with the Induction of Alternatively Activated Macrophages. <i>Mediators of Inflammation</i> , 2015, 2015, 1-9.	1.4	26
23	Valsartan Attenuates Atherosclerosis via Upregulating the Th2 Immune Response in Prolonged Angiotensin II-Treated ApoE ^{-/-} Mice. <i>Molecular Medicine</i> , 2015, 21, 143-153.	1.9	26
24	Right Ventricular Damage in COVID-19: Association Between Myocardial Injury and COVID-19. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 606318.	1.1	24
25	Perivascular adipose-derived exosomes reduce macrophage foam cell formation through miR-382-5p and the BMP4-PPAR γ ³ -ABCA1/ABCG1 pathways. <i>Vascular Pharmacology</i> , 2022, 143, 106968.	1.0	23
26	Elevated Remnant Cholesterol is Associated with Adverse Cardiovascular Outcomes in Patients with Acute Coronary Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1808-1822.	0.9	23
27	Spontaneous coronary artery dissection in the presence of myocardial bridge causing myocardial infarction: an insight into mechanism. <i>International Journal of Cardiology</i> , 2016, 206, 77-78.	0.8	21
28	Tocilizumab treatment effectively improves coronary artery involvement in patients with Takayasu arteritis. <i>Clinical Rheumatology</i> , 2020, 39, 2369-2378.	1.0	21
29	High-Dose Statin Pretreatment Decreases Periprocedural Myocardial Infarction and Cardiovascular Events in Patients Undergoing Elective Percutaneous Coronary Intervention: A Meta-Analysis of Twenty-Four Randomized Controlled Trials. <i>PLoS ONE</i> , 2014, 9, e113352.	1.1	21
30	Perivascular Adipose Tissue as an Indication, Contributor to, and Therapeutic Target for Atherosclerosis. <i>Frontiers in Physiology</i> , 2020, 11, 615503.	1.3	20
31	Expression of Sfrp5/Wnt5a in human epicardial adipose tissue and their relationship with coronary artery disease. <i>Life Sciences</i> , 2020, 245, 117338.	2.0	20
32	Omentin-1 Modulates Macrophage Function via Integrin Receptors α _v β ₃ and α _v β ₅ and Reverses Plaque Vulnerability in Animal Models of Atherosclerosis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 757926.	1.1	19
33	High Serum Secreted Frizzled-Related Protein 5 Levels Associates with Early Improvement of Cardiac Function Following ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 868-878.	0.9	17
34	The conical stent in coronary artery improves hemodynamics compared with the traditional cylindrical stent. <i>International Journal of Cardiology</i> , 2017, 227, 166-171.	0.8	16
35	Association between the triglyceride glucose index and coronary collateralization in coronary artery disease patients with chronic total occlusion lesions. <i>Lipids in Health and Disease</i> , 2021, 20, 140.	1.2	16
36	Prevalence of transradial coronary angiography and intervention in China: Report from the Transradial coronary intervention Registration Investigation in China (TRI-China). <i>International Journal of Cardiology</i> , 2010, 145, 246-247.	0.8	15

#	ARTICLE	IF	CITATIONS
37	Clinical Profile and Outcome in Patients with Coronary Slow Flow Phenomenon. <i>Cardiology Research and Practice</i> , 2019, 2019, 1-7.	0.5	15
38	Comparison of long-term outcomes of young patients after a coronary event associated with familial hypercholesterolemia. <i>Lipids in Health and Disease</i> , 2019, 18, 131.	1.2	15
39	LncRNA MALAT1 Enhances ox-LDL-Induced Autophagy through the SIRT1/MAPK/NF- κ B Pathway in Macrophages. <i>Current Vascular Pharmacology</i> , 2020, 18, 652-662.	0.8	15
40	Hyperuricemia and severity of coronary artery disease: An observational study in adults 35 years of age and younger with acute coronary syndrome. <i>Cardiology Journal</i> , 2019, 26, 275-282.	0.5	15
41	LDL cholesterol levels and in-hospital bleeding in patients on high-intensity antithrombotic therapy: findings from the CCC-ACS project. <i>European Heart Journal</i> , 2021, 42, 3175-3186.	1.0	14
42	Preconditioning With Tauroursodeoxycholic Acid Protects Against Contrast-Induced HK-2 Cell Apoptosis by Inhibiting Endoplasmic Reticulum Stress. <i>Angiology</i> , 2015, 66, 941-949.	0.8	13
43	Insulin Resistance Increases the Risk of Contrast-Induced Nephropathy in Patients Undergoing Elective Coronary Intervention. <i>Angiology</i> , 2016, 67, 139-145.	0.8	13
44	Sodium-glucose cotransporter 2 inhibitors and fracture risk in patients with type 2 diabetes mellitus: a meta-analysis of randomized controlled trials. <i>Therapeutic Advances in Chronic Disease</i> , 2020, 11, 204062232096159.	1.1	13
45	Prognostic impact of the atherogenic index of plasma in type 2 diabetes mellitus patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Lipids in Health and Disease</i> , 2020, 19, 240.	1.2	13
46	Safety and efficacy of the novel sirolimus-eluting bioresorbable scaffold for the treatment of de novo coronary artery disease: One-year results from a prospective patient-level pooled analysis of NeoVas trials. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 832-838.	0.7	12
47	Fasting Blood Glucose and HbA1c Correlate With Severity of Coronary Artery Disease in Elective PCI Patients With HbA1c 5.7% to 6.4%. <i>Angiology</i> , 2020, 71, 167-174.	0.8	12
48	The characteristics of risk factors in Chinese young women with acute coronary syndrome. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 290.	0.7	12
49	The cellular protein expression of Foxp3 in lymphoid and non-lymphoid organs of Nile tilapia. <i>Fish and Shellfish Immunology</i> , 2015, 45, 300-306.	1.6	11
50	Thinner Strut Sirolimus-Eluting BRS Versus EES in Patients With Coronary Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1450-1462.	1.1	10
51	Hyperuricemia and smoking in young adults suspected of coronary artery disease 35 years of age: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 178.	0.7	9
52	Association Between TG-to-HDL-C Ratio and In-Stent Stenosis Under Optical Coherence Tomography Guidance. <i>Journal of Medical Systems</i> , 2019, 43, 4.	2.2	9
53	Lipid goal attainment in post-acute coronary syndrome patients in China: Results from the 6-month real-world dyslipidemia international study. <i>Clinical Cardiology</i> , 2021, 44, 1575-1585.	0.7	9
54	High Clopidogrel Dose in Patients With Chronic Kidney Disease Having Clopidogrel Resistance After Percutaneous Coronary Intervention. <i>Angiology</i> , 2015, 66, 319-325.	0.8	8

#	ARTICLE	IF	CITATIONS
55	Efficacy and Safety of Transcatheter vs. Surgical Aortic Valve Replacement in Low-to-Intermediate-Risk Patients: A Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 590975.	1.1	8
56	Ticagrelor Versus Clopidogrel in Patients with Two CYP2C19 Loss-of-Function Alleles Undergoing Percutaneous Coronary Intervention. <i>Cardiovascular Drugs and Therapy</i> , 2020, 34, 179-188.	1.3	8
57	Challenges and strategies in the management of coronary artery aneurysms. <i>Hellenic Journal of Cardiology</i> , 2021, 62, 112-120.	0.4	8
58	Associations between hyperhomocysteinemia and the presence and severity of acute coronary syndrome in young adults. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 47.	0.7	8
59	C-Reactive Protein Level Predicts Cardiovascular Risk in Chinese Young Female Population. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-5.	1.9	8
60	Influence of the Triglyceride-Glucose Index on Adverse Cardiovascular and Cerebrovascular Events in Prediabetic Patients With Acute Coronary Syndrome. <i>Frontiers in Endocrinology</i> , 2022, 13, 843072.	1.5	8
61	Clinical Outcomes of Transcatheter Aortic Valve Replacement in Nonagenarians: A Systematic Review and Meta-Analysis. <i>Journal of Interventional Cardiology</i> , 2019, 2019, 1-10.	0.5	7
62	Relation between quantity and quality of peri-coronary epicardial adipose tissue and its underlying hemodynamically significant coronary stenosis. <i>BMC Cardiovascular Disorders</i> , 2020, 20, 226.	0.7	7
63	Perivascular Adipose-Derived Exosomes Reduce Foam Cell Formation by Regulating Expression of Cholesterol Transporters. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 697510.	1.1	7
64	Histone methyltransferase Ezh2 negatively regulates NK cell terminal maturation and function. <i>Journal of Leukocyte Biology</i> , 2021, 110, 1033-1045.	1.5	7
65	Leukemia Inhibitory Factor Is Essential for the Self-Renewal of Embryonic Stem Cells from Nile Tilapia (<i>Oreochromis niloticus</i>) Through Stat3 Signaling. <i>Stem Cells and Development</i> , 2018, 27, 123-132.	1.1	6
66	Long-Term Outcomes of Acute Myocardial Infarction in Patients With Hypertrophic Cardiomyopathy. <i>Angiology</i> , 2018, 69, 900-908.	0.8	6
67	Optimal Revascularization Threshold of Fractional Flow Reserve and its Effect on Outcomes: Perspectives From a High-Volume Center in China. <i>Angiology</i> , 2019, 70, 423-430.	0.8	6
68	Could remnant-like particle cholesterol become a risk factor in diabetic menopausal women with coronary artery disease? A cross-sectional study of single academic center in China. <i>Lipids in Health and Disease</i> , 2020, 19, 44.	1.2	6
69	The relationship between residual cholesterol risk and plaque characteristics in patients with acute coronary syndrome: Insights from an optical coherence tomography study. <i>Atherosclerosis</i> , 2021, 317, 10-15.	0.4	6
70	Myocardial Infarction and Coronary Artery Disease in Menopausal Women With Type 2 Diabetes Mellitus Negatively Correlate With Total Serum Bile Acids. <i>Frontiers in Endocrinology</i> , 2021, 12, 754006.	1.5	6
71	Aortic Arch Calcification Is a Strong Predictor of the Severity of Coronary Artery Disease in Patients with Acute Coronary Syndrome. <i>BioMed Research International</i> , 2019, 2019, 1-9.	0.9	5
72	Prevalence of Healed Plaque and Factors Influencing Its Characteristics Under Optical Coherence Tomography in Patients With Coronary Artery Disease: A Systematic Review, Meta-Analysis, and Meta-Regression. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 761208.	1.1	5

#	ARTICLE	IF	CITATIONS
73	Adjustment of the GRACE Risk Score by Monocyte to High-Density Lipoprotein Ratio Improves Prediction of Adverse Cardiovascular Outcomes in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 755806.	1.1	5
74	Diabetes Is Associated With Rapid Progression of Aortic Stenosis: A Single-Center Retrospective Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 812692.	1.1	5
75	Predictors for euthyroid sick syndrome and its impact on in-hospital clinical outcomes in high-risk patients undergoing coronary artery bypass grafting. <i>Perfusion (United Kingdom)</i> , 2019, 34, 679-688.	0.5	4
76	Risk Factors for Postoperative Events in Patients on Antiplatelet Therapy Undergoing Off-Pump Coronary Artery Bypass Grafting Surgery. <i>Angiology</i> , 2020, 71, 704-712.	0.8	4
77	Combined effect of hyperhomocysteinemia and smoking on the severity of coronary artery disease in young adultsâ€™sâ€™sâ€™s 35 years of age: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 484.	0.7	4
78	Prognostic implication of serum glycated albumin for patients with non-ST-segment elevation acute coronary syndrome undergoing percutaneous coronary intervention. <i>Cardiovascular Diabetology</i> , 2022, 21, 11.	2.7	4
79	Homozygous familial hypercholesterolemia in China: Genetic and clinical characteristics from a real-world, multi-center, cohort study. <i>Journal of Clinical Lipidology</i> , 2022, 16, 306-314.	0.6	4
80	Revascularization treatment for spontaneous coronary artery dissection: A reconsideration of drug-coated balloons and bioresorbable vascular scaffold. <i>International Journal of Cardiology</i> , 2016, 209, 49-50.	0.8	3
81	Warfarin therapy in Chinese patients with atrial fibrillation treated with percutaneous coronary intervention: a 5 year follow-up retrospective cohort study. <i>Current Medical Research and Opinion</i> , 2019, 35, 1777-1783.	0.9	3
82	Predictive performance of aortic arch calcification for clinical outcomes in patients with acute coronary syndrome that undergo percutaneous coronary intervention. <i>Medicine (United States)</i> , 2019, 98, e18187.	0.4	3
83	Infective Endocarditis After Transcatheter Versus Surgical Aortic Valve Replacement: A Meta-Analysis. <i>Angiology</i> , 2020, 71, 955-965.	0.8	3
84	Elevated Glycated Albumin in Serum Is Associated with Adverse Cardiac Outcomes in Patients with Acute Coronary Syndrome Who Underwent Revascularization Therapy. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 482-491.	0.9	3
85	Efficacy and Safety of Evolocumab in Reducing Low-Density Lipoprotein Cholesterol Levels in Chinese Patients with Non-ST-segment Elevation Acute Coronary Syndrome. <i>Current Vascular Pharmacology</i> , 2021, 19, 429-437.	0.8	3
86	Positive Association of Coronary Calcium Detected by Computed Tomography Coronary Angiography with Periprocedural Myocardial Infarction. <i>PLoS ONE</i> , 2013, 8, e82835.	1.1	3
87	Stenting techniques for coronary bifurcation disease: a systematic review and network meta-analysis demonstrates superiority of double-kissing crush in complex lesions. <i>Clinical Research in Cardiology</i> , 2021, , 1.	1.5	3
88	A randomized comparison of a novel iopromide-based paclitaxel-coated balloon Shenqi versus SeQuent Please for the treatment of in-stent restenosis. <i>Coronary Artery Disease</i> , 2021, 32, 526-533.	0.3	3
89	Protective Role of Statins in Patients With Acute Coronary Syndrome Aged â€™sâ€™s 75 Years With Low LDL-C Who Underwent Percutaneous Coronary Intervention. <i>Angiology</i> , 2014, 65, 590-595.	0.8	2
90	Type 2 diabetes compromises the value of non-invasively measured augmentation index in predicting the severity of coronary artery disease: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 216.	0.7	2

#	ARTICLE	IF	CITATIONS
91	Safety and efficacy of zotarolimus-eluting stents in the treatment of diabetic coronary lesions in Chinese patients: The RESOLUTE-DIABETES CHINA Study. <i>Journal of Diabetes</i> , 2019, 11, 204-213.	0.8	2
92	Admission Heart Rate Is Associated With Coronary Artery Disease Severity and Complexity in Patients With Acute Coronary Syndrome. <i>Angiology</i> , 2019, 70, 774-781.	0.8	2
93	Deferral Versus Performance of Revascularization for Coronary Stenosis With Grey Zone Fractional Flow Reserve Values: A Systematic Review and Meta-Analysis. <i>Angiology</i> , 2020, 71, 48-55.	0.8	2
94	A Synergistic Effect of Lp(a) and GRACE Score on Cardiovascular Risk in Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention: A Cohort Study From China. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 637366.	1.1	2
95	The Association Between Plasma Osmolarity and In-hospital Mortality in Cardiac Intensive Care Unit Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 692764.	1.1	2
96	Characteristics of culprit lesions in young patients with metabolic syndrome and classic cardiovascular risk factors. <i>Experimental and Therapeutic Medicine</i> , 2020, 19, 2766-2772.	0.8	2
97	Transcatheter Aortic Valve Implantation in Sievers Type 0 vs. Type 1 Bicuspid Aortic Valve Morphology: Systematic Review and Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 771789.	1.1	2
98	Effect of Presence versus Absence of Hypertension on Admission Heart Rate-Associated Cardiovascular Risk in Patients with Acute Coronary Syndrome. <i>International Journal of Hypertension</i> , 2022, 2022, 1-7.	0.5	2
99	Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. <i>Angiology</i> , 2016, 67, 12-20.	0.8	1
100	Women With Early Menopause Have Higher Rates of Target Lesion Revascularization After Percutaneous Coronary Intervention. <i>Angiology</i> , 2016, 67, 311-316.	0.8	1
101	Very High Serum Uric Acid Levels, Plaque Morphology, and the Acute Coronary Syndrome. <i>Cardiology</i> , 2018, 141, 199-201.	0.6	1
102	Long-Term Follow-Up After Treatment of Drug-Eluting Stent Restenosis and De Novo Lesions Using SeQuent Please Paclitaxel-Coated Balloons. <i>Angiology</i> , 2019, 70, 414-422.	0.8	1
103	Obesity is associated with worse long-term outcomes in hypertrophic cardiomyopathy patients with acute myocardial infarction. <i>Perfusion (United Kingdom)</i> , 2020, 35, 384-392.	0.5	1
104	Comparison of transradial coronary intervention for left main bifurcation disease using the new Braidin® slender 7 Fr sheath and a standard 6 Fr sheath. <i>Journal of International Medical Research</i> , 2020, 48, 030006052095472.	0.4	1
105	A Novel Risk Scoring Tool to Predict Saphenous Vein Graft Occlusion After Cardiac Artery Bypass Graft Surgery. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 670045.	1.1	1
106	Prognostic Significance of HbA1c Level in Asian Patients with Prediabetes and Coronary Artery Disease. <i>Cardiovascular Innovations and Applications</i> , 2022, 6, .	0.1	1
107	Risk Factors of Cardiac Death for Elderly Patients with Severe Chronic Kidney Disease after Percutaneous Coronary Intervention. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2022, 28, 107602962210818.	0.7	1
108	Association of B-type natriuretic peptide with rapid progression in patients with aortic stenosis. <i>Reviews in Cardiovascular Medicine</i> , 2022, 23, 075.	0.5	1

#	ARTICLE	IF	CITATIONS
109	Effect of lipoprotein(a) levels on long-term outcome in octogenarians with coronary artery disease after drug-eluting stent implantation. <i>Reviews in Cardiovascular Medicine</i> , 2022, 23, 079.	0.5	1
110	Transcatheter aortic valve implantation after previous mechanical mitral valve replacement in a patient with coexistent rheumatic aortic stenosis and regurgitation. <i>Cardiovascular Diagnosis and Therapy</i> , 2019, 9, 529-532.	0.7	0
111	Clinical effectiveness and radial artery remodeling assessment via very-high-frequency ultrasound/ultra biomicroscopy after applying slender 7Fr sheath for transradial approach in left main bifurcation disease. <i>Current Medical Research and Opinion</i> , 2020, 36, 1643-1652.	0.9	0
112	The Impact of Statins before High-Risk CABG on Postoperative Multiple Organ Function. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-9.	0.5	0
113	Intracoronary Imaging Versus Coronary Angiography to Guide Drug-Coated Balloon Intervention in Coronary Artery Disease: A Propensity-Matched Pilot Study Analysis. <i>Angiology</i> , 2021, 72, 971-978.	0.8	0
114	Expression Profiles of Long Noncoding and Messenger RNAs in Epicardial Adipose Tissue-Derived from Patients with Coronary Atherosclerosis. <i>Current Vascular Pharmacology</i> , 2022, 20, 189-200.	0.8	0
115	Major Adverse Cardiovascular Events According to Thrombolysis in Myocardial Infarction Flow Grade and Intervention Timing Before Percutaneous Coronary Intervention in Non-“ST-Segment Elevation Myocardial Infarction. <i>Angiology</i> , 2022, 73, 96-98.	0.8	0
116	Coronary angiographic findings in renal transplant patients with chronic coronary artery disease: a pilot study. <i>Reviews in Cardiovascular Medicine</i> , 2022, 23, 066.	0.5	0
117	Serum CTRP9 Reflects Coronary Collateralization in Nondiabetic Patients with Obstructive Coronary Artery Disease. <i>BioMed Research International</i> , 2022, 2022, 1-10.	0.9	0
118	Relation of Monocyte Number to Progression of Aortic Stenosis. <i>American Journal of Cardiology</i> , 2022, 171, 122-126.	0.7	0
119	Increased estimated remnant-like particle cholesterol is associated with impaired coronary collateralization in patients with coronary chronic total occlusions. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, 57.	1.2	0