

Yujie Zhou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2042032/yujie-zhou-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

1,002
citations

17
h-index

28
g-index

129
ext. papers

1,512
ext. citations

4
avg, IF

4.55
L-index

#	Paper	IF	Citations
110	A Highly Sensitive and Stretchable Yarn Strain Sensor for Human Motion Tracking Utilizing a Wrinkle-Assisted Crack Structure. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 36052-36062	9.5	82
109	Elevated plasma IL-37, IL-18, and IL-18BP concentrations in patients with acute coronary syndrome. <i>Mediators of Inflammation</i> , 2014 , 2014, 165742	4.3	68
108	High-Performance Wearable Strain Sensor Based on Graphene/Cotton Fabric with High Durability and Low Detection Limit. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 1474-1485	9.5	61
107	Design of Helically Double-Levelled Gaps for Stretchable Fiber Strain Sensor with Ultralow Detection Limit, Broad Sensing Range, and High Repeatability. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4345-4352	9.5	61
106	Effect of remote ischemic preconditioning in the elderly patients with coronary artery disease with diabetes mellitus undergoing elective drug-eluting stent implantation. <i>Angiology</i> , 2014 , 65, 660-6	2.1	48
105	Triglyceride glucose index for predicting cardiovascular outcomes after percutaneous coronary intervention in patients with type 2 diabetes mellitus and acute coronary syndrome. <i>Cardiovascular Diabetology</i> , 2020 , 19, 31	8.7	42
104	Circulating Th1, Th2, and Th17 Levels in Hypertensive Patients. <i>Disease Markers</i> , 2017 , 2017, 7146290	3.2	37
103	Exogenous interleukin 37 ameliorates atherosclerosis via inducing the Treg response in ApoE-deficient mice. <i>Scientific Reports</i> , 2017 , 7, 3310	4.9	36
102	The Protective Effect of Interleukin-37 on Vascular Calcification and Atherosclerosis in Apolipoprotein E-Deficient Mice with Diabetes. <i>Journal of Interferon and Cytokine Research</i> , 2015 , 35, 530-9	3.5	35
101	Endoplasmic Reticulum Stress Affects Lipid Metabolism in Atherosclerosis Via CHOP Activation and Over-Expression of miR-33. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 1995-2010	3.9	35
100	Sfrp5/Wnt Pathway: A Protective Regulatory System in Atherosclerotic Cardiovascular Disease. <i>Journal of Interferon and Cytokine Research</i> , 2019 , 39, 472-482	3.5	26
99	Gender-specific associations between atherogenic index of plasma and the presence and severity of acute coronary syndrome in very young adults: a hospital-based observational study. <i>Lipids in Health and Disease</i> , 2019 , 18, 99	4.4	26
98	Invasive Management Strategies and Antithrombotic Treatments in Patients With Non-ST-Segment-Elevation Acute Coronary Syndrome in China: Findings From the Improving CCC Project (Care for Cardiovascular Disease in China). <i>Circulation: Cardiovascular Interventions</i> , 2017 , 10, 10	6	24
97	CYP2C19 genotype and adverse cardiovascular outcomes after stent implantation in clopidogrel-treated Asian populations: A systematic review and meta-analysis. <i>Platelets</i> , 2019 , 30, 229-240	2.6	23
96	Chemerin15-Ameliorated Cardiac Ischemia-Reperfusion Injury Is Associated with the Induction of Alternatively Activated Macrophages. <i>Mediators of Inflammation</i> , 2015 , 2015, 563951	4.3	19
95	Human epicardial adipose tissue-derived and circulating secreted frizzled-related protein 4 (SFRP4) levels are increased in patients with coronary artery disease. <i>Cardiovascular Diabetology</i> , 2017 , 16, 133	8.7	18
94	The sensibility of the new blood lipid indicator--atherogenic index of plasma (AIP) in menopausal women with coronary artery disease. <i>Lipids in Health and Disease</i> , 2020 , 19, 27	4.4	17

93	Valsartan Attenuates Atherosclerosis via Upregulating the Th2 Immune Response in Prolonged Angiotensin II-Treated ApoE(-/-) Mice. <i>Molecular Medicine</i> , 2015 , 21, 143-53	6.2	17
92	The atherogenic index of plasma plays an important role in predicting the prognosis of type 2 diabetic subjects undergoing percutaneous coronary intervention: results from an observational cohort study in China. <i>Cardiovascular Diabetology</i> , 2020 , 19, 23	8.7	16
91	High-dose statin pretreatment decreases periprocedural myocardial infarction and cardiovascular events in patients undergoing elective percutaneous coronary intervention: a meta-analysis of twenty-four randomized controlled trials. <i>PLoS ONE</i> , 2014 , 9, e113352	3.7	16
90	Angiographic quantitative flow ratio-guided coronary intervention (FAVOR III China): a multicentre, randomised, sham-controlled trial. <i>Lancet, The</i> , 2021 ,	4.0	16
89	Spontaneous coronary artery dissection in the presence of myocardial bridge causing myocardial infarction: an insight into mechanism. <i>International Journal of Cardiology</i> , 2016 , 206, 77-8	3.2	13
88	Prevalence of transradial coronary angiography and intervention in China: report from the Transradial coronary intervention Registration Investigation in China (TRI-China). <i>International Journal of Cardiology</i> , 2010 , 145, 246-247	3.2	13
87	Right Ventricular Damage in COVID-19: Association Between Myocardial Injury and COVID-19. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 606318	5.4	13
86	Comparison of long-term outcomes of young patients after a coronary event associated with familial hypercholesterolemia. <i>Lipids in Health and Disease</i> , 2019 , 18, 131	4.4	10
85	The cellular protein expression of Foxp3 in lymphoid and non-lymphoid organs of Nile tilapia. <i>Fish and Shellfish Immunology</i> , 2015 , 45, 300-6	4.3	10
84	Preconditioning With Tauroursodeoxycholic Acid Protects Against Contrast-Induced HK-2 Cell Apoptosis by Inhibiting Endoplasmic Reticulum Stress. <i>Angiology</i> , 2015 , 66, 941-9	2.1	10
83	High Serum Secreted Frizzled-Related Protein 5 Levels Associates with Early Improvement of Cardiac Function Following ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 868-878	4	10
82	Tocilizumab treatment effectively improves coronary artery involvement in patients with Takayasu arteritis. <i>Clinical Rheumatology</i> , 2020 , 39, 2369-2378	3.9	9
81	Insulin Resistance Increases the Risk of Contrast-Induced Nephropathy in Patients Undergoing Elective Coronary Intervention. <i>Angiology</i> , 2016 , 67, 139-45	2.1	8
80	Expression of Sfrp5/Wnt5a in human epicardial adipose tissue and their relationship with coronary artery disease. <i>Life Sciences</i> , 2020 , 245, 117338	6.8	8
79	Hyperuricemia and severity of coronary artery disease: An observational study in adults 35 years of age and younger with acute coronary syndrome. <i>Cardiology Journal</i> , 2019 , 26, 275-282	1.4	8
78	Fasting Blood Glucose and HbA Correlate With Severity of Coronary Artery Disease in Elective PCI Patients With HbA 5.7% to 6.4. <i>Angiology</i> , 2020 , 71, 167-174	2.1	8
77	Perivascular Adipose Tissue as an Indication, Contributor to, and Therapeutic Target for Atherosclerosis. <i>Frontiers in Physiology</i> , 2020 , 11, 615503	4.6	7
76	The conical stent in coronary artery improves hemodynamics compared with the traditional cylindrical stent. <i>International Journal of Cardiology</i> , 2017 , 227, 166-171	3.2	6

75	Sodium-glucose cotransporter 2 inhibitors and fracture risk in patients with type 2 diabetes mellitus: a meta-analysis of randomized controlled trials. <i>Therapeutic Advances in Chronic Disease</i> , 2020 , 11, 2040622320961599	4.9	6
74	Variants in Familial Hypercholesterolemia: A Comprehensive Synopsis. <i>Frontiers in Genetics</i> , 2020 , 11, 1020	4.5	6
73	Safety and efficacy of the novel sirolimus-eluting bioresorbable scaffold for the treatment of de novo coronary artery disease: One-year results from a prospective patient-level pooled analysis of NeoVas trials. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 93, 832-838	2.7	5
72	High clopidogrel dose in patients with chronic kidney disease having clopidogrel resistance after percutaneous coronary intervention. <i>Angiology</i> , 2015 , 66, 319-25	2.1	5
71	Omentin-1 Modulates Macrophage Function Integrin Receptors $\alpha 5 \beta 1$ and $\alpha 5 \beta 2$ and Reverses Plaque Vulnerability in Animal Models of Atherosclerosis. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 757926	5.4	5
70	Prognostic impact of the atherogenic index of plasma in type 2 diabetes mellitus patients with acute coronary syndrome undergoing percutaneous coronary intervention. <i>Lipids in Health and Disease</i> , 2020 , 19, 240	4.4	5
69	Leukemia Inhibitory Factor Is Essential for the Self-Renewal of Embryonic Stem Cells from Nile Tilapia (<i>Oreochromis niloticus</i>) Through Stat3 Signaling. <i>Stem Cells and Development</i> , 2018 , 27, 123-132	4.4	5
68	Hyperuricemia and smoking in young adults suspected of coronary artery disease ≥ 5 years of age: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 178	2.3	5
67	Clinical Profile and Outcome in Patients with Coronary Slow Flow Phenomenon. <i>Cardiology Research and Practice</i> , 2019 , 2019, 9168153	1.9	4
66	Clinical Outcomes of Transcatheter Aortic Valve Replacement in Nonagenarians: A Systematic Review and Meta-Analysis. <i>Journal of Interventional Cardiology</i> , 2019 , 2019, 5819232	1.8	4
65	Ticagrelor Versus Clopidogrel in Patients with Two CYP2C19 Loss-of-Function Alleles Undergoing Percutaneous Coronary Intervention. <i>Cardiovascular Drugs and Therapy</i> , 2020 , 34, 179-188	3.9	4
64	Perivascular adipose-derived exosomes reduce macrophage foam cell formation through miR-382-5p and the BMP4-PPAR α -ABCA1/ABCG1 pathways.. <i>Vascular Pharmacology</i> , 2022 , 143, 106968	5.9	4
63	LncRNA MALAT1 Enhances ox-LDL-Induced Autophagy through the SIRT1/MAPK/NF- κ B Pathway in Macrophages. <i>Current Vascular Pharmacology</i> , 2020 , 18, 652-662	3.3	4
62	Optimal Revascularization Threshold of Fractional Flow Reserve and its Effect on Outcomes: Perspectives From a High-Volume Center in China. <i>Angiology</i> , 2019 , 70, 423-430	2.1	4
61	Relation between quantity and quality of peri-coronary epicardial adipose tissue and its underlying hemodynamically significant coronary stenosis. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 226	2.3	3
60	The characteristics of risk factors in Chinese young women with acute coronary syndrome. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 290	2.3	3
59	Could remnant-like particle cholesterol become a risk factor in diabetic menopausal women with coronary artery disease? A cross-sectional study of single academic center in China. <i>Lipids in Health and Disease</i> , 2020 , 19, 44	4.4	3
58	Positive association of coronary calcium detected by computed tomography coronary angiography with periprocedural myocardial infarction. <i>PLoS ONE</i> , 2013 , 8, e82835	3.7	3

57	Predictive performance of aortic arch calcification for clinical outcomes in patients with acute coronary syndrome that undergo percutaneous coronary intervention: A prospective clinical study. <i>Medicine (United States)</i> , 2019 , 98, e18187	1.8	3
56	Associations between hyperhomocysteinemia and the presence and severity of acute coronary syndrome in young adults [B]years of age. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 47	2.3	3
55	Long-Term Outcomes of Acute Myocardial Infarction in Patients With Hypertrophic Cardiomyopathy. <i>Angiology</i> , 2018 , 69, 900-908	2.1	3
54	Prognostic Impact of Multiple Lymphocyte-Based Inflammatory Indices in Acute Coronary Syndrome Patients.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 811790	5.4	3
53	Aortic Arch Calcification Is a Strong Predictor of the Severity of Coronary Artery Disease in Patients with Acute Coronary Syndrome. <i>BioMed Research International</i> , 2019 , 2019, 7659239	3	2
52	Warfarin therapy in Chinese patients with atrial fibrillation treated with percutaneous coronary intervention: a 5 year follow-up retrospective cohort study. <i>Current Medical Research and Opinion</i> , 2019 , 35, 1777-1783	2.5	2
51	Admission Heart Rate Is Associated With Coronary Artery Disease Severity and Complexity in Patients With Acute Coronary Syndrome. <i>Angiology</i> , 2019 , 70, 774-781	2.1	2
50	Efficacy and Safety of Transcatheter vs. Surgical Aortic Valve Replacement in Low-to-Intermediate-Risk Patients: A Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 590975 ^{5.4}	5.4	2
49	Type 2 diabetes compromises the value of non-invasively measured augmentation index in predicting the severity of coronary artery disease: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 216	2.3	2
48	Revascularization treatment for spontaneous coronary artery dissection: A reconsideration of drug-coated balloons and bioresorbable vascular scaffold. <i>International Journal of Cardiology</i> , 2016 , 209, 49-50	3.2	2
47	Safety and efficacy of zotarolimus-eluting stents in the treatment of diabetic coronary lesions in Chinese patients: The RESOLUTE-DIABETES CHINA Study. <i>Journal of Diabetes</i> , 2019 , 11, 204-213	3.8	2
46	Association between the triglyceride glucose index and coronary collateralization in coronary artery disease patients with chronic total occlusion lesions. <i>Lipids in Health and Disease</i> , 2021 , 20, 140	4.4	2
45	Characteristics of culprit lesions in young patients with metabolic syndrome and classic cardiovascular risk factors. <i>Experimental and Therapeutic Medicine</i> , 2020 , 19, 2766-2772	2.1	2
44	Thinner Strut Sirolimus-Eluting BRS Versus EES in Patients With Coronary Artery Disease: FUTURE-II Trial. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 1450-1462	5	2
43	LDL cholesterol levels and in-hospital bleeding in patients on high-intensity antithrombotic therapy: findings from the CCC-ACS project. <i>European Heart Journal</i> , 2021 , 42, 3175-3186	9.5	2
42	Association Between TG-to-HDL-C Ratio and In-Stent Stenosis Under Optical Coherence Tomography Guidance. <i>Journal of Medical Systems</i> , 2018 , 43, 4	5.1	2
41	Challenges and strategies in the management of coronary artery aneurysms. <i>Hellenic Journal of Cardiology</i> , 2021 , 62, 112-120	2.1	2
40	Perivascular Adipose-Derived Exosomes Reduce Foam Cell Formation by Regulating Expression of Cholesterol Transporters. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 697510	5.4	2

39	Predictors for euthyroid sick syndrome and its impact on in-hospital clinical outcomes in high-risk patients undergoing coronary artery bypass grafting. <i>Perfusion (United Kingdom)</i> , 2019 , 34, 679-688	1.9	1
38	Percutaneous Coronary Intervention Rates and Associated Independent Predictors for Progression of Nontarget Lesions in Patients With Diabetes Mellitus After Drug-Eluting Stent Implantation. <i>Angiology</i> , 2016 , 67, 12-20	2.1	1
37	Women With Early Menopause Have Higher Rates of Target Lesion Revascularization After Percutaneous Coronary Intervention. <i>Angiology</i> , 2016 , 67, 311-6	2.1	1
36	Protective role of statins in patients with acute coronary syndrome aged ≥ 75 years with low LDL-C who underwent percutaneous coronary intervention. <i>Angiology</i> , 2014 , 65, 590-5	2.1	1
35	C-Reactive Protein Level Predicts Cardiovascular Risk in Chinese Young Female Population.. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 6538079	6.7	1
34	Combined effect of hyperhomocysteinemia and smoking on the severity of coronary artery disease in young adults ≥ 55 years of age: a hospital-based observational study. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 484	2.3	1
33	Lipid goal attainment in post-acute coronary syndrome patients in China: Results from the 6-month real-world dyslipidemia international study II. <i>Clinical Cardiology</i> , 2021 , 44, 1575-1585	3.3	1
32	Obesity is associated with worse long-term outcomes in hypertrophic cardiomyopathy patients with acute myocardial infarction. <i>Perfusion (United Kingdom)</i> , 2020 , 35, 384-392	1.9	1
31	Infective Endocarditis After Transcatheter Versus Surgical Aortic Valve Replacement: A Meta-Analysis. <i>Angiology</i> , 2020 , 71, 955-965	2.1	1
30	Efficacy and Safety of Evolocumab in Reducing Low-Density Lipoprotein Cholesterol Levels in Chinese Patients with Non-ST-segment Elevation Acute Coronary Syndrome. <i>Current Vascular Pharmacology</i> , 2021 , 19, 429-437	3.3	1
29	The Association Between Plasma Osmolarity and In-hospital Mortality in Cardiac Intensive Care Unit Patients. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 692764	5.4	1
28	Long-Term Follow-Up After Treatment of Drug-Eluting Stent Restenosis and De Novo Lesions Using SeQuent Please Paclitaxel-Coated Balloons. <i>Angiology</i> , 2019 , 70, 414-422	2.1	1
27	Deferral Versus Performance of Revascularization for Coronary Stenosis With Grey Zone Fractional Flow Reserve Values: A Systematic Review and Meta-Analysis. <i>Angiology</i> , 2020 , 71, 48-55	2.1	1
26	Risk Factors for Postoperative Events in Patients on Antiplatelet Therapy Undergoing Off-Pump Coronary Artery Bypass Grafting Surgery. <i>Angiology</i> , 2020 , 71, 704-712	2.1	1
25	The relationship between residual cholesterol risk and plaque characteristics in patients with acute coronary syndrome: Insights from an optical coherence tomography study. <i>Atherosclerosis</i> , 2021 , 317, 10-15	3.1	1
24	A Novel Risk Scoring Tool to Predict Saphenous Vein Graft Occlusion After Cardiac Artery Bypass Graft Surgery. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 670045	5.4	1
23	Elevated Remnant Cholesterol is Associated with Adverse Cardiovascular Outcomes in Patients with Acute Coronary Syndrome.. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022 ,	4	1
22	Diabetes Is Associated With Rapid Progression of Aortic Stenosis: A Single-Center Retrospective Cohort Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 812692	5.4	1

21	Influence of the Triglyceride-Glucose Index on Adverse Cardiovascular and Cerebrovascular Events in Prediabetic Patients With Acute Coronary Syndrome.. <i>Frontiers in Endocrinology</i> , 2022 , 13, 843072	5.7	1
20	Adjustment of the GRACE Risk Score by Monocyte to High-Density Lipoprotein Ratio Improves Prediction of Adverse Cardiovascular Outcomes in Patients With Acute Coronary Syndrome Undergoing Percutaneous Coronary Intervention.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 755806	5.4	0
19	Prognostic implication of serum glycated albumin for patients with non-ST-segment elevation acute coronary syndrome undergoing percutaneous coronary intervention.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 11	8.7	0
18	Transcatheter Aortic Valve Implantation in Sievers Type 0 vs. Type 1 Bicuspid Aortic Valve Morphology: Systematic Review and Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 771789	5.4	0
17	Prevalence of Healed Plaque and Factors Influencing Its Characteristics Under Optical Coherence Tomography in Patients With Coronary Artery Disease: A Systematic Review, Meta-Analysis, and Meta-Regression. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 761208	5.4	0
16	Myocardial Infarction and Coronary Artery Disease in Menopausal Women With Type 2 Diabetes Mellitus Negatively Correlate With Total Serum Bile Acids. <i>Frontiers in Endocrinology</i> , 2021 , 12, 754006	5.7	0
15	Comparison of transradial coronary intervention for left main bifurcation disease using the new Braidin [®] slender 7 Fr sheath and a standard 6 Fr sheath. <i>Journal of International Medical Research</i> , 2020 , 48, 300060520954727	1.4	0
14	A Synergistic Effect of Lp(a) and GRACE Score on Cardiovascular Risk in Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention: A Cohort Study From China. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 637366	5.4	0
13	Histone methyltransferase Ezh2 negatively regulates NK cell terminal maturation and function. <i>Journal of Leukocyte Biology</i> , 2021 , 110, 1033-1045	6.5	0
12	Association of B-type natriuretic peptide with rapid progression in patients with aortic stenosis.. <i>Reviews in Cardiovascular Medicine</i> , 2022 , 23, 75	3.9	0
11	The Impact of Statins before High-Risk CABG on Postoperative Multiple Organ Function. <i>Cardiology Research and Practice</i> , 2020 , 2020, 9519736	1.9	
10	A randomized comparison of a novel iopromide-based paclitaxel-coated balloon Shenqi versus SeQuent Please for the treatment of in-stent restenosis. <i>Coronary Artery Disease</i> , 2021 , 32, 526-533	1.4	
9	Stenting techniques for coronary bifurcation disease: a systematic review and network meta-analysis demonstrates superiority of double-kissing crush in complex lesions. <i>Clinical Research in Cardiology</i> , 2021 , 1	6.1	
8	Clinical effectiveness and radial artery remodeling assessment via very-high-frequency ultrasound/ultra biomicroscopy after applying slender 7Fr sheath for transradial approach in left main bifurcation disease. <i>Current Medical Research and Opinion</i> , 2020 , 36, 1643-1652	2.5	
7	Intracoronary Imaging Versus Coronary Angiography to Guide Drug-Coated Balloon Intervention in Coronary Artery Disease: A Propensity-Matched Pilot Study Analysis. <i>Angiology</i> , 2021 , 72, 971-978	2.1	
6	Transcatheter aortic valve implantation after previous mechanical mitral valve replacement in a patient with coexistent rheumatic aortic stenosis and regurgitation. <i>Cardiovascular Diagnosis and Therapy</i> , 2019 , 9, 529-532	2.6	
5	Risk Factors of Cardiac Death for Elderly Patients with Severe Chronic Kidney Disease after Percutaneous Coronary Intervention.. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2022 , 28, 107602962231081848	3.3	
4	Effect of Presence versus Absence of Hypertension on Admission Heart Rate-Associated Cardiovascular Risk in Patients with Acute Coronary Syndrome.. <i>International Journal of Hypertension</i> , 2022 , 2022, 3001737	2.4	

- 3 Effect of lipoprotein(a) levels on long-term outcome in octogenarians with coronary artery disease after drug-eluting stent implantation.. *Reviews in Cardiovascular Medicine*, **2022**, 23, 79 3.9
- 2 Serum CTRP9 Reflects Coronary Collateralization in Nondiabetic Patients with Obstructive Coronary Artery Disease.. *BioMed Research International*, **2022**, 2022, 8537686 3
- 1 Increased estimated remnant-like particle cholesterol is associated with impaired coronary collateralization in patients with coronary chronic total occlusions.. *Diabetology and Metabolic Syndrome*, **2022**, 14, 57 5.6