

# Bitá Imam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2042964/publications.pdf>

Version: 2024-02-01

13  
papers

273  
citations

1163117

8  
h-index

1199594

12  
g-index

13  
all docs

13  
docs citations

13  
times ranked

341  
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidence of lower limb amputation in Canada. Canadian Journal of Public Health, 2017, 108, 374-380.	2.3	100
2	Virtual Reality Rehabilitation from Social Cognitive and Motor Learning Theoretical Perspectives in Stroke Population. Rehabilitation Research and Practice, 2014, 2014, 1-11.	0.6	39
3	A randomized controlled trial to evaluate the feasibility of the Wii Fit for improving walking in older adults with lower limb amputation. Clinical Rehabilitation, 2017, 31, 82-92.	2.2	26
4	Health Promotion and Disease Prevention Strategies in Older Adults with Intellectual and Developmental Disabilities. Frontiers in Public Health, 2014, 2, 31.	2.7	22
5	Reliability and Validity of Scores of a Chinese Version of the Frenchay Activities Index. Archives of Physical Medicine and Rehabilitation, 2012, 93, 520-526.	0.9	20
6	Feasibility of the Nintendo WiiFitâ„¢ for improving walking in individuals with a lower limb amputation. SAGE Open Medicine, 2013, 1, 205031211349794.	1.8	16
7	Standardized Patients versus Volunteer Patients for Physical Therapy Students' Interviewing Practice: A Pilot Study. Physiotherapy Canada Physiotherapie Canada, 2015, 67, 378-384.	0.6	12
8	A Telehealth Intervention Using Nintendo Wii Fit Balance Boards and iPads to Improve Walking in Older Adults With Lower Limb Amputation (Wii.n.Walk): Study Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2014, 3, e80.	1.0	12
9	Group-based telerehabilitation intervention using Wii Fit to improve walking in older adults with lower limb amputation (WiiNWalk): A randomized control trial. Clinical Rehabilitation, 2022, 36, 331-341.	2.2	10
10	Self-directed usage of an in-home exergame after a supervised telerehabilitation training program for older adults with lower-limb amputation. Prosthetics and Orthotics International, 2020, 44, 52-59.	1.0	9
11	Fatigue, pain, and depression: an invisible triad among persons with spinal cord injury. Physical Therapy Reviews, 2017, 22, 7-11.	0.8	5
12	Validity of measures for life space mobility and physical activity in older adults with lower-limb amputation. Prosthetics and Orthotics International, 2021, 45, 428-433.	1.0	2
13	Walking while talking: validation in older adults with lower-limb amputation. Prosthetics and Orthotics International, 2021, 45, 457-462.	1.0	0