

# Junjie Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/204388/publications.pdf>

Version: 2024-02-01

228  
papers

4,095  
citations

201385

27  
h-index

205818

48  
g-index

234  
all docs

234  
docs citations

234  
times ranked

5519  
citing authors

#	ARTICLE	IF	CITATIONS
1	Immediate psychological distress in quarantined patients with COVID-19 and its association with peripheral inflammation: A mixed-method study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 17-27.	2.0	303
2	Brain-Wide Analysis of Functional Connectivity in First-Episode and Chronic Stages of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw099.	2.3	142
3	Repetitive transcranial magnetic stimulation versus electroconvulsive therapy for major depression: A systematic review and meta-analysis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 51, 181-189.	2.5	127
4	White-matter functional networks changes in patients with schizophrenia. <i>NeuroImage</i> , 2019, 190, 172-181.	2.1	106
5	Prodromal psychosis detection in a counseling center population in China: An epidemiological and clinical study. <i>Schizophrenia Research</i> , 2014, 152, 391-399.	1.1	104
6	Differential alterations of resting-state functional connectivity in generalized anxiety disorder and panic disorder. <i>Human Brain Mapping</i> , 2016, 37, 1459-1473.	1.9	96
7	High frequency repetitive transcranial magnetic stimulation of the left dorsolateral prefrontal cortex for methamphetamine use disorders: A randomised clinical trial. <i>Drug and Alcohol Dependence</i> , 2017, 175, 84-91.	1.6	91
8	Abnormal functional connectivity of EEG gamma band in patients with depression during emotional face processing. <i>Clinical Neurophysiology</i> , 2015, 126, 2078-2089.	0.7	90
9	Abnormal white matter microstructure in drug-naïve first episode schizophrenia patients before and after eight weeks of antipsychotic treatment. <i>Schizophrenia Research</i> , 2016, 172, 1-8.	1.1	75
10	A Systematic Review of Integrated Functional Near-Infrared Spectroscopy (fNIRS) and Transcranial Magnetic Stimulation (TMS) Studies. <i>Frontiers in Neuroscience</i> , 2019, 13, 84.	1.4	67
11	Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator. <i>Psychological Medicine</i> , 2019, 49, 1990-1998.	2.7	59
12	Association of Hippocampal Atrophy With Duration of Untreated Psychosis and Molecular Biomarkers During Initial Antipsychotic Treatment of First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 370.	6.0	56
13	Validating the Predictive Accuracy of the NAPLS-2 Psychosis Risk Calculator in a Clinical High-Risk Sample From the SHARP (Shanghai At Risk for Psychosis) Program. <i>American Journal of Psychiatry</i> , 2018, 175, 906-908.	4.0	54
14	Enhancing neural efficiency of cognitive processing speed via training and neurostimulation: An fNIRS and TMS study. <i>NeuroImage</i> , 2019, 198, 73-82.	2.1	54
15	Updated Review on the Clinical Use of Repetitive Transcranial Magnetic Stimulation in Psychiatric Disorders. <i>Neuroscience Bulletin</i> , 2017, 33, 747-756.	1.5	53
16	Meta-analysis of cognitive function in Chinese first-episode schizophrenia: MATRICS Consensus Cognitive Battery (MCCB) profile of impairment. <i>Annals of General Psychiatry</i> , 2019, 32, e100043.	1.1	52
17	Resolving heterogeneity in schizophrenia through a novel systems approach to brain structure: individualized structural covariance network analysis. <i>Molecular Psychiatry</i> , 2021, 26, 7719-7731.	4.1	52
18	Functional connectome organization predicts conversion to psychosis in clinical high-risk youth from the SHARP program. <i>Molecular Psychiatry</i> , 2020, 25, 2431-2440.	4.1	49

#	ARTICLE	IF	CITATIONS
19	Aberrant Prefrontalâ€“Thalamicâ€“Cerebellar Circuit in Schizophrenia and Depression: Evidence From a Possible Causal Connectivity. <i>International Journal of Neural Systems</i> , 2019, 29, 1850032.	3.2	45
20	Aberrant Functional Connectivity between the Amygdala and the Temporal Pole in Drug-Free Generalized Anxiety Disorder. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 549.	1.0	44
21	Mobile health in China: Current status and future development. <i>Asian Journal of Psychiatry</i> , 2014, 10, 101-104.	0.9	43
22	Cognitive training can reduce the rate of cognitive aging: a neuroimaging cohort study. <i>BMC Geriatrics</i> , 2016, 16, 12.	1.1	40
23	Altered neuronal spontaneous activity correlates with glutamate concentration in medial prefrontal cortex of major depressed females: An fMRI-MRS study. <i>Journal of Affective Disorders</i> , 2016, 201, 153-161.	2.0	39
24	The relationship between facial emotion recognition and executive functions in first-episode patients with schizophrenia and their siblings. <i>BMC Psychiatry</i> , 2015, 15, 241.	1.1	38
25	Regional Abnormality of Grey Matter in Schizophrenia: Effect from the Illness or Treatment?. <i>PLoS ONE</i> , 2016, 11, e0147204.	1.1	37
26	Reduced $\gamma$ -Aminobutyric Acid and Glutamate+Glutamine Levels in Drug-Naïve Patients with First-Episode Schizophrenia but Not in Those at Ultrahigh Risk. <i>Neural Plasticity</i> , 2016, 2016, 1-9.	1.0	34
27	Increased resting-state global functional connectivity density of default mode network in schizophrenia subjects treated with electroconvulsive therapy. <i>Schizophrenia Research</i> , 2018, 197, 192-199.	1.1	33
28	Anterior Hippocampalâ€“Cortical Functional Connectivity Distinguishes Antipsychotic Naïve First-Episode Psychosis Patients From Controls and May Predict Response to Second-Generation Antipsychotic Treatment. <i>Schizophrenia Bulletin</i> , 2020, 46, 680-689.	2.3	33
29	Altered Interoceptive Processing in Generalized Anxiety Disorderâ€“A Heartbeat-Evoked Potential Research. <i>Frontiers in Psychiatry</i> , 2019, 10, 616.	1.3	32
30	Insula shows abnormal task-evoked and resting-state activity in first-episode drug-naïve generalized anxiety disorder. <i>Depression and Anxiety</i> , 2020, 37, 632-644.	2.0	32
31	Neuropsychological Impairment in Prodromal, First-Episode, and Chronic Psychosis: Assessing RBANS Performance. <i>PLoS ONE</i> , 2015, 10, e0125784.	1.1	29
32	A Prospective Study on the Association Between Grip Strength and Cognitive Function Among Middle-Aged and Elderly Chinese Participants. <i>Frontiers in Aging Neuroscience</i> , 2019, 11, 250.	1.7	29
33	Add-on rTMS for the acute treatment of depressive symptoms is probably more effective in adolescents than in adults: Evidence from real-world clinical practice. <i>Brain Stimulation</i> , 2019, 12, 103-109.	0.7	29
34	Individualized psychiatric imaging based on inter-subject neural synchronization in movie watching. <i>NeuroImage</i> , 2020, 216, 116227.	2.1	29
35	Altered Cellular White Matter But Not Extracellular Free Water on Diffusion MRI in Individuals at Clinical High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2019, 176, 820-828.	4.0	28
36	Aberrant resting-state functional connectivity of salience network in first-episode schizophrenia. <i>Brain Imaging and Behavior</i> , 2020, 14, 1350-1360.	1.1	28

#	ARTICLE	IF	CITATIONS
37	Neuroplastic changes in resting-state functional connectivity after rTMS intervention for methamphetamine craving. <i>Neuropharmacology</i> , 2020, 175, 108177.	2.0	28
38	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	1.1	28
39	The Impact of Cognitive Training on Cerebral White Matter in Community-Dwelling Elderly: One-Year Prospective Longitudinal Diffusion Tensor Imaging Study. <i>Scientific Reports</i> , 2016, 6, 33212.	1.6	27
40	&lt;p&gt;Repetitive transcranial magnetic stimulation as an adjunctive treatment for negative symptoms and cognitive impairment in patients with schizophrenia: a randomized, double-blind, sham-controlled trial&lt;/p&gt;. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1141-1150.	1.0	27
41	P300 as an index of transition to psychosis and of remission: Data from a clinical high risk for psychosis study and review of literature. <i>Schizophrenia Research</i> , 2020, 226, 74-83.	1.1	26
42	Psychometric Properties of Prodromal Questionnaire-Brief Version among Chinese Help-Seeking Individuals. <i>PLoS ONE</i> , 2016, 11, e0148935.	1.1	26
43	Sulpiride augmentation for schizophrenia. <i>The Cochrane Library</i> , 2010, , CD008125.	1.5	25
44	Brain functional connectivity data enhance prediction of clinical outcome in youth at risk for psychosis. <i>NeuroImage: Clinical</i> , 2020, 26, 102108.	1.4	25
45	Baseline Cortical Thickness Reductions in Clinical High Risk for Psychosis: Brain Regions Associated with Conversion to Psychosis Versus Non-Conversion as Assessed at One-Year Follow-Up in the Shanghai-At-Risk-for-Psychosis (SHARP) Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 562-574.	2.3	25
46	Cortical Thickness Changes Correlate with Cognition Changes after Cognitive Training: Evidence from a Chinese Community Study. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 118.	1.7	24
47	Reduced functional connectivity between bilateral precuneus and contralateral parahippocampus in schizotypal personality disorder. <i>BMC Psychiatry</i> , 2017, 17, 48.	1.1	24
48	Functional near-infrared spectroscopy (fNIRS) as a tool to assist the diagnosis of major psychiatric disorders in a Chinese population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 745-757.	1.8	24
49	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program. <i>Psychological Medicine</i> , 2021, 51, 653-660.	2.7	24
50	Real-world effectiveness of antipsychotic treatment in psychosis prevention in a 3-year cohort of 517 individuals at clinical high risk from the SHARP (ShangHai At Risk for Psychosis). <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 696-706.	1.3	24
51	Potential Mechanisms Underlying the Therapeutic Effects of Electroconvulsive Therapy. <i>Neuroscience Bulletin</i> , 2017, 33, 339-347.	1.5	23
52	Screening schizotypal personality disorder for detection of clinical high risk of psychosis in Chinese mental health services. <i>Psychiatry Research</i> , 2015, 228, 664-670.	1.7	22
53	Identification of the Niacin-Blunted Subgroup of Schizophrenia Patients from Mood Disorders and Healthy Individuals in Chinese Population. <i>Schizophrenia Bulletin</i> , 2018, 44, 896-907.	2.3	22
54	Analysis of the concentrations and size distributions of cell-free DNA in schizophrenia using fluorescence correlation spectroscopy. <i>Translational Psychiatry</i> , 2018, 8, 104.	2.4	22

#	ARTICLE	IF	CITATIONS
55	Prevalence and dynamic features of psychological issues among Chinese healthcare workers during the COVID-19 pandemic: a systematic review and cumulative meta-analysis. <i>Annals of General Psychiatry</i> , 2021, 34, e100344.	1.1	22
56	Prolactin levels influenced by antipsychotic drugs in schizophrenia: A systematic review and network meta-analysis. <i>Schizophrenia Research</i> , 2021, 237, 20-25.	1.1	22
57	Salivary microbiome profiling reveals a dysbiotic schizophrenia-associated microbiota. <i>NPJ Schizophrenia</i> , 2021, 7, 51.	2.0	22
58	Decreased P300 current source density in drug-naïve first episode schizophrenics revealed by high density recording. <i>International Journal of Psychophysiology</i> , 2010, 75, 249-257.	0.5	21
59	The first mental health law of China. <i>Asian Journal of Psychiatry</i> , 2015, 13, 72-74.	0.9	21
60	Clinical subtypes that predict conversion to psychosis: A canonical correlation analysis study from the Shanghai At Risk for Psychosis program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 482-495.	1.3	21
61	The MacArthur Competence Assessment Tools for assessing decision-making capacity in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2017, 183, 56-63.	1.1	20
62	Progressive decline of cognition during the conversion from prodrome to psychosis with a characteristic pattern of the theory of mind compensated by neurocognition. <i>Schizophrenia Research</i> , 2018, 195, 554-559.	1.1	20
63	Duration of untreated prodromal symptoms in a Chinese sample at a high risk for psychosis: demographic, clinical, and outcome. <i>Psychological Medicine</i> , 2018, 48, 1274-1281.	2.7	20
64	Cognitive deficits in subjects at risk for psychosis, first-episode and chronic schizophrenia patients. <i>Psychiatry Research</i> , 2019, 274, 235-242.	1.7	20
65	ECT-induced brain plasticity correlates with positive symptom improvement in schizophrenia by voxel-based morphometry analysis of grey matter. <i>Brain Stimulation</i> , 2019, 12, 319-328.	0.7	20
66	Tumor Necrosis Factor- $\alpha$ Variations in Patients With Major Depressive Disorder Before and After Antidepressant Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 518837.	1.3	20
67	Repetitive Transcranial Magnetic Stimulation for Improving Cognitive Function in Patients With Mild Cognitive Impairment: A Systematic Review. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 593000.	1.7	20
68	"Brain Connectivity Deviates by Sex and Hemisphere in the First Episode of Schizophrenia" A Route to the Genetic Basis of Language and Psychosis?. <i>Schizophrenia Bulletin</i> , 2019, 45, 484-494.	2.3	19
69	The genetic determinants of language network dysconnectivity in drug-naïve early stage schizophrenia. <i>NPJ Schizophrenia</i> , 2021, 7, 18.	2.0	19
70	Both volumetry and functional connectivity of Heschl's gyrus are associated with auditory P300 in first episode schizophrenia. <i>Schizophrenia Research</i> , 2014, 160, 57-66.	1.1	18
71	Dynamic Functional Connectivity Within the Fronto-Limbic Network Induced by Intermittent Theta-Burst Stimulation: A Pilot Study. <i>Frontiers in Neuroscience</i> , 2019, 13, 944.	1.4	18
72	Insular changes induced by electroconvulsive therapy response to symptom improvements in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 254-262.	2.5	18

#	ARTICLE	IF	CITATIONS
73	Cognitive dysfunction in a psychotropic medication-naïve, clinical high-risk sample from the Shanghai-At-Risk-for-Psychosis (SHARP) study: Associations with clinical outcomes. <i>Schizophrenia Research</i> , 2020, 226, 138-146.	1.1	18
74	Using aripiprazole to reduce antipsychotic-induced hyperprolactinemia: meta-analysis of currently available randomized controlled trials. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 4-17.	0.7	18
75	Interaction of social role functioning and coping in people with recent-onset attenuated psychotic symptoms: a case study of three Chinese women at clinical high risk for psychosis. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1647.	1.0	17
76	Faux pas recognition performance in a help-seeking population at clinical high risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 71-78.	1.8	17
77	Abnormal auditory-evoked gamma band oscillations in first-episode schizophrenia during both eye open and eye close states. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 86, 279-286.	2.5	17
78	Using WeChat™ online social networking in a real-world needs analysis of family members of youths at clinical high risk of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 375-382.	1.3	17
79	Cognitive Behavioral Therapy for Prodromal Stage of Psychosis—Outcomes for Transition, Functioning, Distress, and Quality of Life: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2022, 48, 8-19.	2.3	17
80	Meta-analysis of the Efficacy and Safety of Repetitive Transcranial Magnetic Stimulation (rTMS) in the Treatment of Depression. <i>Shanghai Archives of Psychiatry</i> , 2017, 29, 328-342.	0.7	16
81	Correlation of social cognition and neurocognition on psychotic outcome: a naturalistic follow-up study of subjects with attenuated psychosis syndrome. <i>Scientific Reports</i> , 2016, 6, 35017.	1.6	15
82	Co-morbidity of personality disorder in schizophrenia among psychiatric outpatients in China: data from epidemiologic survey in a clinical population. <i>BMC Psychiatry</i> , 2016, 16, 224.	1.1	15
83	Association between catechol-O-methyltransferase genetic variation and functional connectivity in patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2018, 199, 214-220.	1.1	15
84	Co-Morbidity of DSM-IV Personality Disorder in Major Depressive Disorder Among Psychiatric Outpatients in China: A Further Analysis of an Epidemiologic Survey in a Clinical Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 833.	1.3	15
85	Citalopram in first episode schizophrenia: The DECIFER trial. <i>Schizophrenia Research</i> , 2019, 208, 331-337.	1.1	15
86	Functional Connectivity Between Sensory-Motor Subnetworks Reflects the Duration of Untreated Psychosis and Predicts Treatment Outcome of First-Episode Drug-Naïve Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 697-705.	1.1	15
87	Common increased hippocampal volume but specific changes in functional connectivity in schizophrenia patients in remission and non-remission following electroconvulsive therapy: A preliminary study. <i>NeuroImage: Clinical</i> , 2019, 24, 102081.	1.4	15
88	Altered Regional Gray Matter Volume in Obese Men: A Structural MRI Study. <i>Frontiers in Psychology</i> , 2017, 8, 125.	1.1	14
89	A comparison of conversion rates, clinical profiles and predictors of outcomes in two independent samples of individuals at clinical high risk for psychosis in China. <i>Schizophrenia Research</i> , 2018, 197, 509-515.	1.1	14
90	Attention-related modulation of frontal midline theta oscillations in cingulate cortex during a spatial cueing Go/NoGo task. <i>International Journal of Psychophysiology</i> , 2020, 148, 1-12.	0.5	14

#	ARTICLE	IF	CITATIONS
91	Conversion to psychosis in adolescents and adults: similar proportions, different predictors. <i>Psychological Medicine</i> , 2021, 51, 2003-2011.	2.7	14
92	Segregation between the parietal memory network and the default mode network: effects of spatial smoothing and model order in ICA. <i>Science Bulletin</i> , 2016, 61, 1844-1854.	4.3	14
93	Prolonged cortical silent period among drug-naive subjects at ultra-high risk of psychosis. <i>Schizophrenia Research</i> , 2014, 160, 124-130.	1.1	13
94	Visuospatial task-related prefrontal activity is correlated with negative symptoms in schizophrenia. <i>Scientific Reports</i> , 2019, 9, 9575.	1.6	13
95	Special Report on the Impact of the COVID-19 Pandemic on Clinical EEG and Research and Consensus Recommendations for the Safe Use of EEG. <i>Clinical EEG and Neuroscience</i> , 2021, 52, 3-28.	0.9	13
96	The Prevalence of Psychological Status During the COVID-19 Epidemic in China: A Systemic Review and Meta-Analysis. <i>Frontiers in Psychology</i> , 2021, 12, 614964.	1.1	13
97	Eye Movement Indices in the Study of Depressive Disorder. <i>Shanghai Archives of Psychiatry</i> , 2016, 28, 326-334.	0.7	13
98	Persistent Microstructural Deficits of Internal Capsule in One-Year Abstinent Male Methamphetamine Users: a Longitudinal Diffusion Tensor Imaging Study. <i>Journal of Neuroimmune Pharmacology</i> , 2016, 11, 523-530.	2.1	12
99	Changes in event-related potentials in patients with first-episode schizophrenia and their siblings. <i>BMC Psychiatry</i> , 2017, 17, 20.	1.1	12
100	Discovery of (E)-N-(4-methyl-5-(3-(2-(pyridin-2-yl)vinyl)-1H-indazol-6-yl)thiazol-2-yl)-2-(4-methylpiperazin-1-yl)acetamide (IHMT-TRK-284) as a novel orally available type II TRK kinase inhibitor capable of overcoming multiple resistant mutants. <i>European Journal of Medicinal Chemistry</i> , 2020, 207, 112744.	2.6	12
101	Discovery of (<i>S</i>)-2-(1-(4-Amino-3-(3-fluoro-4-methoxyphenyl)-1<i>H</i>-pyrazolo[3,4- <i>d&lt;/i&gt;]pyrimidin-1-yl)propyl)-3-cyclopropyl-5-fluoroquinoline (IHMT-PI3K1-372) as a Potent and Selective PI3K1 Inhibitor for the Treatment of Chronic Obstructive Pulmonary Disease. <i>Journal of Medicinal Chemistry</i>, 2020, 63, 13973-13993.</i>	2.9	12
102	Altered functional connectivity of the thalamus induced by modified electroconvulsive therapy for schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 209-218.	1.1	12
103	Abnormal Function in Dentate Nuclei Precedes the Onset of Psychosis: A Resting-State fMRI Study in High-Risk Individuals. <i>Schizophrenia Bulletin</i> , 2021, 47, 1421-1430.	2.3	12
104	Temporal Dynamics in Degree Centrality of Brain Functional Connectome in First-Episode Schizophrenia with Different Short-Term Treatment Responses: A Longitudinal Study. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1505-1516.	1.0	12
105	Evaluation of evoked responses to pulse-matched high frequency and intermittent theta burst transcranial magnetic stimulation using simultaneous functional near-infrared spectroscopy. <i>Neurophotonics</i> , 2017, 4, 1.	1.7	12
106	Relationship between duration of untreated prodromal symptoms and symptomatic and functional recovery. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 871-877.	1.8	11
107	Genetic contribution of catechol-O-methyltransferase in dorsolateral prefrontal cortex functional changes in the first episode schizophrenia. <i>Behavioural Brain Research</i> , 2019, 364, 225-232.	1.2	11
108	Effects of transcranial electrical stimulation on working memory in patients with schizophrenia: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2021, 296, 113656.	1.7	11

#	ARTICLE	IF	CITATIONS
109	High frequency repetitive transcranial magnetic stimulation of dorsomedial prefrontal cortex for negative symptoms in patients with schizophrenia: A double-blind, randomized controlled trial. <i>Psychiatry Research</i> , 2021, 299, 113876.	1.7	11
110	A potential objective marker in first-episode schizophrenia based on abnormal niacin response. <i>Schizophrenia Research</i> , 2022, 243, 405-412.	1.1	11
111	Efficacy and safety of treating patients with refractory schizophrenia with antipsychotic medication and adjunctive electroconvulsive therapy: a systematic review and meta-analysis. <i>Shanghai Archives of Psychiatry</i> , 2015, 27, 206-19.	0.7	11
112	Transdiagnostic Dimensions towards Personality Pathology and Childhood Traumatic Experience in a Clinical Sample: Subtype Classification by a Cross-sectional Analysis. <i>Scientific Reports</i> , 2019, 9, 11248.	1.6	10
113	Comparative efficacy of add-on rTMS in treating the somatic and psychic anxiety symptoms of depression comorbid with anxiety in adolescents, adults, and elderly patientsâ€”A real-world clinical application. <i>Journal of Affective Disorders</i> , 2020, 276, 305-311.	2.0	10
114	Changes in correlation characteristics of time consumption and mind-reading performance in pre-onset and post-onset psychosis. <i>Psychiatry Research</i> , 2018, 262, 168-174.	1.7	9
115	Isolated hallucination is less predictive than thought disorder in psychosis: Insight from a longitudinal study in a clinical population at high risk for psychosis. <i>Scientific Reports</i> , 2018, 8, 13962.	1.6	9
116	Atrophy of hippocampal subfield CA2/3 in healthy elderly men is related to educational attainment. <i>Neurobiology of Aging</i> , 2019, 80, 21-28.	1.5	9
117	Efficacy and safety of repetitive transcranial magnetic stimulation for generalised anxiety disorder: A meta-analysis. <i>Annals of General Psychiatry</i> , 2019, 32, e100051.	1.1	9
118	Neurological soft signs and grey matter abnormalities in individuals with ultraâ€”high risk for psychosis. <i>PsyCh Journal</i> , 2019, 8, 252-260.	0.5	9
119	Poor functional recovery is better predicted than conversion in studies of outcomes of clinical high risk of psychosis: insight from SHARP. <i>Psychological Medicine</i> , 2020, 50, 1578-1584.	2.7	9
120	Antipsychotics Effects on Network-Level Reconfiguration of Cortical Morphometry in First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2022, 48, 231-240.	2.3	9
121	Further evidence that antipsychotic medication does not prevent long-term psychosis in higher-risk individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 591-602.	1.8	9
122	Salivary Metabolomics Reveals that Metabolic Alterations Precede the Onset of Schizophrenia. <i>Journal of Proteome Research</i> , 2021, 20, 5010-5023.	1.8	9
123	Sulpiride versus placebo for schizophrenia. <i>The Cochrane Library</i> , 2014, , CD007811.	1.5	8
124	Association between function and structure of the triple network and catechol-O-methyltransferase val158met polymorphism in the first episode schizophrenia. <i>Neuroscience Letters</i> , 2018, 687, 65-70.	1.0	8
125	Identification and prediction of clinical high risk of psychosis in Chinese outpatients using two-stage screening. <i>Schizophrenia Research</i> , 2018, 202, 284-290.	1.1	8
126	Effects of transcranial direct current stimulation on cognition and symptoms in Chinese patients with schizophreniaâ€”â€°. <i>Psychiatry Research</i> , 2020, 284, 112617.	1.7	8



#	ARTICLE	IF	CITATIONS
127	Parietal memory network and default mode network in first-episode drug-naïve schizophrenia: Associations with auditory hallucination. <i>Human Brain Mapping</i> , 2020, 41, 1973-1984.	1.9	8
128	When to initiate antipsychotic treatment for psychotic symptoms: At the premorbid phase or first episode of psychosis?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 314-323.	1.3	8
129	Status and Factors of Cognitive Function Among Older Adults in Urban China. <i>Frontiers in Psychology</i> , 2021, 12, 728165.	1.1	8
130	Phenotypic characteristics in metabolically obese but normal weight non-diabetic patients with schizophrenia. <i>Schizophrenia Research</i> , 2010, 124, 49-53.	1.1	7
131	The theta burst transcranial magnetic stimulation over the right PFC affects electroencephalogram oscillation during emotional processing. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 82, 21-30.	2.5	7
132	Precise theta burst transcranial magnetic stimulation selectively reduced duration-related mismatch negativity. <i>Biological Psychology</i> , 2018, 137, 125-132.	1.1	7
133	25 Hz Magnetic Seizure Therapy Is Feasible but Not Optimal for Chinese Patients With Schizophrenia: A Case Series. <i>Frontiers in Psychiatry</i> , 2018, 9, 224.	1.3	7
134	Air pollution and hippocampal atrophy in first episode schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 63-69.	1.1	7
135	MK-Curve improves sensitivity to identify white matter alterations in clinical high risk for psychosis. <i>NeuroImage</i> , 2021, 226, 117564.	2.1	7
136	Altered heartbeat perception sensitivity associated with brain structural alterations in generalised anxiety disorder. <i>Annals of General Psychiatry</i> , 2020, 33, e100057.	1.1	7
137	Plasma metabolic alterations and potential biomarkers in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2022, 239, 19-28.	1.1	7
138	The D2R-DISC1 protein complex and associated proteins are altered in schizophrenia and normalized with antipsychotic treatment. <i>Journal of Psychiatry and Neuroscience</i> , 2022, 47, E134-E147.	1.4	7
139	Effective differentiation between depressed patients and controls using discriminative eye movement features. <i>Journal of Affective Disorders</i> , 2022, 307, 237-243.	2.0	7
140	Elevated hippocampal choline level is associated with altered functional connectivity in females with major depressive disorder: A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2018, 278, 48-55.	0.9	6
141	Temporal Characteristics of Attentional Disengagement from Emotional Facial Cues in Depression. <i>Neurophysiologie Clinique</i> , 2019, 49, 235-242.	1.0	6
142	Effect of Adjunct Repetitive Transcranial Magnetic Stimulation in Elderly Patients with Acute Depressive Episode: Supporting Evidence from a Real-World Observation. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 91-92.	0.6	6
143	Deficits in response inhibition on varied levels of demand load in anorexia nervosa: an event-related potentials study. <i>Eating and Weight Disorders</i> , 2020, 25, 231-240.	1.2	6
144	Decreasing risk of psychosis by sulforaphane study protocol for a randomized, double-blind, placebo-controlled, clinical multicentre trial. <i>Microbial Biotechnology</i> , 2021, 15, 585-594.	0.9	6

#	ARTICLE	IF	CITATIONS
145	Neurocognitive Assessments Are More Important Among Adolescents Than Adults for Predicting Psychosis in Clinical High Risk. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 56-65.	1.1	6
146	From Receptive to Perceptive Fields: Size-Dependent Asymmetries in Both Negative Afterimages and Subcortical On and Off Post-Stimulus Responses. <i>Journal of Neuroscience</i> , 2021, 41, 7813-7830.	1.7	6
147	Temporal and timeâ€“frequency features of auditory oddball response in distinct subtypes of patients at clinical high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 449-459.	1.8	6
148	Neural indicator of positive reappraisal: A TMS-EEG study over the left VLPFC. <i>Journal of Affective Disorders</i> , 2022, 300, 418-429.	2.0	6
149	Biological mechanisms and clinical efficacy of sulforaphane for mental disorders. <i>Annals of General Psychiatry</i> , 2022, 35, e100700.	1.1	6
150	Sulpiride versus other antipsychotics for schizophrenia. <i>The Cochrane Library</i> , 0, , .	1.5	5
151	Bloodâ€“based dynamic genomic signature for obsessiveâ€“compulsive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 709-716.	1.1	5
152	Frequency of narcissistic personality disorder in a counseling center population in China. <i>BMC Psychiatry</i> , 2019, 19, 212.	1.1	5
153	Screening of the college students at clinical high risk for psychosis in China: a multicenter epidemiological study. <i>BMC Psychiatry</i> , 2021, 21, 253.	1.1	5
154	The lateralization and reliability of spatial mismatch negativity elicited by auditory deviants with virtual spatial location. <i>International Journal of Psychophysiology</i> , 2021, 165, 92-100.	0.5	5
155	Case-control study of error-related negativity among males with heroin dependence undergoing rehabilitation. <i>Shanghai Archives of Psychiatry</i> , 2013, 25, 141-8.	0.7	5
156	Magnetic Seizure Therapy Compared to Electroconvulsive Therapy for Schizophrenia: A Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2021, 12, 770647.	1.3	5
157	Euphoric effect induced by zolpidem: a case study of magnetoencephalography. <i>Annals of General Psychiatry</i> , 2022, 35, e100729.	1.1	5
158	Antipsychotic prescription, assumption and conversion to psychosis: resolving missing clinical links to optimize prevention through precision. <i>NPJ Schizophrenia</i> , 2022, 8, .	2.0	5
159	Attenuated niacin-induced skin flush response in individuals with clinical high risk for psychosis. <i>Annals of General Psychiatry</i> , 2022, 35, e100748.	1.1	5
160	Time consumption in mind-reading: A potentially important factor for social cognition assessment in early psychosis. <i>Schizophrenia Research</i> , 2018, 192, 491-492.	1.1	4
161	&lt;p&gt;Real-World Effectiveness and Safety of Antipsychotics in Individuals at Clinical High-Risk for Psychosis: Study Protocol for a Prospective Observational Study (ShangHai at Risk for) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 97		
162	Genetic polymorphism in catecholâ€“methyltransferase associated with the functional connectivity of frontostriatal circuits in first episode schizophrenia patients. <i>European Journal of Neuroscience</i> , 2020, 51, 2134-2142.	1.2	4

#	ARTICLE	IF	CITATIONS
163	Effect of DAOA genetic variation on white matter alteration in corpus callosum in patients with first-episode schizophrenia. <i>Brain Imaging and Behavior</i> , 2021, 15, 1748-1759.	1.1	4
164	Subtypes of Clinical High Risk for Psychosis that Predict Antipsychotic Effectiveness in Long-Term Remission. <i>Pharmacopsychiatry</i> , 2021, 54, 23-30.	1.7	4
165	Effects of multi-domain cognitive training on working memory retrieval in older adults: behavioral and ERP evidence from a Chinese community study. <i>Scientific Reports</i> , 2021, 11, 1207.	1.6	4
166	Conflict Processing in Schizophrenia: Dissociable neural mechanisms revealed by the N2 and frontal midline theta. <i>Neuropsychologia</i> , 2021, 155, 107791.	0.7	4
167	Magnetic seizure therapy for treatment-resistant depression. <i>The Cochrane Library</i> , 2021, 2021, CD013528.	1.5	4
168	The effects of antipsychotics on interactions of dynamic functional connectivity in the triple-network in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021, 236, 29-37.	1.1	4
169	Cross-sectional study of the association of cognitive function and hippocampal volume among healthy elderly adults. <i>Shanghai Archives of Psychiatry</i> , 2014, 26, 280-7.	0.7	4
170	Relationship Between Cognitive and Clinical Insight at Different Durations of Untreated Attenuated Psychotic Symptoms in High-Risk Individuals. <i>Frontiers in Psychiatry</i> , 2021, 12, 753130.	1.3	4
171	Test-retest reliability of mismatch negativity and gamma-band auditory steady-state response in patients with schizophrenia. <i>Schizophrenia Research</i> , 2022, 240, 165-174.	1.1	4
172	Effects of polygenic risk of schizophrenia on interhemispheric callosal white matter integrity and frontotemporal functional connectivity in first-episode schizophrenia. <i>Psychological Medicine</i> , 2022, , 1-10.	2.7	4
173	Antipsychotic Exposure in Clinical High Risk of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	1.1	4
174	Comparison of electroconvulsive therapy and magnetic seizure therapy in schizophrenia: Structural changes/neuroplasticity. <i>Psychiatry Research</i> , 2022, 312, 114523.	1.7	4
175	Atypical Antipsychotics Mediate Dynamics of Intrinsic Brain Activity in Early-Stage Schizophrenia? A Preliminary Study. <i>Psychiatry Investigation</i> , 2021, 18, 1205-1212.	0.7	4
176	Automatic auditory processing features in distinct subtypes of patients at clinical high risk for psychosis: Forecasting remission with mismatch negativity. <i>Human Brain Mapping</i> , 2022, 43, 5452-5464.	1.9	4
177	Gamma oscillation in brain connectivity in emotion recognition by Granger causality. , 2011, , .		3
178	A compromise solution between overlapping and overlooking DSM personality disorders in Chinese psychiatric practice. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 99-106.	1.6	3
179	Association of Aripiprazole With Reduced Hippocampal Atrophy During Maintenance Treatment of First-Episode Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 244-249.	0.7	3
180	Effect of citalopram on hippocampal volume in first-episode schizophrenia: Structural MRI results from the DECIFER trial. <i>Psychiatry Research - Neuroimaging</i> , 2021, 312, 111286.	0.9	3

#	ARTICLE	IF	CITATIONS
181	Gender differences in screening self-reported psychotic symptoms in a first help-seeking population. Archives of Women's Mental Health, 2022, 25, 291-299.	1.2	3
182	Atypical meta-memory evaluation strategy in schizophrenia patients. Schizophrenia Research: Cognition, 2022, 27, 100220.	0.7	3
183	Should repetitive Transcranial Magnetic Stimulation (rTMS) be considered an effective adjunctive treatment for auditory hallucinations in patients with schizophrenia?. Shanghai Archives of Psychiatry, 2013, 25, 254-5.	0.7	3
184	Psychosis risk syndrome is not prodromal psychosis. Shanghai Archives of Psychiatry, 2015, 27, 42-4.	0.7	3
185	Efficacy Towards Negative Symptoms and Safety of Repetitive Transcranial Magnetic Stimulation Treatment for Patients with Schizophrenia: A Systematic Review. Shanghai Archives of Psychiatry, 2017, 29, 61-76.	0.7	3
186	The role of white matter abnormality in the left anterior corona radiata: In relation to formal thought disorder in patients with schizophrenia. Psychiatry Research, 2022, 307, 114302.	1.7	3
187	Temporoparietal Connectivity Within Default Mode Network Associates With Clinical Improvements in Schizophrenia Following Modified Electroconvulsive Therapy. Frontiers in Psychiatry, 2021, 12, 768279.	1.3	3
188	Functional reconfiguration of cerebellum-cerebral neural loop in schizophrenia following electroconvulsive therapy. Psychiatry Research - Neuroimaging, 2022, 320, 111441.	0.9	3
189	FreeSurfer and 3D Slicer-Assisted SEEG Implantation for Drug-Resistant Epilepsy. Frontiers in Neurorobotics, 2022, 16, 848746.	1.6	3
190	Robot-Assisted Percutaneous Balloon Compression for Trigeminal Neuralgia: Technique Description and Short-Term Clinical Results. Frontiers in Surgery, 2022, 9, 869223.	0.6	3
191	Peripheral transcriptome of clinical high-risk psychosis reflects symptom alteration and helps prognosis prediction. Psychiatry and Clinical Neurosciences, 2022, 76, 268-270.	1.0	3
192	Common abnormal connectivity in first-episode and chronic schizophrenia in pre- and post-central regions: Implications for neuromodulation targeting. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 117, 110556.	2.5	3
193	Reduced temporal activation during a verbal fluency test in clinical high risk of psychosis: a functional near-infrared spectroscopy-based study. Annals of General Psychiatry, 2022, 35, e100702.	1.1	3
194	Effect of cognitive insight on clinical insight from pre-morbid to early psychosis stages. Psychiatry Research, 2022, 313, 114613.	1.7	3
195	Relationships between self-reflectiveness and clinical symptoms in individuals during pre-morbid and early clinical stages of psychosis. Annals of General Psychiatry, 2022, 35, e100696.	1.1	3
196	Replication of the abnormal niacin response in first episode psychosis measured using laser Doppler flowmeter. Asia-Pacific Psychiatry, 2022, 14, .	1.2	3
197	Excitability of the masseter inhibitory reflex after high frequency rTMS over the motor cortex: A study in healthy humans. Archives of Oral Biology, 2017, 82, 241-246.	0.8	2
198	&lt;p&gt;Altered Function of Superior Parietal Lobule Associated with Perceptive Awareness in First-Episode Drug-Naïve Panic Disorders: A Preliminary fMRI Study&lt;/p&gt;. Neuropsychiatric Disease and Treatment, 2020, Volume 16, 1653-1659.	1.0	2

#	ARTICLE	IF	CITATIONS
199	Gender differences in attentive bias during social information processing in schizophrenia: An eye-tracking study. <i>Asian Journal of Psychiatry</i> , 2021, 66, 102871.	0.9	2
200	Neural biomarker of functional disability in major depressive disorder: A structural neuroimaging study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110337.	2.5	2
201	How should we intervene in psychosis risk syndromes?. <i>Shanghai Archives of Psychiatry</i> , 2013, 25, 6-9.	0.7	2
202	Effect of Clonazepam Co-Administered with Clozapine on the Serum Clozapine and Norclozapine Concentration of Patients with Schizophrenia: A Retrospective Survey. <i>Shanghai Archives of Psychiatry</i> , 2016, 28, 318-325.	0.7	2
203	Inefficient integration during multiple facial processing in pre-morbid and early phases of psychosis. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 361-373.	1.3	2
204	Changes of neuroplasticity in cortical motor control of human masseter muscle related to orthodontic treatment. <i>Journal of Oral Rehabilitation</i> , 2022, 49, 258-264.	1.3	2
205	Altered attentive bias towards interpersonal communication information across phases of schizophrenia: an eye-tracking study. <i>Annals of General Psychiatry</i> , 2022, 35, e100699.	1.1	2
206	Different patterns of association between white matter microstructure and plasma unsaturated fatty acids in those with high risk for psychosis and healthy participants. <i>Annals of General Psychiatry</i> , 2022, 35, e100703.	1.1	2
207	Artificial intelligence-assisted niacin skin flush screening in early psychosis identification and prediction. <i>Annals of General Psychiatry</i> , 2022, 35, e100753.	1.1	2
208	Abnormal neural oscillations in clinical high risk for psychosis: a magnetoencephalography method study. <i>Annals of General Psychiatry</i> , 2022, 35, e100712.	1.1	2
209	O10.5. ABNORMAL MODULAR ORGANIZATION OF THE FUNCTIONAL CONNECTOME PREDICTS CONVERSION TO PSYCHOSIS IN CLINICAL HIGH-RISK YOUTH. <i>Schizophrenia Bulletin</i> , 2018, 44, S104-S104.	2.3	1
210	Editorial: Identifying Individuals at Clinical High Risk of Psychosis in Different Cultures and Countries. <i>Frontiers in Psychiatry</i> , 2020, 11, 159.	1.3	1
211	Individualized risk components guiding antipsychotic delivery in patients with a clinical high risk of psychosis: application of a risk calculator. <i>Psychological Medicine</i> , 2021, , 1-10.	2.7	1
212	Neural Correlates of the Preserved Inhibition of Return in Schizophrenia. <i>PLoS ONE</i> , 2015, 10, e0119521.	1.1	1
213	Age-related changes in self-reported psychotic experiences in clinical help-seeking population: From 15 to 45 years. <i>Microbial Biotechnology</i> , 2022, 16, 1359-1367.	0.9	1
214	Clinical high risk for psychosis provides new opportunities for schizophrenia intervention strategies. <i>Annals of General Psychiatry</i> , 2022, 35, e100736.	1.1	1
215	Phenotypic characteristics in metabolically healthy but obese patients with schizophrenia. <i>Psychiatry Research</i> , 2014, 220, 71-75.	1.7	0
216	Can interpersonal hypersensitivity under subconscious condition explain paranoid symptom in schizophrenia?. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12221.	1.2	0

#	ARTICLE	IF	CITATIONS
217	SU39. Do Baseline Clinical and Neurocognitive Features Predict Conversion in Individuals With Clinical High Risk to Psychosis in Shanghai?. Schizophrenia Bulletin, 2017, 43, S175-S175.	2.3	0
218	F14. REDUCED DURATION MISMATCH NEGATIVITY ASSOCIATED WITH DECREASED GLUTAMATE+GLUTAMINE LEVEL IN SUBJECTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S223-S224.	2.3	0
219	Education and evaluation for the development of a qualified psychiatrist: Report of the Teachers of Psychiatry meeting in Shanghai. Asia-Pacific Psychiatry, 2018, 10, .	1.2	0
220	O6.4. AUDITORY AND LANGUAGE AREAS DISTINGUISH CONVERTERS FROM NON-CONVERTERS AT BASELINE IN SHARP CLINICAL HIGH-RISK SUBJECTS FOR PSYCHOSIS STUDY. Schizophrenia Bulletin, 2018, 44, S90-S91.	2.3	0
221	S105. VALIDATING THE PREDICTIVE ACCURACY OF THE NAPLS-2 PSYCHOSIS RISK CALCULATOR IN A CLINICAL HIGH-RISK SAMPLE FROM THE SHARP (SHANGHAI AT RISK FOR PSYCHOSIS) PROGRAM. Schizophrenia Bulletin, 2018, 44, S366-S366.	2.3	0
222	21.4 BASELINE CLINICAL AND BIOLOGICAL VARIABLES PREDICTING 1 YEAR OUTCOME OF SUBJECTS AT CLINICAL HIGH RISK OF PSYCHOSIS: INSIGHT FROM SHANGHAI AT RISK FOR PSYCHOSIS (SHARP) PROGRAM. Schizophrenia Bulletin, 2018, 44, S36-S36.	2.3	0
223	Resolving the Electroencephalographic Correlates of Rapid Goal-Directed Chunking in the Frontal-Parietal Network. Frontiers in Neuroscience, 2019, 13, 744.	1.4	0
224	S61. CLINICAL SUBTYPES THAT PREDICT CONVERSION TO PSYCHOSIS: A CANONICAL CORRELATION ANALYSIS STUDY FROM THE SHANGHAI AT RISK FOR PSYCHOSIS (SHARP) PROGRAM. Schizophrenia Bulletin, 2019, 45, S329-S330.	2.3	0
225	S69. NEURAL-SYNCHRONIZATION DURING COOPERATION TASK IN CLINICAL HIGH RISK OF PSYCHOSIS-A FNIRS-BASED HYPERSCANNING STUDY. Schizophrenia Bulletin, 2019, 45, S333-S333.	2.3	0
226	S171. EFFECT OF DAOA GENETIC VARIATION ON WHITE MATTER ALTERATION IN CORPUS CALLOSUM IN PATIENTS WITH FIRST-EPIISODE SCHIZOPHRENIA. Schizophrenia Bulletin, 2020, 46, S102-S102.	2.3	0
227	Binocular rivalry in children with schizophrenia: the conscious and unconscious cognitive processing of interpersonal information. Shanghai Archives of Psychiatry, 2013, 25, 157-64.	0.7	0
228	Research in China on event-related potentials in patients with schizophrenia. Shanghai Archives of Psychiatry, 2012, 24, 67-75.	0.7	0