

Junjie Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/204388/publications.pdf>

Version: 2024-02-01

228
papers

4,095
citations

201385

27
h-index

205818

48
g-index

234
all docs

234
docs citations

234
times ranked

5519
citing authors

#	ARTICLE	IF	CITATIONS
1	Cognitive Behavioral Therapy for Prodromal Stage of Psychosisâ€”Outcomes for Transition, Functioning, Distress, and Quality of Life: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2022, 48, 8-19.	2.3	17
2	A potential objective marker in first-episode schizophrenia based on abnormal niacin response. <i>Schizophrenia Research</i> , 2022, 243, 405-412.	1.1	11
3	Antipsychotics Effects on Network-Level Reconfiguration of Cortical Morphometry in First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2022, 48, 231-240.	2.3	9
4	Neurocognitive Assessments Are More Important Among Adolescents Than Adults for Predicting Psychosis in Clinical High Risk. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 56-65.	1.1	6
5	Temporal and timeâ€“frequency features of auditory oddball response in distinct subtypes of patients at clinical high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 449-459.	1.8	6
6	Gender differences in screening self-reported psychotic symptoms in a first help-seeking population. <i>Archives of Women's Mental Health</i> , 2022, 25, 291-299.	1.2	3
7	Further evidence that antipsychotic medication does not prevent long-term psychosis in higher-risk individuals. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 591-602.	1.8	9
8	Atypical meta-memory evaluation strategy in schizophrenia patients. <i>Schizophrenia Research: Cognition</i> , 2022, 27, 100220.	0.7	3
9	Plasma metabolic alterations and potential biomarkers in individuals at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2022, 239, 19-28.	1.1	7
10	The role of white matter abnormality in the left anterior corona radiata: In relation to formal thought disorder in patients with schizophrenia. <i>Psychiatry Research</i> , 2022, 307, 114302.	1.7	3
11	Inefficient integration during multiple facial processing in pre-morbid and early phases of psychosis. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 361-373.	1.3	2
12	Test-retest reliability of mismatch negativity and gamma-band auditory steady-state response in patients with schizophrenia. <i>Schizophrenia Research</i> , 2022, 240, 165-174.	1.1	4
13	Neural indicator of positive reappraisal: A TMS-EEG study over the left VLPFC. <i>Journal of Affective Disorders</i> , 2022, 300, 418-429.	2.0	6
14	Effects of polygenic risk of schizophrenia on interhemispheric callosal white matter integrity and frontotemporal functional connectivity in first-episode schizophrenia. <i>Psychological Medicine</i> , 2022, , 1-10.	2.7	4
15	Functional reconfiguration of cerebellum-cerebral neural loop in schizophrenia following electroconvulsive therapy. <i>Psychiatry Research - Neuroimaging</i> , 2022, 320, 111441.	0.9	3
16	Euphoric effect induced by zolpidem: a case study of magnetoencephalography. <i>Annals of General Psychiatry</i> , 2022, 35, e100729.	1.1	5
17	FreeSurfer and 3D Slicer-Assisted SEEG Implantation for Drug-Resistant Epilepsy. <i>Frontiers in Neurobotics</i> , 2022, 16, 848746.	1.6	3
18	Antipsychotic Exposure in Clinical High Risk of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2022, 83, .	1.1	4

#	ARTICLE	IF	CITATIONS
19	Robot-Assisted Percutaneous Balloon Compression for Trigeminal Neuralgia: Technique Description and Short-Term Clinical Results. <i>Frontiers in Surgery</i> , 2022, 9, 869223.	0.6	3
20	The D2R-DISC1 protein complex and associated proteins are altered in schizophrenia and normalized with antipsychotic treatment. <i>Journal of Psychiatry and Neuroscience</i> , 2022, 47, E134-E147.	1.4	7
21	Peripheral transcriptome of clinical high-risk psychosis reflects symptom alteration and helps prognosis prediction. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 268-270.	1.0	3
22	Comparison of electroconvulsive therapy and magnetic seizure therapy in schizophrenia: Structural changes/neuroplasticity. <i>Psychiatry Research</i> , 2022, 312, 114523.	1.7	4
23	Effective differentiation between depressed patients and controls using discriminative eye movement features. <i>Journal of Affective Disorders</i> , 2022, 307, 237-243.	2.0	7
24	Common abnormal connectivity in first-episode and chronic schizophrenia in pre- and post-central regions: Implications for neuromodulation targeting. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 117, 110556.	2.5	3
25	Changes of neuroplasticity in cortical motor control of human masseter muscle related to orthodontic treatment. <i>Journal of Oral Rehabilitation</i> , 2022, 49, 258-264.	1.3	2
26	Altered attentive bias towards interpersonal communication information across phases of schizophrenia: an eye-tracking study. <i>Annals of General Psychiatry</i> , 2022, 35, e100699.	1.1	2
27	Different patterns of association between white matter microstructure and plasma unsaturated fatty acids in those with high risk for psychosis and healthy participants. <i>Annals of General Psychiatry</i> , 2022, 35, e100703.	1.1	2
28	Age-related changes in self-reported psychotic experiences in clinical help-seeking population: From 15 to 45 years. <i>Microbial Biotechnology</i> , 2022, 16, 1359-1367.	0.9	1
29	Reduced temporal activation during a verbal fluency test in clinical high risk of psychosis: a functional near-infrared spectroscopy-based study. <i>Annals of General Psychiatry</i> , 2022, 35, e100702.	1.1	3
30	Artificial intelligence-assisted niacin skin flush screening in early psychosis identification and prediction. <i>Annals of General Psychiatry</i> , 2022, 35, e100753.	1.1	2
31	Antipsychotic prescription, assumption and conversion to psychosis: resolving missing clinical links to optimize prevention through precision. <i>NPJ Schizophrenia</i> , 2022, 8, .	2.0	5
32	Effect of cognitive insight on clinical insight from pre-morbid to early psychosis stages. <i>Psychiatry Research</i> , 2022, 313, 114613.	1.7	3
33	Biological mechanisms and clinical efficacy of sulforaphane for mental disorders. <i>Annals of General Psychiatry</i> , 2022, 35, e100700.	1.1	6
34	Abnormal neural oscillations in clinical high risk for psychosis: a magnetoencephalography method study. <i>Annals of General Psychiatry</i> , 2022, 35, e100712.	1.1	2
35	Clinical high risk for psychosis provides new opportunities for schizophrenia intervention strategies. <i>Annals of General Psychiatry</i> , 2022, 35, e100736.	1.1	1
36	Attenuated niacin-induced skin flush response in individuals with clinical high risk for psychosis. <i>Annals of General Psychiatry</i> , 2022, 35, e100748.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Relationships between self-reflectiveness and clinical symptoms in individuals during pre-morbid and early clinical stages of psychosis. <i>Annals of General Psychiatry</i> , 2022, 35, e100696.	1.1	3
38	Replication of the abnormal niacin response in first episode psychosis measured using laser Doppler flowmeter. <i>Asia-Pacific Psychiatry</i> , 2022, 14, .	1.2	3
39	Automatic auditory processing features in distinct subtypes of patients at clinical high risk for psychosis: Forecasting remission with mismatch negativity. <i>Human Brain Mapping</i> , 2022, 43, 5452-5464.	1.9	4
40	Effect of DAOA genetic variation on white matter alteration in corpus callosum in patients with first-episode schizophrenia. <i>Brain Imaging and Behavior</i> , 2021, 15, 1748-1759.	1.1	4
41	Conversion to psychosis in adolescents and adults: similar proportions, different predictors. <i>Psychological Medicine</i> , 2021, 51, 2003-2011.	2.7	14
42	Functional near-infrared spectroscopy (fNIRS) as a tool to assist the diagnosis of major psychiatric disorders in a Chinese population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 745-757.	1.8	24
43	Decreasing risk of psychosis by sulforaphane study protocol for a randomized, double-blind, placebo-controlled, clinical multi-centre trial. <i>Microbial Biotechnology</i> , 2021, 15, 585-594.	0.9	6
44	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	1.1	28
45	Special Report on the Impact of the COVID-19 Pandemic on Clinical EEG and Research and Consensus Recommendations for the Safe Use of EEG. <i>Clinical EEG and Neuroscience</i> , 2021, 52, 3-28.	0.9	13
46	When to initiate antipsychotic treatment for psychotic symptoms: At the premorbid phase or first episode of psychosis?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 314-323.	1.3	8
47	Subtypes of Clinical High Risk for Psychosis that Predict Antipsychotic Effectiveness in Long-Term Remission. <i>Pharmacopsychiatry</i> , 2021, 54, 23-30.	1.7	4
48	Baseline Cortical Thickness Reductions in Clinical High Risk for Psychosis: Brain Regions Associated with Conversion to Psychosis Versus Non-Conversion as Assessed at One-Year Follow-Up in the Shanghai-At-Risk-for-Psychosis (SHARP) Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 562-574.	2.3	25
49	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program. <i>Psychological Medicine</i> , 2021, 51, 653-660.	2.7	24
50	Effects of multi-domain cognitive training on working memory retrieval in older adults: behavioral and ERP evidence from a Chinese community study. <i>Scientific Reports</i> , 2021, 11, 1207.	1.6	4
51	Individualized risk components guiding antipsychotic delivery in patients with a clinical high risk of psychosis: application of a risk calculator. <i>Psychological Medicine</i> , 2021, , 1-10.	2.7	1
52	MK-Curve improves sensitivity to identify white matter alterations in clinical high risk for psychosis. <i>NeuroImage</i> , 2021, 226, 117564.	2.1	7
53	Effects of transcranial electrical stimulation on working memory in patients with schizophrenia: A systematic review and meta-analysis. <i>Psychiatry Research</i> , 2021, 296, 113656.	1.7	11
54	The genetic determinants of language network dysconnectivity in drug-naïve early stage schizophrenia. <i>NPJ Schizophrenia</i> , 2021, 7, 18.	2.0	19

#	ARTICLE	IF	CITATIONS
55	Association of Aripiprazole With Reduced Hippocampal Atrophy During Maintenance Treatment of First-Episode Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2021, 41, 244-249.	0.7	3
56	High frequency repetitive transcranial magnetic stimulation of dorsomedial prefrontal cortex for negative symptoms in patients with schizophrenia: A double-blind, randomized controlled trial. <i>Psychiatry Research</i> , 2021, 299, 113876.	1.7	11
57	Conflict Processing in Schizophrenia: Dissociable neural mechanisms revealed by the N2 and frontal midline theta. <i>Neuropsychologia</i> , 2021, 155, 107791.	0.7	4
58	The Prevalence of Psychological Status During the COVID-19 Epidemic in China: A Systemic Review and Meta-Analysis. <i>Frontiers in Psychology</i> , 2021, 12, 614964.	1.1	13
59	Screening of the college students at clinical high risk for psychosis in China: a multicenter epidemiological study. <i>BMC Psychiatry</i> , 2021, 21, 253.	1.1	5
60	Prevalence and dynamic features of psychological issues among Chinese healthcare workers during the COVID-19 pandemic: a systematic review and cumulative meta-analysis. <i>Annals of General Psychiatry</i> , 2021, 34, e100344.	1.1	22
61	Abnormal Function in Dentate Nuclei Precedes the Onset of Psychosis: A Resting-State fMRI Study in High-Risk Individuals. <i>Schizophrenia Bulletin</i> , 2021, 47, 1421-1430.	2.3	12
62	Temporal Dynamics in Degree Centrality of Brain Functional Connectome in First-Episode Schizophrenia with Different Short-Term Treatment Responses: A Longitudinal Study. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1505-1516.	1.0	12
63	Effect of citalopram on hippocampal volume in first-episode schizophrenia: Structural MRI results from the DECIFER trial. <i>Psychiatry Research - Neuroimaging</i> , 2021, 312, 111286.	0.9	3
64	Magnetic seizure therapy for treatment-resistant depression. <i>The Cochrane Library</i> , 2021, 2021, CD013528.	1.5	4
65	The lateralization and reliability of spatial mismatch negativity elicited by auditory deviants with virtual spatial location. <i>International Journal of Psychophysiology</i> , 2021, 165, 92-100.	0.5	5
66	Resolving heterogeneity in schizophrenia through a novel systems approach to brain structure: individualized structural covariance network analysis. <i>Molecular Psychiatry</i> , 2021, 26, 7719-7731.	4.1	52
67	From Receptive to Perceptive Fields: Size-Dependent Asymmetries in Both Negative Afterimages and Subcortical On and Off Post-Stimulus Responses. <i>Journal of Neuroscience</i> , 2021, 41, 7813-7830.	1.7	6
68	Status and Factors of Cognitive Function Among Older Adults in Urban China. <i>Frontiers in Psychology</i> , 2021, 12, 728165.	1.1	8
69	The effects of antipsychotics on interactions of dynamic functional connectivity in the triple-network in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021, 236, 29-37.	1.1	4
70	Gender differences in attentive bias during social information processing in schizophrenia: An eye-tracking study. <i>Asian Journal of Psychiatry</i> , 2021, 66, 102871.	0.9	2
71	Prolactin levels influenced by antipsychotic drugs in schizophrenia: A systematic review and network meta-analysis. <i>Schizophrenia Research</i> , 2021, 237, 20-25.	1.1	22
72	Neural biomarker of functional disability in major depressive disorder: A structural neuroimaging study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110337.	2.5	2

#	ARTICLE	IF	CITATIONS
73	Salivary Metabolomics Reveals that Metabolic Alterations Precede the Onset of Schizophrenia. <i>Journal of Proteome Research</i> , 2021, 20, 5010-5023.	1.8	9
74	Salivary microbiome profiling reveals a dysbiotic schizophrenia-associated microbiota. <i>NPJ Schizophrenia</i> , 2021, 7, 51.	2.0	22
75	Magnetic Seizure Therapy Compared to Electroconvulsive Therapy for Schizophrenia: A Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2021, 12, 770647.	1.3	5
76	Relationship Between Cognitive and Clinical Insight at Different Durations of Untreated Attenuated Psychotic Symptoms in High-Risk Individuals. <i>Frontiers in Psychiatry</i> , 2021, 12, 753130.	1.3	4
77	Temporoparietal Connectivity Within Default Mode Network Associates With Clinical Improvements in Schizophrenia Following Modified Electroconvulsive Therapy. <i>Frontiers in Psychiatry</i> , 2021, 12, 768279.	1.3	3
78	Atypical Antipsychotics Mediate Dynamics of Intrinsic Brain Activity in Early-Stage Schizophrenia? A Preliminary Study. <i>Psychiatry Investigation</i> , 2021, 18, 1205-1212.	0.7	4
79	Functional connectome organization predicts conversion to psychosis in clinical high-risk youth from the SHARP program. <i>Molecular Psychiatry</i> , 2020, 25, 2431-2440.	4.1	49
80	Deficits in response inhibition on varied levels of demand load in anorexia nervosa: an event-related potentials study. <i>Eating and Weight Disorders</i> , 2020, 25, 231-240.	1.2	6
81	P300 as an index of transition to psychosis and of remission: Data from a clinical high risk for psychosis study and review of literature. <i>Schizophrenia Research</i> , 2020, 226, 74-83.	1.1	26
82	Aberrant resting-state functional connectivity of salience network in first-episode schizophrenia. <i>Brain Imaging and Behavior</i> , 2020, 14, 1350-1360.	1.1	28
83	Poor functional recovery is better predicted than conversion in studies of outcomes of clinical high risk of psychosis: insight from SHARP. <i>Psychological Medicine</i> , 2020, 50, 1578-1584.	2.7	9
84	Individualized psychiatric imaging based on inter-subject neural synchronization in movie watching. <i>NeuroImage</i> , 2020, 216, 116227.	2.1	29
85	Anterior Hippocampal Cortical Functional Connectivity Distinguishes Antipsychotic Naïve First-Episode Psychosis Patients From Controls and May Predict Response to Second-Generation Antipsychotic Treatment. <i>Schizophrenia Bulletin</i> , 2020, 46, 680-689.	2.3	33
86	Clinical subtypes that predict conversion to psychosis: A canonical correlation analysis study from the ShangHai At Risk for Psychosis program. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 482-495.	1.3	21
87	Effects of transcranial direct current stimulation on cognition and symptoms in Chinese patients with schizophrenia. <i>Psychiatry Research</i> , 2020, 284, 112617.	1.7	8
88	Attention-related modulation of frontal midline theta oscillations in cingulate cortex during a spatial cueing Go/NoGo task. <i>International Journal of Psychophysiology</i> , 2020, 148, 1-12.	0.5	14
89	Brain functional connectivity data enhance prediction of clinical outcome in youth at risk for psychosis. <i>NeuroImage: Clinical</i> , 2020, 26, 102108.	1.4	25
90	Genetic polymorphism in catechol O-methyltransferase associated with the functional connectivity of frontostriatal circuits in first episode schizophrenia patients. <i>European Journal of Neuroscience</i> , 2020, 51, 2134-2142.	1.2	4

#	ARTICLE	IF	CITATIONS
91	S171. EFFECT OF DAOA GENETIC VARIATION ON WHITE MATTER ALTERATION IN CORPUS CALLOSUM IN PATIENTS WITH FIRST-EPIISODE SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2020, 46, S102-S102.	2.3	0
92	Discovery of (E)-N-(4-methyl-5-(3-(2-(pyridin-2-yl)vinyl)-1H-indazol-6-yl)thiazol-2-yl)-2-(4-methylpiperazin-1-yl)acetamide (IHMT-TRK-284) as a novel orally available type II TRK kinase inhibitor capable of overcoming multiple resistant mutants. <i>European Journal of Medicinal Chemistry</i> , 2020, 207, 112744.	2.6	12
93	Comparative efficacy of add-on rTMS in treating the somatic and psychic anxiety symptoms of depression comorbid with anxiety in adolescents, adults, and elderly patientsâ€™A real-world clinical application. <i>Journal of Affective Disorders</i> , 2020, 276, 305-311.	2.0	10
94	Discovery of (<i>S</i>)-2-(1-(4-Amino-3-(3-fluoro-4-methoxyphenyl)-1<i>H</i>-pyrazolo[3,4- <i>d</i>]pyrimidin-1-yl)propyl)-3-cyclopropyl-5-fluoroquinolone (IHMT-PI3KÎ³-372) as a Potent and Selective PI3KÎ³ Inhibitor for the Treatment of Chronic Obstructive Pulmonary Disease. <i>Journal of Medicinal Chemistry</i>, 2020, 63, 13973-13993.</i>	2.9	12
95	<p>Altered Function of Superior Parietal Lobule Associated with Perceptive Awareness in First-Episode Drug-Naïve Panic Disorders: A Preliminary fMRI Study</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1653-1659.	1.0	2
96	Cognitive dysfunction in a psychotropic medication-naïve, clinical high-risk sample from the ShangHai-At-Risk-for-Psychosis (SHARP) study: Associations with clinical outcomes. <i>Schizophrenia Research</i> , 2020, 226, 138-146.	1.1	18
97	Tumor Necrosis Factor-Î± Variations in Patients With Major Depressive Disorder Before and After Antidepressant Treatment. <i>Frontiers in Psychiatry</i> , 2020, 11, 518837.	1.3	20
98	Neuroplastic changes in resting-state functional connectivity after rTMS intervention for methamphetamine craving. <i>Neuropharmacology</i> , 2020, 175, 108177.	2.0	28
99	Editorial: Identifying Individuals at Clinical High Risk of Psychosis in Different Cultures and Countries. <i>Frontiers in Psychiatry</i> , 2020, 11, 159.	1.3	1
100	Air pollution and hippocampal atrophy in first episode schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 63-69.	1.1	7
101	Insula shows abnormal task-evoked and resting-state activity in first-episode drug-naïve generalized anxiety disorder. <i>Depression and Anxiety</i> , 2020, 37, 632-644.	2.0	32
102	Parietal memory network and default mode network in first-episode drug-naïve schizophrenia: Associations with auditory hallucination. <i>Human Brain Mapping</i> , 2020, 41, 1973-1984.	1.9	8
103	Altered functional connectivity of the thalamus induced by modified electroconvulsive therapy for schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 209-218.	1.1	12
104	Repetitive Transcranial Magnetic Stimulation for Improving Cognitive Function in Patients With Mild Cognitive Impairment: A Systematic Review. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 593000.	1.7	20
105	Immediate psychological distress in quarantined patients with COVID-19 and its association with peripheral inflammation: A mixed-method study. <i>Brain, Behavior, and Immunity</i> , 2020, 88, 17-27.	2.0	303
106	Altered heartbeat perception sensitivity associated with brain structural alterations in generalised anxiety disorder. <i>Annals of General Psychiatry</i> , 2020, 33, e100057.	1.1	7
107	Real-world effectiveness of antipsychotic treatment in psychosis prevention in a 3-year cohort of 517 individuals at clinical high risk from the SHARP (ShangHai At Risk for Psychosis). <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 696-706.	1.3	24
108	Aberrant Prefrontalâ€™Thalamicâ€™Cerebellar Circuit in Schizophrenia and Depression: Evidence From a Possible Causal Connectivity. <i>International Journal of Neural Systems</i> , 2019, 29, 1850032.	3.2	45

#	ARTICLE	IF	CITATIONS
109	“Brain Connectivity Deviates by Sex and Hemisphere in the First Episode of Schizophrenia” A Route to the Genetic Basis of Language and Psychosis?. Schizophrenia Bulletin, 2019, 45, 484-494.	2.3	19
110	Relationship between duration of untreated prodromal symptoms and symptomatic and functional recovery. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 871-877.	1.8	11
111	Transdiagnostic Dimensions towards Personality Pathology and Childhood Traumatic Experience in a Clinical Sample: Subtype Classification by a Cross-sectional Analysis. Scientific Reports, 2019, 9, 11248.	1.6	10
112	Meta-analysis of cognitive function in Chinese first-episode schizophrenia: MATRICS Consensus Cognitive Battery (MCCB) profile of impairment. Annals of General Psychiatry, 2019, 32, e100043.	1.1	52
113	Resolving the Electroencephalographic Correlates of Rapid Goal-Directed Chunking in the Frontal-Parietal Network. Frontiers in Neuroscience, 2019, 13, 744.	1.4	0
114	Visuospatial task-related prefrontal activity is correlated with negative symptoms in schizophrenia. Scientific Reports, 2019, 9, 9575.	1.6	13
115	Frequency of narcissistic personality disorder in a counseling center population in China. BMC Psychiatry, 2019, 19, 212.	1.1	5
116	Co-Morbidity of DSM-IV Personality Disorder in Major Depressive Disorder Among Psychiatric Outpatients in China: A Further Analysis of an Epidemiologic Survey in a Clinical Population. Frontiers in Psychiatry, 2019, 10, 833.	1.3	15
117	S61. CLINICAL SUBTYPES THAT PREDICT CONVERSION TO PSYCHOSIS: A CANONICAL CORRELATION ANALYSIS STUDY FROM THE SHANGHAI AT RISK FOR PSYCHOSIS (SHARP) PROGRAM. Schizophrenia Bulletin, 2019, 45, S329-S330.	2.3	0
118	S69. NEURAL-SYNCHRONIZATION DURING COOPERATION TASK IN CLINICAL HIGH RISK OF PSYCHOSIS-A FNIRS-BASED HYPERSCANNING STUDY. Schizophrenia Bulletin, 2019, 45, S333-S333.	2.3	0
119	Altered Interoceptive Processing in Generalized Anxiety Disorder” A Heartbeat-Evoked Potential Research. Frontiers in Psychiatry, 2019, 10, 616.	1.3	32
120	A Prospective Study on the Association Between Grip Strength and Cognitive Function Among Middle-Aged and Elderly Chinese Participants. Frontiers in Aging Neuroscience, 2019, 11, 250.	1.7	29
121	Dynamic Functional Connectivity Within the Fronto-Limbic Network Induced by Intermittent Theta-Burst Stimulation: A Pilot Study. Frontiers in Neuroscience, 2019, 13, 944.	1.4	18
122	Citalopram in first episode schizophrenia: The DECIFER trial. Schizophrenia Research, 2019, 208, 331-337.	1.1	15
123	Cognitive deficits in subjects at risk for psychosis, first-episode and chronic schizophrenia patients. Psychiatry Research, 2019, 274, 235-242.	1.7	20
124	Altered Cellular White Matter But Not Extracellular Free Water on Diffusion MRI in Individuals at Clinical High Risk for Psychosis. American Journal of Psychiatry, 2019, 176, 820-828.	4.0	28
125	Repetitive transcranial magnetic stimulation as an adjunctive treatment for negative symptoms and cognitive impairment in patients with schizophrenia: a randomized, double-blind, sham-controlled trial. Neuropsychiatric Disease and Treatment, 2019, Volume 15, 1141-1150.	1.0	27
126	Enhancing neural efficiency of cognitive processing speed via training and neurostimulation: An fNIRS and TMS study. NeuroImage, 2019, 198, 73-82.	2.1	54

#	ARTICLE	IF	CITATIONS
127	Functional Connectivity Between Sensory-Motor Subnetworks Reflects the Duration of Untreated Psychosis and Predicts Treatment Outcome of First-Episode Drug-Naïve Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 697-705.	1.1	15
128	Temporal Characteristics of Attentional Disengagement from Emotional Facial Cues in Depression. <i>Neurophysiologie Clinique</i> , 2019, 49, 235-242.	1.0	6
129	A Systematic Review of Integrated Functional Near-Infrared Spectroscopy (fNIRS) and Transcranial Magnetic Stimulation (TMS) Studies. <i>Frontiers in Neuroscience</i> , 2019, 13, 84.	1.4	67
130	Atrophy of hippocampal subfield CA2/3 in healthy elderly men is related to educational attainment. <i>Neurobiology of Aging</i> , 2019, 80, 21-28.	1.5	9
131	Genetic contribution of catechol-O-methyltransferase in dorsolateral prefrontal cortex functional changes in the first episode schizophrenia. <i>Behavioural Brain Research</i> , 2019, 364, 225-232.	1.2	11
132	<p>Real-World Effectiveness and Safety of Antipsychotics in Individuals at Clinical High-Risk for Psychosis: Study Protocol for a Prospective Observational Study (ShangHai at Risk for) Tj ETQq0 0 0 rgBT /Overlock.10 Tf 50 437 Td (Psy		
133	Efficacy and safety of repetitive transcranial magnetic stimulation for generalised anxiety disorder: A meta-analysis. <i>Annals of General Psychiatry</i> , 2019, 32, e100051.	1.1	9
134	Common increased hippocampal volume but specific changes in functional connectivity in schizophrenia patients in remission and non-remission following electroconvulsive therapy: A preliminary study. <i>NeuroImage: Clinical</i> , 2019, 24, 102081.	1.4	15
135	Add-on rTMS for the acute treatment of depressive symptoms is probably more effective in adolescents than in adults: Evidence from real-world clinical practice. <i>Brain Stimulation</i> , 2019, 12, 103-109.	0.7	29
136	ECT-induced brain plasticity correlates with positive symptom improvement in schizophrenia by voxel-based morphometry analysis of grey matter. <i>Brain Stimulation</i> , 2019, 12, 319-328.	0.7	20
137	Effect of Adjunct Repetitive Transcranial Magnetic Stimulation in Elderly Patients with Acute Depressive Episode: Supporting Evidence from a Real-World Observation. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 91-92.	0.6	6
138	Neurological soft signs and grey matter abnormalities in individuals with ultra-high risk for psychosis. <i>PsyCh Journal</i> , 2019, 8, 252-260.	0.5	9
139	Prediction of psychosis in prodrome: development and validation of a simple, personalized risk calculator. <i>Psychological Medicine</i> , 2019, 49, 1990-1998.	2.7	59
140	Insular changes induced by electroconvulsive therapy response to symptom improvements in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 254-262.	2.5	18
141	White-matter functional networks changes in patients with schizophrenia. <i>NeuroImage</i> , 2019, 190, 172-181.	2.1	106
142	Association of Hippocampal Atrophy With Duration of Untreated Psychosis and Molecular Biomarkers During Initial Antipsychotic Treatment of First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2018, 75, 370.	6.0	56
143	Changes in correlation characteristics of time consumption and mind-reading performance in pre-onset and post-onset psychosis. <i>Psychiatry Research</i> , 2018, 262, 168-174.	1.7	9
144	A comparison of conversion rates, clinical profiles and predictors of outcomes in two independent samples of individuals at clinical high risk for psychosis in China. <i>Schizophrenia Research</i> , 2018, 197, 509-515.	1.1	14

#	ARTICLE	IF	CITATIONS
145	F14. REDUCED DURATION MISMATCH NEGATIVITY ASSOCIATED WITH DECREASED GLUTAMATE+GLUTAMINE LEVEL IN SUBJECTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S223-S224.	2.3	0
146	Abnormal auditory-evoked gamma band oscillations in first-episode schizophrenia during both eye open and eye close states. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 86, 279-286.	2.5	17
147	Education and evaluation for the development of a qualified psychiatrist: Report of the Teachers of Psychiatry meeting Shanghai. Asia-Pacific Psychiatry, 2018, 10, .	1.2	0
148	Using WeChat™ online social networking in a real-world needs analysis of family members of youths at clinical high risk of psychosis. Australian and New Zealand Journal of Psychiatry, 2018, 52, 375-382.	1.3	17
149	Time consumption in mind-reading: A potentially important factor for social cognition assessment in early psychosis. Schizophrenia Research, 2018, 192, 491-492.	1.1	4
150	Identification of the Niacin-Blunted Subgroup of Schizophrenia Patients from Mood Disorders and Healthy Individuals in Chinese Population. Schizophrenia Bulletin, 2018, 44, 896-907.	2.3	22
151	A compromise solution between overlapping and overlooking DSM personality disorders in Chinese psychiatric practice. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 99-106.	1.6	3
152	Progressive decline of cognition during the conversion from prodrome to psychosis with a characteristic pattern of the theory of mind compensated by neurocognition. Schizophrenia Research, 2018, 195, 554-559.	1.1	20
153	The theta burst transcranial magnetic stimulation over the right PFC affects electroencephalogram oscillation during emotional processing. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 82, 21-30.	2.5	7
154	Duration of untreated prodromal symptoms in a Chinese sample at a high risk for psychosis: demographic, clinical, and outcome. Psychological Medicine, 2018, 48, 1274-1281.	2.7	20
155	Increased resting-state global functional connectivity density of default mode network in schizophrenia subjects treated with electroconvulsive therapy. Schizophrenia Research, 2018, 197, 192-199.	1.1	33
156	O6.4. AUDITORY AND LANGUAGE AREAS DISTINGUISH CONVERTERS FROM NON-CONVERTERS AT BASELINE IN SHARP CLINICAL HIGH-RISK SUBJECTS FOR PSYCHOSIS STUDY. Schizophrenia Bulletin, 2018, 44, S90-S91.	2.3	0
157	Association between function and structure of the triple network and catechol-O-methyltransferase val158met polymorphism in the first episode schizophrenia. Neuroscience Letters, 2018, 687, 65-70.	1.0	8
158	Blood-based dynamic genomic signature for obsessive-compulsive disorder. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2018, 177, 709-716.	1.1	5
159	O10.5. ABNORMAL MODULAR ORGANIZATION OF THE FUNCTIONAL CONNECTOME PREDICTS CONVERSION TO PSYCHOSIS IN CLINICAL HIGH-RISK YOUTH. Schizophrenia Bulletin, 2018, 44, S104-S104.	2.3	1
160	Isolated hallucination is less predictive than thought disorder in psychosis: Insight from a longitudinal study in a clinical population at high risk for psychosis. Scientific Reports, 2018, 8, 13962.	1.6	9
161	Validating the Predictive Accuracy of the NAPLS-2 Psychosis Risk Calculator in a Clinical High-Risk Sample From the SHARP (Shanghai At Risk for Psychosis) Program. American Journal of Psychiatry, 2018, 175, 906-908.	4.0	54
162	S105. VALIDATING THE PREDICTIVE ACCURACY OF THE NAPLS-2 PSYCHOSIS RISK CALCULATOR IN A CLINICAL HIGH-RISK SAMPLE FROM THE SHARP (SHANGHAI AT RISK FOR PSYCHOSIS) PROGRAM. Schizophrenia Bulletin, 2018, 44, S366-S366.	2.3	0

#	ARTICLE	IF	CITATIONS
163	Analysis of the concentrations and size distributions of cell-free DNA in schizophrenia using fluorescence correlation spectroscopy. <i>Translational Psychiatry</i> , 2018, 8, 104.	2.4	22
164	Identification and prediction of clinical high risk of psychosis in Chinese outpatients using two-stage screening. <i>Schizophrenia Research</i> , 2018, 202, 284-290.	1.1	8
165	Precise theta burst transcranial magnetic stimulation selectively reduced duration-related mismatch negativity. <i>Biological Psychology</i> , 2018, 137, 125-132.	1.1	7
166	25 Hz Magnetic Seizure Therapy Is Feasible but Not Optimal for Chinese Patients With Schizophrenia: A Case Series. <i>Frontiers in Psychiatry</i> , 2018, 9, 224.	1.3	7
167	Association between catechol-O-methyltransferase genetic variation and functional connectivity in patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2018, 199, 214-220.	1.1	15
168	21.4 BASELINE CLINICAL AND BIOLOGICAL VARIABLES PREDICTING 1 YEAR OUTCOME OF SUBJECTS AT CLINICAL HIGH RISK OF PSYCHOSIS: INSIGHT FROM SHANGHAI AT RISK FOR PSYCHOSIS (SHARP) PROGRAM. <i>Schizophrenia Bulletin</i> , 2018, 44, S36-S36.	2.3	0
169	Elevated hippocampal choline level is associated with altered functional connectivity in females with major depressive disorder: A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2018, 278, 48-55.	0.9	6
170	Brain-Wide Analysis of Functional Connectivity in First-Episode and Chronic Stages of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw099.	2.3	142
171	Can interpersonal hypersensitivity under subconscious condition explain paranoid symptom in schizophrenia?. <i>Asia-Pacific Psychiatry</i> , 2017, 9, e12221.	1.2	0
172	Reduced functional connectivity between bilateral precuneus and contralateral parahippocampus in schizotypal personality disorder. <i>BMC Psychiatry</i> , 2017, 17, 48.	1.1	24
173	High frequency repetitive transcranial magnetic stimulation of the left dorsolateral prefrontal cortex for methamphetamine use disorders: A randomised clinical trial. <i>Drug and Alcohol Dependence</i> , 2017, 175, 84-91.	1.6	91
174	Potential Mechanisms Underlying the Therapeutic Effects of Electroconvulsive Therapy. <i>Neuroscience Bulletin</i> , 2017, 33, 339-347.	1.5	23
175	Updated Review on the Clinical Use of Repetitive Transcranial Magnetic Stimulation in Psychiatric Disorders. <i>Neuroscience Bulletin</i> , 2017, 33, 747-756.	1.5	53
176	Excitability of the masseter inhibitory reflex after high frequency rTMS over the motor cortex: A study in healthy humans. <i>Archives of Oral Biology</i> , 2017, 82, 241-246.	0.8	2
177	Changes in event-related potentials in patients with first-episode schizophrenia and their siblings. <i>BMC Psychiatry</i> , 2017, 17, 20.	1.1	12
178	The MacArthur Competence Assessment Tools for assessing decision-making capacity in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2017, 183, 56-63.	1.1	20
179	SU39. Do Baseline Clinical and Neurocognitive Features Predict Conversion in Individuals With Clinical High Risk to Psychosis in Shanghai?. <i>Schizophrenia Bulletin</i> , 2017, 43, S175-S175.	2.3	0
180	Altered Regional Gray Matter Volume in Obese Men: A Structural MRI Study. <i>Frontiers in Psychology</i> , 2017, 8, 125.	1.1	14

#	ARTICLE	IF	CITATIONS
181	Evaluation of evoked responses to pulse-matched high frequency and intermittent theta burst transcranial magnetic stimulation using simultaneous functional near-infrared spectroscopy. <i>Neurophotonics</i> , 2017, 4, 1.	1.7	12
182	Meta-analysis of the Efficacy and Safety of Repetitive Transcranial Magnetic Stimulation (rTMS) in the Treatment of Depression. <i>Shanghai Archives of Psychiatry</i> , 2017, 29, 328-342.	0.7	16
183	Efficacy Towards Negative Symptoms and Safety of Repetitive Transcranial Magnetic Stimulation Treatment for Patients with Schizophrenia: A Systematic Review. <i>Shanghai Archives of Psychiatry</i> , 2017, 29, 61-76.	0.7	3
184	Reduced γ -Aminobutyric Acid and Glutamate+Glutamine Levels in Drug-Naïve Patients with First-Episode Schizophrenia but Not in Those at Ultrahigh Risk. <i>Neural Plasticity</i> , 2016, 2016, 1-9.	1.0	34
185	Cortical Thickness Changes Correlate with Cognition Changes after Cognitive Training: Evidence from a Chinese Community Study. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 118.	1.7	24
186	Aberrant Functional Connectivity between the Amygdala and the Temporal Pole in Drug-Free Generalized Anxiety Disorder. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 549.	1.0	44
187	Differential alterations of resting-state functional connectivity in generalized anxiety disorder and panic disorder. <i>Human Brain Mapping</i> , 2016, 37, 1459-1473.	1.9	96
188	Correlation of social cognition and neurocognition on psychotic outcome: a naturalistic follow-up study of subjects with attenuated psychosis syndrome. <i>Scientific Reports</i> , 2016, 6, 35017.	1.6	15
189	Co-morbidity of personality disorder in schizophrenia among psychiatric outpatients in China: data from epidemiologic survey in a clinical population. <i>BMC Psychiatry</i> , 2016, 16, 224.	1.1	15
190	The Impact of Cognitive Training on Cerebral White Matter in Community-Dwelling Elderly: One-Year Prospective Longitudinal Diffusion Tensor Imaging Study. <i>Scientific Reports</i> , 2016, 6, 33212.	1.6	27
191	Altered neuronal spontaneous activity correlates with glutamate concentration in medial prefrontal cortex of major depressed females: An fMRI-MRS study. <i>Journal of Affective Disorders</i> , 2016, 201, 153-161.	2.0	39
192	Persistent Microstructural Deficits of Internal Capsule in One-Year Abstinent Male Methamphetamine Users: a Longitudinal Diffusion Tensor Imaging Study. <i>Journal of NeuroImmune Pharmacology</i> , 2016, 11, 523-530.	2.1	12
193	Cognitive training can reduce the rate of cognitive aging: a neuroimaging cohort study. <i>BMC Geriatrics</i> , 2016, 16, 12.	1.1	40
194	Abnormal white matter microstructure in drug-naïve first episode schizophrenia patients before and after eight weeks of antipsychotic treatment. <i>Schizophrenia Research</i> , 2016, 172, 1-8.	1.1	75
195	Faux pas recognition performance in a help-seeking population at clinical high risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 71-78.	1.8	17
196	Segregation between the parietal memory network and the default mode network: effects of spatial smoothing and model order in ICA. <i>Science Bulletin</i> , 2016, 61, 1844-1854.	4.3	14
197	Eye Movement Indices in the Study of Depressive Disorder. <i>Shanghai Archives of Psychiatry</i> , 2016, 28, 326-334.	0.7	13
198	Regional Abnormality of Grey Matter in Schizophrenia: Effect from the Illness or Treatment?. <i>PLoS ONE</i> , 2016, 11, e0147204.	1.1	37

#	ARTICLE	IF	CITATIONS
199	Psychometric Properties of Prodromal Questionnaire-Brief Version among Chinese Help-Seeking Individuals. PLoS ONE, 2016, 11, e0148935.	1.1	26
200	Effect of Clonazepam Co-Administered with Clozapine on the Serum Clozapine and Norclozapine Concentration of Patients with Schizophrenia: A Retrospective Survey. Shanghai Archives of Psychiatry, 2016, 28, 318-325.	0.7	2
201	The relationship between facial emotion recognition and executive functions in first-episode patients with schizophrenia and their siblings. BMC Psychiatry, 2015, 15, 241.	1.1	38
202	Interaction of social role functioning and coping in people with recent-onset attenuated psychotic symptoms: a case study of three Chinese women at clinical high risk for psychosis. Neuropsychiatric Disease and Treatment, 2015, 11, 1647.	1.0	17
203	Neuropsychological Impairment in Prodromal, First-Episode, and Chronic Psychosis: Assessing RBANS Performance. PLoS ONE, 2015, 10, e0125784.	1.1	29
204	Screening schizotypal personality disorder for detection of clinical high risk of psychosis in Chinese mental health services. Psychiatry Research, 2015, 228, 664-670.	1.7	22
205	Abnormal functional connectivity of EEG gamma band in patients with depression during emotional face processing. Clinical Neurophysiology, 2015, 126, 2078-2089.	0.7	90
206	The first mental health law of China. Asian Journal of Psychiatry, 2015, 13, 72-74.	0.9	21
207	Using aripiprazole to reduce antipsychotic-induced hyperprolactinemia: meta-analysis of currently available randomized controlled trials. Shanghai Archives of Psychiatry, 2015, 27, 4-17.	0.7	18
208	Efficacy and safety of treating patients with refractory schizophrenia with antipsychotic medication and adjunctive electroconvulsive therapy: a systematic review and meta-analysis. Shanghai Archives of Psychiatry, 2015, 27, 206-19.	0.7	11
209	Neural Correlates of the Preserved Inhibition of Return in Schizophrenia. PLoS ONE, 2015, 10, e0119521.	1.1	1
210	Psychosis risk syndrome is not prodromal psychosis. Shanghai Archives of Psychiatry, 2015, 27, 42-4.	0.7	3
211	Prolonged cortical silent period among drug-naive subjects at ultra-high risk of psychosis. Schizophrenia Research, 2014, 160, 124-130.	1.1	13
212	Both volumetry and functional connectivity of Heschl's gyrus are associated with auditory P300 in first episode schizophrenia. Schizophrenia Research, 2014, 160, 57-66.	1.1	18
213	Phenotypic characteristics in metabolically healthy but obese patients with schizophrenia. Psychiatry Research, 2014, 220, 71-75.	1.7	0
214	Mobile health in China: Current status and future development. Asian Journal of Psychiatry, 2014, 10, 101-104.	0.9	43
215	Repetitive transcranial magnetic stimulation versus electroconvulsive therapy for major depression: A systematic review and meta-analysis. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 51, 181-189.	2.5	127
216	Prodromal psychosis detection in a counseling center population in China: An epidemiological and clinical study. Schizophrenia Research, 2014, 152, 391-399.	1.1	104

#	ARTICLE	IF	CITATIONS
217	Sulpiride versus placebo for schizophrenia. The Cochrane Library, 2014, , CD007811.	1.5	8
218	Cross-sectional study of the association of cognitive function and hippocampal volume among healthy elderly adults. Shanghai Archives of Psychiatry, 2014, 26, 280-7.	0.7	4
219	Case-control study of error-related negativity among males with heroin dependence undergoing rehabilitation. Shanghai Archives of Psychiatry, 2013, 25, 141-8.	0.7	5
220	How should we intervene in psychosis risk syndromes?. Shanghai Archives of Psychiatry, 2013, 25, 6-9.	0.7	2
221	Binocular rivalry in children with schizophrenia: the conscious and unconscious cognitive processing of interpersonal information. Shanghai Archives of Psychiatry, 2013, 25, 157-64.	0.7	0
222	Should repetitive Transcranial Magnetic Stimulation (rTMS) be considered an effective adjunctive treatment for auditory hallucinations in patients with schizophrenia?. Shanghai Archives of Psychiatry, 2013, 25, 254-5.	0.7	3
223	Research in China on event-related potentials in patients with schizophrenia. Shanghai Archives of Psychiatry, 2012, 24, 67-75.	0.7	0
224	Gamma oscillation in brain connectivity in emotion recognition by Granger causality. , 2011, , .		3
225	Sulpiride augmentation for schizophrenia. The Cochrane Library, 2010, , CD008125.	1.5	25
226	Phenotypic characteristics in metabolically obese but normal weight non-diabetic patients with schizophrenia. Schizophrenia Research, 2010, 124, 49-53.	1.1	7
227	Decreased P300 current source density in drug-naive first episode schizophrenics revealed by high density recording. International Journal of Psychophysiology, 2010, 75, 249-257.	0.5	21
228	Sulpiride versus other antipsychotics for schizophrenia. The Cochrane Library, 0, , .	1.5	5