

Johannes G P Goossens

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2045092/publications.pdf>

Version: 2024-02-01

81
papers

3,871
citations

186209

28
h-index

123376

61
g-index

81
all docs

81
docs citations

81
times ranked

4335
citing authors

#	ARTICLE	IF	CITATIONS
1	Anomalous Terminal Shear Viscosity Behavior of Polycarbonate Nanocomposites Containing Grafted Nanosilica Particles. <i>Nanomaterials</i> , 2021, 11, 1839.	1.9	1
2	Influence of the Solidification Process on the Mechanical Properties of Solid-State Drawn PCL/Sepiolite Nanocomposite Tapes. <i>Fibers</i> , 2020, 8, 70.	1.8	3
3	Rheological properties of bimodal polyethylenes produced with silica nanoparticle supported catalysts. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47577.	1.3	1
4	Tuning PBT vitrimer properties by controlling the dynamics of the adaptable network. <i>Polymer Chemistry</i> , 2019, 10, 136-144.	1.9	55
5	The Influence of Graft Length and Density on Dispersion, Crystallisation and Rheology of Poly(μ -caprolactone)/Silica Nanocomposites. <i>Molecules</i> , 2019, 24, 2106.	1.7	13
6	The effect of polymer molar mass and silica nanoparticles on the rheological and mechanical properties of poly(ϵ -caprolactone) nanocomposites. <i>Nanocomposites</i> , 2018, 4, 112-126.	2.2	11
7	The influence of grafting on flow-induced crystallization and rheological properties of poly(μ -caprolactone)/cellulose nanocrystal nanocomposites. <i>Nanocomposites</i> , 2018, 4, 87-101.	2.2	13
8	In Situ Network Formation in PBT Vitrimers via Processing-Induced Deprotection Chemistry. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800356.	2.0	36
9	Bimodal Ultrahigh Molecular Weight Polyethylenes Produced from Supported Catalysts: The Challenge of Using a Combined Catalyst System. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1600490.	1.1	10
10	Poly(butylene terephthalate)/Glycerol-based Vitrimers via Solid-State Polymerization. <i>Macromolecules</i> , 2017, 50, 6742-6751.	2.2	104
11	Deformation mechanisms of sub-micrometer thermoplastic vulcanizates obtained by reaction-induced phase separation of miscible poly(μ -caprolactone)/dimethacrylate systems. <i>Soft Matter</i> , 2017, 13, 6905-6912.	1.2	6
12	Cross-Linking of Poly(butylene terephthalate) by Reactive Extrusion Using Zn(II) Epoxy-Vitrimer Chemistry. <i>Macromolecules</i> , 2017, 50, 6117-6127.	2.2	143
13	On clarification of haze in polypropylene. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 865-874.	2.4	17
14	Compatibility and epitaxial crystallization between Poly(ethylene) and Poly(ethylene)-like polyesters. <i>Polymer</i> , 2016, 88, 63-70.	1.8	10
15	Physical aging in polycarbonate nanocomposites containing grafted nanosilica particles: A comparison between enthalpy and yield stress evolution. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 2069-2081.	2.4	17
16	Solid-state drawing of post-consumer isotactic poly(propylene): Effect of melt filtration and carbon black on structural and mechanical properties. <i>Waste Management</i> , 2016, 54, 53-61.	3.7	20
17	Fast cooling of (non)-nucleated virgin and recycled poly(propylenes): Effect of processing conditions on structural and mechanical properties. <i>Thermochimica Acta</i> , 2015, 603, 94-102.	1.2	9
18	Influence of drying procedure on glass transition temperature of PMMA based nanocomposites. <i>Nanocomposites</i> , 2015, 1, 36-45.	2.2	36

#	ARTICLE	IF	CITATIONS
19	Morphology control of PS-b-PB-b-PMMA/PMMA blends by silica nanoparticles. <i>Polymer Bulletin</i> , 2015, 72, 1025-1037.	1.7	0
20	Block Copolymers of ϵ -PE-Like•Poly(pentadecalactone) and Poly(ϵ -lactide): Synthesis, Properties, and Compatibilization of Polyethylene/Poly(ϵ -lactide) Blends. <i>Macromolecules</i> , 2015, 48, 6909-6921.	2.2	45
21	Morphology and rheological properties of silica-filled poly(carbonate)/poly(methyl methacrylate) blends. <i>Polymer Engineering and Science</i> , 2015, 55, 1951-1959.	1.5	16
22	Co-extruded Multilayer Polymer Films for Photonic Applications. , 2015, , 145-166.		2
23	Assessment of plastic packaging waste: Material origin, methods, properties. <i>Resources, Conservation and Recycling</i> , 2014, 85, 88-97.	5.3	129
24	Solid-state drawing of β -nucleated polypropylene: Effect of additives on drawability and mechanical properties. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014, 52, 1071-1082.	2.4	14
25	Phase separation in poly(butylene terephthalate)-based materials prepared by solid-state modification. <i>Polymer</i> , 2014, 55, 3801-3810.	1.8	9
26	Polyamide-6,6-based blocky copolyamides obtained by solid-state modification. <i>Journal of Polymer Science Part A</i> , 2013, 51, 5118-5129.	2.5	5
27	From Polyethylene to Polyester: Influence of Ester Groups on the Physical Properties. <i>Macromolecules</i> , 2013, 46, 7668-7677.	2.2	72
28	Self-healing systems based on disulfide-thiol exchange reactions. <i>Polymer Chemistry</i> , 2013, 4, 4955.	1.9	383
29	Solid-State Modification of Poly(butylene terephthalate) with a Bio-Based Fatty Acid Dimer Diol Furnishing Copolyesters with Unique Morphologies. <i>Macromolecules</i> , 2013, 46, 3975-3984.	2.2	24
30	The Control of Silica Nanoparticles on the Phase Separation of Poly(methyl Terephthalate)/Poly(methyl Methacrylate) Blends. <i>Polymer</i> , 2013, 54, 2705-2715.	1.1	23
31	Polymer crystallization studies under processing-relevant conditions at the SAXS/WAXS DUBBLE beamline at the ESRF. <i>Journal of Applied Crystallography</i> , 2013, 46, 1681-1689.	1.9	111
32	The Influence of the Cooling Rate on the Nucleation Efficiency of Isotactic Poly(propylene) with Bis(3,4-dimethylbenzylidene)sorbitol. <i>Macromolecular Symposia</i> , 2013, 330, 150-165.	0.4	7
33	Reactive compatibilization of ethylene-co-vinyl acetate/starch blends. <i>Macromolecular Research</i> , 2012, 20, 1054-1062.	1.0	11
34	Tailoring the morphology and properties of poly(lactic acid)/poly(ethylene-co-vinyl acetate) blends. <i>Polymer</i> , 2012, 53, 1054-1062.	1.6	27
35	Toughening of poly(lactic acid) by ethylene-co-vinyl acetate copolymer with different vinyl acetate contents. <i>European Polymer Journal</i> , 2012, 48, 146-154.	2.6	192
36	Self-Healing Materials Based on Disulfide Links. <i>Macromolecules</i> , 2011, 44, 2536-2541.	2.2	789

#	ARTICLE	IF	CITATIONS
37	High-Resolution Chemical Identification of Polymer Blend Thin Films Using Tip-Enhanced Raman Mapping. <i>Macromolecules</i> , 2011, 44, 2852-2858.	2.2	56
38	Structure development of PMMA/SAN blends in shear flow. <i>Chemical Engineering Science</i> , 2011, 66, 4960-4971.	1.9	8
39	High Resolution Tip Enhanced Raman Mapping on Polymer Thin Films. <i>Macromolecular Symposia</i> , 2011, 305, 73-80.	0.4	2
40	Thermoplastic Vulcanizates Based on Highly Compatible Blends of Isotactic Poly(propylene) and Copolymers of Atactic Poly(propylene) and 5-ethylidene-2-norbornene. <i>Macromolecular Chemistry and Physics</i> , 2010, 211, 334-344.	1.1	6
41	Crystallization kinetics and crystalline morphology of poly(ϵ -caprolactone) in blends with grafted rubber particles. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 1438-1448.	2.4	14
42	Submicrometer Thermoplastic Vulcanizates Obtained by Reaction-Induced Phase Separation of Miscible Poly(ϵ -Caprolactone)/Dimethacrylate Systems. <i>Rubber Chemistry and Technology</i> , 2010, 83, 160-180.	0.6	3
43	The rubber particle size to control the properties-processing balance of thermoplastic/cross-linked elastomer blends. <i>Soft Matter</i> , 2010, 6, 1758.	1.2	88
44	Synchrotron Radiation and Polymer Science IV. <i>Synchrotron Radiation News</i> , 2010, 23, 24-24.	0.2	0
45	Characterization of the morphology of co-extruded, thermoplastic/rubber multi-layer tapes. <i>Analytica Chimica Acta</i> , 2009, 654, 11-19.	2.6	10
46	Sub-micrometer thermoplastic vulcanizates obtained by reaction-induced phase separation of miscible mixtures of poly(ethylene) and alkyl methacrylates. <i>European Polymer Journal</i> , 2009, 45, 503-514.	2.6	23
47	Thermoreversible cross-linking of maleated ethylene/propylene copolymers with diamines and amino-alcohols. <i>Polymer</i> , 2008, 49, 1239-1248.	1.8	23
48	Thermoplastic vulcanizates obtained by reaction-induced phase separation: Interplay between phase separation dynamics, final morphology and mechanical properties. <i>Polymer</i> , 2008, 49, 2288-2297.	1.8	29
49	The incorporation of rigid diol monomers into poly(butylene terephthalate) via solid-state copolymerization and melt copolymerization. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1203-1217.	2.5	19
50	Thermoreversible covalent crosslinking of maleated ethylene/propylene copolymers with diols. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1810-1825.	2.5	19
51	Strong decrease in viscosity of nanoparticle-filled polymer melts through selective adsorption. <i>Soft Matter</i> , 2008, 4, 1848.	1.2	158
52	Synthesis, Structure, and Properties of Ionic Thermoplastic Elastomers Based on Maleated Ethylene/Propylene Copolymers. <i>Macromolecules</i> , 2008, 41, 5493-5501.	2.2	37
53	Application of FTIR Microscopy in Combinatorial Experimentation on Polymer Blends. <i>Macromolecular Symposia</i> , 2008, 265, 281-289.	0.4	16
54	An FTIR Study on the Solid-state Copolymerization of bis(2-hydroxyethyl)terephthalate and Poly(butylene terephthalate) and the Resulting Copolymers. <i>Macromolecular Symposia</i> , 2008, 265, 290-296.	0.4	6

#	ARTICLE	IF	CITATIONS
55	Depolymerization behavior of thermoplastic poly(urethane) (TPU) and its dependence on initial molecular weight. <i>Analytica Chimica Acta</i> , 2007, 604, 69-75.	2.6	14
56	Preparation and characterization of poly(butylene terephthalate)/poly(ethylene terephthalate) copolymers via solid-state and melt polymerization. <i>Journal of Polymer Science Part A</i> , 2007, 45, 882-899.	2.5	25
57	Experimental and computational study on structure development of PMMA/SAN blends. <i>Chemical Engineering Science</i> , 2007, 62, 1825-1837.	1.9	23
58	Thermoreversible Cross-Linking of Maleated Ethylene/Propylene Copolymers Using Hydrogen-Bonding and Ionic Interactions. <i>Macromolecules</i> , 2006, 39, 3441-3449.	2.2	39
59	Synthesis, Characterization and Properties of (Vinyl Triethoxy Silane-grafted PP)/Silica Nanocomposites. <i>Macromolecular Symposia</i> , 2006, 233, 225-234.	0.4	36
60	The microstructure of poly(butylene terephthalate) copolymers via ¹³ C NMR sequence distribution analysis: Solid-state copolymerization versus melt copolymerization. <i>Analytica Chimica Acta</i> , 2006, 557, 19-30.	2.6	21
61	Infrared Monitoring of the Modification of Styrene Acrylonitrile Copolymers with Oxazoline and Its Interfacial Reaction with Acid-Containing Polymers. <i>Macromolecular Symposia</i> , 2005, 230, 59-66.	0.4	1
62	Effect of in situ prepared silica nano-particles on non-isothermal crystallization of polypropylene. <i>Polymer</i> , 2005, 46, 8805-8818.	1.8	203
63	Synthetic aspects and characterization of polypropylene-silica nanocomposites prepared via solid-state modification and sol-gel reactions. <i>Polymer</i> , 2005, 46, 6666-6681.	1.8	66
64	Solid-state modification of isotactic polypropylene (iPP) via grafting of styrene. II. Morphology and melt processing. <i>Journal of Applied Polymer Science</i> , 2005, 97, 575-583.	1.3	12
65	Poly(butylene terephthalate) Copolymers Obtained via Solid-State Polymerization and Melt Polymerization. A Study on the Microstructure via ¹³ C NMR Sequence Distribution. <i>Macromolecules</i> , 2005, 38, 10658-10666.	2.2	30
66	Reaction Kinetics of the Incorporation of 2,2-Bis[4-(2-hydroxyethoxy)phenyl]propane in Poly(butylene) Tj ETQq0 0 0 qgBT /Overlock 10 T	2.2	30
67	Evidence of pre-crystalline-order in super-cooled polymer melts revealed from simultaneous dielectric spectroscopy and SAXS. <i>Journal of Non-Crystalline Solids</i> , 2005, 351, 2773-2779.	1.5	44
68	Mechanical Properties of Sorbitol-Clarified Isotactic Polypropylene: Influence of Additive Concentration on Polymer Structure and Yield Behavior. <i>Macromolecules</i> , 2005, 38, 10461-10465.	2.2	81
69	Nanostructuring of In Situ Formed ABC Triblock Copolymers for Rubber Toughening of Thermoplastics. , 2005, , 331-358.		0
70	The influence of hydrogen bonding on the preparation and mechanical properties of PS-diblock copolymer blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004, 42, 2137-2160.	2.4	11
71	Morphology of Zinc-Neutralized Maleated Ethylene-Propylene Copolymer Ionomers: Structure of Ionic Aggregates As Studied by X-ray Absorption Spectroscopy. <i>Macromolecules</i> , 2004, 37, 8585-8591.	2.2	21
72	Deformation behavior of triblock copolymers based on polystyrene: an FT-IR spectroscopy study. <i>Macromolecular Symposia</i> , 2004, 205, 85-94.	0.4	18

#	ARTICLE	IF	CITATIONS
73	“Hot-Water-Proof”, Semiconducting, Platinum-Based Chain Structures: Processing, Products, and Properties. <i>Advanced Materials</i> , 2003, 15, 125-129.	11.1	84
74	Solid-state modification of isotactic polypropylene (iPP) via grafting of styrene. I. Polymerization experiments. <i>Journal of Applied Polymer Science</i> , 2003, 89, 3279-3291.	1.3	37
75	“Controlled” Synthesis and Characterization of Model Methyl Methacrylate/tert-Butyl Methacrylate Triblock Copolymers via ATRP. <i>Macromolecules</i> , 2003, 36, 3051-3060.	2.2	78
76	Morphology of Ethylene-Propylene Copolymer Based Ionomers as Studied by Solid State NMR and Small Angle X-ray Scattering in Relation to Some Mechanical Properties. <i>Macromolecules</i> , 2003, 36, 1147-1156.	2.2	41
77	Morphology of Neutralized Low Molecular Weight Maleated Ethylene-Propylene Copolymers (MA-g-EPM) As Investigated by Small-Angle X-ray Scattering. <i>Macromolecules</i> , 2002, 35, 208-216.	2.2	25
78	Photoinitiated Bulk Polymerization of Liquid Crystalline Thiolen Monomers. <i>Macromolecules</i> , 2002, 35, 8962-8968.	2.2	19
79	Processing of intractable polymers using reactive solvents. 6. A new reactive solvent concept based on reversible depolymerisation. <i>Polymer</i> , 2002, 43, 5699-5708.	1.8	7
80	Compound formation and solvent (dis)ordering in syndiotactic polystyrene/benzylmethacrylate systems. <i>Macromolecular Symposia</i> , 1999, 138, 99-104.	0.4	4
81	Processing of Thermoplastic Polymers Using Reactive Solvents. <i>High Performance Polymers</i> , 1996, 8, 133-167.	0.8	20