

Sebastian Ley

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2045097/sebastian-ley-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

4,366
citations

40
h-index

59
g-index

156
ext. papers

4,989
ext. citations

5
avg, IF

4.82
L-index

#	Paper	IF	Citations
141	Magnetic resonance imaging detects changes in structure and perfusion, and response to therapy in early cystic fibrosis lung disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 956-65	10.2	153
140	Analysis of intrathoracic tumor mobility during whole breathing cycle by dynamic MRI. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004 , 59, 952-9	4	149
139	Chronic thromboembolic pulmonary hypertension: pre- and postoperative assessment with breath-hold MR imaging techniques. <i>Radiology</i> , 2004 , 232, 535-43	20.5	134
138	Proton MRI appearance of cystic fibrosis: comparison to CT. <i>European Radiology</i> , 2007 , 17, 716-24	8	107
137	Assessment of morphological MRI for pulmonary changes in cystic fibrosis (CF) patients: comparison to thin-section CT and chest x-ray. <i>Investigative Radiology</i> , 2007 , 42, 715-25	10.1	106
136	Correlation of microvascular permeability derived from dynamic contrast-enhanced MR imaging with histologic grade and tumor labeling index: a study in human brain tumors. <i>Academic Radiology</i> , 2001 , 8, 384-91	4.3	106
135	Effect of inspiratory and expiratory breathhold on pulmonary perfusion: assessment by pulmonary perfusion magnetic resonance imaging. <i>Investigative Radiology</i> , 2005 , 40, 72-9	10.1	105
134	Diagnostic performance of state-of-the-art imaging techniques for morphological assessment of vascular abnormalities in patients with chronic thromboembolic pulmonary hypertension (CTEPH). <i>European Radiology</i> , 2012 , 22, 607-16	8	101
133	Paired inspiratory/expiratory volumetric thin-slice CT scan for emphysema analysis: comparison of different quantitative evaluations and pulmonary function test. <i>Chest</i> , 2005 , 128, 3212-20	5.3	96
132	Chronic thromboembolic pulmonary hypertension - assessment by magnetic resonance imaging. <i>European Radiology</i> , 2007 , 17, 11-21	8	90
131	Bronchopulmonary shunts in patients with chronic thromboembolic pulmonary hypertension: evaluation with helical CT and MR imaging. <i>American Journal of Roentgenology</i> , 2002 , 179, 1209-15	5.4	90
130	Contrast-enhanced 3D MRI of lung perfusion in children with cystic fibrosis--initial results. <i>European Radiology</i> , 2006 , 16, 2147-52	8	83
129	Optimal assessment of right ventricular function using cardiac magnetic resonance cine imaging after Mustard palliation for transposition of the great arteries. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13,	6.9	78
128	Short axis versus axial Cine SSFP MR imaging for assessment of right and left ventricular function: inpatient correlation with phase-contrast flow measurements. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13,	6.9	78
127	Evaluation of complex congenital heart disease and associated complications in newborns, infants and small children using multi-detector CT. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2009 , 11,	6.9	78
126	Magnetic resonance imaging of uneven pulmonary perfusion in hypoxia in humans. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 174, 1132-8	10.2	76
125	Value of contrast-enhanced MR angiography and helical CT angiography in chronic thromboembolic pulmonary hypertension. <i>European Radiology</i> , 2003 , 13, 2365-71	8	71

124	Evaluation of lung volumetry using dynamic three-dimensional magnetic resonance imaging. <i>Investigative Radiology</i> , 2005 , 40, 173-9	10.1	68
123	Morphological and functional imaging in COPD with CT and MRI: present and future. <i>European Radiology</i> , 2008 , 18, 510-21	8	64
122	Evaluation of chest motion and volumetry during the breathing cycle by dynamic MRI in healthy subjects: comparison with pulmonary function tests. <i>Investigative Radiology</i> , 2004 , 39, 202-9	10.1	63
121	Value of MR phase-contrast flow measurements for functional assessment of pulmonary arterial hypertension. <i>European Radiology</i> , 2007 , 17, 1892-7	8	62
120	Assessment of pulmonary hypertension by CT and MR imaging. <i>European Radiology</i> , 2004 , 14, 359-68	8	61
119	Magnetic resonance imaging to assess the effect of exercise training on pulmonary perfusion and blood flow in patients with pulmonary hypertension. <i>European Radiology</i> , 2013 , 23, 324-31	8	60
118	Non-invasive diagnosis of pulmonary hypertension: ESC/ERS Guidelines with Updated Commentary of the Cologne Consensus Conference 2011. <i>International Journal of Cardiology</i> , 2011 , 154 Suppl 1, S3-12 ^{3,2}		57
117	Measurement of tumor diameter-dependent mobility of lung tumors by dynamic MRI. <i>Radiotherapy and Oncology</i> , 2004 , 73, 349-54	5.3	57
116	Quantitative 3D pulmonary MR-perfusion in patients with pulmonary arterial hypertension: correlation with invasive pressure measurements. <i>European Journal of Radiology</i> , 2007 , 61, 251-5	4.7	56
115	Functional evaluation of emphysema using diffusion-weighted 3Helium-magnetic resonance imaging, high-resolution computed tomography, and lung function tests. <i>Investigative Radiology</i> , 2004 , 39, 427-34	10.1	52
114	Multi-detector CT of the chest: influence of dose onto quantitative evaluation of severe emphysema: a simulation study. <i>Journal of Computer Assisted Tomography</i> , 2006 , 30, 460-8	2.2	51
113	Value of high spatial and high temporal resolution magnetic resonance angiography for differentiation between idiopathic and thromboembolic pulmonary hypertension: initial results. <i>European Radiology</i> , 2005 , 15, 2256-63	8	51
112	MR-relaxometry of myocardial tissue: significant elevation of T1 and T2 relaxation times in cardiac amyloidosis. <i>Investigative Radiology</i> , 2007 , 42, 636-42	10.1	49
111	Automatic airway analysis on multidetector computed tomography in cystic fibrosis: correlation with pulmonary function testing. <i>Journal of Thoracic Imaging</i> , 2013 , 28, 104-13	5.6	48
110	Functional analysis in single-lung transplant recipients: a comparative study of high-resolution CT, 3He-MRI, and pulmonary function tests. <i>Chest</i> , 2004 , 125, 173-81	5.3	48
109	(3)He-MRI in follow-up of lung transplant recipients. <i>European Radiology</i> , 2004 , 14, 78-85	8	47
108	Quantitative estimation of microvascular permeability in human brain tumors: correlation of dynamic Gd-DTPA-enhanced MR imaging with histopathologic grading. <i>Academic Radiology</i> , 2002 , 9 Suppl 1, S151-5	4.3	47
107	Assessment of the relationship between lung parenchymal destruction and impaired pulmonary perfusion on a lobar level in patients with emphysema. <i>European Journal of Radiology</i> , 2007 , 63, 76-83	4.7	46

106	Whole-body MRI in the pediatric patient. <i>European Journal of Radiology</i> , 2009 , 70, 442-51	4.7	44
105	Visualization of coronary arteries in patients after childhood Kawasaki syndrome: value of multidetector CT and MR imaging in comparison to conventional coronary catheterization. <i>Pediatric Radiology</i> , 2007 , 37, 998-1006	2.8	44
104	Hybrid segmentation and virtual bronchoscopy based on CT images. <i>Academic Radiology</i> , 2004 , 11, 551-653	4.3	42
103	Time-resolved contrast-enhanced three-dimensional magnetic resonance angiography of the chest: combination of parallel imaging with view sharing (TREAT). <i>Investigative Radiology</i> , 2005 , 40, 40-8	10.1	42
102	Evaluation of aortic regurgitation in congenital heart disease: value of MR imaging in comparison to echocardiography. <i>Pediatric Radiology</i> , 2007 , 37, 426-36	2.8	41
101	Magnetic resonance assessment of pulmonary (QP) to systemic (QS) flows using 4D phase-contrast imaging: pilot study comparison with standard through-plane 2D phase-contrast imaging. <i>Academic Radiology</i> , 2014 , 21, 1002-8	4.3	40
100	Quantitative analysis of emphysema in 3D using MDCT: influence of different reconstruction algorithms. <i>European Journal of Radiology</i> , 2008 , 65, 228-34	4.7	40
99	Contrast-enhanced three-dimensional pulmonary perfusion magnetic resonance imaging: intraindividual comparison of 1.0 M gadobutrol and 0.5 M Gd-DTPA at three dose levels. <i>Investigative Radiology</i> , 2004 , 39, 143-8	10.1	40
98	Preoperative assessment and follow-up of congenital abnormalities of the pulmonary arteries using CT and MRI. <i>European Radiology</i> , 2007 , 17, 151-62	8	39
97	Magnetic resonance imaging of acute pulmonary embolism. <i>European Radiology</i> , 2007 , 17, 2546-53	8	38
96	Assessment of reproducibility and stability of different breath-hold manoeuvres by dynamic MRI: comparison between healthy adults and patients with pulmonary hypertension. <i>European Radiology</i> , 2006 , 16, 173-9	8	38
95	MRI Measurement of the hemodynamics of the pulmonary and systemic arterial circulation: influence of breathing maneuvers. <i>American Journal of Roentgenology</i> , 2006 , 187, 439-44	5.4	37
94	Functional lung MRI in chronic obstructive pulmonary disease: comparison of T1 mapping, oxygen-enhanced T1 mapping and dynamic contrast enhanced perfusion. <i>PLoS ONE</i> , 2015 , 10, e0121520	3.7	36
93	Detection and size of pulmonary lesions: how accurate is MRI? A prospective comparison of CT and MRI. <i>Acta Radiologica</i> , 2012 , 53, 153-60	2	36
92	Impact of oxygen inhalation on the pulmonary circulation: assessment by magnetic resonance (MR)-perfusion and MR-flow measurements. <i>Investigative Radiology</i> , 2007 , 42, 283-90	10.1	36
91	Visualization of morphological parenchymal changes in emphysema: comparison of different MRI sequences to 3D-HRCT. <i>European Journal of Radiology</i> , 2010 , 73, 43-9	4.7	35
90	Imaging of pulmonary pathologies: focus on magnetic resonance imaging. <i>Proceedings of the American Thoracic Society</i> , 2009 , 6, 458-63		32
89	Assessment of hemodynamic changes in the systemic and pulmonary arterial circulation in patients with cystic fibrosis using phase-contrast MRI. <i>European Radiology</i> , 2005 , 15, 1575-80	8	32

88	Navigator-triggered oxygen-enhanced MRI with simultaneous cardiac and respiratory synchronization for the assessment of interstitial lung disease. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 26, 1523-9	5.6	31
87	In vivo Gd-DTPA concentration for MR lung perfusion measurements: assessment with computed tomography in a porcine model. <i>European Radiology</i> , 2008 , 18, 2102-7	8	31
86	Automatic lung segmentation method for MRI-based lung perfusion studies of patients with chronic obstructive pulmonary disease. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2015 , 10, 403-17	3.9	29
85	Optimal imaging protocols for lung cancer staging: CT, PET, MR imaging, and the role of imaging. <i>Radiologic Clinics of North America</i> , 2012 , 50, 935-49	2.3	29
84	3D pulmonary perfusion MRI and MR angiography of pulmonary embolism in pigs after a single injection of a blood pool MR contrast agent. <i>European Radiology</i> , 2004 , 14, 1291-6	8	29
83	Pulmonary perfusion imaging using MRI: clinical application. <i>Insights Into Imaging</i> , 2012 , 3, 61-71	5.6	28
82	Measurement of diaphragmatic length during the breathing cycle by dynamic MRI: comparison between healthy adults and patients with an intrathoracic tumor. <i>European Radiology</i> , 2004 , 14, 1392-9	8	28
81	Proton MRI in COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2007 , 4, 55-65	2	27
80	Role of MRI in the management of patients with nephroblastoma. <i>European Radiology</i> , 2008 , 18, 683-91	8	27
79	Respiratory luminal change of the pharynx and trachea in normal subjects and COPD patients: assessment by cine-MRI. <i>European Radiology</i> , 2004 , 14, 2188-97	8	27
78	Validation of magnetic resonance phase-contrast flow measurements in the main pulmonary artery and aorta using perivascular ultrasound in a large animal model. <i>Investigative Radiology</i> , 2008 , 43, 421-6	10.1	26
77	Noninvasive 4D pressure difference mapping derived from 4D flow MRI in patients with repaired aortic coarctation: comparison with young healthy volunteers. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 823-30	2.5	24
76	Concepts for visualization of multidirectional phase-contrast MRI of the heart and large thoracic vessels. <i>Academic Radiology</i> , 2008 , 15, 361-9	4.3	24
75	Monitoring of lung motion in patients with malignant pleural mesothelioma using two-dimensional and three-dimensional dynamic magnetic resonance imaging: comparison with spirometry. <i>Investigative Radiology</i> , 2006 , 41, 443-8	10.1	24
74	Therapy monitoring using dynamic MRI: analysis of lung motion and intrathoracic tumor mobility before and after radiotherapy. <i>European Radiology</i> , 2006 , 16, 1942-50	8	24
73	Computed tomography and magnetic resonance imaging of pulmonary hypertension: Pulmonary vessels and right ventricle. <i>Journal of Magnetic Resonance Imaging</i> , 2010 , 32, 1313-24	5.6	22
72	Intraindividual comparison of 1.0 M gadobutrol and 0.5 M gadopentetate dimeglumine for time-resolved contrast-enhanced three-dimensional magnetic resonance angiography of the upper torso. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 22, 286-90	5.6	22
71	Accuracy of right and left ventricular functional assessment by short-axis vs axial cine steady-state free-precession magnetic resonance imaging: inpatient correlation with main pulmonary artery and ascending aorta phase-contrast flow measurements. <i>Canadian Association of Radiologists Journal</i> , 2013 , 64, 213-9	3.9	21

70	Oxygen-enhanced magnetic resonance imaging: influence of different gas delivery methods on the T1-changes of the lungs. <i>Investigative Radiology</i> , 2008 , 43, 427-32	10.1	21
69	MR imaging/magnetic resonance angiography of the pulmonary arteries and pulmonary thromboembolic disease. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2008 , 16, 263-73, ix	1.6	20
68	Detection of acute pulmonary embolism: feasibility of diagnostic accuracy of MRI using a stepwise protocol. <i>Emergency Radiology</i> , 2014 , 21, 151-8	3	18
67	High-resolution phase-contrast MRI of aortic and pulmonary blood flow during rest and physical exercise using a MRI compatible bicycle ergometer. <i>European Journal of Radiology</i> , 2011 , 80, 103-8	4.7	18
66	Outcome after mechanical aortic valve replacement in children and young adults. <i>Annals of Thoracic Surgery</i> , 2008 , 85, 604-10	2.7	18
65	MR flow measurements for assessment of the pulmonary, systemic and bronchsystemic circulation: impact of different ECG gating methods and breathing schema. <i>European Journal of Radiology</i> , 2007 , 61, 124-9	4.7	18
64	Repeatability and reproducibility of quantitative whole-lung perfusion magnetic resonance imaging. <i>Journal of Thoracic Imaging</i> , 2011 , 26, 230-9	5.6	17
63	Quantification of pulmonary blood flow (PBF): validation of perfusion MRI and nonlinear contrast agent (CA) dose correction with H(2)15O positron emission tomography (PET). <i>Magnetic Resonance in Medicine</i> , 2009 , 62, 476-87	4.4	17
62	Impact of physiological ventricular deformation on the morphology of the T-wave: a hybrid, static-dynamic approach. <i>IEEE Transactions on Biomedical Engineering</i> , 2011 , 58, 2109-19	5	16
61	Glossopharyngeal insufflation and pulmonary hemodynamics in elite breath hold divers. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1688-95	1.2	16
60	Comparison of relative forced expiratory volume of one second with dynamic magnetic resonance imaging parameters in healthy subjects and patients with lung cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 212-8	5.6	16
59	Reproducibility and comparison of oxygen-enhanced T1 quantification in COPD and asthma patients. <i>PLoS ONE</i> , 2017 , 12, e0172479	3.7	15
58	Thoracic magnetic resonance imaging 1985 to 2010. <i>Journal of Thoracic Imaging</i> , 2010 , 25, 34-8	5.6	14
57	Low dose multi-detector CT of the chest (iLEAD Study): visual ranking of different simulated mAs levels. <i>European Journal of Radiology</i> , 2010 , 73, 428-33	4.7	14
56	New method for 3D parametric visualization of contrast-enhanced pulmonary perfusion MRI data. <i>European Radiology</i> , 2008 , 18, 291-7	8	14
55	Noninvasive pressure difference mapping derived from 4D flow MRI in patients with unrepaired and repaired aortic coarctation. <i>Cardiovascular Diagnosis and Therapy</i> , 2014 , 4, 97-103	2.6	13
54	Long-term outcome after external tracheal stabilization due to congenital tracheal instability. <i>Annals of Thoracic Surgery</i> , 2010 , 89, 918-25	2.7	12
53	Automated 3D Volumetry of the Pulmonary Arteries based on Magnetic Resonance Angiography Has Potential for Predicting Pulmonary Hypertension. <i>PLoS ONE</i> , 2016 , 11, e0162516	3.7	12

52	Morpho-Functional 1H-MRI of the Lung in COPD: Short-Term Test-Retest Reliability. <i>PLoS ONE</i> , 2015 , 10, e0137282	3.7	11
51	Tridirectional phase-contrast magnetic resonance velocity mapping depicts severe hemodynamic alterations in a patient with aortic dissection type Stanford B. <i>Journal of Vascular Surgery</i> , 2011 , 54, 559-62	3.5	11
50	Dynamic coil selection for real-time imaging in interventional MRI. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 1156-62	4.4	11
49	Recommendations of the Thoracic Imaging Section of the German Radiological Society for clinical application of chest imaging and structured CT reporting in the COVID-19 pandemic. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2020 , 192, 633-640	2.3	10
48	Assessment of right ventricular volumes and function using cardiovascular magnetic resonance cine imaging after atrial redirection surgery for complete transposition of the great arteries. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 335-42	2.5	10
47	Assessment of thoracic aortic dimensions in an experimental setting: comparison of different unenhanced magnetic resonance angiography techniques with electrocardiogram-gated computed tomography angiography for possible application in the pediatric population. <i>Investigative Radiology</i> , 2009 , 40, 178-86	10.1	10
46	Quantification of lung volume at different tidal volumes and positive end-expiratory pressures in a porcine model by using retrospective respiratory gated 4D-computed tomography. <i>Investigative Radiology</i> , 2008 , 43, 461-9	10.1	10
45	Free-breathing three-dimensional computed tomography of the lung using prospective respiratory gating: charge-coupled device camera and laser sensor device in an animal experiment. <i>Investigative Radiology</i> , 2006 , 41, 468-75	10.1	10
44	Effects of slice orientation on reproducibility of sequential assessment of right ventricular volumes and ejection fraction: short-axis vs transverse SSFP cine cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016 , 18, 60	6.9	9
43	Quantitative Emphysema Distribution in Anatomic and Non-anatomic Lung Regions. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2015 , 12, 257-66	2	8
42	Assessment of the relationship between morphological emphysema phenotype and corresponding pulmonary perfusion pattern on a segmental level. <i>European Radiology</i> , 2015 , 25, 72-80	8	8
41	Measurements of alveolar pO ₂ using 19F-MRI in partial liquid ventilation. <i>Investigative Radiology</i> , 2003 , 38, 635-41	10.1	8
40	Imaging pulmonary arterial thromboembolism: challenges and opportunities. <i>Magnetic Resonance Imaging Clinics of North America</i> , 2015 , 23, 261-71	1.6	6
39	Phantom materials mimicking the optical properties in the near infrared range for non-invasive fetal pulse oximetry. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 1432-5	0.9	6
38	In vitro validation of flow measurements in an aortic nitinol stent graft by velocity-encoded MRI. <i>European Journal of Radiology</i> , 2011 , 80, 163-7	4.7	6
37	Investigation of retrospective respiratory gating techniques for acquisition of thin-slice 4D-Multidetector-computed Tomography (MDCT) of the lung: Feasibility study in a large animal model. <i>Experimental Lung Research</i> , 2006 , 32, 395-412	2.3	6
36	Towards quantitative perfusion MRI of the lung in COPD: The problem of short-term repeatability. <i>PLoS ONE</i> , 2018 , 13, e0208587	3.7	6
35	Changes of Emphysema Parameters over the Respiratory Cycle During Free Breathing: Preliminary Results Using Respiratory Gated 4D-CT. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2017 , 14, 597-602	2	5

34	Influence of imaging quality on magnetic resonance-based pressure gradient measurements 2010 ,		5
33	Visualization of intrarenal vessels by 3.0-T MR angiography in comparison with digital subtraction angiography using renal specimens. <i>Pediatric Radiology</i> , 2006 , 36, 1075-81	2.8	5
32	Assessment of aortic morphology and compliance in children and adolescents with Ullrich-Turner syndrome (UTS) using magnetic resonance imaging (MRI). <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014 , 27, 915-22	1.6	4
31	Oxygen-enhanced lung magnetic resonance imaging: influence of inversion pulse slice selectivity on inversion recovery half-Fourier single-shot turbo spin-echo signal. <i>Japanese Journal of Radiology</i> , 2011 , 29, 244-50	2.9	4
30	Segmentation and virtual exploration of tracheobronchial trees. <i>International Congress Series</i> , 2003 , 1256, 35-40		4
29	Utility (or not) of Gd-DTPA-based dynamic MRI for breast cancer diagnosis and grading. <i>Academic Radiology</i> , 2002 , 9 Suppl 1, S261-5	4.3	4
28	In vivo and in vitro validation of aortic flow quantification by time-resolved three-dimensional velocity-encoded MRI. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 1999-2008	2.5	3
27	Impact of an aortic nitinol stent graft on flow measurements by time-resolved three-dimensional velocity-encoded MRI. <i>Academic Radiology</i> , 2012 , 19, 274-80	4.3	3
26	Structured Reporting in Cross-Sectional Imaging of the Heart: Reporting Templates for CMR Imaging of Cardiomyopathies (Myocarditis, Dilated Cardiomyopathy, Hypertrophic Cardiomyopathy, Arrhythmogenic Right Ventricular Cardiomyopathy and Siderosis). <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2020 , 192, 27-37	2.3	3
25	Lung imaging. <i>European Respiratory Review</i> , 2015 , 24, 240-5	9.8	2
24	Aortic Coarctation a Systemic Vessel Disease-Insights from Magnetic Resonance Imaging. <i>Thoracic and Cardiovascular Surgeon</i> , 2019 , 67, e1-e10	1.6	2
23	Aortic dimensions on cardiovascular magnetic resonance imaging relate to pregnancy outcomes in women with coarctation of the aorta: a multicenter study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14,	6.9	2
22	Low diagnostic yield of Late Gadolinium Enhancement (LGE) in screening patients with suspected Arrhythmogenic Right Ventricular Cardiomyopathy (ARVC) by Cardiovascular Magnetic Resonance (CMR). <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14,	6.9	2
21	Estimation of aortic pressure waveforms from 4D phase-contrast MRI. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2013 , 2013, 731-4	0.9	2
20	Vessel centerline extraction in phase-contrast MR images using vector flow information 2012 ,		2
19	Fully Automated Segmentation of Pulmonary Fibrosis Using Different Software Tools. <i>Respiration</i> , 2021 , 100, 580-587	3.7	2
18	GOLD stage predicts thoracic aortic calcifications in patients with COPD. <i>Experimental and Therapeutic Medicine</i> , 2019 , 17, 967-973	2.1	2
17	Light source driver, photodiode and impedance sensing in plethysmographic measurements 2014 ,		1

16	Non-invasive pulmonary blood flow analysis and blood pressure mapping derived from 4D flow MRI 2015 ,		1
15	Tensor-based tracking of the aorta in phase-contrast MR images 2014 ,		1
14	Graph-based bifurcation detection in phase-contrast MR images 2013 ,		1
13	Polynomial regularization for robust MRI-based estimation of blood flow velocities and pressure gradients. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 6829-32	0.9	1
12	Comment on: Diagnostic Reference Levels for Diagnostic and Interventional X-Ray Procedures in Germany: Update and Handling/Diagnostische Referenzwerte für diagnostische und interventionelle Röntgenanwendungen in Deutschland: Aktualisierung und Handhabung (Alexander Schegerer, Reinhard Loose, Lothar J. Heuser, Gunnar Brix). <i>RoFo Fortschritte Auf Dem Gebiet Der Röntgenstrahlen Und Der Bildgebenden Verfahren</i> , 2020 , 192, 82	2.3	1
11	Congenital and Acquired Heart Disease 2011 , 249-264		0
10	Pulmonary Hypertension and Thromboembolic Disease. <i>Medical Radiology</i> , 2009 , 107-119	0.2	0
9	Temperature dependent dielectric spectroscopy of muscle tissue phantom. <i>International Journal of Microwave and Wireless Technologies</i> , 2020 , 12, 885-891	0.8	
8	Imaging in vascular diseases of the lung. <i>Current Opinion in Pulmonary Medicine</i> , 2016 , 22, 522-6	3	
7	Vascular Anomalies and Diseases. <i>Medical Radiology</i> , 2017 , 201-221	0.2	
6	Pulmonary Hypertension and Thromboembolic Disease. <i>Medical Radiology</i> , 2017 , 185-200	0.2	
5	MRI of Lung Morphology and Perfusion. <i>Medical Radiology</i> , 2014 , 505-512	0.2	
4	Vascular Anomalies and Diseases. <i>Medical Radiology</i> , 2009 , 121-137	0.2	
3	Effiziente Segmentierung von MRT-Perfusionsdatensätzen der Lunge. <i>Informatik Aktuell</i> , 2004 , 35-39	0.3	
2	Basics and Clinical Application of MR Assessment of Pulmonary Hemodynamics and Blood Flow. <i>Medical Radiology</i> , 2021 , 47-57	0.2	
1	Thoracic imaging: course report. <i>Breathe</i> , 2016 , 12, 9-10	1.8	