

Kailong Jin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/204654/publications.pdf>

Version: 2024-02-01

27
papers

1,333
citations

430874

18
h-index

526287

27
g-index

27
all docs

27
docs citations

27
times ranked

1358
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Three-Dimensional Printing of Liquid Crystals with Thermal Sensing Capability via Multimaterial Vat Photopolymerization. <i>ACS Applied Polymer Materials</i> , 2022, 4, 2951-2959. | 4.4 | 16 |
| 2 | Chemically recyclable crosslinked thiol-ene photopolymers via thiol-disulfide exchange reactions. <i>Journal of Polymer Science</i> , 2022, 60, 3379-3390. | 3.8 | 4 |
| 3 | Arresting Elevated-Temperature Creep and Achieving Full Cross-Link Density Recovery in Reprocessable Polymer Networks and Network Composites via Nitroxide-Mediated Dynamic Chemistry. <i>Macromolecules</i> , 2021, 54, 1452-1464. | 4.8 | 64 |
| 4 | 3D Printing-Enabled Nanoparticle Alignment: A Review of Mechanisms and Applications. <i>Small</i> , 2021, 17, e2100817. | 10.0 | 61 |
| 5 | Porous Fibers Templated by Melt Blowing Cocontinuous Immiscible Polymer Blends. <i>ACS Macro Letters</i> , 2021, 10, 1196-1203. | 4.8 | 11 |
| 6 | Sensing the melting transition of semicrystalline polymers via a novel fluorescence technique. <i>Polymer</i> , 2021, 230, 124070. | 3.8 | 2 |
| 7 | Bimodal Nanofiber and Microfiber Nonwovens by Melt-Blowing Immiscible Ternary Polymer Blends. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 5238-5246. | 3.7 | 18 |
| 8 | Sustainable Triblock Copolymers as Tunable and Degradable Pressure Sensitive Adhesives. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 12036-12044. | 6.7 | 19 |
| 9 | Impact of bottlebrush chain architecture on T_g confinement and fragility effects enabled by thermo-cleavable bottlebrush polymers synthesized by radical coupling and atom transfer radical polymerization. <i>Journal of Polymer Science</i> , 2020, 58, 2887-2905. | 3.8 | 7 |
| 10 | Crazing Mechanism and Physical Aging of Poly(lactide) Toughened with Poly(ethylene Terephthalate). <i>Journal of Applied Polymer Science</i> , 2020, 123, 4832-4842. | 4.8 | 32 |
| 11 | Multiblock Copolymers for Recycling Polyethylene-Poly(ethylene terephthalate) Mixed Waste. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 9726-9735. | 8.0 | 51 |
| 12 | Reprocessing Postconsumer Polyurethane Foam Using Carbamate Exchange Catalysis and Twin-Screw Extrusion. <i>ACS Central Science</i> , 2020, 6, 921-927. | 11.3 | 116 |
| 13 | Cross-Linked Nonwoven Fibers by Room-Temperature Cure Blowing and in Situ Photopolymerization. <i>Macromolecules</i> , 2019, 52, 6662-6672. | 4.8 | 22 |
| 14 | Isolating the effect of polymer-grafted nanoparticle interactions with matrix polymer from dispersion on composite property enhancement: The example of polypropylene/halloysite nanocomposites. <i>Polymer</i> , 2019, 176, 38-50. | 3.8 | 24 |
| 15 | Mechanically Robust and Recyclable Cross-Linked Fibers from Melt Blown Anthracene-Functionalized Commodity Polymers. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 12863-12870. | 8.0 | 42 |
| 16 | Segmented Thermoplastic Polymers Synthesized by Thiol-ene Click Chemistry: Examples of Thiol-Norbornene and Thiol-Maleimide Click Reactions. <i>Macromolecules</i> , 2018, 51, 3620-3631. | 4.8 | 31 |
| 17 | Melt-Blown Cross-Linked Fibers from Thermally Reversible Diels-Alder Polymer Networks. <i>ACS Macro Letters</i> , 2018, 7, 1339-1345. | 4.8 | 37 |
| 18 | Compatibilization of Isotactic Polypropylene (iPP) and High-Density Polyethylene (HDPE) with iPP-PE Multiblock Copolymers. <i>Macromolecules</i> , 2018, 51, 8585-8596. | 4.8 | 106 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Vitrimers Designed Both To Strongly Suppress Creep and To Recover Original Cross-Link Density after Reprocessing: Quantitative Theory and Experiments. <i>Macromolecules</i> , 2018, 51, 5537-5546. | 4.8 | 218 |
| 20 | T _g -confinement effects in strongly miscible blends of poly(2,6-dimethyl-1,4-phenylene oxide) and polystyrene: Roles of bulk fragility and chain segregation. <i>Polymer</i> , 2017, 118, 85-96. | 3.8 | 14 |
| 21 | Bulk physical aging behavior of cross-linked polystyrene compared to its linear precursor: Effects of cross-linking and aging temperature. <i>Polymer</i> , 2017, 115, 197-203. | 3.8 | 11 |
| 22 | Reprocessable polyhydroxyurethane networks exhibiting full property recovery and concurrent associative and dissociative dynamic chemistry via transcarbamoylation and reversible cyclic carbonate aminolysis. <i>Polymer Chemistry</i> , 2017, 8, 6349-6355. | 3.9 | 159 |
| 23 | Enhanced T _g -Confinement Effect in Cross-Linked Polystyrene Compared to Its Linear Precursor: Roles of Fragility and Chain Architecture. <i>Macromolecules</i> , 2016, 49, 5092-5103. | 4.8 | 39 |
| 24 | Phase-Separated Thiol-Epoxy-Acrylate Hybrid Polymer Networks with Controlled Cross-Link Density Synthesized by Simultaneous Thiol-Acrylate and Thiol-Epoxy Click Reactions. <i>Macromolecules</i> , 2016, 49, 4115-4123. | 4.8 | 53 |
| 25 | Recyclable Crosslinked Polymer Networks via One-Step Controlled Radical Polymerization. <i>Advanced Materials</i> , 2016, 28, 6746-6750. | 21.0 | 99 |
| 26 | T _g and T _g breadth of poly(2,6-dimethyl-1,4-phenylene oxide)/polystyrene miscible polymer blends characterized by differential scanning calorimetry, ellipsometry, and fluorescence spectroscopy. <i>Polymer</i> , 2015, 65, 233-242. | 3.8 | 27 |
| 27 | Kinetics of multifunctional thiol-epoxy click reactions studied by differential scanning calorimetry: Effects of catalysis and functionality. <i>Polymer</i> , 2015, 81, 70-78. | 3.8 | 50 |