

Hans Morten Nordahl

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2048183/publications.pdf>

Version: 2024-02-01

70
papers

1,885
citations

279778

23
h-index

289230

40
g-index

72
all docs

72
docs citations

72
times ranked

2266
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional Impairment and Occupational Outcome in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2012, 16, 544-552.	2.6	134
2	Early maladaptive schemas in patients with or without personality disorders: does schema modification predict symptomatic relief?. <i>Clinical Psychology and Psychotherapy</i> , 2005, 12, 142-149.	2.7	120
3	The Structure of Maladaptive Schemas: A Confirmatory Factor Analysis and a Psychometric Evaluation of Factor-Derived Scales. <i>Cognitive Therapy and Research</i> , 2005, 29, 627-644.	1.9	107
4	Adolescent school absenteeism: modelling social and individual risk factors. <i>Child and Adolescent Mental Health</i> , 2012, 17, 93-100.	3.5	103
5	Schema therapy for patients with borderline personality disorder: a single case series. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2005, 36, 254-264.	1.2	90
6	Anxiety and depression following myocardial infarction: gender differences in a 5-year prospective study. <i>Journal of Psychosomatic Research</i> , 2005, 58, 153-161.	2.6	84
7	Anxiety as a risk factor for school absenteeism: what differentiates anxious school attenders from non-attenders?. <i>Annals of General Psychiatry</i> , 2013, 12, 25.	2.7	73
8	A Randomized Controlled Trial of Individual Cognitive Therapy, Group Cognitive Behaviour Therapy and Attentional Placebo for Adolescent Social Phobia. <i>Psychotherapy and Psychosomatics</i> , 2014, 83, 54-61.	8.8	73
9	Does dissociation moderate treatment outcomes of narrative exposure therapy for PTSD? A secondary analysis from a randomized controlled clinical trial. <i>Behaviour Research and Therapy</i> , 2014, 57, 21-28.	3.1	56
10	Metacognitive Therapy for Depression in Adults: A Waiting List Randomized Controlled Trial with Six Months Follow-Up. <i>Frontiers in Psychology</i> , 2017, 8, 31.	2.1	54
11	Metacognitive therapy versus cognitive-behavioural therapy in adults with generalised anxiety disorder. <i>BJPsych Open</i> , 2018, 4, 393-400.	0.7	54
12	Paroxetine, Cognitive Therapy or Their Combination in the Treatment of Social Anxiety Disorder with and without Avoidant Personality Disorder: A Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2016, 85, 346-356.	8.8	48
13	Lifestyle predictors of successful aging: A 20-year prospective HUNT study. <i>PLoS ONE</i> , 2019, 14, e0219200.	2.5	45
14	Metacognitive therapy versus disorder-specific CBT for comorbid anxiety disorders: A randomized controlled trial. <i>Journal of Anxiety Disorders</i> , 2017, 50, 103-112.	3.2	44
15	What Lies Beneath Trait-Anxiety? Testing the Self-Regulatory Executive Function Model of Vulnerability. <i>Frontiers in Psychology</i> , 2019, 10, 122.	2.1	40
16	Psychological factors and weight problems in adolescents. The role of eating problems, emotional problems, and personality traits: the Young-HUNT study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 353-362.	3.1	37
17	Personality traits, gender differences and symptoms of anhedonia: What does the Hospital Anxiety and Depression Scale (<scp>HADS</scp>) measure in nonclinical settings?. <i>Scandinavian Journal of Psychology</i> , 2016, 57, 144-151.	1.5	32
18	A 4-year follow-up study of syndromal and sub-syndromal anxiety and depression symptoms in the general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 192-199.	3.1	31

#	ARTICLE	IF	CITATIONS
19	Personality styles in patients with fibromyalgia, major depression and healthy controls. <i>Annals of General Psychiatry</i> , 2007, 6, 9.	2.7	29
20	Perceptions of Parental Bonding in Patients with Various Personality Disorders, Lifetime Depressive Disorders, and Healthy Controls. <i>Journal of Personality Disorders</i> , 1997, 11, 391-402.	1.4	28
21	Perceived Group Climate as a Predictor of Long-Term Outcome in a Randomized Controlled Trial of Cognitive-Behavioural Group Therapy for Patients with Comorbid Psychiatric Disorders. <i>Behavioural and Cognitive Psychotherapy</i> , 2009, 37, 497-510.	1.2	28
22	Children in remission from acute lymphoblastic leukaemia: mental health, psychosocial adjustment and parental functioning. <i>European Journal of Cancer Care</i> , 2009, 18, 364-370.	1.5	28
23	Metacognitions in obsessive-compulsive disorder: A psychometric study of the Metacognitions Questionnaire-30. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2016, 11, 82-90.	1.5	27
24	Metacognitive Therapy in Major Depression: An Open Trial of Comorbid Cases. <i>Cognitive and Behavioral Practice</i> , 2017, 24, 312-318.	1.5	27
25	Predictive Factors for More Than 3 Years'™ Duration of Central Stimulant Treatment in Adult Attention-Deficit/Hyperactivity Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 645-652.	1.4	23
26	Matching patients with substance use disorder to optimal level of care with the ASAM Criteria software. <i>Journal of Substance Use</i> , 2015, 20, 389-398.	0.7	22
27	Cognitive and metacognitive predictors of symptom improvement following treatment for social anxiety disorder: A secondary analysis from a randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 1221-1227.	2.7	22
28	Explaining depression symptoms in patients with social anxiety disorder: Do maladaptive metacognitive beliefs play a role?. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 457-464.	2.7	22
29	Mechanisms of change in metacognitive and cognitive behavioral therapy for treatment-resistant anxiety. <i>Journal of Experimental Psychopathology</i> , 2018, 9, 204380871878741.	0.8	22
30	A Randomized Controlled Trial of Metacognitive Therapy for Depression: Analysis of 1-Year Follow-Up. <i>Frontiers in Psychology</i> , 2019, 10, 1842.	2.1	22
31	ADHD Symptoms Are Differentially Related to Specific Aspects of Quality of Life. <i>Journal of Attention Disorders</i> , 2014, 18, 598-606.	2.6	21
32	Prevalence and correlates of successful aging in a population-based sample of older adults: the HUNT study. <i>International Psychogeriatrics</i> , 2017, 29, 431-440.	1.0	19
33	Metacognition and cognition in inpatient MCT and CBT for comorbid anxiety disorders: A study of within-person effects. <i>Journal of Counseling Psychology</i> , 2018, 65, 86-97.	2.0	19
34	Mitigating adolescent social anxiety symptoms: the effects of social support and social self-efficacy in findings from the Young-HUNT 3 study. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 441-449.	4.7	17
35	Connection between patient and therapist and therapist's competence in schema-focused therapy of personality problems. <i>Psychotherapy Research</i> , 2005, 15, 409-419.	1.8	16
36	Does maternal psychopathology discriminate between children with DSM-IV generalised anxiety disorder or oppositional defiant disorder? The predictive validity of maternal axis I and axis II psychopathology. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 87-95.	4.7	15

#	ARTICLE	IF	CITATIONS
37	A preliminary study of the naturalistic course of non-manualized psychotherapy for outpatients with borderline personality disorder: Patient characteristics, attrition and outcome. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 87-93.	1.3	15
38	Association Between Abnormal Psychosocial Situations in Childhood, Generalized Anxiety Disorder and Oppositional Defiant Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010, 44, 852-858.	2.3	14
39	Metacognitive Therapy Applications in Social Anxiety Disorder: An Exploratory Study of the Individual and Combined Effects of the Attention Training Technique and Situational Attentional Refocusing. <i>Journal of Experimental Psychopathology</i> , 2016, 7, 608-618.	0.8	14
40	Metacognitive Therapy for Generalized Anxiety Disorder: Nature, Evidence and an Individual Case Illustration. <i>Cognitive and Behavioral Practice</i> , 2013, 20, 301-313.	1.5	13
41	Prevalence of comorbid substance use disorder during long-term central stimulant treatment in adult ADHD. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2013, 5, 59-67.	1.7	11
42	Convergent Validity of the ASAM Criteria in Co-Occurring Disorders. <i>Journal of Dual Diagnosis</i> , 2014, 10, 68-78.	1.2	11
43	Functional Impairment Mediates the Relationship Between Adult ADHD Inattentiveness and Occupational Outcome. <i>Journal of Attention Disorders</i> , 2016, 20, 510-518.	2.6	11
44	Social anxiety disorder in adolescents: Prevalence and subtypes in the Young-HUNT3 study. <i>Journal of Anxiety Disorders</i> , 2022, 87, 102546.	3.2	11
45	Modeling gene×environment interaction in longitudinal data: Risk for neuroticism due to interaction between maternal care and the Dopamine 4 Receptor gene (DRD4). <i>Australian Journal of Psychology</i> , 2011, 63, 18-25.	2.8	10
46	Metacognitive Therapy of Early Traumatized Patients With Borderline Personality Disorder: A Phase-II Baseline Controlled Trial. <i>Frontiers in Psychology</i> , 2019, 10, 1694.	2.1	10
47	THE SPECIFICITY OF COGNITIVE PERSONALITY DIMENSIONS IN CLUSTER C PERSONALITY DISORDERS. <i>Behavioural and Cognitive Psychotherapy</i> , 2000, 28, 235-246.	1.2	9
48	Anhedonic depression, history of depression, and anxiety as gender-specific risk factors of myocardial infarction in healthy men and women: The HUNT study. <i>Health Psychology Open</i> , 2014, 1, 205510291455765.	1.4	9
49	Rational emotive behaviour therapy in high schools to educate in mental health and empower youth health. A randomized controlled study of a brief intervention. <i>Cognitive Behaviour Therapy</i> , 2017, 46, 1-15.	3.5	9
50	Prevalence of adverse childhood experiences and their co-occurrence in a large population of adolescents: a Young HUNT 3 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 2359-2366.	3.1	9
51	A Randomized Trial of Cognitive Group Therapy vs. Waiting List for Patients with Co-Morbid Psychiatric Disorders: Effect of Cognitive Group Therapy after Treatment and Six and Twelve Months Follow-Up. <i>Behavioural and Cognitive Psychotherapy</i> , 2005, 33, 33-44.	1.2	8
52	Behavioral Experiments in the Treatment of Paranoid Schizophrenia: A Single Case Study. <i>Cognitive and Behavioral Practice</i> , 2008, 15, 296-305.	1.5	8
53	Principles and Clinical Application of Schema Therapy for Patients with Borderline Personality Disorder. <i>Nordic Psychology</i> , 2008, 60, 249-263.	0.8	8
54	Adolescent personality traits, low self-esteem and self-harm hospitalisation: a 15-year follow-up of the Norwegian Young-HUNT1 cohort. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 329-339.	4.7	8

#	ARTICLE	IF	CITATIONS
55	Somatisk helse hos pasienter ved en ruspoliklinikk. Tidsskrift for Den Norske Laegeforening, 2015, 135, 127-131.	0.2	8
56	Editorial: Metacognitive Therapy: Science and Practice of a Paradigm. Frontiers in Psychology, 2020, 11, 576210.	2.1	7
57	COGNITIVE PERSONALITY STYLES IN OCD OUTPATIENTS COMPARED TO DEPRESSED OUTPATIENTS AND HEALTHY CONTROLS. Behavioural and Cognitive Psychotherapy, 2000, 28, 247-258.	1.2	6
58	The Adult ADHD Quality of Life Questionnaire (AAQoL). Nordic Psychology, 2010, 62, 24-36.	0.8	6
59	Physical activity in adolescents who later developed schizophrenia: A prospective case-control study from the Young-HUNT. Nordic Journal of Psychiatry, 2016, 70, 111-115.	1.3	6
60	Comorbidity of borderline personality disorder with other personality disorders in psychiatric outpatients: How does it look at 2-year follow-up?. Nordic Journal of Psychiatry, 2012, 66, 209-214.	1.3	5
61	Change talk and sustain talk in treatment of generalized anxiety disorder: A secondary analysis of cognitive behavioral therapy and metacognitive therapy in adult outpatients. Journal of Behavior Therapy and Experimental Psychiatry, 2021, 72, 101650.	1.2	5
62	Processing speed and working memory are predicted by components of successful aging: a HUNT study. BMC Psychology, 2022, 10, 16.	2.1	5
63	Cognitive-behavioural group treatment of depression in patients with psychotic disorders. Clinical Psychology and Psychotherapy, 2005, 12, 465-474.	2.7	4
64	Physical exercise augmented cognitive behaviour therapy for older adults with generalised anxiety disorder (PEXACOG): study protocol for a randomized controlled trial. Trials, 2019, 20, 174.	1.6	4
65	The Predictive Validity of the URICA in a Sample of Patients in Substance Use Treatment. Addictive Disorders and Their Treatment, 2014, 13, 170-178.	0.5	3
66	Metacognitive therapy vs. eye movement desensitization and reprocessing for posttraumatic stress disorder: study protocol for a randomized superiority trial. Trials, 2018, 19, 16.	1.6	3
67	Metacognitive therapy and work-focused interventions for patients on sick leave due to anxiety and depression: study protocol for a randomised controlled wait-list trial. Trials, 2021, 22, 854.	1.6	2
68	Maladaptive Schemas in Patients with or Without Personality Disorders. , 2012, , 2088-2090.		1
69	Conceptualization and identification of cognitive schemas in personality disorders. Nordic Journal of Psychiatry, 1997, 51, 243-250.	1.3	0
70	Personality Inventory for Children: a measure of biopsychosocial status in children and adolescents. European Journal of Psychiatry, 2014, 28, 5-16.	1.3	0