

Hans Morten Nordahl

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2048183/hans-morten-nordahl-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

1,331

citations

20

h-index

34

g-index

72

ext. papers

1,586

ext. citations

3.2

avg, IF

4.69

L-index

#	Paper	IF	Citations
68	Functional impairment and occupational outcome in adults with ADHD. <i>Journal of Attention Disorders</i> , 2012 , 16, 544-52	3.7	104
67	Early maladaptive schemas in patients with or without personality disorders: does schema modification predict symptomatic relief?. <i>Clinical Psychology and Psychotherapy</i> , 2005 , 12, 142-149	2.9	94
66	The Structure of Maladaptive Schemas: A Confirmatory Factor Analysis and a Psychometric Evaluation of Factor-Derived Scales. <i>Cognitive Therapy and Research</i> , 2005 , 29, 627-644	2.7	92
65	Adolescent school absenteeism: modelling social and individual risk factors. <i>Child and Adolescent Mental Health</i> , 2012 , 17, 93-100	2.2	81
64	Schema therapy for patients with borderline personality disorder: a single case series. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2005 , 36, 254-64	2.6	70
63	Anxiety and depression following myocardial infarction: gender differences in a 5-year prospective study. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 153-61	4.1	69
62	A randomized controlled trial of individual cognitive therapy, group cognitive behaviour therapy and attentional placebo for adolescent social phobia. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 54-61 ^{9.4}	9.4	54
61	Anxiety as a risk factor for school absenteeism: what differentiates anxious school attenders from non-attenders?. <i>Annals of General Psychiatry</i> , 2013 , 12, 25	3.4	50
60	Does dissociation moderate treatment outcomes of narrative exposure therapy for PTSD? A secondary analysis from a randomized controlled clinical trial. <i>Behaviour Research and Therapy</i> , 2014 , 57, 21-8	5.2	44
59	Metacognitive Therapy for Depression in Adults: A Waiting List Randomized Controlled Trial with Six Months Follow-Up. <i>Frontiers in Psychology</i> , 2017 , 8, 31	3.4	37
58	Paroxetine, Cognitive Therapy or Their Combination in the Treatment of Social Anxiety Disorder with and without Avoidant Personality Disorder: A Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2016 , 85, 346-356	9.4	33
57	Metacognitive therapy versus cognitive-behavioural therapy in adults with generalised anxiety disorder. <i>BJPsych Open</i> , 2018 , 4, 393-400	5	30
56	Metacognitive therapy versus disorder-specific CBT for comorbid anxiety disorders: A randomized controlled trial. <i>Journal of Anxiety Disorders</i> , 2017 , 50, 103-112	10.9	29
55	Psychological factors and weight problems in adolescents. The role of eating problems, emotional problems, and personality traits: the Young-HUNT study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011 , 46, 353-62	4.5	28
54	A 4-year follow-up study of syndromal and sub-syndromal anxiety and depression symptoms in the general population: the HUNT study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 192-9	4.5	26
53	Children in remission from acute lymphoblastic leukaemia: mental health, psychosocial adjustment and parental functioning. <i>European Journal of Cancer Care</i> , 2009 , 18, 364-70	2.4	23
52	Metacognitive Therapy in Major Depression: An Open Trial of Comorbid Cases. <i>Cognitive and Behavioral Practice</i> , 2017 , 24, 312-318	2.3	22

51	Personality styles in patients with fibromyalgia, major depression and healthy controls. <i>Annals of General Psychiatry</i> , 2007 , 6, 9	3.4	22
50	What Lies Beneath Trait-Anxiety? Testing the Self-Regulatory Executive Function Model of Vulnerability. <i>Frontiers in Psychology</i> , 2019 , 10, 122	3.4	20
49	Predictive factors for more than 3 years duration of central stimulant treatment in adult attention-deficit/hyperactivity disorder: a retrospective, naturalistic study. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 645-52	1.7	20
48	Perceptions of parental bonding in patients with various personality disorders, lifetime depressive disorders, and healthy controls. <i>Journal of Personality Disorders</i> , 1997 , 11, 391-402	2.6	20
47	Metacognitions in obsessive-compulsive disorder: A psychometric study of the Metacognitions Questionnaire-30. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2016 , 11, 82-90	1.7	20
46	Cognitive and metacognitive predictors of symptom improvement following treatment for social anxiety disorder: A secondary analysis from a randomized controlled trial. <i>Clinical Psychology and Psychotherapy</i> , 2017 , 24, 1221-1227	2.9	18
45	Personality traits, gender differences and symptoms of anhedonia: What does the Hospital Anxiety and Depression Scale (HADS) measure in nonclinical settings?. <i>Scandinavian Journal of Psychology</i> , 2016 , 57, 144-51	2.2	18
44	Perceived group climate as a predictor of long-term outcome in a randomized controlled trial of cognitive-behavioural group therapy for patients with comorbid psychiatric disorders. <i>Behavioural and Cognitive Psychotherapy</i> , 2009 , 37, 497-510	2.1	18
43	A Randomized Controlled Trial of Metacognitive Therapy for Depression: Analysis of 1-Year Follow-Up. <i>Frontiers in Psychology</i> , 2019 , 10, 1842	3.4	16
42	ADHD symptoms are differentially related to specific aspects of quality of life. <i>Journal of Attention Disorders</i> , 2014 , 18, 598-606	3.7	15
41	Connection between patient and therapist and therapist's competence in schema-focused therapy of personality problems. <i>Psychotherapy Research</i> , 2005 , 15, 409-419	3.6	15
40	Explaining depression symptoms in patients with social anxiety disorder: Do maladaptive metacognitive beliefs play a role?. <i>Clinical Psychology and Psychotherapy</i> , 2018 , 25, 457-464	2.9	14
39	Lifestyle predictors of successful aging: A 20-year prospective HUNT study. <i>PLoS ONE</i> , 2019 , 14, e0219200	3.7	14
38	Matching patients with substance use disorder to optimal level of care with the ASAM Criteria software. <i>Journal of Substance Use</i> , 2015 , 20, 389-398	0.8	12
37	Does maternal psychopathology discriminate between children with DSM-IV generalised anxiety disorder or oppositional defiant disorder? The predictive validity of maternal axis I and axis II psychopathology. <i>European Child and Adolescent Psychiatry</i> , 2007 , 16, 87-95	5.5	12
36	Metacognitive Therapy Applications in Social Anxiety Disorder: An Exploratory Study of the Individual and Combined Effects of the Attention Training Technique and Situational Attentional Refocusing. <i>Journal of Experimental Psychopathology</i> , 2016 , 7, 608-618	2.3	12
35	Mechanisms of change in metacognitive and cognitive behavioral therapy for treatment-resistant anxiety: The role of metacognitive beliefs and coping strategies. <i>Journal of Experimental Psychopathology</i> , 2018 , 9, 204380871878741	2.3	12
34	Prevalence and correlates of successful aging in a population-based sample of older adults: the HUNT study. <i>International Psychogeriatrics</i> , 2017 , 29, 431-440	3.4	10

33	Convergent validity of the ASAM criteria in co-occurring disorders. <i>Journal of Dual Diagnosis</i> , 2014 , 10, 68-78	2.4	10
32	A preliminary study of the naturalistic course of non-manualized psychotherapy for outpatients with borderline personality disorder: Patient characteristics, attrition and outcome. <i>Nordic Journal of Psychiatry</i> , 2010 , 64, 87-93	2.3	10
31	Prevalence of comorbid substance use disorder during long-term central stimulant treatment in adult ADHD. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2013 , 5, 59-67	3.1	9
30	Association between abnormal psychosocial situations in childhood, generalized anxiety disorder and oppositional defiant disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 852-8	2.6	9
29	Metacognition and cognition in inpatient MCT and CBT for comorbid anxiety disorders: A study of within-person effects. <i>Journal of Counseling Psychology</i> , 2018 , 65, 86-97	3.6	8
28	Functional Impairment Mediates the Relationship Between Adult ADHD Inattentiveness and Occupational Outcome. <i>Journal of Attention Disorders</i> , 2016 , 20, 510-8	3.7	8
27	Modeling gene-environment interaction in longitudinal data: Risk for neuroticism due to interaction between maternal care and the Dopamine 4 Receptor gene (DRD4). <i>Australian Journal of Psychology</i> , 2011 , 63, 18-25	2.3	8
26	Metacognitive Therapy for Generalized Anxiety Disorder: Nature, Evidence and an Individual Case Illustration. <i>Cognitive and Behavioral Practice</i> , 2013 , 20, 301-313	2.3	7
25	Principles and Clinical Application of Schema Therapy for Patients with Borderline Personality Disorder. <i>Nordic Psychology</i> , 2008 , 60, 249-263	1.1	7
24	A Randomized Trial of Cognitive Group Therapy vs. Waiting List for Patients with Co-Morbid Psychiatric Disorders: Effect of Cognitive Group Therapy after Treatment and Six and Twelve Months Follow-Up. <i>Behavioural and Cognitive Psychotherapy</i> , 2005 , 33, 33-44	2.1	7
23	Rational emotive behaviour therapy in high schools to educate in mental health and empower youth health. A randomized controlled study of a brief intervention. <i>Cognitive Behaviour Therapy</i> , 2017 , 46, 196-210	4.4	6
22	Physical activity in adolescents who later developed schizophrenia: A prospective case-control study from the Young-HUNT. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 111-5	2.3	6
21	THE SPECIFICITY OF COGNITIVE PERSONALITY DIMENSIONS IN CLUSTER C PERSONALITY DISORDERS. <i>Behavioural and Cognitive Psychotherapy</i> , 2000 , 28, 235-246	2.1	6
20	COGNITIVE PERSONALITY STYLES IN OCD OUTPATIENTS COMPARED TO DEPRESSED OUTPATIENTS AND HEALTHY CONTROLS. <i>Behavioural and Cognitive Psychotherapy</i> , 2000 , 28, 247-258	2.1	6
19	Somatic health of patients at an outpatient clinic for substance abuse. <i>Tidsskrift for Den Norske Laegeforening</i> , 2015 , 135, 127-31	3.5	6
18	Metacognitive Therapy of Early Traumatized Patients With Borderline Personality Disorder: A Phase-II Baseline Controlled Trial. <i>Frontiers in Psychology</i> , 2019 , 10, 1694	3.4	5
17	Anhedonic depression, history of depression, and anxiety as gender-specific risk factors of myocardial infarction in healthy men and women: The HUNT study. <i>Health Psychology Open</i> , 2014 , 1, 2055102914557658	1.9	5
16	Comorbidity of borderline personality disorder with other personality disorders in psychiatric outpatients: how does it look at 2-year follow-up?. <i>Nordic Journal of Psychiatry</i> , 2012 , 66, 209-14	2.3	4

15	The Adult ADHD Quality of Life Questionnaire (AAQoL). <i>Nordic Psychology</i> , 2010 , 62, 24-36	1.1	4
14	Behavioral Experiments in the Treatment of Paranoid Schizophrenia: A Single Case Study. <i>Cognitive and Behavioral Practice</i> , 2008 , 15, 296-305	2.3	4
13	Cognitive-behavioural group treatment of depression in patients with psychotic disorders. <i>Clinical Psychology and Psychotherapy</i> , 2005 , 12, 465-474	2.9	4
12	Mitigating adolescent social anxiety symptoms: the effects of social support and social self-efficacy in findings from the Young-HUNT 3 study. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 441-449	5.5	4
11	Adolescent personality traits, low self-esteem and self-harm hospitalisation: a 15-year follow-up of the Norwegian Young-HUNT1 cohort. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 329-339	5.5	3
10	Metacognitive therapy vs. eye movement desensitization and reprocessing for posttraumatic stress disorder: study protocol for a randomized superiority trial. <i>Trials</i> , 2018 , 19, 16	2.8	2
9	Change talk and sustain talk in treatment of generalized anxiety disorder: A secondary analysis of cognitive behavioral therapy and metacognitive therapy in adult outpatients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021 , 72, 101650	2.6	2
8	Physical exercise augmented cognitive behaviour therapy for older adults with generalised anxiety disorder (PEXACOG): study protocol for a randomized controlled trial. <i>Trials</i> , 2019 , 20, 174	2.8	1
7	The Predictive Validity of the URICA in a Sample of Patients in Substance Use Treatment. <i>Addictive Disorders and Their Treatment</i> , 2014 , 13, 170-178	0.5	1
6	Processing speed and working memory are predicted by components of successful aging: a HUNT study.. <i>BMC Psychology</i> , 2022 , 10, 16	2.8	0
5	Metacognitive therapy and work-focused interventions for patients on sick leave due to anxiety and depression: study protocol for a randomised controlled wait-list trial. <i>Trials</i> , 2021 , 22, 854	2.8	0
4	Social anxiety disorder in adolescents: Prevalence and subtypes in the Young-HUNT3 study.. <i>Journal of Anxiety Disorders</i> , 2022 , 87, 102546	10.9	0
3	Prevalence of adverse childhood experiences and their co-occurrence in a large population of adolescents: a Young HUNT 3 study.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	0
2	Personality Inventory for Children: a measure of biopsychosocial status in children and adolescents. <i>European Journal of Psychiatry</i> , 2014 , 28, 5-16	1	
1	Conceptualization and identification of cognitive schemas in personality disorders. <i>Nordic Journal of Psychiatry</i> , 1997 , 51, 243-250	2.3	