

Nadine Suffee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2049063/publications.pdf>

Version: 2024-02-01

14
papers

716
citations

933447
10
h-index

1125743
13
g-index

18
all docs

18
docs citations

18
times ranked

1237
citing authors

#	ARTICLE	IF	CITATIONS
1	Epicardial origin of cardiac arrhythmias: clinical evidences and pathophysiology. Cardiovascular Research, 2022, 118, 1693-1702.	3.8	12
2	Impacts of a high-fat diet on the metabolic profile and the phenotype of atrial myocardium in mice. Cardiovascular Research, 2022, 118, 3126-3139.	3.8	15
3	Dysregulated Phenylalanine Catabolism Plays a Key Role in the Trajectory of Cardiac Aging. Circulation, 2021, 144, 559-574.	1.6	38
4	Reactivation of the Epicardium at the Origin of Myocardial Fibro-Fatty Infiltration During the Atrial Cardiomyopathy. Circulation Research, 2020, 126, 1330-1342.	4.5	45
5	Autophagy inhibition blunts PDGFRA adipose progenitors' cell-autonomous fibrogenic response to high-fat diet. Autophagy, 2020, 16, 2156-2166.	9.1	20
6	Visceral Adipose Tissue Drives Cardiac Aging Through Modulation of Fibroblast Senescence by Osteopontin Production. Circulation, 2018, 138, 809-822.	1.6	120
7	Atrial fibrillation is associated with the fibrotic remodelling of adipose tissue in the subepicardium of human and sheep atria. European Heart Journal, 2017, 38, 53-61.	2.2	198
8	Atrial natriuretic peptide regulates adipose tissue accumulation in adult atria. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E771-E780.	7.1	74
9	0118 : Fatty infiltration of the subepicardium of the atrial myocardium is replaced by fibrosis during atrial fibrillation in human and sheep. Archives of Cardiovascular Diseases Supplements, 2016, 8, 228.	0.0	0
10	0113 : Epicardial progenitors are source of adipocyte in human atria. Archives of Cardiovascular Diseases Supplements, 2016, 8, 255.	0.0	2
11	RANTES/CCL5 mediated-biological effects depend on the syndecan-4/PKC δ signaling pathway. Biology Open, 2014, 3, 995-1004.	1.2	9
12	Angiogenic properties of the chemokine RANTES/CCL5. Biochemical Society Transactions, 2011, 39, 1649-1653.	3.4	68
13	Low molecular weight fucoidan prevents intimal hyperplasia in rat injured thoracic aorta through the modulation of matrix metalloproteinase-2 expression. Biochemical Pharmacology, 2011, 81, 233-243.	4.4	47
14	Monocyte chemoattractant protein-1 (MCP-1)/CCL2 secreted by hepatic myofibroblasts promotes migration and invasion of human hepatoma cells. International Journal of Cancer, 2010, 126, 1095-1108.	5.1	68