Tom Marshall

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2049068/tom-marshall-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137	3,857 citations	35	57
papers		h-index	g-index
152	4,750 ext. citations	5.4	5.47
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
137	Temporal trends in associations between severe mental illness and risk of cardiovascular disease: A systematic review and meta-analysis <i>PLoS Medicine</i> , 2022 , 19, e1003960	11.6	5
136	Therapies for Long COVID in non-hospitalised individuals: from symptoms, patient-reported outcomes and immunology to targeted therapies (The TLC Study) <i>BMJ Open</i> , 2022 , 12, e060413	3	1
135	A Crossover Randomized Controlled Trial of Priming Interventions to Increase Hand Hygiene at Ward Entrances <i>Frontiers in Public Health</i> , 2021 , 9, 781359	6	1
134	Factors predicting statin prescribing for primary prevention: a historical cohort study. <i>British Journal of General Practice</i> , 2021 , 71, e219-e225	1.6	1
133	Sodium-glucose co-transporter-2 inhibitors and susceptibility to COVID-19: A population-based retrospective cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 263-269	6.7	18
132	The use of electronic healthcare records for colorectal cancer screening referral decisions and risk prediction model development. <i>BMC Gastroenterology</i> , 2020 , 20, 78	3	7
131	Tonsillectomy: a critical view. <i>Paediatrics and Child Health (United Kingdom)</i> , 2020 , 30, 236-238	0.6	
130	Lead-I ECG for detecting atrial fibrillation in patients with an irregular pulse using single time point testing: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2020 , 24, 1-164	4.4	3
129	Association between the reproductive health of young women and cardiovascular disease in later life: umbrella review. <i>BMJ, The</i> , 2020 , 371, m3502	5.9	56
128	The stability of the ADO score among UK COPD patients from The Health Improvement Network. <i>ERJ Open Research</i> , 2020 , 6,	3.5	3
127	Effectiveness of polypill for primary and secondary prevention of cardiovascular diseases (PolyIran): a pragmatic, cluster-randomised trial. <i>Lancet, The</i> , 2019 , 394, 672-683	40	106
126	Patient and Clinician Perspectives on Electronic Patient-Reported Outcome Measures in the Management of Advanced CKD: A Qualitative Study. <i>American Journal of Kidney Diseases</i> , 2019 , 74, 167-	-7 7 8	21
125	PatientsSand health professionalsSattitudes and perceptions towards the initiation of preventive drugs for primary prevention of cardiovascular disease: protocol for a systematic review of qualitative studies. <i>BMJ Open</i> , 2019 , 9, e025587	3	O
124	Prevalence and treatment of atrial fibrillation in UK general practice from 2000 to 2016. <i>Heart</i> , 2019 , 105, 27-33	5.1	45
123	Multimorbidity and emergency department visits by a homeless population: a database study in specialist general practice. <i>British Journal of General Practice</i> , 2019 , 69, e515-e525	1.6	40
122	Trends in survival after a diagnosis of heart failure in the United Kingdom 2000-2017: population based cohort study. <i>BMJ, The</i> , 2019 , 364, l223	5.9	129
121	Lead-I ECG for detecting atrial fibrillation in patients attending primary care with an irregular pulse using single-time point testing: A systematic review and economic evaluation. <i>PLoS ONE</i> , 2019 , 14, e022	2 <i>6</i> 871	7

120	Incidence of indications for tonsillectomy and frequency of evidence-based surgery: a 12-year retrospective cohort study of primary care electronic records. <i>British Journal of General Practice</i> , 2019 , 69, e33-e41	1.6	13
119	Clinical and Demographic Characteristics Associated With Suboptimal Primary Stroke and Transient Ischemic Attack Prevention: Retrospective Analysis. <i>Stroke</i> , 2018 , 49, 682-687	6.7	3
118	Derivation of a prediction model for a diagnosis of depression in young adults: a matched case-control study using electronic primary care records. <i>Microbial Biotechnology</i> , 2018 , 12, 444-455	3.3	4
117	Development and usability testing of an electronic patient-reported outcome measure (ePROM) system for patients with advanced chronic kidney disease. <i>Computers in Biology and Medicine</i> , 2018 , 101, 120-127	7	9
116	Web-based cardiac habilitatio alternative for those declining or dropping out of conventional rehabilitation: results of the WREN feasibility randomised controlled trial. <i>Open Heart</i> , 2018 , 5, e000860	3	9
115	Barriers to a software reminder system for risk assessment of stroke in atrial fibrillation: a process evaluation of a cluster randomised trial in general practice. <i>British Journal of General Practice</i> , 2018 , 68, e844-e851	1.6	2
114	Automated Software System to Promote Anticoagulation and Reduce Stroke Risk: Cluster-Randomized Controlled Trial. <i>Stroke</i> , 2017 , 48, 787-790	6.7	23
113	Street-level diplomacy? Communicative and adaptive work at the front line of implementing public health policies in primary care. <i>Social Science and Medicine</i> , 2017 , 177, 9-18	5.1	13
112	All-Cause Mortality in Patients With Diabetes Under Treatment With Dapagliflozin: A Population-Based, Open-Cohort Study in The Health Improvement Network Database. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1719-1725	5.6	52
111	Cost effectiveness of case-finding strategies for primary prevention of cardiovascular disease: a modelling study. <i>British Journal of General Practice</i> , 2017 , 67, e67-e77	1.6	20
110	Statin initiations and QRISK2 scoring in UK general practice: a THIN database study. <i>British Journal of General Practice</i> , 2017 , 67, e881-e887	1.6	25
109	Measurement properties of patient-reported outcome measures (PROMs) used in adult patients with chronic kidney disease: A systematic review. <i>PLoS ONE</i> , 2017 , 12, e0179733	3.7	55
108	Using Patient-Reported Outcome Measures (PROMs) to promote quality of care and safety in the management of patients with Advanced Chronic Kidney disease (PRO-trACK project): a mixed-methods project protocol. <i>BMJ Open</i> , 2017 , 7, e016687	3	10
107	A content analysis of the representation of statins in the British newsprint media. <i>BMJ Open</i> , 2017 , 7, e012613	3	9
106	Prescription rates of adrenaline auto-injectors for children in UK general practice: a retrospective cohort study. <i>British Journal of General Practice</i> , 2017 , 67, e300-e305	1.6	14
105	The role of contraindications in prescribing anticoagulants to patients with atrial fibrillation: a cross-sectional analysis of primary care data in the UK. <i>British Journal of General Practice</i> , 2017 , 67, e588	1.6 3-ë597	12
104	Survival following a diagnosis of heart failure in primary care. Family Practice, 2017, 34, 161-168	1.9	40
103	Reply to Forsyth et al., commenting on our paper Survival following a diagnosis of heart failure in primary careS <i>Family Practice</i> , 2017 , 34, 502-503	1.9	21

102	Cancer suspicion in general practice, urgent referral, and time to diagnosis: a population-based GP survey nested within a feasibility study using information technology to flag-up patients with symptoms of colorectal cancer. <i>BJGP Open</i> , 2017 , 1, bjgpopen17X101109	3.1	10
101	Evaluation of a critical care outreach service in a middle-income country: A stepped wedge cluster randomized trial and nested qualitative study. <i>Journal of Critical Care</i> , 2016 , 36, 212-217	4	11
100	Measurement properties of patient-reported outcome measures (PROMs) used in adult patients with chronic kidney disease: a systematic review protocol. <i>BMJ Open</i> , 2016 , 6, e012014	3	8
99	Cohort study investigating the relationship between cholesterol, cardiovascular risk score and the prescribing of statins in UK primary care: study protocol. <i>BMJ Open</i> , 2016 , 6, e013120	3	3
98	Development and validation of an electronic frailty index using routine primary care electronic health record data. <i>Age and Ageing</i> , 2016 , 45, 353-60	3	514
97	Under-prescribing of Prevention Drugs and Primary Prevention of Stroke and Transient Ischaemic Attack in UK General Practice: A Retrospective Analysis. <i>PLoS Medicine</i> , 2016 , 13, e1002169	11.6	12
96	Intra-cluster and inter-period correlation coefficients for cross-sectional cluster randomised controlled trials for type-2 diabetes in UK primary care. <i>Trials</i> , 2016 , 17, 402	2.8	29
95	Methodological challenges of cross-language qualitative research with South Asian communities living in the UK. <i>Family Medicine and Community Health</i> , 2016 , 4, 16-28	4.7	2
94	Targeted case finding in the prevention of cardiovascular disease: a stepped wedge cluster randomised controlled trial. <i>British Journal of General Practice</i> , 2016 , 66, e758-67	1.6	13
93	Long-term conditions, self-management and systems of support: an exploration of health beliefs and practices within the Sikh community, Birmingham, UK. <i>Ethnicity and Health</i> , 2016 , 21, 498-514	2.2	9
92	Obstructive sleep apnoea. British Journal of General Practice, 2016, 66, 178-9	1.6	1
91	Ongoing impairments following transient ischaemic attack: retrospective cohort study. <i>European Journal of Neurology</i> , 2016 , 23, 1642-1650	6	23
90	A systematic review investigating the cumulative incidence of chronic kidney disease in young adults with impaired glucose tolerance. <i>Systematic Reviews</i> , 2015 , 4, 69	3	3
89	A retrospective cohort study to investigate fatigue, psychological or cognitive impairment after TIA: protocol paper. <i>BMJ Open</i> , 2015 , 5, e008149	3	11
88	Polypill for the prevention of cardiovascular disease (PolyIran): study design and rationale for a pragmatic cluster randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1609	319	23
87	Practice-level quality improvement interventions in primary care: a review of systematic reviews. <i>Primary Health Care Research and Development</i> , 2015 , 16, 556-77	1.6	22
86	Electronic ambulance chasing: patient records, guidelines, and the law. <i>British Journal of General Practice</i> , 2015 , 65, 152-3	1.6	
85	Bisphosphonates and glucose homeostasis: a population-based, retrospective cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1933-40	5.6	35

(2012-2015)

A critique of the design, implementation, and delivery of a culturally-tailored self-management education intervention: a qualitative evaluation. <i>BMC Health Services Research</i> , 2015 , 15, 54	2.9	8
Predicting risk of COPD in primary care: development and validation of a clinical risk score. <i>BMJ Open Respiratory Research</i> , 2015 , 2, e000060	5.6	9
PolyPill for Prevention of Cardiovascular Disease in an Urban Iranian Population with Special Focus on Nonalcoholic Steatohepatitis: A Pragmatic Randomized Controlled Trial within a Cohort (PolyIran - Liver) - Study Protocol. <i>Archives of Iranian Medicine</i> , 2015 , 18, 515-23	2.4	16
Fatigue, psychological and cognitive impairment following transient ischaemic attack and minor stroke: a systematic review. <i>European Journal of Neurology</i> , 2014 , 21, 1258-67	6	100
The NHS Health Check programme: a comparison against established standards for screening. <i>British Journal of General Practice</i> , 2014 , 64, 530-1	1.6	2
Increasing the QOF upper payment threshold in general practices in England: impact of implementing government proposals. <i>British Journal of General Practice</i> , 2014 , 64, e54-9	1.6	8
Retrospective case review of missed opportunities for primary prevention of stroke and TIA in primary care: protocol paper. <i>BMJ Open</i> , 2014 , 4, e006622	3	3
In-hospital mortality and length of stay in patients with diabetes having foot disease. <i>Journal of Diabetes and Its Complications</i> , 2013 , 27, 454-8	3.2	23
Automated Risk Assessment for Stroke in Atrial Fibrillation (AURAS-AF)—an automated software system to promote anticoagulation and reduce stroke risk: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2013 , 14, 385	2.8	9
A prediction model for adverse outcome in hospitalized patients with diabetes. <i>Diabetes Care</i> , 2013 , 36, 3566-72	14.6	9
Patterns of warfarin use in subgroups of patients with atrial fibrillation: a cross-sectional analysis of 430 general practices in the United Kingdom. <i>PLoS ONE</i> , 2013 , 8, e61979	3.7	21
Patient factors influencing the prescribing of lipid lowering drugs for primary prevention of cardiovascular disease in UK general practice: a national retrospective cohort study. <i>PLoS ONE</i> , 2013 , 8, e67611	3.7	41
Clinical decision support systems in the care of inpatients with diabetes in non-critical care setting: systematic review. <i>Diabetic Medicine</i> , 2012 , 29, 698-708	3.5	38
Impact of metabolic syndrome on ischemic heart disease - a prospective cohort study in an Iranian adult population: Isfahan Cohort Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 43	4-47	23
Mixed methods evaluation of targeted case finding for cardiovascular disease prevention using a stepped wedged cluster RCT. <i>BMC Public Health</i> , 2012 , 12, 908	4.1	11
Hypoglycemia in non-diabetic in-patients: clinical or criminal?. <i>PLoS ONE</i> , 2012 , 7, e40384	3.7	36
Socioeconomic status and incident cardiovascular disease in a developing country: findings from the Isfahan cohort study (ICS). <i>International Journal of Public Health</i> , 2012 , 57, 561-8	4	4
Patient and other factors influencing the prescribing of cardiovascular prevention therapy in the general practice setting with and without nurse assessment. <i>Medical Decision Making</i> , 2012 , 32, 498-50	16 ^{2.5}	16
	education intervention: a qualitative evaluation. <i>BMC Health Services Research</i> , 2015, 15, 54 Predicting risk of COPD in primary care: development and validation of a clinical risk score. <i>BMJ Open Respiratory Research</i> , 2015, 2, e000060 PolyPill for Prevention of Cardiovascular Disease in an Urban Iranian Population with Special Focus on Nonalcoholic Steatohepatitis: A Pragmatic Randomized Controlled Trial within a Cohort (PolyIran - Liver) - Study Protocol. <i>Archives of Iranian Medicine</i> , 2015, 18, 515-23 Fatigue, psychological and cognitive impairment following transient ischaemic attack and minor stroke: a systematic review. <i>European Journal of Neurology</i> , 2014, 21, 1258-67 The NHS Health Check programme: a comparison against established standards for screening. <i>British Journal of General Practice</i> , 2014, 64, 530-1 Increasing the QOF upper payment threshold in general practices in England: impact of implementing government proposals. <i>British Journal of General Practice</i> , 2014, 64, e54-9 Retrospective case review of missed opportunities for primary prevention of stroke and TIA in primary care: protocol paper. <i>BMJ Open</i> , 2014, 4, e006622 In-hospital mortality and length of stay in patients with diabetes having foot disease. <i>Journal of Diabetes and Its Complications</i> , 2013, 27, 454-8 Automated Risk Assessment for Stroke in Atrial Fibrillation (AURAS-AF)—an automated software system to promote anticoagulation and reduce stroke risk: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2013, 14, 385 A prediction model for adverse outcome in hospitalized patients with diabetes. <i>Diabetes Care</i> , 2013, 36, 3566-72 Patient factors influencing the prescribing of lipid lowering drugs for primary prevention of cardiovascular disease in UK general practice: a national retrospective cohort study. <i>PLoS ONE</i> , 2013, 8, e61979 Patient factors influencing the prescribing of lipid lowering drugs for primary prevention of cardiovascular diseases in UK general practice: a national retrospective c	Predicting risk of COPD in primary care: development and validation of a clinical risk score. BMJ Open Respiratory Research, 2015, 2, e000060 PolyPill for Prevention of Cardiovascular Disease in an Urban Iranian Population with Special Focus on Nonalcoholic Steatohepatitis. A Pragmatic Randomized Controlled Trial within a Cohort (PolyIran - Liver) - Study Protocol. Archives of Iranian Medicine, 2015, 18, 515-23 Fatigue, psychological and cognitive impairment following transient ischaemic attack and minor stroke: a systematic review. European Journal of Neurology, 2014, 21, 1258-67 The NHS Health Check programme: a comparison against established standards for screening. British Journal of General Practice, 2014, 64, 530-1 Increasing the QOF upper payment threshold in general practices in England: impact of implementing government proposals. British Journal of General Practice, 2014, 64, e54-9 Retrospective case review of missed opportunities for primary prevention of stroke and TIA in primary care: protocol paper. BMJ Open, 2014, 4, e006622 In-hospital mortality and length of stay in patients with diabetes having foot disease. Journal of Diabetes and Its Camplications, 2013, 27, 454-8 Automated Risk Assessment for Stroke in Atrial Fibrillation (AURAS-AF)—an automated software system to promote anticoagulation and reduce stroke risk: study protocol for a cluster randomised 2.8 controlled trial. Trials, 2013, 14, 385 A prediction model for adverse outcome in hospitalized patients with diabetes. Diabetes Care, 2013 3, 36, 3566-72 Patient factors influencing the prescribing of lipid lowering drugs for primary prevention of cardiovascular disease in UK general practice: a national retrospective cohort study. PLoS ONE, 2013, 8, e61979 Patient factors influencing the prescribing of lipid lowering drugs for primary prevention of cardiovascular disease in UK general practice: a national retrospective cohort study. PLoS ONE, 2013, 8, e61979 Patient factors influencing the prescribing of lipid lowering drugs for

66	Insecure attachment and frequent attendance in primary care: a longitudinal cohort study of medically unexplained symptom presentations in ten UK general practices. <i>Psychological Medicine</i> , 2012 , 42, 855-64	6.9	45
65	Starting and staying on preventive medication for cardiovascular disease. <i>Current Opinion in Cardiology</i> , 2012 , 27, 533-41	2.1	4
64	Appropriate cut-off values of waist circumference to predict cardiovascular outcomes: 7-year follow-up in an Iranian population. <i>Internal Medicine</i> , 2012 , 51, 139-46	1.1	14
63	The effect of chance variability in blood pressure readings on the decision making of general practitioners: an internet-based case vignette study. <i>PLoS ONE</i> , 2012 , 7, e46556	3.7	1
62	Self-monitored blood pressure measurements. British Journal of General Practice, 2011, 61, 141-2	1.6	
61	Patient and general practitioner attitudes to taking medication to prevent cardiovascular disease after receiving detailed information on risks and benefits of treatment: a qualitative study. <i>BMC Family Practice</i> , 2011 , 12, 59	2.6	54
60	Plagiarism: a case study of quality improvement in a taught postgraduate programme. <i>Medical Teacher</i> , 2011 , 33, e375-81	3	14
59	The diagnostic performance of scoring systems to identify symptomatic colorectal cancer compared to current referral guidance. <i>Gut</i> , 2011 , 60, 1242-8	19.2	39
58	Mistaken conclusions. <i>Heart</i> , 2011 , 97, 2090-1; author reply 2091-2	5.1	
57	The Isfahan cohort study: rationale, methods and main findings. <i>Journal of Human Hypertension</i> , 2011 , 25, 545-53	2.6	92
56	A pilot double-blind randomised placebo-controlled trial of the effects of fixed-dose combination therapy (\$polypill\$) on cardiovascular risk factors. <i>International Journal of Clinical Practice</i> , 2010 , 64, 1220	0 -7 9	91
55	Risk of psychological distress following severe obstetric complications in Benin: the role of economics, physical health and spousal abuse. <i>British Journal of Psychiatry</i> , 2010 , 196, 18-25	5.4	38
54	Community programs for the prevention of cardiovascular disease: a systematic review. <i>American Journal of Epidemiology</i> , 2010 , 172, 501-16	3.8	78
53	The effect of blood pressure and cholesterol variability on the precision of Framingham cardiovascular risk estimation: a simulation study. <i>Journal of Human Hypertension</i> , 2010 , 24, 631-8	2.6	5
52	Variability of office, 24-hour ambulatory, and self-monitored blood pressure measurements. <i>British Journal of General Practice</i> , 2010 , 60, 675-80	1.6	58
51	Breast cancer awareness month. Still awaiting screening facts. <i>BMJ, The</i> , 2010 , 341, c6152	5.9	13
50	The risk of colorectal cancer with symptoms at different ages and between the sexes: a case-control study. <i>BMC Medicine</i> , 2009 , 7, 17	11.4	97
49	Inequalities in cesarean delivery rates by ethnicity and hospital accessibility in Brazil. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 107, 198-201	4	14

(2005-2008)

48	The importance of anaemia in diagnosing colorectal cancer: a case-control study using electronic primary care records. <i>British Journal of Cancer</i> , 2008 , 98, 323-7	8.7	89	
47	Identification of patients for clinical risk assessment by prediction of cardiovascular risk using default risk factor values. <i>BMC Public Health</i> , 2008 , 8, 25	4.1	17	
46	The Sandwell Project: a controlled evaluation of a programme of targeted screening for prevention of cardiovascular disease in primary care. <i>BMC Public Health</i> , 2008 , 8, 73	4.1	20	
45	Lifestyle or life-saving medicines? A primary healthcare professional and consumer opinion survey on over-the-counter statins. <i>Annals of Pharmacotherapy</i> , 2008 , 42, 413-20	2.9	10	
44	Selective reporting in clinical trials: analysis of trial protocols accepted by The Lancet. <i>Lancet, The</i> , 2008 , 372, 201	40	85	
43	Variation in recorded blood pressure terminal digit bias in general practice. <i>Journal of Human Hypertension</i> , 2008 , 22, 163-7	2.6	17	
42	A new horizon in primary prevention of cardiovascular disease, can we prevent heart attack by "heart polypill"?. <i>Archives of Iranian Medicine</i> , 2008 , 11, 306-13	2.4	7	
41	Case-mix and the use of control charts in monitoring mortality rates after coronary artery bypass. <i>BMC Health Services Research</i> , 2007 , 7, 63	2.9	9	
40	Health of women after severe obstetric complications in Burkina Faso: a longitudinal study. <i>Lancet, The</i> , 2007 , 370, 1329-37	40	92	
39	The myth of agency and patient choice in health care? The case of drug treatments to prevent coronary disease. <i>Social Science and Medicine</i> , 2006 , 63, 2698-701	5.1	16	
38	The cost-effectiveness of drug treatments for primary prevention of cardiovascular disease: a modelling study. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 523-8		6	
37	Misleading measurements: modeling the effects of blood pressure misclassification in a United States population. <i>Medical Decision Making</i> , 2006 , 26, 624-32	2.5	16	
36	Risk factors for subclinical mastitis among HIV-infected and uninfected women in Lusaka, Zambia. <i>Paediatric and Perinatal Epidemiology</i> , 2006 , 20, 379-91	2.7	22	
35	The use of cardiovascular risk factor information in practice databases: making the best of patient data. <i>British Journal of General Practice</i> , 2006 , 56, 600-5	1.6	7	
34	Estimating the value of information in strategies for identifying patients at high risk of cardiovascular disease. <i>Journal of Innovation in Health Informatics</i> , 2006 , 14, 85-92		3	
33	Bradford-Hill Criteria provide the way ahead for controversial theory. <i>International Journal of Surgery</i> , 2005 , 3, 287-8	7.5	5	
32	The effect of scientific misconduct on the results of clinical trials: a Delphi survey. <i>Contemporary Clinical Trials</i> , 2005 , 26, 331-7	2.3	48	
31	Informed consent for mammography screening: modelling the risks and benefits for American women. <i>Health Expectations</i> , 2005 , 8, 295-305	3.7	7	

30	Evaluating national guidelines for prevention of cardiovascular disease in primary care. <i>Journal of Evaluation in Clinical Practice</i> , 2005 , 11, 452-61	2.5	10
29	Orphan drugs and the NHS: consider whom drug regulation is designed to protect. <i>BMJ, The</i> , 2005 , 331, 1144	5.9	2
28	A practical method for monitoring general practice mortality in the UK: findings from a pilot study in a health board of Northern Ireland. <i>British Journal of General Practice</i> , 2005 , 55, 670-6	1.6	11
27	Counting in-hospital deaths in England: a comparison of hospital computer systems and mortuary registers. <i>Journal of Health Services Research and Policy</i> , 2004 , 9, 100-3	2.4	1
26	When measurements are misleading: modelling the effects of blood pressure misclassification in the English population. <i>BMJ, The</i> , 2004 , 328, 933	5.9	24
25	A randomized controlled trial of league tables and control charts as aids to health service decision-making. <i>International Journal for Quality in Health Care</i> , 2004 , 16, 309-15	1.9	36
24	Blood pressure measurement: the problem and its solution. <i>Journal of Human Hypertension</i> , 2004 , 18, 757-9	2.6	7
23	Coronary heart disease prevention: insights from modelling incremental cost effectiveness. <i>BMJ, The,</i> 2003 , 327, 1264	5.9	33
22	Understanding variation in quality improvement: the treatment of sore throats in primary care. <i>Family Practice</i> , 2003 , 20, 69-73	1.9	7
21	Informed consent for breast screening: what should we tell women?. <i>Journal of Medical Screening</i> , 2003 , 10, 22-6	1.4	12
20	Randomised controlled trial of the effect of evidence based information on women's willingness to participate in cervical cancer screening. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 589-93	3 ^{5.1}	33
19	A randomised controlled trial of the effect of anticipation of a blood test on blood pressure. Journal of Human Hypertension, 2002 , 16, 621-5	2.6	11
18	Performance league tables: the NHS deserves better. <i>BMJ: British Medical Journal</i> , 2002 , 324, 95-8		74
17	Resource implications and health benefits of primary prevention strategies for cardiovascular disease in people aged 30 to 74: mathematical modelling study. <i>BMJ, The</i> , 2002 , 325, 197	5.9	42
16	Understanding variation for clinical governance: an illustration using the diagnosis and treatment of sore throat. <i>British Journal of General Practice</i> , 2002 , 52, 277-83	1.6	5
15	Evaluation of a comprehensive home-based midwifery programme in South Kalimantan, Indonesia. <i>Tropical Medicine and International Health</i> , 2001 , 6, 799-810	2.3	46
14	Analysis of incomplete durations with application to contraceptive use. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2001 , 164, 549-563	2.1	10
13	The extent and implications of sphygmomanometer calibration error in primary care. <i>Journal of Human Hypertension</i> , 2001 , 15, 587-91	2.6	49

LIST OF PUBLICATIONS

12	Use of health services by prison inmates: comparisons with the community. <i>Journal of Epidemiology and Community Health</i> , 2001 , 55, 364-5	5.1	66
11	Bristol, Shipman, and clinical governance: Shewhart& forgotten lessons. <i>Lancet, The</i> , 2001 , 357, 463-7	40	173
10	Use of Shewart's technique. Lancet, The, 2001, 357, 1528-9	40	0
9	Use of Shewhart's technique. <i>Lancet, The</i> , 2001 , 358, 512	40	O
8	Was Bristol an outlier?. <i>Lancet, The</i> , 2001 , 358, 2083-4	40	1
7	Health care in the 21st century: what could be the shape of things to come?. <i>Health Care Analysis</i> , 1999 , 7, 79-90	2.3	1
6	Ivan Illich and the Pursuit of Health (Vol. 2 No. 1: Pp 56B9). <i>Journal of Health Services Research and Policy</i> , 1997 , 2, 196-196	2.4	
5	Asking questions about women's reproductive health: validity and reliability of survey findings from Istanbul. <i>Tropical Medicine and International Health</i> , 1997 , 2, 47-56	2.3	28
4	Determinants of nutritional status in south-west Uganda. <i>Journal of Tropical Pediatrics</i> , 1995 , 41, 89-98	1.2	21
3	Determinants of child mortality in south-west Uganda. <i>Journal of Biosocial Science</i> , 1992 , 24, 103-12	1.6	31
2	Covert psychiatric disturbance in patients with globus pharyngis. <i>The British Journal of Medical Psychology</i> , 1989 , 62 (Pt 4), 381-9		33
1	Interpreting results from different sources of data391-418		