

# Cemal Can Bilgin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2052313/publications.pdf>

Version: 2024-02-01

30  
papers

665  
citations

687363

13  
h-index

610901

24  
g-index

31  
all docs

31  
docs citations

31  
times ranked

1209  
citing authors

#	ARTICLE	IF	CITATIONS
1	Phylogeographic patterns of genetic diversity in eastern Mediterranean water frogs were determined by geological processes and climate change in the Late Cenozoic. <i>Journal of Biogeography</i> , 2010, 37, 2111-2124.	3.0	101
2	Humanâ€“Brown Bear Conflicts in Artvin, Northeastern Turkey: Encounters, Damage, and Attitudes. <i>Ursus</i> , 2008, 19, 146-153.	0.5	67
3	Comparison of three different primer sets for sexing birds. <i>Journal of Veterinary Diagnostic Investigation</i> , 2017, 29, 59-63.	1.1	59
4	Variable kinship patterns in Neolithic Anatolia revealed by ancient genomes. <i>Current Biology</i> , 2021, 31, 2455-2468.e18.	3.9	47
5	Exceptional maternal lineage diversity in brown bears ( <i>Ursus arctos</i> ) from Turkey. <i>Zoological Journal of the Linnean Society</i> , 2016, 176, 463-477.	2.3	44
6	Genetic data reveal that water frogs of Cyprus (genus <i>Pelophylax</i> ) are an endemic species of Messinian origin. <i>Zoosystematics and Evolution</i> , 2012, 88, 261-283.	1.1	37
7	Genetic Divergence and Evolution of Reproductive Isolation in Eastern Mediterranean Water Frogs. , 2010, , 373-403.		35
8	An overview of biodiversity and conservation status of steppes of the Anatolian Biogeographical Region. <i>Biodiversity and Conservation</i> , 2016, 25, 2491-2519.	2.6	30
9	Strong population structure in a species manipulated by humans since the Neolithic: the European fallow deer ( <i>Dama dama dama</i> ). <i>Heredity</i> , 2017, 119, 16-26.	2.6	30
10	Post-Fledging Movements of Cinereous Vultures ( <i>Aegypius monachus</i> ) in Turkey Revealed by GPS Telemetry. <i>Ardea</i> , 2012, 100, 149-156.	0.6	28
11	Archaeogenomic analysis of the first steps of Neolithization in Anatolia and the Aegean. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20172064.	2.6	26
12	Connecting the data landscape of long-term ecological studies: The SPIâ€“Birds data hub. <i>Journal of Animal Ecology</i> , 2021, 90, 2147-2160.	2.8	25
13	Effects of landscape, land use and vegetation on bird community composition and diversity in Inner Anatolian steppes. <i>Agriculture, Ecosystems and Environment</i> , 2014, 182, 37-46.	5.3	21
14	Discordance between ventral colour and mtDNA haplotype in the water frog <i>Rana (ridibunda) caralitana</i> , 1988 ArÅ±kan. <i>Amphibia - Reptilia</i> , 2010, 31, 9-20.	0.5	15
15	Nest site selection patterns of a local Egyptian Vulture ( <i>Neophron percnopterus</i> ) population in Turkey. <i>Bird Conservation International</i> , 2017, 27, 568-581.	1.3	15
16	Song overlapping, noise, and territorial aggression in great tits. <i>Behavioral Ecology</i> , 2020, 31, 807-814.	2.2	15
17	Genetic evidence for human-mediated introduction of Anatolian water frogs ( <i>Pelophylax</i> cf. <i>bedriagae</i> ) to Cyprus (Amphibia: Ranidae). <i>Zoology in the Middle East</i> , 2015, 61, 125-132.	0.6	12
18	Unsustainable harvest of water frogs in southern Turkey for the European market. <i>Oryx</i> , 2021, 55, 364-372.	1.0	11

#	ARTICLE	IF	CITATIONS
19	Identification of Prime Butterfly Areas in Turkey using systematic conservation planning: Challenges and opportunities. <i>Biological Conservation</i> , 2012, 150, 86-93.	4.1	9
20	A numerical taxonomic study of the genus <i>Acantholimon</i> Boiss. (Plumbaginaceae) in Ankara Province (Turkey). <i>Israel Journal of Plant Sciences</i> , 2001, 49, 298-300.	0.5	8
21	First record of a melanistic golden jackal ( <i>Canis aureus</i> , Canidae) from Turkey. <i>Mammalia</i> , 2013, 77, .	0.7	7
22	Genetic diversity is retained in a bottlenecked Cinereous Vulture population in Turkey. <i>Ibis</i> , 2019, 161, 793-805.	1.9	4
23	Species level classification of Mediterranean sparse forests-maquis formations using Sentinel-2 imagery. <i>Geocarto International</i> , 2022, 37, 1587-1606.	3.5	4
24	IMPACT OF LARGE SCALE DAM CONSTRUCTION ON MOVEMENT CORRIDORS OF MAMMALS IN ARTVIN, NORTH-EASTERN TURKEY. <i>Applied Ecology and Environmental Research</i> , 2016, 14, 489-507.	0.5	4
25	Stopover Ecology of Some Passerines at Ankara (Central Turkey). <i>Ring</i> , 2005, 27, 127-136.	0.4	4
26	The Purple Gallinule, <i>Porphyrio porphyrio</i> , in the Eastern Mediterranean. <i>Zoology in the Middle East</i> , 1989, 3, 19-30.	0.6	2
27	First record of the Common Myna ( <i>Acridotheres tristis</i> ) from Ankara, Turkey. <i>Zoology in the Middle East</i> , 1996, 13, 25-26.	0.6	2
28	Extremely Low Mitochondrial DNA Diversity in a near Threatened Species, the Cinereous Vulture <i>Aegypius monachus</i> in Turkey. <i>Ardea</i> , 2019, 107, 85.	0.6	2
29	Intergration of environmental variables with satellite images in regional scale vegetation classification. <i>International Journal of Remote Sensing</i> , 2007, 28, 2397-2397.	2.9	1
30	First record of <i>Musca domestica calleva</i> Walker, 1849 (Diptera: Muscidae) from Southern Turkey. <i>Zoology in the Middle East</i> , 1995, 11, 81-85.	0.6	0