

Xiangdong Fu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2053016/xiangdong-fu-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

47 papers	4,845 citations	24 h-index	51 g-index
51 ext. papers	6,448 ext. citations	13.7 avg, IF	5.08 L-index

#	Paper	IF	Citations
47	Wheat breeding history reveals synergistic selection of pleiotropic genomic sites for plant architecture and grain yield.. <i>Molecular Plant</i> , 2022 ,	14.4	2
46	Modulating the C-terminus of DEP1 synergistically enhances grain quality and yield in rice.. <i>Journal of Genetics and Genomics</i> , 2022 ,	4	0
45	Natural allelic variation in a modulator of auxin homeostasis improves grain yield and nitrogen use efficiency in rice. <i>Plant Cell</i> , 2021 , 33, 566-580	11.6	8
44	Green Revolution DELLAs: From translational reinitiation to future sustainable agriculture. <i>Molecular Plant</i> , 2021 , 14, 547-549	14.4	0
43	A novel miR167a-OsARF6-OsAUX3 module regulates grain length and weight in rice. <i>Molecular Plant</i> , 2021 , 14, 1683-1698	14.4	6
42	The RING E3 ligase CLG1 targets GS3 for degradation via the endosome pathway to determine grain size in rice. <i>Molecular Plant</i> , 2021 , 14, 1699-1713	14.4	8
41	A Semi-Dominant Mutation in OsCESA9 Improves Salt Tolerance and Favors Field Straw Decay Traits by Altering Cell Wall Properties in Rice. <i>Rice</i> , 2021 , 14, 19	5.8	1
40	The wheat AGL6-like MADS-box gene is a master regulator for floral organ identity and a target for spikelet meristem development manipulation. <i>Plant Biotechnology Journal</i> , 2021 ,	11.6	5
39	New insights into gibberellin signaling in regulating plant growth-metabolic coordination. <i>Current Opinion in Plant Biology</i> , 2021 , 63, 102074	9.9	1
38	Wheat FRIZZY PANICLE activates VERNALIZATION1-A and HOMEBOX4-A to regulate spike development in wheat. <i>Plant Biotechnology Journal</i> , 2021 , 19, 1141-1154	11.6	12
37	Ubiquitinome Profiling Reveals the Landscape of Ubiquitination Regulation in Rice Young Panicles. <i>Genomics, Proteomics and Bioinformatics</i> , 2020 , 18, 305-320	6.5	3
36	Enhanced sustainable green revolution yield via nitrogen-responsive chromatin modulation in rice. <i>Science</i> , 2020 , 367,	33.3	87
35	Improving coordination of plant growth and nitrogen metabolism for sustainable agriculture. <i>ABIOTECH</i> , 2020 , 1, 255-275	3.9	4
34	Host-Associated Quantitative Abundance Profiling Reveals the Microbial Load Variation of Root Microbiome. <i>Plant Communications</i> , 2020 , 1, 100003	9	20
33	Pyramiding of the dep1-1 and NAL1 alleles achieves sustainable improvements in nitrogen-use efficiency and grain yield in japonica rice breeding. <i>Journal of Genetics and Genomics</i> , 2019 , 46, 325-328	4	8
32	Differences in cadmium accumulation between indica and japonica rice cultivars in the reproductive stage. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 186, 109795	7	14
31	Genotype and rhizobium inoculation modulate the assembly of soybean rhizobacterial communities. <i>Plant, Cell and Environment</i> , 2019 , 42, 2028-2044	8.4	31

30	G-protein β subunits determine grain size through interaction with MADS-domain transcription factors in rice. <i>Nature Communications</i> , 2018 , 9, 852	17.4	110
29	Modulating plant growth-metabolism coordination for sustainable agriculture. <i>Nature</i> , 2018 , 560, 595-600	30.4	213
28	OsSND2, a NAC family transcription factor, is involved in secondary cell wall biosynthesis through regulating MYBs expression in rice. <i>Rice</i> , 2018 , 11, 36	5.8	28
27	The rational design of multiple molecular module-based assemblies for simultaneously improving rice yield and grain quality. <i>Journal of Genetics and Genomics</i> , 2018 , 45, 337-337	4	6
26	Deletion of a target gene in Indica rice via CRISPR/Cas9. <i>Plant Cell Reports</i> , 2017 , 36, 1333-1343	5.1	38
25	OsLG3 contributing to rice grain length and yield was mined by Ho-LAMap. <i>BMC Biology</i> , 2017 , 15, 28	7.3	58
24	Non-canonical regulation of SPL transcription factors by a human OTUB1-like deubiquitinase defines a new plant type rice associated with higher grain yield. <i>Cell Research</i> , 2017 , 27, 1142-1156	24.7	56
23	Gibberellins 2017 , 107-160		10
22	Shoot-to-Root Mobile Transcription Factor HY5 Coordinates Plant Carbon and Nitrogen Acquisition. <i>Current Biology</i> , 2016 , 26, 640-6	6.3	240
21	Emerging insights into heterotrimeric G protein signaling in plants. <i>Journal of Genetics and Genomics</i> , 2016 , 43, 495-502	4	18
20	SQUAMOSA Promoter Binding Protein-like Transcription Factors: Targets for Improving Cereal Grain Yield. <i>Molecular Plant</i> , 2016 , 9, 765-7	14.4	13
19	The OsSPL16-GW7 regulatory module determines grain shape and simultaneously improves rice yield and grain quality. <i>Nature Genetics</i> , 2015 , 47, 949-54	36.3	349
18	Nitrogen signaling and use efficiency in plants: what's new?. <i>Current Opinion in Plant Biology</i> , 2015 , 27, 192-8	9.9	39
17	CEF1/OsMYB103L is involved in GA-mediated regulation of secondary wall biosynthesis in rice. <i>Plant Molecular Biology</i> , 2015 , 89, 385-401	4.6	36
16	A Gibberellin-Mediated DELLA-NAC Signaling Cascade Regulates Cellulose Synthesis in Rice. <i>Plant Cell</i> , 2015 , 27, 1681-96	11.6	124
15	Regulation of OsmiR156h through Alternative Polyadenylation Improves Grain Yield in Rice. <i>PLoS ONE</i> , 2015 , 10, e0126154	3.7	13
14	Heterotrimeric G proteins regulate nitrogen-use efficiency in rice. <i>Nature Genetics</i> , 2014 , 46, 652-6	36.3	231
13	Auxin biosynthetic gene TAR2 is involved in low nitrogen-mediated reprogramming of root architecture in Arabidopsis. <i>Plant Journal</i> , 2014 , 78, 70-9	6.9	126

12	Shedding light on integrative GA signaling. <i>Current Opinion in Plant Biology</i> , 2014 , 21, 89-95	9.9	71
11	The plant-specific G protein β subunit AGG3 influences organ size and shape in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2012 , 194, 690-703	9.8	89
10	Control of grain size, shape and quality by OsSPL16 in rice. <i>Nature Genetics</i> , 2012 , 44, 950-4	36.3	676
9	Biochemical insights on degradation of <i>Arabidopsis</i> DELLA proteins gained from a cell-free assay system. <i>Plant Cell</i> , 2009 , 21, 2378-90	11.6	159
8	Natural variation at the DEP1 locus enhances grain yield in rice. <i>Nature Genetics</i> , 2009 , 41, 494-7	36.3	645
7	Coordinated regulation of <i>Arabidopsis thaliana</i> development by light and gibberellins. <i>Nature</i> , 2008 , 451, 475-9	50.4	756
6	PAT: waking up a lazy sleeping beauty. <i>Cell Research</i> , 2007 , 17, 387-8	24.7	2
5	Isolation and characterisation of six putative wheat cell wall-associated kinases. <i>Functional Plant Biology</i> , 2006 , 33, 811-821	2.7	8
4	The <i>Arabidopsis</i> mutant <i>sleepy1gar2-1</i> protein promotes plant growth by increasing the affinity of the SCFSLY1 E3 ubiquitin ligase for DELLA protein substrates. <i>Plant Cell</i> , 2004 , 16, 1406-18	11.6	209
3	Gibberellin-mediated proteasome-dependent degradation of the barley DELLA protein SLN1 repressor. <i>Plant Cell</i> , 2002 , 14, 3191-200	11.6	228
2	Expression of <i>Arabidopsis</i> GAI in transgenic rice represses multiple gibberellin responses. <i>Plant Cell</i> , 2001 , 13, 1791-802	11.6	77
1	Wheat speciation and adaptation: perspectives from reticulate evolution. <i>ABIOTECH</i> , 1	3.9	1