## Giuseppe Bellelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/205519/publications.pdf

Version: 2024-02-01

274 papers

7,840 citations

48 h-index

44042

69214 77 g-index

284 all docs

284 docs citations

times ranked

284

8817 citing authors

#	Article	IF	CITATIONS
1	Validation of the 4AT, a new instrument for rapid delirium screening: a study in 234 hospitalised older people. Age and Ageing, 2014, 43, 496-502.	0.7	514
2	Efficacy of Music Therapy in the Treatment of Behavioral and Psychiatric Symptoms of Dementia. Alzheimer Disease and Associated Disorders, 2008, 22, 158-162.	0.6	248
3	"Delirium Day†a nationwide point prevalence study of delirium in older hospitalized patients using an easy standardized diagnostic tool. BMC Medicine, 2016, 14, 106.	2.3	204
4	Worldwide Survey of the "Assessing Pain, Both Spontaneous Awakening and Breathing Trials, Choice of Drugs, Delirium Monitoring/Management, Early Exercise/Mobility, and Family Empowerment― (ABCDEF) Bundle. Critical Care Medicine, 2017, 45, e1111-e1122.	0.4	178
5	Diffusion tensor imaging and voxel based morphometry study in early progressive supranuclear palsy. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 457-463.	0.9	166
6	Duration of Postoperative Delirium Is an Independent Predictor of 6â€Month Mortality in Older Adults After Hip Fracture. Journal of the American Geriatrics Society, 2014, 62, 1335-1340.	1.3	159
7	The Diagnosis of Delirium Superimposed on Dementia: An Emerging Challenge. Journal of the American Medical Directors Association, 2017, 18, 12-18.	1.2	154
8	Sarcopenia and malnutrition in acutely ill hospitalized elderly: Prevalence and outcomes. Clinical Nutrition, 2015, 34, 745-751.	2.3	146
9	The incidence of sarcopenia among hospitalized older patients: results from the Glisten study. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 907-914.	2.9	139
10	Delirium Superimposed on Dementia Strongly Predicts Worse Outcomes in Older Rehabilitation Inpatients. Journal of the American Medical Directors Association, 2014, 15, 349-354.	1.2	138
11	Frailty and Delirium in Older Adults: A Systematic Review and Metaâ€Analysis of the Literature. Journal of the American Geriatrics Society, 2018, 66, 2022-2030.	1.3	137
12	Tools to Detect Delirium Superimposed on Dementia: A Systematic Review. Journal of the American Geriatrics Society, 2012, 60, 2005-2013.	1.3	124
13	Evidence of White Matter Changes on Diffusion Tensor Imaging in Frontotemporal Dementia. Archives of Neurology, 2007, 64, 246.	4.9	123
14	Efficacy of music therapy treatment based on cycles of sessions: A randomised controlled trial. Aging and Mental Health, 2010, 14, 900-904.	1.5	123
15	Predictors of Rehospitalization Among Elderly Patients Admitted to a Rehabilitation Hospital: The Role of Polypharmacy, Functional Status, and Length of Stay. Journal of the American Medical Directors Association, 2013, 14, 761-767.	1.2	99
16	Action Observation Treatment Improves Recovery of Postsurgical Orthopedic Patients: Evidence for a Top-Down Effect?. Archives of Physical Medicine and Rehabilitation, 2010, 91, 1489-1494.	0.5	97
17	Concordance between DSM-IV and DSM-5 criteria for delirium diagnosis in a pooled database of 768 prospectively evaluated patients using the delirium rating scale-revised-98. BMC Medicine, 2014, 12, 164.	2.3	97
18	Delirium Superimposed on Dementia Predicts 12-Month Survival in Elderly Patients Discharged From a Postacute Rehabilitation Facility. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 1306-1309.	1.7	96

#	Article	IF	Citations
19	Prevalence and Clinical Correlates of Sarcopenia, Identified According to the EWGSOP Definition and Diagnostic Algorithm, in Hospitalized Older People: The GLISTEN Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2017, 72, 1575-1581.	1.7	93
20	Randomized, Double-Blind, Parallel-Group, 48-Week Study for Efficacy and Safety of a Higher-Dose Rivastigmine Patch (15 vs. $10  \text{cm} \cdot \text{sup} \cdot 2 \cdot /\text{sup} \cdot$ ) in AlzheimerÂ's Disease. Dementia and Geriatric Cognitive Disorders, 2012, 33, 341-353.	0.7	88
21	Association Between Preoperative Malnutrition and Postoperative Delirium After Hip Fracture Surgery in Older Adults. Journal of the American Geriatrics Society, 2017, 65, 1222-1228.	1.3	88
22	Consensus and variations in opinions on delirium care: a survey of European delirium specialists. International Psychogeriatrics, 2013, 25, 2067-2075.	0.6	87
23	The management of community-acquired pneumonia in the elderly. European Journal of Internal Medicine, 2014, 25, 312-319.	1.0	87
24	Systematic review and meta-analysis of frailty as a predictor of morbidity and mortality after major abdominal surgery. BJS Open, 2017, 1, 128-137.	0.7	85
25	White Matter Changes in Corticobasal Degeneration Syndrome and Correlation With Limb Apraxia. Archives of Neurology, 2008, 65, 796-801.	4.9	83
26	Atrial Fibrillation and Cognitive Disorders in Older People. Journal of the American Geriatrics Society, 2000, 48, 387-390.	1.3	78
27	Frailty index predicts poor outcome in COVID-19 patients. Intensive Care Medicine, 2020, 46, 1634-1636.	3.9	78
28	Loss of function mutations in the progranulin gene are related to pro-inflammatory cytokine dysregulation in frontotemporal lobar degeneration patients. Journal of Neuroinflammation, 2011, 8, 65.	3.1	76
29	Music, music therapy and dementia: A review of literature and the recommendations of the Italian Psychogeriatric Association. Maturitas, 2012, 72, 305-310.	1.0	76
30	Outcomes at 12 Months in a Population of Elderly Patients Discharged From a Rehabilitation Unit. Journal of the American Medical Directors Association, 2008, 9, 55-64.	1.2	73
31	Rehabilitation of Older Adults with Hip Fracture: Cognitive Function and Walking Abilities. Journal of the American Geriatrics Society, 2011, 59, 1497-1502.	1.3	70
32	Delirium superimposed on dementia: A quantitative and qualitative evaluation of informal caregivers and health care staff experience. Journal of Psychosomatic Research, 2015, 79, 272-280.	1.2	70
33	Delirium superimposed on dementia: A quantitative and qualitative evaluation of patient experience. Journal of Psychosomatic Research, 2015, 79, 281-287.	1.2	68
34	Under-detection of delirium and impact of neurocognitive deficits on in-hospital mortality among acute geriatric and medical wards. European Journal of Internal Medicine, 2015, 26, 696-704.	1.0	65
35	Delirium, Dementia, and In-Hospital Mortality: The Results From the Italian Delirium Day 2016, A National Multicenter Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 910-916.	1.7	64
36	Progranulin genetic variations in frontotemporal lobar degeneration: evidence for low mutation frequency in an Italian clinical series. Neurogenetics, 2008, 9, 197-205.	0.7	63

#	Article	IF	CITATIONS
37	Subcortical and deep cortical atrophy in Frontotemporal Lobar Degeneration. Neurobiology of Aging, 2011, 32, 875-884.	1.5	63
38	Helmet CPAP to treat hypoxic pneumonia outside the ICU: an observational study during the COVID-19 outbreak. Critical Care, 2021, 25, 80.	2.5	63
39	Length of Stay in the Emergency Department and Occurrence of Delirium in Older Medical Patients. Journal of the American Geriatrics Society, 2016, 64, 1114-1119.	1.3	62
40	A Point Prevalence Study of Delirium in Italian Nursing Homes. Dementia and Geriatric Cognitive Disorders, 2018, 46, 27-41.	0.7	61
41	Are Fluctuations in Motor Performance a Diagnostic Sign of Delirium?. Journal of the American Medical Directors Association, 2011, 12, 578-583.	1.2	58
42	The Bedford Alzheimer Nursing Severity Scale for the Severely Demented. Alzheimer Disease and Associated Disorders, 1997, 11, 71-77.	0.6	55
43	The FTLDâ€modified Clinical Dementia Rating scale is a reliable tool for defining disease severity in Frontotemporal Lobar Degeneration: evidence from a brain SPECT study. European Journal of Neurology, 2010, 17, 703-707.	1.7	55
44	Etiology of Syncope and Unexplained Falls in Elderly Adults with Dementia: Syncope and Dementia (SYD) Study. Journal of the American Geriatrics Society, 2016, 64, 1567-1573.	1.3	55
45	Depressive symptoms combined with dementia affect 12â€months survival in elderly patients after rehabilitation postâ€hip fracture surgery. International Journal of Geriatric Psychiatry, 2008, 23, 1073-1077.	1.3	54
46	Detecting Delirium Superimposed on Dementia: Evaluation of the Diagnostic Performance of the Richmond Agitation and Sedation Scale. Journal of the American Medical Directors Association, 2016, 17, 828-833.	1.2	54
47	Special Care Units for Demented Patients: A Multicenter Study. Gerontologist, The, 1998, 38, 456-462.	2.3	51
48	Revisiting Brain Reserve Hypothesis in Frontotemporal Dementia: Evidence from a Brain Perfusion Study. Dementia and Geriatric Cognitive Disorders, 2009, 28, 130-135.	0.7	51
49	An interdisciplinary statement of scientific societies for the advancement of delirium care across Europe (EDA, EANS, EUGMS, COTEC, IPTOP/WCPT). BMC Geriatrics, 2019, 19, 253.	1.1	51
50	The Association Between the Probability of Sarcopenia and Functional Outcomes in Older Patients Undergoing In-Hospital Rehabilitation. Journal of the American Medical Directors Association, 2015, 16, 951-956.	1.2	50
51	Delirium in Patients with <scp>SARSâ€CoV</scp> â€2 Infection: A Multicenter Study. Journal of the American Geriatrics Society, 2021, 69, 293-299.	1.3	50
52	ls Frontotemporal Lobar Degeneration a Rare Disorder? Evidence from a Preliminary Study in Brescia County, Italy. Journal of Alzheimer's Disease, 2010, 19, 111-116.	1.2	48
53	Relation Between Delirium and Anticholinergic Drug Burden in a Cohort of Hospitalized Older Patients: An Observational Study. Drugs and Aging, 2019, 36, 85-91.	1.3	46
54	Detailed stratified GWAS analysis for severe COVID-19 in four European populations. Human Molecular Genetics, 2022, 31, 3945-3966.	1.4	46

#	Article	IF	Citations
55	Increased expression of <scp>TREM</scp> 2 in peripheral cells from mild cognitive impairment patients who progress into Alzheimer's disease. European Journal of Neurology, 2018, 25, 805-810.	1.7	44
56	Severe Hypoglycemia Is Associated With Antidiabetic Oral Treatment Compared With Insulin Analogs in Nursing Home Patients With Type 2 Diabetes and Dementia: Results From the DIMORA Study. Journal of the American Medical Directors Association, 2015, 16, 349.e7-349.e12.	1.2	43
57	DELIRIUM SUBTYPES AND 1-YEAR MORTALITY AMONG ELDERLY PATIENTS DISCHARGED FROM A POST-ACUTE REHABILITATION FACILITY. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 1182-1183.	1.7	42
58	Extrapyramidal symptoms in Frontotemporal Dementia: Prevalence and clinical correlations. Neuroscience Letters, 2007, 422, 39-42.	1.0	42
59	Moderate to severe depressive symptoms and rehabilitation outcome in older adults with hip fracture. International Journal of Geriatric Psychiatry, 2011, 26, 1136-1143.	1.3	42
60	Improving the care of older patients during the COVID-19 pandemic. Aging Clinical and Experimental Research, 2020, 32, 1883-1888.	1.4	41
61	Recognition and management of delirium among doctors, nurses, physiotherapists, and psychologists: an Italian survey. International Psychogeriatrics, 2014, 26, 2093-2102.	0.6	40
62	Postoperative delirium and pre-fracture disability predict 6-month mortality among the oldest old hip fracture patients. Aging Clinical and Experimental Research, 2015, 27, 53-60.	1.4	38
63	Clinical Features Associated with Delirium Motor Subtypes in Older Inpatients: Results of a Multicenter Study. American Journal of Geriatric Psychiatry, 2017, 25, 1064-1071.	0.6	38
64	Blunted reduction in night-time blood pressure is associated with cognitive deterioration in subjects with long-standing hypertension. Blood Pressure Monitoring, 2004, 9, 71-76.	0.4	37
65	Clinical Instability as a Predictor ofÂNegative Outcomes Among Elderly Patients Admitted toÂa Rehabilitation Ward. Journal of the American Medical Directors Association, 2010, 11, 443-448.	1.2	37
66	Delirium superimposed on dementia: a survey of delirium specialists shows a lack of consensus in clinical practice and research studies. International Psychogeriatrics, 2016, 28, 853-861.	0.6	37
67	Depressive Symptoms and One Year Mortality among Elderly Patients Discharged from a Rehabilitation Ward after Orthopaedic Surgery of the Lower Limbs. Behavioural Neurology, 2010, 23, 117-121.	1.1	36
68	Understanding terminology of delirium and long-term cognitive impairment in critically ill patients. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2012, 26, 267-276.	1.7	35
69	Is Delirium the Cognitive Harbinger of Frailty in Older Adults? A Review about the Existing Evidence. Frontiers in Medicine, 2017, 4, 188.	1.2	35
70	Development of dementia in patients with femoral neck fracture who experience postoperative delirium—A threeâ€year followâ€up study. International Journal of Geriatric Psychiatry, 2018, 33, 623-632.	1.3	35
71	Effect of frailty on 6-month outcome after traumatic brain injury: a multicentre cohort study with external validation. Lancet Neurology, The, 2022, 21, 153-162.	4.9	34
72	Subcortical Vascular Lesions Predict Functional Recovery After Rehabilitation in Patients with L-Dopa Refractory Parkinsonism. Journal of the American Geriatrics Society, 2004, 52, 252-256.	1.3	32

#	Article	IF	Citations
73	The Speech and Language FOXP2 Gene Modulates the Phenotype of Frontotemporal Lobar Degeneration. Journal of Alzheimer's Disease, 2010, 22, 923-931.	1.2	31
74	Detecting delirium superimposed on dementia: diagnostic accuracy of a simple combined arousal and attention testing procedure. International Psychogeriatrics, 2017, 29, 1585-1593.	0.6	31
75	Delirium superimposed on dementia. European Geriatric Medicine, 2020, 11, 53-62.	1.2	31
76	Outcomes of Nonagenarian Patients After Rehabilitation Following Hip Fracture Surgery. Journal of the American Medical Directors Association, 2012, 13, 81.e1-81.e5.	1.2	30
77	Assessing the impact of COVID-19 on the health of geriatric patients: The European GeroCovid Observational Study. European Journal of Internal Medicine, 2021, 87, 29-35.	1.0	30
78	A prognostic model predicting recovery of walking independence of elderly patients after hip-fracture surgery. An experiment in a rehabilitation unit in Northern Italy. Osteoporosis International, 2012, 23, 2189-2200.	1.3	29
79	Establishing short-term prognosis in Frontotemporal Lobar Degeneration spectrum: Role of genetic background and clinical phenotype. Neurobiology of Aging, 2010, 31, 270-279.	1.5	28
80	Characterization of bronchiectasis in the elderly. Respiratory Medicine, 2016, 119, 13-19.	1.3	28
81	Endoscopic retrograde cholangiopancreatography in the elderly: results of a retrospective study and a geriatricians' point of view. BMC Gastroenterology, 2018, 18, 38.	0.8	28
82	Hypotensive Drugs and Syncope Due to Orthostatic Hypotension in Older Adults with Dementia (Syncope and Dementia Study). Journal of the American Geriatrics Society, 2018, 66, 1532-1537.	1.3	28
83	Age and Sex Influence the Neuro-inflammatory Response to a Peripheral Acute LPS Challenge. Frontiers in Aging Neuroscience, 2019, 11, 299.	1.7	28
84	Increased Blood Pressure Variability May Be Associated With Cognitive Decline in Hypertensive Elderly Subjects With No Dementia. Archives of Internal Medicine, 2002, 162, 483-484.	4.3	28
85	Results of a multi-level therapeutic approach for Alzheimer's disease subjects in the "real world― (CRONOS project): a 36-week follow-up study. Aging Clinical and Experimental Research, 2005, 17, 54-61.	1.4	27
86	The Combined Effect of ADL Impairment and Delay in Time from Fracture to Surgery on 12-Month Mortality: An Observational Study in Orthogeriatric Patients. Journal of the American Medical Directors Association, 2012, 13, 664.e9-664.e14.	1.2	27
87	Effects of cholinesterase inhibitors appear greater in patients on established antihypertensive therapy. International Journal of Geriatric Psychiatry, 2005, 20, 547-551.	1.3	26
88	Delirium in the acute phase after stroke: comparison between methods of detection. Neurological Sciences, 2017, 38, 1101-1104.	0.9	26
89	The impact of COVID-19 on health status of home-dwelling elderly patientsÂwith dementia in East Lombardy, Italy: results from COVIDEM network. Aging Clinical and Experimental Research, 2020, 32, 2133-2140.	1.4	26
90	Italian intersociety consensus on prevention, diagnosis, and treatment of delirium in hospitalized older persons. Internal and Emergency Medicine, 2018, 13, 113-121.	1.0	25

#	Article	IF	Citations
91	Does cognitive performance affect physical therapy regimen after hip fracture surgery?. Aging Clinical and Experimental Research, 2007, 19, 119-124.	1.4	24
92	The association between delirium and sarcopenia in older adult patients admitted to acute geriatrics units: Results from the GLISTEN multicenter observational study. Clinical Nutrition, 2018, 37, 1498-1504.	2.3	23
93	The impact of psychomotor subtypes and duration of delirium on 6â€month mortality in hipâ€fractured elderly patients. International Journal of Geriatric Psychiatry, 2018, 33, 1229-1235.	1.3	23
94	The association of indwelling urinary catheter with delirium in hospitalized patients and nursing home residents: an explorative analysis from the "Delirium Day 2015― Aging Clinical and Experimental Research, 2019, 31, 411-420.	1.4	23
95	Is earlyâ€onset clinically different from lateâ€onset frontotemporal dementia?. European Journal of Neurology, 2008, 15, 1412-1415.	1.7	22
96	The Effect of Poststroke Delirium on Short-Term Outcomes of Elderly Patients Undergoing Rehabilitation. Journal of Geriatric Psychiatry and Neurology, 2013, 26, 63-68.	1.2	22
97	Delirium: A Marker of Vulnerability in Older People. Frontiers in Aging Neuroscience, 2021, 13, 626127.	1.7	22
98	Comparing EWGSOP2 and FNIH Sarcopenia Definitions: Agreement and Three-Year Survival Prognostic Value in Older Hospitalized Adults. The GLISTEN Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1331-1337.	1.7	21
99	COVID-19 and Atrial Fibrillation in Older Patients: Does Oral Anticoagulant Therapy Provide a Survival Benefit?—An Insight from the GeroCovid Registry. Thrombosis and Haemostasis, 2022, 122, 105-112.	1.8	21
100	Dementia is a major predictor of death among the Italian elderly. Neurology, 2000, 54, 1014-1014.	1.5	20
101	The management of hip fracture in the older population. Joint position statement by Gruppo Italiano Ortogeriatria (GIOG). Aging Clinical and Experimental Research, 2014, 26, 547-553.	1.4	20
102	Delirium symptoms during hospitalization predict long-term mortality in patients with severe pneumonia. Aging Clinical and Experimental Research, 2015, 27, 523-531.	1.4	20
103	Directâ€acting antivirals combination for elderly patients with chronic hepatitis C: A costâ€effectiveness analysis. Liver International, 2017, 37, 982-994.	1.9	19
104	Older People Living in Long-Term Care Facilities and Mortality Rates During the COVID-19 Pandemic in Italy: Preliminary Epidemiological Data and Lessons to Learn. Frontiers in Psychiatry, 2020, 11, 586524.	1.3	19
105	Management of hip fracture in the older people: rationale and design of the Italian consensus on the orthogeriatric co-management. Aging Clinical and Experimental Research, 2020, 32, 1393-1399.	1.4	19
106	A Score to Predict the Development of Adverse Clinical Events after Transition from Acute Hospital Wards to Post–Acute Care Settings. Rejuvenation Research, 2012, 15, 553-563.	0.9	18
107	Association of postoperative delirium with markers of neurodegeneration and brain amyloidosis: a pilot study. Neurobiology of Aging, 2018, 61, 93-101.	1.5	18
108	Recognition of Delirium Features in Clinical Practice: Data from the "Delirium Day 2015―National Survey. Journal of the American Geriatrics Society, 2018, 66, 302-308.	1.3	18

#	Article	IF	CITATIONS
109	Genetic Background Predicts Poor Prognosis in Frontotemporal Lobar Degeneration. Neurodegenerative Diseases, 2011, 8, 289-295.	0.8	17
110	The association between patient participation and functional gain following inpatient rehabilitation. Aging Clinical and Experimental Research, 2017, 29, 729-736.	1.4	17
111	Treatment of Delirium in Older Persons: What We Should Not Do!. International Journal of Molecular Sciences, 2020, 21, 2397.	1.8	17
112	Computed tomography findings and prognosis in older COVID-19 patients. BMC Geriatrics, 2022, 22, 166.	1.1	17
113	Functional correlates of Apolipoprotein E genotype in Frontotemporal Lobar Degeneration. BMC Neurology, 2006, 6, 31.	0.8	16
114	Preliminary Evidence of a Positive Effect of Occupational Therapy in Patients With Delirium Superimposed on Dementia. Journal of the American Medical Directors Association, 2017, 18, 1091-1092.	1.2	16
115	Association between delirium, adverse clinical events and functional outcomes in older patients admitted to rehabilitation settings after a hip fracture: A multicenter retrospective cohort study. Geriatrics and Gerontology International, 2019, 19, 404-408.	0.7	16
116	Impairments in balance and mobility identify delirium in patients with comorbid dementia. International Psychogeriatrics, 2019, 31, 749-753.	0.6	16
117	Management of older people during the COVIDâ€19 outbreak: Recommendations from an Italian experience. International Journal of Geriatric Psychiatry, 2020, 35, 803-805.	1.3	16
118	Drug Prescription and Delirium in Older Inpatients. Journal of Clinical Psychiatry, 2019, 80, .	1.1	16
119	Subcortical Vascular Lesions Predict Falls at 12 Months in Elderly Patients Discharged From a Rehabilitation Ward. Archives of Physical Medicine and Rehabilitation, 2008, 89, 1522-1527.	0.5	15
120	Delirium as the Sixth Vital Sign. Journal of the American Medical Directors Association, 2008, 9, 279.	1.2	15
121	The Management of Adverse Clinical Events in Nursing Homes: A 1-Year Survey Study. Journal of the American Geriatrics Society, 2001, 49, 915-925.	1.3	14
122	Music interventions against agitated behaviour in elderly persons with dementia: a costâ€effective perspective. International Journal of Geriatric Psychiatry, 2012, 27, 327-327.	1.3	14
123	The Sequential Organ Failure Assessment Score Predicts 30-Day Mortality in a Geriatric Acute Care Setting. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1291-1295.	1.7	14
124	The relationship among frailty, delirium and attentional tests to detect delirium: a cohort study. European Journal of Internal Medicine, 2019, 70, 33-38.	1.0	14
125	The 4-DSD: A New Tool to Assess Delirium Superimposed on Moderate to Severe Dementia. Journal of the American Medical Directors Association, 2021, 22, 1535-1542.e3.	1.2	14
126	Frailty Related Factors as Predictors of Functional Recovery in Geriatric Rehabilitation: The Sarcopenia and Function in Aging Rehabilitation (SAFARI) Multi-Centric Study. Journal of Nutrition, Health and Aging, 2018, 22, 1099-1106.	1.5	13

#	Article	IF	Citations
127	The effect of frailty on in-hospital and medium-term mortality of patients with COronaVIrus Disease-19: the FRACOVID study. Panminerva Medica, 2022, 64, .	0.2	13
128	Medical Comorbidity and Complexity of the Rehabilitative Procedures for Older Patients with Functional Impairments. Journal of the American Geriatrics Society, 2002, 50, 2095-2096.	1.3	12
129	Takotsubo Cardiomyopathy in an Elderly Patient With Severe Alzheimer's Disease: A Case Report. Journal of the American Medical Directors Association, 2012, 13, 207-209.	1.2	12
130	Efficacy of Higher Dose 13.3 mg/24 h Rivastigmine Patch on Instrumental Activities of Daily Living in Patients with Mild-to-Moderate Alzheimer's Disease. American Journal of Alzheimer's Disease and Other Dementias, 2013, 28, 583-591.	0.9	12
131	Obesity paradox in patients with aortic valve stenosis. Protective effect of body mass index independently of age, disease severity, treatment modality and non-cardiac comorbidities. International Journal of Cardiology, 2014, 176, 1441-1443.	0.8	12
132	The relationship between frailty and delirium: insights from the 2017 Delirium Day study. Age and Ageing, 2021, 50, 1593-1599.	0.7	12
133	Frailty, postâ€operative delirium and functional status at discharge in patients with hip fracture. International Journal of Geriatric Psychiatry, 2021, 36, 1524-1530.	1.3	12
134	Early onset versus late onset in Alzheimer's disease: What is the reliable cut-off?. Advances in Alzheimer's Disease, 2013, 02, 40-47.	0.3	12
135	DELIRIUM AND FUNCTIONAL RECOVERY IN ELDERLY PATIENTS. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 107-108.	1.7	11
136	The "syncope and dementia―study: a prospective, observational, multicenter study of elderly patients with dementia and episodes of "suspected―transient loss of consciousness. Aging Clinical and Experimental Research, 2015, 27, 877-882.	1.4	11
137	Hip Fracture Surgery and Survival in Centenarians. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 1514-1518.	1.7	11
138	The Effect of an Impaired Arousal on Short- and Long-Term Mortality of Elderly Patients Admitted to an Acute Geriatric Unit. Journal of the American Medical Directors Association, 2016, 17, 214-219.	1.2	11
139	Differential diagnosis of unexplained falls in dementia: Results of "Syncope & Dementia―registry. European Journal of Internal Medicine, 2018, 50, 41-46.	1.0	11
140	Activity-based occupational therapy intervention for delirium superimposed on dementia in nursing home setting: a feasibility study. Aging Clinical and Experimental Research, 2020, 32, 827-833.	1.4	11
141	Understanding Factors Associated With Psychomotor Subtypes of Delirium in Older Inpatients With Dementia. Journal of the American Medical Directors Association, 2020, 21, 486-492.e7.	1.2	11
142	Visual and Hearing Impairment Are Associated With Delirium in Hospitalized Patients: Results of a Multisite Prevalence Study. Journal of the American Medical Directors Association, 2021, 22, 1162-1167.e3.	1.2	11
143	Orthogeriatric co-management for the care of older subjects with hip fracture: recommendations from an Italian intersociety consensus. Aging Clinical and Experimental Research, 2021, 33, 2405-2443.	1.4	11
144	Frailty is the main predictor of falls in elderly patients undergoing rehabilitation training. Age and Ageing, 2004, 33, 84-85.	0.7	10

#	Article	IF	CITATIONS
145	STAFF TRAINING AND USE OF SPECIFIC PROTOCOLS FOR DELIRIUM MANAGEMENT. Journal of the American Geriatrics Society, 2005, 53, 1445-1446.	1.3	10
146	Management of Older Outpatients during the COVID-19 Pandemic: The GeroCovid Ambulatory Study. Gerontology, 2022, 68, 412-417.	1.4	10
147	Monitoring COVID-19 vaccine use in Italian long term care centers: The GeroCovid VAX study. Vaccine, 2022, 40, 2324-2330.	1.7	10
148	Cerebrospinal Fluid Tau in Frontotemporal Lobar Degeneration: Clinical, Neuroimaging, and Prognostic Correlates. Journal of Alzheimer's Disease, 2011, 23, 505-512.	1.2	9
149	The Specificity of Geriatric Rehabilitation: Myth or Reality? A Debate from an Italian Perspective. Journal of the American Medical Directors Association, 2012, 13, 94-95.e1.	1.2	9
150	Addendum to  Efficacy of music therapy treatment based on cycles of sessions: A randomised controlled trial' (Raglio etÂal., 2010). Aging and Mental Health, 2012, 16, 265-267.	1.5	9
151	The role of comprehensive geriatric assessment and functional status in evaluating the patterns of antithrombotic use among older people with atrial fibrillation. Archives of Gerontology and Geriatrics, 2016, 65, 248-254.	1.4	9
152	Functional and clinical outcomes of patients aged younger and older than 85 years after rehabilitation postâ€hip fracture surgery in a coâ€managed <scp>o</scp> rthogeriatric <scp>u</scp> nit. Geriatrics and Gerontology International, 2018, 18, 1194-1199.	0.7	9
153	Preliminary investigation of predictors of distress in informal caregivers of patients with delirium superimposed on dementia. Aging Clinical and Experimental Research, 2020, 32, 339-344.	1.4	9
154	The role of frailty in COVID-19 patients. Intensive Care Medicine, 2020, 46, 1958-1959.	3.9	9
155	BODY WEIGHT–SUPPORTED TREADMILL IN THE PHYSICAL REHABILITATION OF SEVERELY DEMENTED SUBJE AFTER HIP FRACTURE: A CASE REPORT. Journal of the American Geriatrics Society, 2006, 54, 717-718.	EÇŢS	8
156	C-reactive protein levels and delirium in a rehabilitation ward. Age and Ageing, 2007, 37, 122-123.	0.7	8
157	Orthogeriatrics in Italy: the Gruppo Italiano di Ortogeriatria (GIOG) audit on hip fractures in the elderly. Geriatric Care, 2018, 4, .	0.2	8
158	Three-year National report from the Gruppo Italiano di Ortogeriatria (GIOG) in the management of hip-fractured patients. Aging Clinical and Experimental Research, 2020, 32, 1245-1253.	1.4	8
159	Prevalence of obesity and diabetes in older people with sarcopenia defined according to EWGSOP2 and FNHI criteria. Aging Clinical and Experimental Research, 2022, 34, 113-120.	1.4	8
160	Let's Strip the King: Eligibility Not Safety Is the Problem of Anticoagulation for Stroke Prevention in Elderly Patients With Atrial Fibrillation. Archives of Internal Medicine, 2002, 162, 1067-1067.	4.3	8
161	Is C-reactive protein an independent risk factor for essential hypertension?. Journal of Hypertension, 2001, 19, 2107.	0.3	8
162	Use and Prescription of Direct Oral Anticoagulants in Older and Frail Patients with Atrial Fibrillation: A Multidisciplinary Consensus Document. Journal of Personalized Medicine, 2022, 12, 469.	1.1	8

#	Article	IF	CITATIONS
163	Feeding tube use in Italian nursing homes: The role of cultural factors. Journal of the American Medical Directors Association, 2005, 6, 87-88.	1.2	7
164	Delirium superimposed on dementia is more predictive of adverse outcomes than dementia alone. International Journal of Geriatric Psychiatry, 2010, 25, 435-436.	1.3	7
165	Rehabilitation of Elderly Adults with Severe Cognitive Impairment: It is Time for Evidence. Journal of the American Geriatrics Society, 2012, 60, 998-999.	1.3	7
166	"Nabucco―by Giuseppe Verdi: A Case of <b><i>Delirium</i></b> in an Italian Romantic Opera. European Neurology, 2017, 77, 180-185.	0.6	7
167	Association between hospitalization-related outcomes, dynapenia and body mass index: The Glisten Study. European Journal of Clinical Nutrition, 2019, 73, 743-750.	1.3	7
168	Delirium in patients with dementia and in children: Overlap of symptoms profile and possible role for future diagnosis. European Journal of Internal Medicine, 2019, 65, 44-50.	1.0	7
169	Prevalence, clinical correlates, and burden of undiagnosed aortic stenosis in older patients: a prospective study in a non-cardiologic acute hospital ward. Aging Clinical and Experimental Research, 2020, 32, 1533-1540.	1.4	7
170	Delirium symptoms duration and mortality in SARS-COV2 elderly: results of a multicenter retrospective cohort study. Aging Clinical and Experimental Research, 2021, 33, 2327-2333.	1.4	7
171	Prognostic interplay of kidney function with sarcopenia, anemia, disability and cognitive impairment. The GLISTEN study. European Journal of Internal Medicine, 2021, 93, 57-63.	1.0	7
172	Psychological Well-Being of Older Adults With Cognitive Deterioration During Quarantine: Preliminary Results From the GeroCovid Initiative. Frontiers in Medicine, 2021, 8, 715294.	1.2	7
173	Geriatric Assessment and Anticoagulation in Elderly Patients With Chronic Atrial Fibrillation. Archives of Internal Medicine, 2000, 160, 2402-2403.	4.3	7
174	OUTCOMES OF OLDER PEOPLE ADMITTED TO POSTACUTE FACILITIES WITH DELIRIUM. Journal of the American Geriatrics Society, 2006, 54, 380-381.	1.3	6
175	A sudden decline in mobility status as an early sign of acute infection in elderly patients: evidence from three case reports. Aging Clinical and Experimental Research, 2012, 24, 281-284.	1.4	6
176	Postdischarge Clinical Outcomes in Older Medical Patients with an Emergency Department Stay–Associated Delirium Onset. Journal of the American Geriatrics Society, 2016, 64, e18-9.	1.3	6
177	Delirium and Clusters of Older Patients Affected by Multimorbidity in Acute Hospitals. Journal of the American Medical Directors Association, 2022, 23, 885-888.	1.2	6
178	Mechanical Ventilation in COVID-19 Patients: Insights into the Role of Age and Frailty from a Multicentre Observational Study., 2022, 13, 340.		6
179	A QUALITATIVE ANALYSIS OF THE MINI MENTAL STATE EXAMINATION ON ALZHEIMER'S DISEASE PATIENTS TREATED WITH CHOLINESTERASE INHIBITORS. Archives of Gerontology and Geriatrics, 2004, 38, 253-263.	1.4	5
180	REHOSPITALIZATION AND TRANSFERS TO NURSING FACILITIES IN ELDERLY PATIENTS AFTER HIP FRACTURE SURGERY. Journal of the American Geriatrics Society, 2005, 53, 1443-1445.	1.3	5

#	Article	IF	Citations
181	Subcortical vascular lesions and functional recovery in older patients with gait disorders. Archives of Gerontology and Geriatrics, 2007, 45, 87-96.	1.4	5
182	Delirium and Costs of Informal Home Care. Archives of Internal Medicine, 2008, 168, 1717.	4.3	5
183	DEMENTIA, DELIRIUM, AND DEPRESSION IN PATIENTS WITH HIP FRACTURE: 1+1 DOESN'T ALWAYS MAKE 2. Journal of the American Geriatrics Society, 2009, 57, 179-180.	1.3	5
184	Anticoagulation management in hip fracture patients: A clinical conundrum. Injury, 2012, 43, 1224-1225.	0.7	5
185	Geriatric multidimensional assessment for elderly patients with acute respiratory diseases. European Journal of Internal Medicine, 2014, 25, 304-311.	1.0	5
186	Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. Journal of the American Medical Directors Association, 2019, 20, 1313-1317.e9.	1.2	5
187	The association between low skeletal muscle mass and delirium: results from the nationwide multi-centre Italian Delirium Day 2017. Aging Clinical and Experimental Research, 2022, 34, 349-357.	1.4	5
188	DNA Damage in Circulating Hematopoietic Progenitor Stem Cells as Promising Biological Sensor of Frailty. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 1279-1286.	1.7	5
189	Executive dysfunction and depressive symptoms in cerebrovascular disease. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 462-463.	0.9	4
190	Predictors of delirium during in-hospital rehabilitation in elderly patients after hip arthroplasty. Age and Ageing, 2005, 34, 532-532.	0.7	4
191	Delirium in older people: an epiphenomenon of incipient death or a separate biological process?. Age and Ageing, 2008, 37, 353-354.	0.7	4
192	Association Between Statin Use at Admission to Inpatient Rehabilitation and Functional Status at Discharge among Older Patients. Rejuvenation Research, 2014, 17, 490-495.	0.9	4
193	Italian intersociety consensus on prevention, diagnosis, and treatment of delirium in hospitalized older persons. European Geriatric Medicine, 2017, 8, 293-298.	1.2	4
194	Why older people stop to drive? A cohort study of older patients admitted to a rehabilitation setting. Aging Clinical and Experimental Research, 2018, 30, 543-546.	1.4	4
195	Prevalence, predictors and clinical implications of prolonged corrected QT in elderly patients with dementia and suspected syncope. European Journal of Internal Medicine, 2019, 61, 34-39.	1.0	4
196	Atrial Fibrillation in Older Patients with Syncope and Dementia: Insights from the Syncope and Dementia Registry. Journal of the American Medical Directors Association, 2020, 21, 1238-1242.	1.2	4
197	Delirium in your house: a survey during General Practitioner-programmed home visits. Aging Clinical and Experimental Research, 2021, 33, 2747-2751.	1.4	4
198	Anticoagulation Treatment in Disabled Patients. Archives of Internal Medicine, 2002, 162, 107-108.	4.3	4

#	Article	IF	Citations
199	Hip fracture in centenarians: Retrospective analysis of an orthogeriatric unit reveals the limitations of the current research. Global Anesthesia and Perioperative Medicine, 2015, 1, .	0.1	4
200	Atrial fibrillation and COVID-19 in older patients: how disability contributes to shape the risk profile. An analysis of the GeroCovid registry. Aging Clinical and Experimental Research, 2022, 34, 249-256.	1.4	4
201	Study protocol: understanding the pathophysiologic mechanisms underlying delirium in older people undergoing hip fracture surgery. BMC Geriatrics, 2021, 21, 633.	1.1	4
202	Covid-19 as a paradigmatic model of the heterogeneous disease presentation in older people: data from the GeroCovid Observational study. Rejuvenation Research, 2022, , .	0.9	4
203	Caregiving and Age: The Case of a Very Old Sister of a Patient with Alzheimer's Disease. Journal of the American Geriatrics Society, 2003, 51, 1817-1818.	1.3	3
204	SUBCORTICAL VASCULAR DISEASE DETECTED WITH COMPUTED TOMOGRAPHY AND 1â€YEAR PHYSICAL DECLININ HIGHâ€FUNCTIONING OLDER ADULTS. Journal of the American Geriatrics Society, 2005, 53, 1841-1842.	E <sub>1.3</sub>	3
205	Motor Recovery After Rehabilitation and Longâ€Term Clinical Outcomes. Journal of the American Geriatrics Society, 2009, 57, 1300-1301.	1.3	3
206	Clinical Complexity and Occam's Razor: Navigating Between Scylla and Charibdy of the Geriatric Practice. A Case of Secondary Hypertension in a Very Old Patient. Journal of the American Medical Directors Association, 2009, 10, 281-282.	1.2	3
207	THE OVERLAP SYNDROME OF DEPRESSION AND DELIRIUM IN ELDERLY PATIENTS: A COMMENT. Journal of the American Geriatrics Society, 2010, 58, 995-997.	1.3	3
208	Mini Nutritional Assessment and Functional Status As Predictors of Development of Pressure Ulcers in Acute Setting of Care. Journal of the American Geriatrics Society, 2014, 62, 1395-1396.	1.3	3
209	Delirium as a marker of vulnerability in the elderly. Geriatric Care, 2015, 1, .	0.2	3
210	Takotsubo cardiomyopathy in an 81-year-old woman after injection of bone cement during hemiarthroplasty: An orthogeriatric case report. International Journal of Surgery Case Reports, 2016, 18, 37-41.	0.2	3
211	Prevalence and features of delirium in older patients admitted to rehabilitation facilities: a multicenter study. Aging Clinical and Experimental Research, 2022, 34, 1827-1835.	1.4	3
212	Assessing the mortality risk in older patients hospitalized with a diagnosis of sepsis: the role of frailty and acute organ dysfunction. Aging Clinical and Experimental Research, 2022, 34, 2335-2343.	1.4	3
213	UNDERUSE OF ANTICOAGULATION IN OLDER PATIENTS WITH CHRONIC ATRIAL FIBRILLATION: MALPRACTICE OR ACCURACY?. Journal of the American Geriatrics Society, 1999, 47, 1034-1035.	1.3	2
214	Geriatric pocket guide and geriatricians in the rehabilitation of older patients. Archives of Physical Medicine and Rehabilitation, 2005, 86, 846.	0.5	2
215	Composition of the Rehabilitation Team in Postacute Care. Archives of Physical Medicine and Rehabilitation, 2008, 89, 794.	0.5	2
216	AUTHORS' RESPONSE TO LETTER FROM LAURILA AND COLLEAGUES. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2008, 63, 1124-1126.	1.7	2

#	Article	IF	Citations
217	Diagnosing Delirium. JAMA - Journal of the American Medical Association, 2010, 304, 2124.	3.8	2
218	FREQUENCY OF MALNUTRITION IN OLDER ADULTS: A COMMENT. Journal of the American Geriatrics Society, 2011, 59, 762-763.	1.3	2
219	Antipsychotic Prescription: The Logic of Medicine Versus the Logic of the Patients. Journal of the American Medical Directors Association, 2012, 13, 817.	1.2	2
220	Assessing Risk Factors for Unsafe Driving in a Group of Elderly Adults Undergoing Rehabilitation. Journal of the American Geriatrics Society, 2013, 61, 1029-1031.	1.3	2
221	Sofosbuvir-based all-oral treatment for elderly chronic hepatitis C patients: A cost-effectiveness analysis. Digestive and Liver Disease, 2015, 47, e15-e16.	0.4	2
222	Effect of the Overlap Syndrome of Depressive Symptoms and Delirium on Outcomes in Elderly Adults with Hip Fracture: A Comment. Journal of the American Geriatrics Society, 2015, 63, 1051-1053.	1.3	2
223	Simultaneous bilateral femoral neck fracture and end-stage renal disease in a 76-year-old woman: a case report. Aging Clinical and Experimental Research, 2015, 27, 555-559.	1.4	2
224	Are you Ernest Shackleton, the polar explorer? Refining the criteria for delirium and brain dysfunction in sepsis. Journal of Intensive Care, 2017, 5, 23.	1.3	2
225	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. European Journal of Internal Medicine, 2019, 68, e7-e11.	1.0	2
226	A Rare Diagnosis After the Fall of a 96-Year-Old Woman: Doege-Potter Syndrome. Current Aging Science, 2019, 11, 195-200.	0.4	2
227	Memantine Induces Reflex Syncope in Elderly Patients With Dementia: Results From the Syncope and Dementia Study (SYD-Study). Journal of the American Medical Directors Association, 2020, 21, 130-132.	1.2	2
228	Development and validation of a delirium risk assessment tool in older patients admitted to the Emergency Department Observation Unit. Aging Clinical and Experimental Research, 2021, 33, 2753-2758.	1.4	2
229	Towards understanding the nature and need of delirium guidelines across nations and cultures. Aging Clinical and Experimental Research, 2022, 34, 633-642.	1.4	2
230	Managing Functional and Cognitive Decline in Patients with Mild-to-Moderate Alzheimer's Disease: A 48-Week, Randomized, Double-Blind Evaluation of 13.3 mg/24 h (15 cm{superscript 2}) Versus 9.5 mg/24 h (10 cm{superscript 2}) Rivastigmine Patch (P04.193). Neurology, 2012, 78, P04.193-P04.193.	1.5	2
231	A rare case of successful antibiotic therapy in an elderly man with a retarded aorto-bifemoral graft infection. Aging Clinical and Experimental Research, 1999, 11, 277-278.	1.4	1
232	In reply to Belmin et al.:. Journal of the American Geriatrics Society, 2001, 49, 99-99.	1.3	1
233	HIGH TECH AND HIGH TOUCH. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2004, 59, M94-M94.	1.7	1
234	Establishing an Optimal Therapeutic Range for Coumarins. Archives of Internal Medicine, 2004, 164, 2281.	4.3	1

#	Article	IF	CITATIONS
235	MOOD, BEHAVIOR AND MEMORY. Archives of Gerontology and Geriatrics, 2004, 38, 265-270.	1.4	1
236	CEREBROVASCULAR DISEASE AND EXECUTIVE DYSFUNCTION IN GERIATRIC DEPRESSION. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2005, 60, 1606-1606.	1.7	1
237	Blood Pressure and Cognitive Impairment in the Elderly. Current Hypertension Reviews, 2006, 2, 1-9.	0.5	1
238	Understanding the Underpinnings of the Frontotemporal Lobar Degeneration: Evidence for Benign and Malignant Forms. American Journal of Geriatric Psychiatry, 2010, 18, 830-838.	0.6	1
239	The Role of Physicians in Nursing Homes: AÂComment. Journal of the American Medical Directors Association, 2011, 12, 387-388.	1.2	1
240	Sharing Transnational Experiences of Psychogeriatric Units Dedicated to the Management of Behavioral and Psychological Symptoms in Demented Patients. Alzheimer Disease and Associated Disorders, 2011, 25, 287-288.	0.6	1
241	Antibiotic Treatment for Patients Affected by Severe Dementia and Pneumonia. Archives of Internal Medicine, 2011, 171, 93.	4.3	1
242	Dialogue on Geriatrics: How Should We Fix the Problem?. Annals of Internal Medicine, 2012, 157, 458.	2.0	1
243	Future Direction of Geriatrics: "Gerogeriatrics†A Comment. Journal of the American Geriatrics Society, 2012, 60, 1796-1797.	1.3	1
244	Is it time for a "pneumo-geriatrician―for frail old patients with respiratory diseases?. European Journal of Internal Medicine, 2014, 25, 303.	1.0	1
245	Megaesophagus in an elderly man with achalasia: a "not so benign―condition. Aging Clinical and Experimental Research, 2017, 29, 809-814.	1.4	1
246	Patterns of infections in older patients acutely admitted to medical wards: data from the REPOSI register. Internal and Emergency Medicine, 2019, 14, 1347-1352.	1.0	1
247	Usefulness of implementing a brief cognitive assessment in the daily cardiology practice. Heart, 2019, 105, 1612-1613.	1.2	1
248	A two-year multicenter point prevalence study of older patients with hip fractures admitted to rehabilitation units in Italy. European Geriatric Medicine, 2020, 11, 573-580.	1.2	1
249	The multifaceted spectrum of liver cirrhosis in older hospitalised patients: analysis of the REPOSI registry. Age and Ageing, 2021, 50, 498-504.	0.7	1
250	Atrial fibrillation and COVID-19 in older patients: a complex, dangerous, association. An analysis of the GeroCovid Registry. Europace, 2021, 23, .	0.7	1
251	Oral anticoagulant therapy at hospital admission associates with lower mortality in older COVID-19 patients with atrial fibrillation. An insight from the Covid Registry. Europace, 2021, 23, .	0.7	1
252	Frailty predicts failure to discharge patients home from a subacute-care unit: a 3-year Italian experience. Aging Clinical and Experimental Research, 2021, , 1.	1.4	1

#	Article	IF	Citations
253	135 Efficacy of special care units for the behaviorally disturbed patient: a research project. Neurobiology of Aging, 1996, 17, S34.	1.5	0
254	In reply to Park et al.:. Journal of the American Geriatrics Society, 2001, 49, 100-100.	1.3	0
255	In reply to Cheng. Journal of the American Geriatrics Society, 2001, 49, 98-98.	1.3	0
256	An unusual case of spontaneous and remitting functional decline in an elderly man: Is "functional delirium―a clinical entity?. Aging Clinical and Experimental Research, 2002, 14, 221-222.	1.4	0
257	P1-338 Factors predicting the treatment response to cholinesterase inhibitors in Alzheimer's dementia. Neurobiology of Aging, 2004, 25, S194.	1.5	0
258	Hospital Transfers of Nursing Home Residents with Dementia. Journal of the American Geriatrics Society, 2012, 60, 1790-1791.	1.3	0
259	Commentary on the Editorial "Music therapy for dementia― Maturitas, 2012, 71, 413.	1.0	0
260	The Meaning of Delirium. JAMA Internal Medicine, 2013, 173, 597.	2.6	0
261	Should new antiviral treatments be considered in elderly Chronic Hepatitis C patients?. European Journal of Public Health, 2015, 25, .	0.1	0
262	P0811 : Sofosbuvir-based direct-acting antivirals treatment for elderly chronic hepatitis C patients: A cost-effectiveness analysis. Journal of Hepatology, 2015, 62, S639.	1.8	0
263	Is Adam of Cremona's 13th century paper "De regimine et via itineris―the first travel medicine guide?. Travel Medicine and Infectious Disease, 2017, 15, 71.	1.5	0
264	[P2–357]: POSTOPERATIVE DELIRIUM IS ASSOCIATED WITH MARKERS OF NEURODEGENERATION BUT NO BRAIN AMYLOIDOSIS. Alzheimer's and Dementia, 2017, 13, P760.	0.4	0
265	THE SPECTRUM OF AROUSAL AND ATTENTION: CAPTURING DELIRIUM SUPERIMPOSED ON DEMENTIA. Innovation in Aging, 2017, 1, 1317-1317.	0.0	0
266	PREDICTORS OF FUNCTIONAL IMPROVEMENT IN GERIATRIC REHABILITATION UNITS. A MULTICENTER STUDY. Innovation in Aging, 2017, 1, 1248-1249.	0.0	0
267	DELIRIUM MOTOR SUBTYPES AND ONE-YEAR MORTALITY AFTER HIP FRACTURE SURGERY. Innovation in Aging, 2017, 1, 1317-1318.	0.0	0
268	Preventing delirium in older people. Geriatric Care, 2017, 3, .	0.2	0
269	COGNITIVE PERFORMANCES AND REHABILITATION OUTCOMES: FOCUS ON PATIENTS WITH COGNITIVE IMPAIRMENT. Innovation in Aging, 2018, 2, 503-504.	0.0	0
270	P4133Atrial fibrillation in elderly patients with syncope and dementia: clinical insights from a large multicenter Italian registry. European Heart Journal, 2019, 40, .	1.0	0

#	Article	IF	CITATIONS
271	A retrospective multicentre cohort study of the performances on attention tests in outpatients with cognitive dysfunctions without delirium. Aging Clinical and Experimental Research, 2022, 34, 39-48.	1.4	0
272	Riabilitazione motoria degli anziani affetti da malattie psicogeriatriche. Ricerche Di Psicologia, 2013, , 543-562.	0.2	0
273	Team, Occupational Therapist and Geriatrician. , 2020, , 9-31.		0
274	Truly unexplained falls after evaluation for syncope: A new diagnostic entity with severe prognosis. European Journal of Internal Medicine, 2022, 98, 93-97.	1.0	0