

# Christophe Lamaze

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/205606/christophe-lamaze-publications-by-year.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72 papers	5,873 citations	34 h-index	76 g-index
82 ext. papers	6,783 ext. citations	11.7 avg, IF	5.28 L-index

#	Paper	IF	Citations
72	Identification of a New Cholesterol-Binding Site within the IFN- $\lambda$ Receptor that is Required for Signal Transduction.. <i>Advanced Science</i> , <b>2022</b> , e2105170	13.6	1
71	Caveolae promote successful abscission by controlling intercellular bridge tension during cytokinesis.. <i>Science Advances</i> , <b>2022</b> , 8, eabm5095	14.3	3
70	Glycolipid-dependent and lectin-driven transcytosis in mouse enterocytes. <i>Communications Biology</i> , <b>2021</b> , 4, 173	6.7	3
69	EHD2 is a Predictive Biomarker of Chemotherapy Efficacy in Triple Negative Breast Carcinoma. <i>Scientific Reports</i> , <b>2020</b> , 10, 7998	4.9	2
68	Membrane tension buffering by caveolae: a role in cancer?. <i>Cancer and Metastasis Reviews</i> , <b>2020</b> , 39, 505-517	9.6	9
67	Coupling of melanocyte signaling and mechanics by caveolae is required for human skin pigmentation. <i>Nature Communications</i> , <b>2020</b> , 11, 2988	17.4	8
66	Functional dissection of the retrograde Shiga toxin trafficking inhibitor Retro-2. <i>Nature Chemical Biology</i> , <b>2020</b> , 16, 327-336	11.7	18
65	Caveolae: The FAQs. <i>Traffic</i> , <b>2020</b> , 21, 181-185	5.7	34
64	Interferon Receptor Trafficking and Signaling: Journey to the Cross Roads. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 615603	8.4	6
63	Dystrophy-associated caveolin-3 mutations reveal that caveolae couple IL6/STAT3 signaling with mechanosensing in human muscle cells. <i>Nature Communications</i> , <b>2019</b> , 10, 1974	17.4	31
62	UBTD1 is a mechano-regulator controlling cancer aggressiveness. <i>EMBO Reports</i> , <b>2019</b> , 20,	6.5	11
61	Membrane Tension Orchestrates Rear Retraction in Matrix-Directed Cell Migration. <i>Developmental Cell</i> , <b>2019</b> , 51, 460-475.e10	10.2	50
60	An Abl-FBP17 mechanosensing system couples local plasma membrane curvature and stress fiber remodeling during mechanoadaptation. <i>Nature Communications</i> , <b>2019</b> , 10, 5828	17.4	27
59	EHD2 is a mechanotransducer connecting caveolae dynamics with gene transcription. <i>Journal of Cell Biology</i> , <b>2018</b> , 217, 4092-4105	7.3	36
58	A promotive effect for halofuginone on membrane repair and synaptotagmin-7 levels in muscle cells of dysferlin-null mice. <i>Human Molecular Genetics</i> , <b>2018</b> , 27, 2817-2829	5.6	7
57	The caveolae dress code: structure and signaling. <i>Current Opinion in Cell Biology</i> , <b>2017</b> , 47, 117-125	9	88
56	ALG-2 interacting protein-X (Alix) is essential for clathrin-independent endocytosis and signaling. <i>Scientific Reports</i> , <b>2016</b> , 6, 26986	4.9	27

55	Persistent cell migration and adhesion rely on retrograde transport of $\alpha 1$ integrin. <i>Nature Cell Biology</i> , <b>2016</b> , 18, 54-64	23.4	63
54	Spatiotemporal control of interferon-induced JAK/STAT signalling and gene transcription by the retromer complex. <i>Nature Communications</i> , <b>2016</b> , 7, 13476	17.4	30
53	Glycosylation-Dependent IFN- $\alpha$ Partitioning in Lipid and Actin Nanodomains Is Critical for JAK Activation. <i>Cell</i> , <b>2016</b> , 166, 920-934	56.2	73
52	Shiga toxin stimulates clathrin-independent endocytosis of the VAMP2, VAMP3 and VAMP8 SNARE proteins. <i>Journal of Cell Science</i> , <b>2015</b> , 128, 2891-902	5.3	11
51	Endophilin-A2 functions in membrane scission in clathrin-independent endocytosis. <i>Nature</i> , <b>2015</b> , 517, 493-6	50.4	213
50	Exon 32 Skipping of Dysferlin Rescues Membrane Repair in Patients Cells. <i>Journal of Neuromuscular Diseases</i> , <b>2015</b> , 2, 281-290	5	22
49	Oxidative stress induces caveolin 1 degradation and impairs caveolae functions in skeletal muscle cells. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122654	3.7	29
48	Retrograde transport is not required for cytosolic translocation of the B-subunit of Shiga toxin. <i>Journal of Cell Science</i> , <b>2015</b> , 128, 2373-87	5.3	12
47	Caveolae and cancer: A new mechanical perspective. <i>Biomedical Journal</i> , <b>2015</b> , 38, 367-79	7.1	26
46	Galectin-3 drives glycosphingolipid-dependent biogenesis of clathrin-independent carriers. <i>Nature Cell Biology</i> , <b>2014</b> , 16, 595-606	23.4	177
45	Rab12 localizes to Shiga toxin-induced plasma membrane invaginations and controls toxin transport. <i>Traffic</i> , <b>2014</b> , 15, 772-87	5.7	11
44	Rab7 is functionally required for selective cargo sorting at the early endosome. <i>Traffic</i> , <b>2014</b> , 15, 309-26	5.7	45
43	Interferon gamma receptor: the beginning of the journey. <i>Frontiers in Immunology</i> , <b>2013</b> , 4, 267	8.4	43
42	Cellular capsules as a tool for multicellular spheroid production and for investigating the mechanics of tumor progression in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 14843-8	11.5	271
41	SNAP-tag based proteomics approach for the study of the retrograde route. <i>Traffic</i> , <b>2012</b> , 13, 914-25	5.7	11
40	Stressing caveolae new role in cell mechanics. <i>Trends in Cell Biology</i> , <b>2012</b> , 22, 381-9	18.3	95
39	Membrane trafficking and signaling: two sides of the same coin. <i>Seminars in Cell and Developmental Biology</i> , <b>2012</b> , 23, 154-64	7.5	57
38	Cells respond to mechanical stress by rapid disassembly of caveolae. <i>Cell</i> , <b>2011</b> , 144, 402-13	56.2	575

37	Endocytosis and toxicity of clostridial binary toxins depend on a clathrin-independent pathway regulated by Rho-GDI. <i>Cellular Microbiology</i> , <b>2011</b> , 13, 154-70	3.9	36
36	Mechanism of HCVB resistance to IFN- $\beta$ in cell culture involves expression of functional IFN- $\beta$ receptor 1. <i>Virology Journal</i> , <b>2011</b> , 8, 351	6.1	13
35	Extracellular ATP acts on P2Y2 purinergic receptors to facilitate HIV-1 infection. <i>Journal of Experimental Medicine</i> , <b>2011</b> , 208, 1823-34	16.6	123
34	The dynamin chemical inhibitor dynasore impairs cholesterol trafficking and sterol-sensitive genes transcription in human HeLa cells and macrophages. <i>PLoS ONE</i> , <b>2011</b> , 6, e29042	3.7	28
33	A novel form of cell type-specific partial IFN-gammaR1 deficiency caused by a germ line mutation of the IFNGR1 initiation codon. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 434-44	5.6	34
32	AGAP2 regulates retrograde transport between early endosomes and the TGN. <i>Journal of Cell Science</i> , <b>2010</b> , 123, 2381-90	5.3	22
31	Actin dynamics drive membrane reorganization and scission in clathrin-independent endocytosis. <i>Cell</i> , <b>2010</b> , 140, 540-53	56.2	193
30	Caveolae contribute to the apoptosis resistance induced by the alpha(1A)-adrenoceptor in androgen-independent prostate cancer cells. <i>PLoS ONE</i> , <b>2009</b> , 4, e7068	3.7	8
29	Palmitoylation of interferon-alpha (IFN-alpha) receptor subunit IFNAR1 is required for the activation of Stat1 and Stat2 by IFN-alpha. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 24328-40	5.4	24
28	Analysis of articulation between clathrin and retromer in retrograde sorting on early endosomes. <i>Traffic</i> , <b>2009</b> , 10, 1868-80	5.7	89
27	Complementation of a pathogenic IFNGR2 misfolding mutation with modifiers of N-glycosylation. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 1729-37	16.6	52
26	Complementation of a pathogenic IFNGR2 misfolding mutation with modifiers of N-glycosylation. <i>Journal of Cell Biology</i> , <b>2008</b> , 182, i6-i6	7.3	
25	Shiga toxin induces tubular membrane invaginations for its uptake into cells. <i>Nature</i> , <b>2007</b> , 450, 670-5	50.4	443
24	Clathrin-coated pits: vive la difference?. <i>Traffic</i> , <b>2007</b> , 8, 970-82	5.7	101
23	The retromer complex and clathrin define an early endosomal retrograde exit site. <i>Journal of Cell Science</i> , <b>2007</b> , 120, 2022-31	5.3	137
22	Syntaxin 16 and syntaxin 5 are required for efficient retrograde transport of several exogenous and endogenous cargo proteins. <i>Journal of Cell Science</i> , <b>2007</b> , 120, 1457-68	5.3	92
21	Interfering with interferon receptor sorting and trafficking: impact on signaling. <i>Biochimie</i> , <b>2007</b> , 89, 735-43	4.6	27
20	Differential requirement for the translocation of clostridial binary toxins: iota toxin requires a membrane potential gradient. <i>FEBS Letters</i> , <b>2007</b> , 581, 1287-96	3.8	45

19	Stat-mediated signaling induced by type I and type II interferons (IFNs) is differentially controlled through lipid microdomain association and clathrin-dependent endocytosis of IFN receptors. <i>Molecular Biology of the Cell</i> , <b>2006</b> , 17, 2896-909	3.5	83
18	Functionally different pools of Shiga toxin receptor, globotriaosyl ceramide, in HeLa cells. <i>FEBS Journal</i> , <b>2006</b> , 273, 5205-18	5.7	38
17	Dynamin is involved in endolysosomal cholesterol delivery to the endoplasmic reticulum: role in cholesterol homeostasis. <i>Traffic</i> , <b>2006</b> , 7, 811-23	5.7	27
16	Intracellular trafficking of bacterial and plant protein toxins <b>2006</b> , 135-153		8
15	Clathrin adaptor epsinR is required for retrograde sorting on early endosomal membranes. <i>Developmental Cell</i> , <b>2004</b> , 6, 525-38	10.2	191
14	Clathrin-dependent or not: is it still the question?. <i>Traffic</i> , <b>2002</b> , 3, 443-51	5.7	191
13	Endocytose : chaque voie compte!. <i>Medecine/Sciences</i> , <b>2002</b> , 18, 1126-1136		1
12	Involvement of the ubiquitin/proteasome system in sorting of the interleukin 2 receptor beta chain to late endocytic compartments. <i>Molecular Biology of the Cell</i> , <b>2001</b> , 12, 1293-301	3.5	102
11	Interleukin 2 receptors and detergent-resistant membrane domains define a clathrin-independent endocytic pathway. <i>Molecular Cell</i> , <b>2001</b> , 7, 661-71	17.6	415
10	AP-2/Eps15 interaction is required for receptor-mediated endocytosis. <i>Journal of Cell Biology</i> , <b>1998</b> , 140, 1055-62	7.3	299
9	The actin cytoskeleton is required for receptor-mediated endocytosis in mammalian cells. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 20332-5	5.4	315
8	Regulation of receptor-mediated endocytosis by Rho and Rac. <i>Nature</i> , <b>1996</b> , 382, 177-9	50.4	348
7	The emergence of clathrin-independent pinocytic pathways. <i>Current Opinion in Cell Biology</i> , <b>1995</b> , 7, 573-80	3.0	252
6	Effects of vasopressin on receptor-mediated endocytosis of asialoglycoprotein by hepatocytes from normal and diabetic rats. <i>Experimental Cell Research</i> , <b>1992</b> , 199, 223-8	4.2	2
5	Vasopressin-induced changes in receptor-mediated endocytosis of asialoglycoprotein in rat hepatocytes. <i>Biology of the Cell</i> , <b>1991</b> , 73, 43-7	3.5	2
4	Membrane Tension Orchestrates Rear Retraction in Matrix Directed Cell Migration. <i>SSRN Electronic Journal</i> ,	1	1
3	STAM Interaction with Hrs Controls JAK/STAT Activation by Interferon- $\beta$ at the Early Endosome		2
2	Caveolae coupling of melanocytes signaling and mechanics is required for human skin pigmentation		1

- 1 Small Molecule Inhibitors of Interferon-Induced JAK-STAT Signalling. *Angewandte Chemie - International Edition*,

16.4