

Jan J Enghild

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2056437/publications.pdf>

Version: 2024-02-01

278
papers

13,367
citations

23500

58
h-index

32761

100
g-index

288
all docs

288
docs citations

288
times ranked

14574
citing authors

#	ARTICLE	IF	CITATIONS
1	Huntingtin and DRPLA proteins selectively interact with the enzyme GAPDH. <i>Nature Medicine</i> , 1996, 2, 347-350.	15.2	429
2	Mechanisms of activation of tissue procollagenase by matrix metalloproteinase 3 (stromelysin). <i>Biochemistry</i> , 1990, 29, 10261-10270.	1.2	419
3	Matrix metalloproteinase 2 from human rheumatoid synovial fibroblasts. Purification and activation of the precursor and enzymic properties. <i>FEBS Journal</i> , 1990, 194, 721-730.	0.2	386
4	Stepwise activation mechanisms of the precursor of matrix metalloproteinase 3 (stromelysin) by proteinases and (4-aminophenyl)mercuric acetate. <i>Biochemistry</i> , 1990, 29, 5783-5789.	1.2	375
5	Degradation of Interleukin 1 β by Matrix Metalloproteinases. <i>Journal of Biological Chemistry</i> , 1996, 271, 14657-14660.	1.6	326
6	Functional amyloid in <i>Pseudomonas</i> . <i>Molecular Microbiology</i> , 2010, 77, 1009-1020.	1.2	256
7	Spider genomes provide insight into composition and evolution of venom and silk. <i>Nature Communications</i> , 2014, 5, 3765.	5.8	235
8	Proteolytic Activities of Human ADAMTS-5. <i>Journal of Biological Chemistry</i> , 2007, 282, 18294-18306.	1.6	225
9	Analysis of the plasma elimination kinetics and conformational stabilities of native, proteinase-complexed and reactive site cleaved serpins: comparison of .alpha.1-proteinase inhibitor, .alpha.1-antichymotrypsin, antithrombin III, .alpha.2-antiplasmin, angiotensinogen, and ovalbumin. <i>Biochemistry</i> , 1991, 30, 1723-1730.	1.2	224
10	Desmosome Signaling. <i>Journal of Biological Chemistry</i> , 2005, 280, 23778-23784.	1.6	220
11	The Role of Stable β -Synuclein Oligomers in the Molecular Events Underlying Amyloid Formation. <i>Journal of the American Chemical Society</i> , 2014, 136, 3859-3868.	6.6	218
12	Conformation of the reactive site loop of .alpha.1-proteinase inhibitor probed by limited proteolysis. <i>Biochemistry</i> , 1992, 31, 2720-2728.	1.2	207
13	Purification and Characterization of Mouse Soluble Receptor for Advanced Glycation End Products (sRAGE). <i>Journal of Biological Chemistry</i> , 2004, 279, 50019-50024.	1.6	190
14	Altered Proteolytic Activities of ADAMTS-4 Expressed by C-terminal Processing. <i>Journal of Biological Chemistry</i> , 2004, 279, 10109-10119.	1.6	187
15	Structural insights into triple-helical collagen cleavage by matrix metalloproteinase 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 12461-12466.	3.3	185
16	Substrate specificities and activation mechanisms of matrix metalloproteinases. <i>Biochemical Society Transactions</i> , 1991, 19, 715-718.	1.6	169
17	Comparative Properties of Two Cysteine Proteinases (Gingipains R), the Products of Two Related but Individual Genes of <i>Porphyromonas gingivalis</i> . <i>Journal of Biological Chemistry</i> , 1998, 273, 21648-21657.	1.6	155
18	Extracellular Superoxide Dismutase (EC-SOD) Binds to Type I Collagen and Protects Against Oxidative Fragmentation. <i>Journal of Biological Chemistry</i> , 2004, 279, 13705-13710.	1.6	153

#	ARTICLE	IF	CITATIONS
19	Template-directed covalent conjugation of DNA to native antibodies, transferrin and other metal-binding proteins. <i>Nature Chemistry</i> , 2014, 6, 804-809.	6.6	152
20	Mouse Extracellular Superoxide Dismutase: Primary Structure, Tissue-specific Gene Expression, Chromosomal Localization, and Lung <i>In Situ</i> Hybridization. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1997, 17, 393-403.	1.4	139
21	Protein Structure of Fetal Antigen 1 (FA1). A Novel Circulating Human Epidermal-Growth-Factor-Like Protein Expressed in Neuroendocrine Tumors and its Relation to the Gene Products of Dlk and pG2. <i>FEBS Journal</i> , 1994, 225, 83-92.	0.2	136
22	Pigment-epithelium-derived factor (PEDF) occurs at a physiologically relevant concentration in human blood: purification and characterization. <i>Biochemical Journal</i> , 2003, 374, 199-206.	1.7	136
23	Dynamic protein coronas revealed as a modulator of silver nanoparticle sulphidation in vitro. <i>Nature Communications</i> , 2016, 7, 11770.	5.8	136
24	Antagonism between <i>Staphylococcus epidermidis</i> and <i>Propionibacterium acnes</i> and its genomic basis. <i>BMC Genomics</i> , 2016, 17, 152.	1.2	131
25	Mapping and identification of soft corona proteins at nanoparticles and their impact on cellular association. <i>Nature Communications</i> , 2020, 11, 4535.	5.8	122
26	Calbindin D28k Exhibits Properties Characteristic of a Ca ²⁺ Sensor. <i>Journal of Biological Chemistry</i> , 2002, 277, 16662-16672.	1.6	113
27	Enhanced bleomycin-induced pulmonary damage in mice lacking extracellular superoxide dismutase. <i>Free Radical Biology and Medicine</i> , 2003, 35, 763-771.	1.3	111
28	Human extracellular superoxide dismutase is a tetramer composed of two disulphide-linked dimers: a simplified, high-yield purification of extracellular superoxide dismutase. <i>Biochemical Journal</i> , 1996, 317, 51-57.	1.7	105
29	Human Procarboxypeptidase U, or Thrombin-activable Fibrinolysis Inhibitor, Is a Substrate for Transglutaminases. <i>Journal of Biological Chemistry</i> , 1998, 273, 27220-27224.	1.6	102
30	Angiostatin inhibits endothelial and melanoma cellular invasion by blocking matrix-enhanced plasminogen activation. <i>Biochemical Journal</i> , 1999, 340, 77-84.	1.7	101
31	Effects of metalloporphyrin catalytic antioxidants in experimental brain ischemia. <i>Free Radical Biology and Medicine</i> , 2002, 33, 947-961.	1.3	96
32	Proteomic Investigation of the Ventral Rat Hippocampus Links DRP-2 to Escitalopram Treatment Resistance and SNAP to Stress Resilience in the Chronic Mild Stress Model of Depression. <i>Journal of Molecular Neuroscience</i> , 2007, 32, 132-144.	1.1	93
33	Human Cornea Proteome: Identification and Quantitation of the Proteins of the Three Main Layers Including Epithelium, Stroma, and Endothelium. <i>Journal of Proteome Research</i> , 2012, 11, 4231-4239.	1.8	92
34	An unusual specificity in the activation of neutrophil serine proteinase zymogens. <i>Biochemistry</i> , 1990, 29, 5304-5308.	1.2	91
35	Proteomic analysis of pulmonary edema fluid and plasma in patients with acute lung injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2004, 286, L1095-L1104.	1.3	91
36	The Heparin-binding Domain of Extracellular Superoxide Dismutase Is Proteolytically Processed Intracellularly during Biosynthesis. <i>Journal of Biological Chemistry</i> , 1999, 274, 14818-14822.	1.6	90

#	ARTICLE	IF	CITATIONS
37	.alpha.-Macroglobulin from <i>Limulus polyphemus</i> exhibits proteinase inhibitory activity and participates in a hemolytic system. <i>Biochemistry</i> , 1990, 29, 10070-10080.	1.2	86
38	The Protein Composition of the Digestive Fluid from the Venus Flytrap Sheds Light on Prey Digestion Mechanisms. <i>Molecular and Cellular Proteomics</i> , 2012, 11, 1306-1319.	2.5	83
39	Peptidyl Arginine Deiminase from <i>Porphyromonas gingivalis</i> Abolishes Anaphylatoxin C5a Activity. <i>Journal of Biological Chemistry</i> , 2014, 289, 32481-32487.	1.6	83
40	STEEP mediates STING ER exit and activation of signaling. <i>Nature Immunology</i> , 2020, 21, 868-879.	7.0	82
41	Hydrogen peroxide induce modifications of human extracellular superoxide dismutase that results in enzyme inhibition. <i>Redox Biology</i> , 2013, 1, 24-31.	3.9	80
42	Prothrombin, Albumin and Immunoglobulin A form Covalent Complexes with alpha1-Microglobulin in Human Plasma. <i>FEBS Journal</i> , 1997, 245, 676-683.	0.2	76
43	The Proteome of Seed Development in the Model Legume <i>Lotus japonicus</i> . <i>Plant Physiology</i> , 2009, 149, 1325-1340.	2.3	76
44	Organization of the Inter-Î±-Inhibitor Heavy Chains on the Chondroitin Sulfate Originating from Ser10 of Bikunin:â€‰ Posttranslational Modification of Î±-Derived Bikunin. <i>Biochemistry</i> , 1999, 38, 11804-11813.	1.2	75
45	The Human Eye Proteome Project: Perspectives on an emerging proteome. <i>Proteomics</i> , 2013, 13, 2500-2511.	1.3	75
46	Species Differences Take Shape at Nanoparticles: Protein Corona Made of the Native Repertoire Assists Cellular Interaction. <i>Environmental Science & Technology</i> , 2013, 47, 14367-14375.	4.6	75
47	A conserved region in .alpha.-macroglobulins participates in binding to the mammalian .alpha.-macroglobulin receptor. <i>Biochemistry</i> , 1989, 28, 1406-1412.	1.2	71
48	The Paradigm That All Oxygen-Respiring Eukaryotes Have Cytosolic CuZn-Superoxide Dismutase and That Mn-Superoxide Dismutase Is Localized to the Mitochondria Does Not Apply to a Large Group of Marine Arthropods. <i>Biochemistry</i> , 1997, 36, 13381-13388.	1.2	71
49	Investigations on Collectin Liver 1. <i>Journal of Biological Chemistry</i> , 2013, 288, 23407-23420.	1.6	69
50	Altered expression of extracellular superoxide dismutase in mouse lung after bleomycin treatment. <i>Free Radical Biology and Medicine</i> , 2001, 31, 1198-1207.	1.3	67
51	Incorporation of Pentraxin 3 into Hyaluronan Matrices Is Tightly Regulated and Promotes Matrix Cross-linking. <i>Journal of Biological Chemistry</i> , 2014, 289, 30481-30498.	1.6	67
52	Differential Regulation of Extracellular Tissue Inhibitor of Metalloproteinases-3 Levels by Cell Membrane-bound and Shed Low Density Lipoprotein Receptor-related Protein 1. <i>Journal of Biological Chemistry</i> , 2013, 288, 332-342.	1.6	64
53	Unconditioned commercial embryo culture media contain a large variety of non-declared proteins: a comprehensive proteomics analysis. <i>Human Reproduction</i> , 2014, 29, 2421-2430.	0.4	63
54	The dual nature of human extracellular superoxide dismutase: One sequence and two structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13875-13880.	3.3	62

#	ARTICLE	IF	CITATIONS
55	The Major Allergen from Birch Tree Pollen, Bet v 1, Binds and Permeabilizes Membranes. <i>Biochemistry</i> , 2007, 46, 3356-3365.	1.2	62
56	Regulation of Insulin-Like Growth Factor (IGF)-I Action by Matrix Metalloproteinase-3 Involves Selective Disruption of IGF-I/IGF-Binding Protein-3 Complexes. <i>Endocrinology</i> , 2004, 145, 620-626.	1.4	60
57	A novel matrix metalloprotease-like enzyme (karilysin) of the periodontal pathogen <i>Tannerella forsythia</i> ATCC 43037. <i>Biological Chemistry</i> , 2010, 391, 105-117.	1.2	60
58	Inter- α -inhibitor Impairs TSG-6-induced Hyaluronan Cross-linking. <i>Journal of Biological Chemistry</i> , 2013, 288, 29642-29653.	1.6	60
59	Catalytic Properties of ADAM12 and Its Domain Deletion Mutants. <i>Biochemistry</i> , 2008, 47, 537-547.	1.2	59
60	A New Pathway of Staphylococcal Pathogenesis: Apoptosis-Like Death Induced by Staphopain B in Human Neutrophils and Monocytes. <i>Journal of Innate Immunity</i> , 2009, 1, 98-108.	1.8	59
61	Reactive-site mutants of N-TIMP-3 that selectively inhibit ADAMTS-4 and ADAMTS-5: biological and structural implications. <i>Biochemical Journal</i> , 2010, 431, 113-122.	1.7	59
62	Purification and Characterization of Extracellular Superoxide Dismutase in Mouse Lung. <i>Biochemical and Biophysical Research Communications</i> , 2000, 275, 542-548.	1.0	58
63	The C-terminal domains of ADAMTS-4 and ADAMTS-5 promote association with N-TIMP-3. <i>Matrix Biology</i> , 2009, 28, 463-469.	1.5	58
64	Structural and functional probing of PorZ, an essential bacterial surface component of the type-IX secretion system of human oral-microbiomic <i>Porphyromonas gingivalis</i> . <i>Scientific Reports</i> , 2016, 6, 37708.	1.6	58
65	Furin Proteolytically Processes the Heparin-binding Region of Extracellular Superoxide Dismutase. <i>Journal of Biological Chemistry</i> , 2002, 277, 16505-16511.	1.6	57
66	Integrative Analysis of Epigenetic Modulation in Melanoma Cell Response to Decitabine: Clinical Implications. <i>PLoS ONE</i> , 2009, 4, e4563.	1.1	56
67	Bovine corneal protein 54K (BCP54) is a homologue of the tumor-associated (class 3) rat aldehyde dehydrogenase (RATALD). <i>Gene</i> , 1991, 98, 201-207.	1.0	55
68	Biosynthesis of Bikunin Proteins in the Human Carcinoma Cell Line HepG2 and in Primary Human Hepatocytes. <i>Journal of Biological Chemistry</i> , 1995, 270, 18700-18709.	1.6	55
69	Human Phenotypically Distinct TGFBI Corneal Dystrophies Are Linked to the Stability of the Fourth FAS1 Domain of TGFBIp. <i>Journal of Biological Chemistry</i> , 2011, 286, 4951-4958.	1.6	55
70	Coagulation Factor XIIIa Substrates in Human Plasma. <i>Journal of Biological Chemistry</i> , 2014, 289, 6526-6534.	1.6	55
71	Secretion of extracellular superoxide dismutase in neonatal lungs. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2000, 279, L977-L984.	1.3	53
72	Mechanism of insulin incorporation into α 2-macroglobulin: implications for the study of peptide and growth factor binding. <i>Biochemistry</i> , 1991, 30, 1551-1560.	1.2	52

#	ARTICLE	IF	CITATIONS
73	Rapid and Individual-specific Glycoprofiling of the Low Abundance N-Glycosylated Protein Tissue Inhibitor of Metalloproteinases-1. <i>Molecular and Cellular Proteomics</i> , 2007, 6, 638-647.	2.5	52
74	The outer-membrane export signal of <i>Porphyromonas gingivalis</i> type IX secretion system (T9SS) is a conserved C-terminal β -sandwich domain. <i>Scientific Reports</i> , 2016, 6, 23123.	1.6	52
75	Angiostatin inhibits endothelial and melanoma cellular invasion by blocking matrix-enhanced plasminogen activation. <i>Biochemical Journal</i> , 1999, 340, 77.	1.7	50
76	A catalytic antioxidant (AEOL 10150) attenuates expression of inflammatory genes in stroke. <i>Free Radical Biology and Medicine</i> , 2002, 33, 1141-1152.	1.3	50
77	Composition and proteolytic processing of corneal deposits associated with mutations in the TGFBI gene. <i>Experimental Eye Research</i> , 2012, 96, 163-170.	1.2	50
78	Proteome Analysis of Human Sebaceous Follicle Infundibula Extracted from Healthy and Acne-Affected Skin. <i>PLoS ONE</i> , 2014, 9, e107908.	1.1	50
79	[7] β -Macroglobulins: Detection and characterization. <i>Methods in Enzymology</i> , 1993, 223, 121-141.	0.4	49
80	Optimal control based NCO and NCA experiments for spectral assignment in biological solid-state NMR spectroscopy. <i>Journal of Magnetic Resonance</i> , 2007, 188, 216-230.	1.2	48
81	Biochemical mechanisms of aggregation in TGFBI-linked corneal dystrophies. <i>Progress in Retinal and Eye Research</i> , 2020, 77, 100843.	7.3	48
82	A New Autocatalytic Activation Mechanism for Cysteine Proteases Revealed by <i>Prevotella intermedia</i> Interpain A. <i>Journal of Biological Chemistry</i> , 2008, 283, 2871-2882.	1.6	47
83	Lack of the Receptor for Advanced Glycation End-Products Attenuates <i>E. coli</i> Pneumonia in Mice. <i>PLoS ONE</i> , 2011, 6, e20132.	1.1	47
84	The TSG-6 and β Interaction Promotes a Transesterification Cleaving the Protein-Glycosaminoglycan-Protein (PGP) Cross-link. <i>Journal of Biological Chemistry</i> , 2005, 280, 11936-11942.	1.6	46
85	Inactivation of Epidermal Growth Factor by <i>Porphyromonas gingivalis</i> as a Potential Mechanism for Periodontal Tissue Damage. <i>Infection and Immunity</i> , 2013, 81, 55-64.	1.0	46
86	Metal Ion-dependent Heavy Chain Transfer Activity of TSG-6 Mediates Assembly of the Cumulus-Oocyte Matrix. <i>Journal of Biological Chemistry</i> , 2015, 290, 28708-28723.	1.6	46
87	Structural and functional insights into oligopeptide acquisition by the RagAB transporter from <i>Porphyromonas gingivalis</i> . <i>Nature Microbiology</i> , 2020, 5, 1016-1025.	5.9	46
88	The Intracellular Proteolytic Processing of Extracellular Superoxide Dismutase (EC-SOD) is a Two-step Event. <i>Journal of Biological Chemistry</i> , 2004, 279, 22152-22157.	1.6	45
89	<sc>MS D</sc>ata <sc>M</sc>iner: A web-based software tool to analyze, compare, and share mass spectrometry protein identifications. <i>Proteomics</i> , 2012, 12, 2792-2796.	1.3	45
90	Enzymatic Activity of the <i>Staphylococcus aureus</i> SplB Serine Protease is Induced by Substrates Containing the Sequence Trp-Glu-Leu-Gln. <i>Journal of Molecular Biology</i> , 2008, 379, 343-356.	2.0	43

#	ARTICLE	IF	CITATIONS
91	Focus on molecules: Transforming growth factor beta induced protein (TGFBIp). <i>Experimental Eye Research</i> , 2008, 87, 298-299.	1.2	43
92	Analysis of Factor D Isoforms in Malpuechâ€“Michelsâ€“Mingarelliâ€“Carnevale Patients Highlights the Role of MASP-3 as a Maturase in the Alternative Pathway of Complement. <i>Journal of Immunology</i> , 2017, 199, 2158-2170.	0.4	43
93	Purification and Structural Characterization of Transforming Growth Factor Beta Induced Protein (TGFBIp) from Porcine and Human Corneasâ€. <i>Biochemistry</i> , 2004, 43, 16374-16384.	1.2	42
94	Miropin, a Novel Bacterial Serpin from the Periodontopathogen <i>Tannerella forsythia</i> , Inhibits a Broad Range of Proteases by Using Different Peptide Bonds within the Reactive Center Loop. <i>Journal of Biological Chemistry</i> , 2015, 290, 658-670.	1.6	42
95	Developmental expression of the receptor for advanced glycation end-products (RAGE) and its response to hyperoxia in the neonatal rat lung. <i>BMC Developmental Biology</i> , 2007, 7, 15.	2.1	41
96	ADAM10 controls collagen signaling and cell migration on collagen by shedding the ectodomain of discoidin domain receptor 1 (DDR1). <i>Molecular Biology of the Cell</i> , 2015, 26, 659-673.	0.9	41
97	Î±1-Microglobulin Is Found Both in Blood and in Most Tissues. <i>Journal of Histochemistry and Cytochemistry</i> , 1998, 46, 887-893.	1.3	40
98	Proteomic analysis of hyperoxia-induced responses in the human choriocarcinoma cell line JEG-3. <i>Proteomics</i> , 2004, 4, 861-867.	1.3	40
99	The high concentration of Arg213â†Gly extracellular superoxide dismutase (EC-SOD) in plasma is caused by a reduction of both heparin and collagen affinities. <i>Biochemical Journal</i> , 2005, 385, 427-432.	1.7	40
100	KLIKK proteases of <i>Tannerella forsythia</i> : putative virulence factors with a unique domain structure. <i>Frontiers in Microbiology</i> , 2015, 6, 312.	1.5	40
101	Characterisation of protein families in spider digestive fluids and their role in extra-oral digestion. <i>BMC Genomics</i> , 2017, 18, 600.	1.2	39
102	Structural and functional characterization of tissue factor pathway inhibitor following degradation by matrix metalloproteinase-8. <i>Biochemical Journal</i> , 2002, 367, 451-458.	1.7	38
103	Î± ₁ -Microglobulin chromophores are located to three lysine residues semiburied in the lipocalin pocket and associated with a novel lipophilic compound. <i>Protein Science</i> , 1999, 8, 2611-2620.	3.1	38
104	Structural and functional characterization of SplA, an exclusively specific protease of <i>Staphylococcus aureus</i> . <i>Biochemical Journal</i> , 2009, 419, 555-564.	1.7	38
105	Regulation of receptor for advanced glycation end products during bleomycin-induced lung injury. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2003, 29, S77-81.	1.4	38
106	Structure of Activated Thrombin-Activatable Fibrinolysis Inhibitor, a Molecular Link between Coagulation and Fibrinolysis. <i>Molecular Cell</i> , 2008, 31, 598-606.	4.5	37
107	Unique Structural Features Facilitate Lizard Tail Autotomy. <i>PLoS ONE</i> , 2012, 7, e51803.	1.1	37
108	Formation of the Î±1-microglobulin chromophore in mammalian and insect cells: a novel post-translational mechanism?. <i>FEBS Letters</i> , 1995, 362, 50-54.	1.3	36

#	ARTICLE	IF	CITATIONS
109	Activated Human Plasma Carboxypeptidase B Is Retained in the Blood by Binding to α_2 -Macroglobulin and Pregnancy Zone Protein. <i>Journal of Biological Chemistry</i> , 1996, 271, 12937-12943.	1.6	36
110	Evidence for a Novel O-Linked Sialylated Trisaccharide on Ser-248 of Human Plasminogen 2. <i>Journal of Biological Chemistry</i> , 1997, 272, 7408-7411.	1.6	36
111	Proteomics of Fuchs's Endothelial Corneal Dystrophy Support That the Extracellular Matrix of Descemet's Membrane Is Disordered. <i>Journal of Proteome Research</i> , 2014, 13, 4659-4667.	1.8	36
112	Imperfect repeats in the functional amyloid protein FapC reduce the tendency to fragment during fibrillation. <i>Protein Science</i> , 2019, 28, 633-642.	3.1	36
113	Thrombin-activable Fibrinolysis Inhibitor (TAFI) Zymogen Is an Active Carboxypeptidase. <i>Journal of Biological Chemistry</i> , 2007, 282, 3066-3076.	1.6	35
114	Effects of Elaidic Acid on Lipid Metabolism in HepG2 Cells, Investigated by an Integrated Approach of Lipidomics, Transcriptomics and Proteomics. <i>PLoS ONE</i> , 2013, 8, e74283.	1.1	35
115	Sortilin gates neurotensin and BDNF signaling to control peripheral neuropathic pain. <i>Science Advances</i> , 2019, 5, eaav9946.	4.7	35
116	A Dataset of Human Cornea Proteins Identified by Peptide Mass Fingerprinting and Tandem Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1406-1408.	2.5	34
117	Proteomic Analysis of the Soluble Fraction from Human Corneal Fibroblasts with Reference to Ocular Transparency. <i>Molecular and Cellular Proteomics</i> , 2004, 3, 660-674.	2.5	33
118	The Transfer of Heavy Chains from Bikunin Proteins to Hyaluronan Requires Both TSG-6 and HC2. <i>Journal of Biological Chemistry</i> , 2008, 283, 18530-18537.	1.6	33
119	Differential expression and processing of transforming growth factor beta induced protein (TGFBIp) in the normal human cornea during postnatal development and aging. <i>Experimental Eye Research</i> , 2010, 90, 57-62.	1.2	33
120	Mutation in transforming growth factor beta induced protein associated with granular corneal dystrophy type 1 reduces the proteolytic susceptibility through local structural stabilization. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 2812-2822.	1.1	33
121	Secreted major Venus flytrap chitinase enables digestion of Arthropod prey. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2014, 1844, 374-383.	1.1	33
122	The Role of the Receptor for Advanced Glycation End-Products in a Murine Model of Silicosis. <i>PLoS ONE</i> , 2010, 5, e9604.	1.1	32
123	Carbamylated LL-37 as a modulator of the immune response. <i>Innate Immunity</i> , 2016, 22, 218-229.	1.1	32
124	The Crystal Structure of Thrombin-activable Fibrinolysis Inhibitor (TAFI) Provides the Structural Basis for Its Intrinsic Activity and the Short Half-life of TAFI. <i>Journal of Biological Chemistry</i> , 2008, 283, 29416-29423.	1.6	31
125	A Common Polymorphism in Extracellular Superoxide Dismutase Affects Cardiopulmonary Disease Risk by Altering Protein Distribution. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 659-666.	5.1	31
126	Female versus male biological identities of nanoparticles determine the interaction with immune cells in fish. <i>Environmental Science: Nano</i> , 2017, 4, 895-906.	2.2	31

#	ARTICLE	IF	CITATIONS
127	Investigating the biomarker potential of glycoproteins using comparative glycoprofiling application to tissue inhibitor of metalloproteinases-1. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 455-463.	1.1	30
128	Monodisperse and LPS-free Aggregatibacter actinomycetemcomitans leukotoxin: Interactions with human β_2 integrins and erythrocytes. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 546-558.	1.1	30
129	Evidence for a Two-Step Mechanism Involved in the Formation of Covalent HC α -TSG-6 Complexes. <i>Biochemistry</i> , 2006, 45, 7661-7668.	1.2	29
130	Post-translational Modifications of Human Thrombin-Activatable Fibrinolysis Inhibitor (TAFI): Evidence for a Large Shift in the Isoelectric Point and Reduced Solubility upon Activation. <i>Biochemistry</i> , 2006, 45, 1525-1535.	1.2	29
131	Synthesis and Evaluation of Silanediols as Highly Selective Uncompetitive Inhibitors of Human Neutrophil Elastase. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 7900-7908.	2.9	29
132	Mirolase, a novel subtilisin-like serine protease from the periodontopathogen <i>Tannerella forsythia</i> . <i>Biological Chemistry</i> , 2015, 396, 261-275.	1.2	29
133	Extracellular superoxide dismutase is present in secretory vesicles of human neutrophils and released upon stimulation. <i>Free Radical Biology and Medicine</i> , 2016, 97, 478-488.	1.3	29
134	Stable intermediates determine proteins' primary unfolding sites in the presence of surfactants. <i>Biopolymers</i> , 2009, 91, 221-231.	1.2	28
135	Protein Composition of TGFBI-R124C- and TGFBI-R555W- Associated Aggregates Suggests Multiple Mechanisms Leading to Lattice and Granular Corneal Dystrophy. , 2015, 56, 4653.		28
136	An Aberrant Phosphorylation of Amyloid Precursor Protein Tyrosine Regulates Its Trafficking and the Binding to the Clathrin Endocytic Complex in Neural Stem Cells of Alzheimer's Disease Patients. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 59.	1.4	28
137	Sodium Dodecyl Sulfate-stable Complexes between Serpins and Active or Inactive Proteinases Contain the Region COOH-terminal to the Reactive Site Loop. <i>Journal of Biological Chemistry</i> , 1995, 270, 14859-14862.	1.6	27
138	NMR Reveals Two-Step Association of Congo Red to Amyloid β in Low-Molecular-Weight Aggregates. <i>Journal of Physical Chemistry B</i> , 2010, 114, 16003-16010.	1.2	27
139	Inhibition of <i>Staphylococcus aureus</i> cysteine proteases by human serpin potentially limits staphylococcal virulence. <i>Biological Chemistry</i> , 2011, 392, 483-9.	1.2	27
140	A Novel Biological Role for Peptidyl-Arginine Deiminases: Citrullination of Cathelicidin LL-37 Controls the Immunostimulatory Potential of Cell-Free DNA. <i>Journal of Immunology</i> , 2018, 200, 2327-2340.	0.4	27
141	Optimized co-solute paramagnetic relaxation enhancement for the rapid NMR analysis of a highly fibrillogenic peptide. <i>Journal of Biomolecular NMR</i> , 2015, 62, 129-142.	1.6	26
142	Serine protease HtrA1 accumulates in corneal transforming growth factor beta induced protein (TGFBIp) amyloid deposits. <i>Molecular Vision</i> , 2013, 19, 861-76.	1.1	26
143	Posttranslational Modifications of Human Inter- β -Inhibitor: Identification of Glycans and Disulfide Bridges in Heavy Chains 1 and 2. <i>Biochemistry</i> , 1998, 37, 408-416.	1.2	25
144	Histologie Distribution and Biochemical Properties of β 2-Microglobulin in Human Placenta. <i>American Journal of Reproductive Immunology</i> , 1999, 41, 52-60.	1.2	25

#	ARTICLE	IF	CITATIONS
145	Characterization of the gila monster (<i>Heloderma suspectum suspectum</i>) venom proteome. <i>Journal of Proteomics</i> , 2015, 117, 1-11.	1.2	25
146	Extracellular superoxide dismutase: structural and functional considerations of a protein shaped by two different disulfide bridge patterns. <i>Biomedicine and Pharmacotherapy</i> , 2005, 59, 175-182.	2.5	24
147	Vesicular signalling and immune modulation as hedonic fingerprints: proteomic profiling in the chronic mild stress depression model. <i>Journal of Psychopharmacology</i> , 2012, 26, 1569-1583.	2.0	24
148	Human Complement C3 Is a Substrate for Transglutaminases. A Functional Link between Non-Protease-Based Members of the Coagulation and Complement Cascades. <i>Biochemistry</i> , 2012, 51, 4735-4742.	1.2	24
149	Comparison of two phenotypically distinct lattice corneal dystrophies caused by mutations in the transforming growth factor beta induced (<i>TGFBI</i>) gene. <i>Proteomics - Clinical Applications</i> , 2014, 8, 168-177.	0.8	24
150	The spider hemolymph clot proteome reveals high concentrations of hemocyanin and von Willebrand factor-like proteins. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2016, 1864, 233-241.	1.1	24
151	Structural and Functional Implications of Human Transforming Growth Factor β^2 -Induced Protein, TGFBIp, in Corneal Dystrophies. <i>Structure</i> , 2017, 25, 1740-1750.e2.	1.6	24
152	Proteomic profiling of <i>TGFBI</i> null mouse corneas reveals only minor changes in matrix composition supportive of <i>TGFBI</i> knockdown as therapy against linked corneal dystrophies. <i>FEBS Journal</i> , 2018, 285, 101-114.	2.2	24
153	TSG-6 Transfers Proteins between Glycosaminoglycans via a Ser28-mediated Covalent Catalytic Mechanism. <i>Journal of Biological Chemistry</i> , 2008, 283, 33919-33926.	1.6	23
154	Carbamylation of immunoglobulin abrogates activation of the classical complement pathway. <i>European Journal of Immunology</i> , 2014, 44, 3403-3412.	1.6	23
155	The amido-pentadienoate-functionality of the rakicidins is a thiol reactive electrophile "development of a general synthetic strategy. <i>Chemical Communications</i> , 2015, 51, 12427-12430.	2.2	22
156	Keratin 12 missense mutation induces the unfolded protein response and apoptosis in Meesmann epithelial corneal dystrophy. <i>Human Molecular Genetics</i> , 2016, 25, 1176-1191.	1.4	22
157	ITIH4 acts as a protease inhibitor by a novel inhibitory mechanism. <i>Science Advances</i> , 2021, 7, .	4.7	22
158	Expression of a functional β_2 -macroglobulin receptor binding domain in <i>Escherichia coli</i> . <i>FEBS Letters</i> , 1992, 313, 198-202.	1.3	21
159	Transfer of Inter- β_2 -inhibitor Heavy Chains to Hyaluronan by Surface-linked Hyaluronan-TSG-6 Complexes. <i>Journal of Biological Chemistry</i> , 2009, 284, 2320-2331.	1.6	21
160	Divorcing folding from function: How acylation affects the membrane-perturbing properties of an antimicrobial peptide. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010, 1804, 806-820.	1.1	21
161	Polymorphic Fibrillation of the Destabilized Fourth Fasciclin-1 Domain Mutant A546T of the Transforming Growth Factor- β^2 -induced Protein (TGFBIp) Occurs through Multiple Pathways with Different Oligomeric Intermediates. <i>Journal of Biological Chemistry</i> , 2012, 287, 34730-34742.	1.6	21
162	Inhibition of gingipains by their profragments as the mechanism protecting <i>Porphyromonas gingivalis</i> against premature activation of secreted proteases. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 4218-4228.	1.1	21

#	ARTICLE	IF	CITATIONS
163	The Insoluble TGFBIp Fraction of the Cornea Is Covalently Linked via a Disulfide Bond to Type XII Collagen. <i>Biochemistry</i> , 2013, 52, 2821-2827.	1.2	21
164	Proteome reference maps of the <i>Lotus japonicus</i> nodule and root. <i>Proteomics</i> , 2014, 14, 230-240.	1.3	21
165	New Insights to Clathrin and Adaptor Protein 2 for the Design and Development of Therapeutic Strategies. <i>International Journal of Molecular Sciences</i> , 2015, 16, 29446-29453.	1.8	21
166	A Screening Method for the Isolation of Bacteria Capable of Degrading Toxic Steroidal Glycoalkaloids Present in Potato. <i>Frontiers in Microbiology</i> , 2018, 9, 2648.	1.5	21
167	Structural Investigations of Human A2M Identify a Hollow Native Conformation That Underlies Its Distinctive Protease-Trapping Mechanism. <i>Molecular and Cellular Proteomics</i> , 2021, 20, 100090.	2.5	21
168	The Folding of Human Active and Inactive Extracellular Superoxide Dismutases Is an Intracellular Event. <i>Journal of Biological Chemistry</i> , 2008, 283, 15031-15036.	1.6	20
169	LASIK surgery of granular corneal dystrophy type 2 patients leads to accumulation and differential proteolytic processing of transforming growth factor beta-induced protein (TGFBIp). <i>Proteomics</i> , 2016, 16, 539-543.	1.3	20
170	Reactive Center Loop Insertion in α -1-Antitrypsin Captured by Accelerated Molecular Dynamics Simulation. <i>Biochemistry</i> , 2017, 56, 634-646.	1.2	20
171	Critical Influence of Cosolutes and Surfaces on the Assembly of Serpin-Derived Amyloid Fibrils. <i>Biophysical Journal</i> , 2017, 113, 580-596.	0.2	20
172	Apolipoprotein E Triggers Complement Activation in Joint Synovial Fluid of Rheumatoid Arthritis Patients by Binding C1q. <i>Journal of Immunology</i> , 2020, 204, 2779-2790.	0.4	20
173	The Autolysis of Human HtrA1 Is Governed by the Redox State of Its N-Terminal Domain. <i>Biochemistry</i> , 2014, 53, 3851-3857.	1.2	19
174	Fibril Core of Transforming Growth Factor Beta-Induced Protein (TGFBIp) Facilitates Aggregation of Corneal TGFBIp. <i>Biochemistry</i> , 2015, 54, 2943-2956.	1.2	19
175	The Structure of Rabbit Extracellular Superoxide Dismutase Differs from the Human Protein. <i>Biochemistry</i> , 2004, 43, 14275-14281.	1.2	18
176	Extracellular superoxide dismutase exists as an octamer. <i>FEBS Letters</i> , 2006, 580, 1485-1489.	1.3	18
177	The concentration of extracellular superoxide dismutase in plasma is maintained by LRP-mediated endocytosis. <i>Free Radical Biology and Medicine</i> , 2010, 49, 894-899.	1.3	18
178	The TSG-6/HC2-mediated Transfer Is a Dynamic Process Shuffling Heavy Chains between Glycosaminoglycans. <i>Journal of Biological Chemistry</i> , 2010, 285, 21988-21993.	1.6	18
179	Mirolysin, a LysargiNase from <i>Tannerella forsythia</i> , proteolytically inactivates the human cathelicidin, LL-37. <i>Biological Chemistry</i> , 2017, 398, 395-409.	1.2	18
180	Unfolding and partial refolding of a cellulase from the SDS-denatured state: From β -sheet to α -helix and back. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020, 1864, 129434.	1.1	18

#	ARTICLE	IF	CITATIONS
181	Inter- α -inhibitor heavy chain-1 has an integrin-like 3D structure mediating immune regulatory activities and matrix stabilization during ovulation. <i>Journal of Biological Chemistry</i> , 2020, 295, 5278-5291.	1.6	18
182	Covalent complexes of antigen and α 2-macroglobulin: evidence for dramatically-increased immunogenicity. <i>Vaccine</i> , 2001, 20, 554-562.	1.7	17
183	Heparin Binding Induces a Conformational Change in Pigment Epithelium-derived Factor. <i>Journal of Biological Chemistry</i> , 2007, 282, 6661-6667.	1.6	17
184	Combinatorial Biomolecular Nanopatterning for High-Throughput Screening of Stem Cell Behavior. <i>Advanced Materials</i> , 2016, 28, 1472-1476.	11.1	17
185	Transcriptome analysis of the response of Burmese python to digestion. <i>GigaScience</i> , 2017, 6, 1-18.	3.3	17
186	PorZ, an Essential Component of the Type IX Secretion System of <i>Porphyromonas gingivalis</i> , Delivers Anionic Lipopolysaccharide to the PorU Sortase for Transpeptidase Processing of T9SS Cargo Proteins. <i>MBio</i> , 2021, 12, .	1.8	17
187	SILAC-MS Based Characterization of LPS and Resveratrol Induced Changes in Adipocyte Proteomics – Resveratrol as Ameliorating Factor on LPS Induced Changes. <i>PLoS ONE</i> , 2016, 11, e0159747.	1.1	17
188	Streptokinase and human fibronectin share a common epitope: implications for regulations of fibrinolysis and rheumatoid arthritis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1993, 1180, 283-288.	1.8	16
189	Structural and functional analysis of the spontaneous re-formation of the thiol ester bond in human α 2-macroglobulin, rat α 1-inhibitor-3 and chemically modified derivatives. <i>Biochemical Journal</i> , 1996, 318, 539-545.	1.7	16
190	Clearance Kinetics and Matrix Binding Partners of the Receptor for Advanced Glycation End Products. <i>PLoS ONE</i> , 2014, 9, e88259.	1.1	16
191	Hepatocytes respond differently to major dietary trans fatty acid isomers, elaidic acid and trans-vaccenic acid. <i>Proteome Science</i> , 2015, 13, 31.	0.7	16
192	Enzymatic and Structural Characterization of the Major Endopeptidase in the Venus Flytrap Digestion Fluid. <i>Journal of Biological Chemistry</i> , 2016, 291, 2271-2287.	1.6	16
193	Small-Molecule Probes for Affinity-Guided Introduction of Biocompatible Handles on Metal-Binding Proteins. <i>Bioconjugate Chemistry</i> , 2018, 29, 3016-3025.	1.8	16
194	Assignment of a single disulphide bridge in human α 2-antiplasmin: implications for the structural and functional properties. <i>Biochemical Journal</i> , 1997, 323, 847-852.	1.7	15
195	Autocrine regulation of growth stimulation in human epithelial ovarian carcinoma by serine-proteinase-catalysed release of the urinary-type-plasminogen-activator N-terminal fragment. <i>Biochemical Journal</i> , 1999, 341, 765-769.	1.7	15
196	Disruption of gingipain oligomerization into non-covalent cell-surface attached complexes. <i>Biological Chemistry</i> , 2012, 393, 971-977.	1.2	15
197	The C-terminal proteolytic processing of extracellular superoxide dismutase is redox regulated. <i>Free Radical Biology and Medicine</i> , 2012, 52, 191-197.	1.3	15
198	How Glycosaminoglycans Promote Fibrillation of Salmon Calcitonin. <i>Journal of Biological Chemistry</i> , 2016, 291, 16849-16862.	1.6	15

#	ARTICLE	IF	CITATIONS
199	Î±-Synucleins from Animal Species Show Low Fibrillation Propensities and Weak Oligomer Membrane Disruption. <i>Biochemistry</i> , 2018, 57, 5145-5158.	1.2	15
200	Transglutaminase 2-Catalyzed Intramolecular Cross-Linking of Osteopontin. <i>Biochemistry</i> , 2016, 55, 294-303.	1.2	14
201	Serum Amyloid P Component (SAP) Interactome in Human Plasma Containing Physiological Calcium Levels. <i>Biochemistry</i> , 2017, 56, 896-902.	1.2	14
202	Proteolytic processing and activation of gingipain zymogens secreted by T9SS of <i>Porphyromonas gingivalis</i> . <i>Biochimie</i> , 2019, 166, 161-172.	1.3	14
203	Modulation of Small RNA Signatures in Schwann-Cell-Derived Extracellular Vesicles by the p75 Neurotrophin Receptor and Sortilin. <i>Biomedicines</i> , 2020, 8, 450.	1.4	14
204	Identification of Transglutaminase Reactive Residues in Human Osteopontin and Their Role in Polymerization. <i>PLoS ONE</i> , 2014, 9, e113650.	1.1	14
205	Purification, crystallization and preliminary X-ray diffraction of wild-type and mutant recombinant human transforming growth factor Î²-induced protein (TGFBIp). <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009, 65, 299-303.	0.7	13
206	Evolutionary conservation of heavy chain protein transfer between glycosaminoglycans. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010, 1804, 1011-1019.	1.1	13
207	Conservation of the Amyloid Interactome Across Diverse Fibrillar Structures. <i>Scientific Reports</i> , 2019, 9, 3863.	1.6	13
208	Atypical asymmetric lattice corneal dystrophy associated with a novel homozygous mutation (Val624Met) in the TGFBI gene. <i>Molecular Vision</i> , 2008, 14, 495-9.	1.1	13
209	Transforming growth factor beta induced protein accumulation in granular corneal dystrophy type III (Reis-BÄ¼cklers dystrophy). Identification by mass spectrometry in 15 year old two-dimensional protein gels. <i>Molecular Vision</i> , 2003, 9, 355-9.	1.1	13
210	The human cornea proteome: bioinformatic analyses indicate import of plasma proteins into the cornea. <i>Molecular Vision</i> , 2006, 12, 451-60.	1.1	13
211	The effect of residue 1106 on the thioester-mediated covalent binding reaction of human complement protein C4 and the monomeric rat Î±-macroglobulin Î±113. <i>FEBS Letters</i> , 1995, 368, 87-91.	1.3	12
212	Off-pathway aggregation can inhibit fibrillation at high protein concentrations. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 677-687.	1.1	12
213	Characterization of the gila monster (<i>Heloderma suspectum suspectum</i>) venom proteome. <i>Data in Brief</i> , 2015, 3, 137-142.	0.5	12
214	<i>Staphylococcus saccharolyticus</i> Isolated From Blood Cultures and Prosthetic Joint Infections Exhibits Excessive Genome Decay. <i>Frontiers in Microbiology</i> , 2019, 10, 478.	1.5	12
215	Frequently used bioinformatics tools overestimate the damaging effect of allelic variants. <i>Genes and Immunity</i> , 2019, 20, 10-22.	2.2	12
216	Plasmin inhibition by bacterial serpin: Implications in gum disease. <i>FASEB Journal</i> , 2020, 34, 619-630.	0.2	12

#	ARTICLE	IF	CITATIONS
217	Tracing the <i>In Vivo</i> Fate of Nanoparticles with a "Non-Self" Biological Identity. <i>ACS Nano</i> , 2020, 14, 10666-10679.	7.3	12
218	FAM20C phosphorylation of the RGDSVYGLR motif in osteopontin inhibits interaction with the $\alpha_3\beta_1$ integrin. <i>Journal of Cellular Biochemistry</i> , 2020, 121, 4809-4818.	1.2	12
219	Establishment of two distinct protein domains in blue crab <i>Callinectes sapidus</i> metallothionein-I Resonance in Chemistry, 1993, 31, S96-S103.	1.1	11
220	α_1 -Microglobulin Destroys the Proteinase Inhibitory Activity of α_1 -Inhibitor-3 by Complex Formation. <i>Journal of Biological Chemistry</i> , 1995, 270, 4478-4483.	1.6	11
221	Aldosterone and angiotensin II induce protein aggregation in renal proximal tubules. <i>Physiological Reports</i> , 2013, 1, e00064.	0.7	11
222	Calcium Regulates the Activity and Structural Stability of Tpr, a Bacterial Calpain-like Peptidase. <i>Journal of Biological Chemistry</i> , 2015, 290, 27248-27260.	1.6	11
223	The serine protease HtrA1 cleaves misfolded transforming growth factor β_2 -induced protein (TGFB1p) and induces amyloid formation. <i>Journal of Biological Chemistry</i> , 2019, 294, 11817-11828.	1.6	11
224	Hamster antithrombin III: Purification, characterization and acute phase response. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1996, 115, 135-141.	0.7	10
225	Large scale isolation and purification of soluble RAGE from lung tissue. <i>Protein Expression and Purification</i> , 2008, 61, 99-101.	0.6	10
226	Human inter- α_1 -inhibitor is a substrate for factor XIIIa and tissue transglutaminase. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2011, 1814, 1624-1630.	1.1	10
227	The effects of hypochlorous acid and neutrophil proteases on the structure and function of extracellular superoxide dismutase. <i>Free Radical Biology and Medicine</i> , 2015, 81, 38-46.	1.3	10
228	Disulfide Bond Pattern of Transforming Growth Factor β_2 -Induced Protein. <i>Biochemistry</i> , 2016, 55, 5610-5621.	1.2	10
229	Matrix-degrading protease ADAMTS-5 cleaves inter- α_1 -inhibitor and releases active heavy chain 2 in synovial fluids from arthritic patients. <i>Journal of Biological Chemistry</i> , 2019, 294, 15495-15504.	1.6	10
230	A novel approach for production of an active N-terminally truncated Ulp1 (SUMO protease 1) catalytic domain from <i>Escherichia coli</i> inclusion bodies. <i>Protein Expression and Purification</i> , 2020, 166, 105507.	0.6	10
231	The last meal of Tollund Man: new analyses of his gut content. <i>Antiquity</i> , 2021, 95, 1195-1212.	0.5	10
232	The subunit composition of human extracellular superoxide dismutase (EC-SOD) regulate enzymatic activity. <i>BMC Biochemistry</i> , 2007, 8, 19.	4.4	9
233	Genomic and exoproteomic analyses of cold- and alkaline-adapted bacteria reveal an abundance of secreted subtilisin-like proteases. <i>Microbial Biotechnology</i> , 2016, 9, 245-256.	2.0	9
234	The interactome of stabilized α -synuclein oligomers and neuronal proteins. <i>FEBS Journal</i> , 2020, 287, 2037-2054.	2.2	9

#	ARTICLE	IF	CITATIONS
235	Protein Composition of the Subretinal Fluid Suggests Selective Diffusion of Vitreous Proteins in Retinal Detachment. <i>Translational Vision Science and Technology</i> , 2020, 9, 16.	1.1	9
236	Development of selective protease inhibitors via engineering of the bait region of human Î±2-macroglobulin. <i>Journal of Biological Chemistry</i> , 2021, 297, 100879.	1.6	9
237	A Protein Corona Modulates Interactions of Î±-Synuclein with Nanoparticles and Alters the Rates of the Microscopic Steps of Amyloid Formation. <i>ACS Nano</i> , 2022, 16, 1102-1118.	7.3	9
238	Biochemical characterization of bovine plasma thrombin-activatable fibrinolysis inhibitor (TAFI).. <i>BMC Biochemistry</i> , 2009, 10, 13.	4.4	8
239	Flexibility of the Thrombin-activatable Fibrinolysis Inhibitor Pro-domain Enables Productive Binding of Protein Substrates. <i>Journal of Biological Chemistry</i> , 2010, 285, 38243-38250.	1.6	8
240	The Neuroendocrine Protein 7B2 Is Intrinsically Disordered. <i>Biochemistry</i> , 2012, 51, 7456-7464.	1.2	8
241	Transport of a Peptide from Bovine Î±s1-Casein across Models of the Intestinal and Bloodâ€‘Brain Barriers. <i>Nutrients</i> , 2020, 12, 3157.	1.7	8
242	Superoxide dismutase 3 is expressed in bone tissue and required for normal bone homeostasis and mineralization. <i>Free Radical Biology and Medicine</i> , 2021, 164, 399-409.	1.3	8
243	Distal Renal Tubules Are Deficient in Aggresome Formation and Autophagy upon Aldosterone Administration. <i>PLoS ONE</i> , 2014, 9, e101258.	1.1	8
244	Evidence against a blood derived origin for transforming growth factor beta induced protein in corneal disorders caused by mutations in the TGFBI gene. <i>Molecular Vision</i> , 2007, 13, 997-1004.	1.1	8
245	Autocrine regulation of growth stimulation in human epithelial ovarian carcinoma by serine-proteinase-catalysed release of the urinary-type-plasminogen-activator N-terminal fragment. <i>Biochemical Journal</i> , 1999, 341, 765.	1.7	7
246	Identification of a potential biomarker panel for the intake of the common dietary trans fat elaidic acid (trans-Î±9-C18:1). <i>Journal of Proteomics</i> , 2012, 75, 2685-2696.	1.2	7
247	Insight into the Protein Composition of Immunoglobulin Light Chain Deposits of Eyelid, Orbital and Conjunctival Amyloidosis. <i>Journal of Proteomics and Bioinformatics</i> , 2014, s8, .	0.4	7
248	Preparation of uniformly 13C,15N-labeled recombinant human amylin for solid-state NMR investigation. <i>Protein Expression and Purification</i> , 2014, 99, 119-130.	0.6	7
249	The Compact and Biologically Relevant Structure of Inter-Î±-inhibitor Is Maintained by the Chondroitin Sulfate Chain and Divalent Cations. <i>Journal of Biological Chemistry</i> , 2016, 291, 4658-4670.	1.6	7
250	Hydrogen exchange mass spectrometry as an analytical tool for the analysis of amyloid fibrillogenesis. <i>International Journal of Mass Spectrometry</i> , 2011, 302, 167-173.	0.7	6
251	Early Events in the Amyloid Formation of the A546T Mutant of Transforming Growth Factor Î²-Induced Protein in Corneal Dystrophies Compared to the Nonfibrillating R555W and R555Q Mutants. <i>Biochemistry</i> , 2015, 54, 5546-5556.	1.2	6
252	Human Lysozyme Peptidase Resistance Is Perturbed by the Anionic Glycolipid Biosurfactant Rhamnolipid Produced by the Opportunistic Pathogen <i>Pseudomonas aeruginosa</i> . <i>Biochemistry</i> , 2017, 56, 260-270.	1.2	6

#	ARTICLE	IF	CITATIONS
253	Î±2-Macroglobulin-like protein 1 can conjugate and inhibit proteases through their hydroxyl groups, because of an enhanced reactivity of its thiol ester. <i>Journal of Biological Chemistry</i> , 2020, 295, 16732-16742.	1.6	6
254	Identification of polyphenol oxidases in potato tuber (<i>Solanum tuberosum</i>) and purification and characterization of the major polyphenol oxidases. <i>Food Chemistry</i> , 2021, 365, 130454.	4.2	6
255	Substituting the Thiol Ester of Human A2M or C3 with a Disulfide Produces Native Proteins with Altered Proteolysis-Induced Conformational Changes. <i>Biochemistry</i> , 2020, 59, 4799-4809.	1.2	6
256	Preparation and electron paramagnetic resonance characterization of spin labeled monoderivatives of horse cytochrome c. <i>BBA - Proteins and Proteomics</i> , 1998, 1386, 50-58.	2.1	5
257	New member of the trefoil factor family of proteins is an Î±-macroglobulin protease inhibitor. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2002, 1598, 131-139.	1.1	5
258	Proteomics and the Eye. <i>Proteomics - Clinical Applications</i> , 2014, 8, 127-129.	0.8	5
259	Kallikrein-Related Peptidase 14 Activates Zymogens of Membrane Type Matrix Metalloproteinases (MT-MMPs)â€™A CleavEx Based Analysis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4383.	1.8	5
260	The low-density lipoprotein receptor-related protein 1 (LRP1) interactome in the human cornea. <i>Experimental Eye Research</i> , 2022, 219, 109081.	1.2	5
261	The role of higher-order protein structure in supporting binding by heteroclitic monoclonal antibodies: The monoclonal antibody KIM185 to CD18 also binds C4-binding protein. <i>Molecular Immunology</i> , 2011, 49, 38-47.	1.0	4
262	Activation of Complement by Pigment Epitheliumâ€™Derived Factor in Rheumatoid Arthritis. <i>Journal of Immunology</i> , 2017, 199, 1113-1121.	0.4	4
263	Mutation-Induced Deamidation of Corneal Dystrophy-Related Transforming Growth Factor Î²-Induced Protein. <i>Biochemistry</i> , 2017, 56, 6470-6480.	1.2	4
264	Cryo-EM structures of human A2ML1 elucidate the protease-inhibitory mechanism of the A2M family. <i>Nature Communications</i> , 2022, 13, .	5.8	4
265	Murine Extracellular Superoxide Dismutase Is Converted into the Inactive Fold by the Ser195Cys Mutation. <i>Biochemistry</i> , 2013, 52, 3369-3375.	1.2	3
266	Latency, thermal stability, and identification of an inhibitory compound of mirolysin, a secretory protease of the human periodontopathogen <i>Tannerella forsythia</i> . <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021, 36, 1267-1281.	2.5	3
267	An Integrative Structural Biology Analysis of Von Willebrand Factor Binding and Processing by ADAMTS-13 in Solution. <i>Journal of Molecular Biology</i> , 2021, 433, 166954.	2.0	3
268	Mutation-induced dimerization of transforming growth factor-Î²â€™induced protein may drive protein aggregation in granular corneal dystrophy. <i>Journal of Biological Chemistry</i> , 2021, 297, 100858.	1.6	3
269	Near-complete 1H, 13C, 15N resonance assignments of dimethylsulfoxide-denatured TGFBIp FAS1-4 A546T. <i>Biomolecular NMR Assignments</i> , 2016, 10, 25-29.	0.4	2
270	Protein Analysis of the TGFBI^{R124H} Mouse Model Gives Insight into Phenotype Development of Granular Corneal Dystrophy. <i>Proteomics - Clinical Applications</i> , 2020, 14, e1900072.	0.8	2

#	ARTICLE	IF	CITATIONS
271	Polypeptide Chain Structure of Inter- α -Trypsin Inhibitor and Pre- α -Trypsin Inhibitor: Evidence for Chain Assembly by Glycan and Comparison with other α -Kunin-Containing Proteins. , 1990, , 79-91.		2
272	Ant-egg-cataract revisited. Graefe's Archive for Clinical and Experimental Ophthalmology, 2017, 255, 119-125.	1.0	1
273	The conformational change of the protease inhibitor α 2-macroglobulin is triggered by the retraction of the cleaved bait region from a central channel. Journal of Biological Chemistry, 2022, 298, 102230.	1.6	1
274	Detection of proteolytic signatures for Parkinson's disease. Future Neurology, 2016, 11, 15-32.	0.9	0
275	ECSOD inhibits PMN Chemotaxis by Preventing Oxidative Fragmentation of Collagen. FASEB Journal, 2006, 20, A1161.	0.2	0
276	Ribosomal Protein L22 (RPL22) accumulates as aggregates in distal renal tubules after aldosterone administration. FASEB Journal, 2013, 27, 705.5.	0.2	0
277	Potential clinical importance of the activation peptide of prostate-specific antigen. International Journal of Clinical and Experimental Pathology, 2009, 2, 588-98.	0.5	0
278	Structural Remodelling of the Carbon-Phosphorus Enzymatic Machinery by a Dual ATP-Binding Cassette Module. FASEB Journal, 2022, 36, .	0.2	0