

# Sergio Faloni de Andrade

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2057276/publications.pdf>

Version: 2024-02-01

124  
papers

2,833  
citations

196777

29  
h-index

263392

45  
g-index

125  
all docs

125  
docs citations

125  
times ranked

3845  
citing authors

#	ARTICLE	IF	CITATIONS
1	The PPAR $\beta$ -dependent effect of flavonoid luteolin against damage induced by the chemotherapeutic irinotecan in human intestinal cells. <i>Chemico-Biological Interactions</i> , 2022, 351, 109712.	1.7	9
2	<i>Cymbopogon citratus</i> (DC.) Stapf essential oil: Unraveling potential benefits on human skin. <i>Biomedical and Biopharmaceutical Research</i> , 2022, 19, 1-13.	0.0	0
3	Gastric healing effect of p-coumaric acid isolated from <i>Baccharis dracunculifolia</i> DC on animal model. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2021, 394, 49-57.	1.4	11
4	Dual role of eugenol on chronic gastric ulcer in rats: Low-dose healing efficacy and the worsening gastric lesion in high doses. <i>Chemico-Biological Interactions</i> , 2021, 333, 109335.	1.7	13
5	The gastroprotective effect of red propolis extract from Northeastern Brazil and the role of its isolated compounds. <i>Journal of Ethnopharmacology</i> , 2021, 267, 113623.	2.0	14
6	Characterizing the Mechanism of Action of Essential Oils on Skin Homeostasis—Data from Sonographic Imaging, Epidermal Water Dynamics, and Skin Biomechanics. <i>Cosmetics</i> , 2021, 8, 36.	1.5	6
7	Antinociceptive and anti-inflammatory activities of <i>Copaifera pubiflora</i> Benth oleoresin and its major metabolite menthardwickic acid. <i>Journal of Ethnopharmacology</i> , 2021, 271, 113883.	2.0	13
8	Topically applied methyl nicotinate evokes a temporary inflammation on human skin. <i>Biomedical and Biopharmaceutical Research</i> , 2021, 18, 38-47.	0.0	0
9	Optoacoustic Tomography “good news for microcirculatory research. <i>Biomedical and Biopharmaceutical Research</i> , 2021, 18, 49.	0.0	1
10	Optoacoustic Tomography “good news for microcirculatory research. <i>Biomedical and Biopharmaceutical Research</i> , 2021, 18, 1-13.	0.0	0
11	Polymeric films containing pomegranate peel extract based on PVA/starch/PAA blends for use as wound dressing: In vitro analysis and physicochemical evaluation. <i>Materials Science and Engineering C</i> , 2020, 109, 110643.	3.8	48
12	Gastroprotective activity of hydroalcoholic extract of the leaves of <i>Urera baccifera</i> in rodents. <i>Journal of Ethnopharmacology</i> , 2020, 250, 112473.	2.0	14
13	Role of the antioxidant properties in the gastroprotective and gastric healing activity promoted by Brazilian green propolis and the healing efficacy of Artepillin C. <i>Inflammopharmacology</i> , 2020, 28, 1009-1025.	1.9	20
14	Antiarthritic and Antihyperalgesic Properties of Ethanolic Extract from <i>Gomphrena celosioides</i> Mart. (Amaranthaceae) Aerial Parts. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-11.	0.5	3
15	Chemical profile and gastroprotective effect of <i>Jatropha elliptica</i> (Pohl) Oken roots. <i>FITOTERAPIA</i> , 2020, 146, 104707.	1.1	5
16	<i>Maytenus robusta</i> Reissek, a medicinal plant popularly used to treat digestive diseases, promotes ameliorative effects in colon and liver of mice exposed to dextran sulfate sodium. <i>Journal of Ethnopharmacology</i> , 2020, 261, 113180.	2.0	4
17	In vivo study of anti-inflammatory and antinociceptive activities of <i>Copaifera pubiflora</i> Benth oleoresin. <i>Natural Product Research</i> , 2020, , 1-7.	1.0	3
18	Açaí-berries ( <i>Euterpe oleracea</i> Mart.) dried extract improves ethanol-induced ulcer in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2020, 72, 1239-1244.	1.2	7

#	ARTICLE	IF	CITATIONS
19	Luteolin prevents irinotecan-induced intestinal mucositis in mice through antioxidant and anti-inflammatory properties. <i>British Journal of Pharmacology</i> , 2020, 177, 2393-2408.	2.7	87
20	Gastroprotective properties of Lupeol-derived ester: Pre-clinical evidences of Lupeol-stearate as a potent antiulcer agent. <i>Chemico-Biological Interactions</i> , 2020, 321, 108964.	1.7	7
21	<i>Calendula officinalis</i> L. inflorescences extract: in vivo evaluation of its gastric ulcer healing potential. <i>Biomedical and Biopharmaceutical Research</i> , 2020, 17, 1-15.	0.0	0
22	Gastroprotective Potential of the Hydroalcoholic Extract from <i>Jacaranda puberula</i> in Mice. <i>Revista Brasileira De Farmacognosia</i> , 2020, 30, 838-843.	0.6	1
23	In vitro activity of pomegranate peel extract alone and in electrospun poly(vinyl alcohol)/sodium alginate matrix. <i>Biomedical and Biopharmaceutical Research</i> , 2020, 17, 1-19.	0.0	1
24	<i>Salvia lachnostachys</i> Benth has antitumor and chemopreventive effects against solid Ehrlich carcinoma. <i>Molecular Biology Reports</i> , 2019, 46, 4827-4841.	1.0	8
25	<i>Bauhinia forficata</i> link, a Brazilian medicinal plant traditionally used to treat cardiovascular disorders, exerts endothelium-dependent and independent vasorelaxation in thoracic aorta of normotensive and hypertensive rats. <i>Journal of Ethnopharmacology</i> , 2019, 243, 112118.	2.0	20
26	Mechanisms underlying <i>Eugenia mattosii</i> D. Legrand leaves extract, fractions and compounds induce relaxation of the aorta from normotensive and hypertensive rats. <i>3 Biotech</i> , 2019, 9, 445.	1.1	2
27	Effects of myricetin-3-O- $\beta$ -rhamnoside (myricitrin) treatment on urinary parameters of Wistar rats. <i>Journal of Pharmacy and Pharmacology</i> , 2019, 71, 1832-1838.	1.2	7
28	1,3,5,6-Tetrahydroxyxanthone, a natural xanthone, induces diuresis and saluresis in normotensive and hypertensive rats. <i>Chemico-Biological Interactions</i> , 2019, 311, 108778.	1.7	18
29	Cryptostrobin and catechin isolated from <i>Eugenia mattosii</i> D. Legrand leaves induce endothelium-dependent and independent relaxation in spontaneously hypertensive rat aorta. <i>Pharmacological Reports</i> , 2019, 71, 950-957.	1.5	5
30	Hesperidin, a citrus flavanone glycoside, accelerates the gastric healing process of acetic acid-induced ulcer in rats. <i>Chemico-Biological Interactions</i> , 2019, 308, 45-50.	1.7	31
31	Hydroalcoholic extract of <i>Tagetes erecta</i> L. flowers, rich in the carotenoid lutein, attenuates inflammatory cytokine secretion and improves the oxidative stress in an animal model of ulcerative colitis. <i>Nutrition Research</i> , 2019, 66, 95-106.	1.3	51
32	Hydroalcoholic extract from <i>Baccharis dracunculifolia</i> recovers the gastric ulcerated tissue, and p-coumaric acid is a pivotal bioactive compound to this action. <i>BioFactors</i> , 2019, 45, 479-489.	2.6	16
33	Flavonoid-rich fraction of <i>Bauhinia forficata</i> Link leaves prevents the intestinal toxic effects of irinotecan chemotherapy in IEC6 cells and in mice. <i>Phytotherapy Research</i> , 2019, 33, 90-106.	2.8	22
34	Acute and subacute (28 days) toxicity, hemolytic and cytotoxic effect of <i>Artocarpus heterophyllus</i> seed extracts. <i>Toxicology Reports</i> , 2019, 6, 1304-1308.	1.6	23
35	<i>Chrysophyllum cainito</i> (apple-star): a fruit with gastroprotective activity in experimental ulcer models. <i>Inflammopharmacology</i> , 2019, 27, 985-996.	1.9	5
36	Antioxidant and anti-inflammatory effect of plumieride in dextran sulfate sodium-induced colitis in mice. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 697-703.	2.5	14

#	ARTICLE	IF	CITATIONS
37	Gallic acid, a phenolic compound isolated from <i>Mimosa bimucronata</i> (DC.) Kuntze leaves, induces diuresis and saluresis in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 649-655.	1.4	17
38	Brazilian green propolis hydroalcoholic extract reduces colon damages caused by dextran sulfate sodium-induced colitis in mice. <i>Inflammopharmacology</i> , 2018, 26, 1283-1292.	1.9	17
39	Essential oil of <i>Cymbopogon citratus</i> (lemongrass) and geraniol, but not citral, promote gastric healing activity in mice. <i>Biomedicine and Pharmacotherapy</i> , 2018, 98, 118-124.	2.5	29
40	Gastroprotective activity of the methanol extract from peels of <i>Plinia edulis</i> (Vell.) Sobral fruits and its isolated triterpenes: maslinic and ursolic acids. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 95-101.	1.4	11
41	Constituents of leaves from <i>Bauhinia curvula</i> Benth. exert gastroprotective activity in rodents: role of quercitrin and kaempferol. <i>Inflammopharmacology</i> , 2018, 26, 539-550.	1.9	20
42	Prolonged diuretic and saluretic effect of nothofagin isolated from <i>Leandra dasytricha</i> (A. Gray) Cogn. leaves in normotensive and hypertensive rats: Role of antioxidant system and renal protection. <i>Chemico-Biological Interactions</i> , 2018, 279, 227-233.	1.7	21
43	Natural Foods from Plant Sources in Preventing Nontransmissible Diseases. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-2.	0.5	0
44	The hydroethanolic <i>Litchi chinensis</i> leaf extract alleviate hepatic injury induced by carbon tetrachloride (CCl <sub>4</sub> ) through inhibition of hepatic inflammation. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 929-936.	2.5	9
45	Herbal Medicines Useful to Treat Inflammatory and Ulcerative Gastrointestinal Disorders: Preclinical and Clinical Studies. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-2.	0.5	2
46	Propolis and Its Potential to Treat Gastrointestinal Disorders. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018, 2018, 1-12.	0.5	18
47	Artepillin C, drupanin, aromadendrin-4-O-methyl-ether and kaempferide from Brazilian green propolis promote gastroprotective action by diversified mode of action. <i>Journal of Ethnopharmacology</i> , 2018, 226, 82-89.	2.0	41
48	Antineoplastic effect of pectic polysaccharides from green sweet pepper ( <i>Capsicum annuum</i> ) on mammary tumor cells in vivo and in vitro. <i>Carbohydrate Polymers</i> , 2018, 201, 280-292.	5.1	25
49	Preclinical evaluation of the diuretic and saluretic effects of (-)-epicatechin and the result of its combination with standard diuretics. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 520-525.	2.5	14
50	Physicochemical and in vitro biological evaluations of furazolidone-based $\beta$ -cyclodextrin complexes in <i>Leishmania amazonensis</i> . <i>Research in Veterinary Science</i> , 2018, 119, 143-153.	0.9	13
51	Sex-specific effects of <i>Eugenia punicifolia</i> extract on gastric ulcer healing in rats. <i>World Journal of Gastroenterology</i> , 2018, 24, 4369-4383.	1.4	7
52	The Protective Potential of <i>Phyllanthus niruri</i> and Corilagin on Gastric Lesions Induced in Rodents by Different Harmful Agents. <i>Planta Medica</i> , 2017, 83, 30-39.	0.7	6
53	Gastroprotective and anti-secretory mechanisms of 2-phenylquinoline, an alkaloid isolated from <i>Galipea longiflora</i> . <i>Phytomedicine</i> , 2017, 25, 61-70.	2.3	16
54	Diuretic effect of extracts, fractions and two compounds 2 $\beta$ ,3 $\beta$ ,19 $\beta$ -trihydroxy-urs-12-en-28-oic acid and 5-hydroxy-3,6,7,8,4 $\beta$ -pentamethoxyflavone from <i>Rubus rosaefolius</i> Sm. (Rosaceae) leaves in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 351-360.	1.4	19

#	ARTICLE	IF	CITATIONS
55	Hepatoprotective effect of <i>Maytenus robusta</i> Reiss extract on CCl <sub>4</sub> -induced hepatotoxicity in mice and HepG2 cells. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 86, 93-100.	1.3	7
56	Gastroprotective potential of methanolic extract and dimethyl cardamonin from <i>Campomanesia reitziana</i> fruits in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 661-666.	1.4	13
57	Diuretic, natriuretic and potassium-sparing effect of nothofagin isolated from <i>Leandra dasytricha</i> (A.) Tj ETQq1 1 0.784314 rgBT /Ove 103-110.	1.7	24
58	Diuretic and natriuretic effect of luteolin in normotensive and hypertensive rats: Role of muscarinic acetylcholine receptors. <i>Pharmacological Reports</i> , 2017, 69, 1121-1124.	1.5	31
59	Influence of Prostanoids in the Diuretic and Natriuretic Effects of Extracts and Kaempferitrin from <i>Bauhinia forficata</i> Link Leaves in Rats. <i>Phytotherapy Research</i> , 2017, 31, 1521-1528.	2.8	25
60	Chemical composition and diuretic, natriuretic and kaliuretic effects of extracts of <i>Mimosa bimucronata</i> (DC.) Kuntze leaves and its majority constituent methyl gallate in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2017, 69, 1615-1624.	1.2	14
61	Hydroalcoholic extract from bark of <i>Persea major</i> (Meisn.) L.E. Kopp (Lauraceae) exerts antiulcer effects in rodents by the strengthening of the gastric protective factors. <i>Journal of Ethnopharmacology</i> , 2017, 209, 294-304.	2.0	12
62	SCREENING OF WILD FRUIT TREES WITH GASTROPROTECTIVE ACTIVITY IN DIFFERENT EXPERIMENTAL MODELS. <i>Arquivos De Gastroenterologia</i> , 2017, 54, 135-138.	0.3	5
63	Gastroprotective Value of Berries: Evidences from Methanolic Extracts of <i>Morus nigra</i> and <i>Rubus niveus</i> Fruits. <i>Gastroenterology Research and Practice</i> , 2017, 2017, 1-8.	0.7	17
64	Phytochemical profile and gastroprotective potential of <i>Myrcianthes pungens</i> fruits and leaves. <i>Nutrire</i> , 2017, 42, .	0.3	6
65	Phytochemical Analysis and Gastroprotective Activity of the Root Bark from <i>Maytenus robusta</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.2	2
66	Hydroalcoholic Extract from Inflorescences of <i>Achyrocline satureioides</i> (Compositae) Ameliorates Dextran Sulphate Sodium-Induced Colitis in Mice by Attenuation in the Production of Inflammatory Cytokines and Oxidative Mediators. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-15.	0.5	17
67	Gastroprotective xanthenes isolated from <i>Garcinia achachairu</i> : Study on mucosal defensive factors and H <sup>+</sup> , K <sup>+</sup> -ATPase activity. <i>Chemico-Biological Interactions</i> , 2016, 258, 30-39.	1.7	19
68	Effects of methanolic extract from leaves of <i>Rubus imperialis</i> in DSS-induced colitis in mice. <i>Inflammopharmacology</i> , 2016, 24, 403-409.	1.9	2
69	The effects of baicalein on gastric mucosal ulcerations in mice: Protective pathways and anti-secretory mechanisms. <i>Chemico-Biological Interactions</i> , 2016, 260, 33-41.	1.7	35
70	Antiulcer mechanisms of <i>Vernonia condensata</i> Baker: A medicinal plant used in the treatment of gastritis and gastric ulcer. <i>Journal of Ethnopharmacology</i> , 2016, 184, 196-207.	2.0	41
71	Pharmacological reports about gastroprotective effects of methanolic extract from leaves of <i>Solidago chilensis</i> (Brazilian arnica) and its components quercitrin and afzelin in rodents. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 403-417.	1.4	40
72	In vivo evaluation of the genetic toxicity of <i>Rubus niveus</i> Thunb. (Rosaceae) extract and initial screening of its potential chemoprevention against doxorubicin-induced DNA damage. <i>Journal of Ethnopharmacology</i> , 2015, 164, 89-95.	2.0	16

#	ARTICLE	IF	CITATIONS
73	Copaifera langsdorffii: evaluation of potential gastroprotective of extract and isolated compounds obtained from leaves. Revista Brasileira De Farmacognosia, 2015, 25, 238-245.	0.6	41
74	Evidence of gastric ulcer healing activity of Maytenus robusta Reissek: In vitro and in vivo studies. Journal of Ethnopharmacology, 2015, 175, 75-85.	2.0	51
75	Gastroprotective bio-guiding study of fruits from Mimusops balata. Naunyn-Schmiedeberg's Archives of Pharmacology, 2015, 388, 1187-1200.	1.4	12
76	Evaluation of the gastroprotective activity of the extracts, fractions, and pure compounds obtained from aerial parts of Rubus imperialis in different experimental models. Naunyn-Schmiedeberg's Archives of Pharmacology, 2014, 387, 313-319.	1.4	16
77	Reproductive toxicology and clastogenic evaluation in mice of a phytotherapeutic formulation obtained from Cinchona calisaya Weddel (Rubiaceae) used in Brazilian folk medicine as female fertility stimulant. Journal of Ethnopharmacology, 2014, 155, 1508-1512.	2.0	1
78	Genotoxic assessment of Rubus imperialis (Rosaceae) extract in vivo and its potential chemoprevention against cyclophosphamide-induced DNA damage. Journal of Ethnopharmacology, 2014, 153, 694-700.	2.0	26
79	Validation of an HPLC method for the determination of 1,7-dihydroxy-2,3-methylenedioxyxanthone in extracts obtained from Polygala cyprisii A. St. Hil. & Moq. (Polygalaceae) and evaluation of the influence of its content on the gastroprotective activity.. Quimica Nova, 2014, 37, .	0.3	0
80	Role of gastric mucus secretion, oxinitrergic system and sulfhydryl groups on the gastroprotection elicited by Polygala cyprisii (Polygalaceae) in mice. Journal of Pharmacy and Pharmacology, 2013, 65, 767-776.	1.2	11
81	Dragon's blood Croton palanostigma induces genotoxic effects in mice. Journal of Ethnopharmacology, 2013, 147, 406-411.	2.0	5
82	Achyrocline satureioides (Lam.) D.C. Hydroalcoholic Extract Inhibits Neutrophil Functions Related to Innate Host Defense. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-12.	0.5	19
83	Benzophenone guttiferone A from Garcinia achachairu Rusby (Clusiaceae) Presents Genotoxic Effects in Different Cells of Mice. PLoS ONE, 2013, 8, e76485.	1.1	21
84	Gastroprotective effects of extracts and guttiferone A isolated from Garcinia achachairu Rusby (Clusiaceae) against experimentally induced gastric lesions in mice. Naunyn-Schmiedeberg's Archives of Pharmacology, 2012, 385, 1103-1109.	1.4	28
85	Genotoxicity assessment of Garcinia achachairu Rusby (Clusiaceae) extract in mammalian cells in vivo. Journal of Ethnopharmacology, 2012, 142, 362-366.	2.0	12
86	Antiulcerogenic effect of Croton urucurana Baillon bark. Journal of Ethnopharmacology, 2012, 143, 331-337.	2.0	16
87	Evaluation of the genotoxic and antigenotoxic potential of Brassica oleracea L. var. acephala D.C. in different cells of mice. Journal of Ethnopharmacology, 2012, 143, 740-745.	2.0	20
88	The therapeutic lead potential of metabolites obtained from natural sources for the treatment of peptic ulcer. Phytochemistry Reviews, 2012, 11, 567-616.	3.1	22
89	Genotoxicity of the medicinal plant Maytenus robusta in mammalian cells in vivo. Genetics and Molecular Research, 2012, 11, 2847-2854.	0.3	12
90	A Pharmacognostic Approach to the Polygala Genus: Phytochemical and Pharmacological Aspects. Chemistry and Biodiversity, 2012, 9, 181-209.	1.0	33

#	ARTICLE	IF	CITATIONS
91	Gastroprotective activity of hydroalcoholic extract obtained from the leaves of <i>Brassica oleracea</i> var. <i>acephala</i> DC in different animal models. <i>Journal of Ethnopharmacology</i> , 2011, 138, 503-507.	2.0	41
92	Gastroprotective activity of methanol extract and marrubiin obtained from leaves of <i>Marrubium vulgare</i> L. (Lamiaceae). <i>Journal of Pharmacy and Pharmacology</i> , 2011, 63, 1230-1237.	1.2	52
93	In vitro genotoxicity assessment of caffeic, cinnamic and ferulic acids. <i>Genetics and Molecular Research</i> , 2011, 10, 1130-1140.	0.3	42
94	Gastroprotective activity of essential oil of the <i>Syzygium aromaticum</i> and its major component eugenol in different animal models. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2011, 383, 149-158.	1.4	74
95	<i>In vivo</i> genotoxicity assessment of nerolidol. <i>Journal of Applied Toxicology</i> , 2011, 31, 633-639.	1.4	27
96	Simultaneous in situ monitoring of acrylic acid polymerization reaction on N-carboxymethyl chitosan using multidetectors: Formation of a new bioadhesive and gastroprotective hybrid particle. <i>Materials Science and Engineering C</i> , 2011, 31, 677-682.	3.8	12
97	A Review of the Ethnopharmacology, Phytochemistry and Pharmacology of Plants of the <i>Maytenus</i> Genus. <i>Current Pharmaceutical Design</i> , 2011, 17, 1851-1871.	0.9	52
98	Anti-inflammatory and antinociceptive properties of blueberry extract ( <i>Vaccinium corymbosum</i> ). <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 591-596.	1.2	40
99	<i>Baccharis dracunculifolia</i> , the main botanical source of Brazilian green propolis, displays antiulcer activity. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 603-608.	1.2	70
100	Antiulcerogenic activity of extract, fractions, and some compounds obtained from <i>Polygala cyparissias</i> St. Hillaire & Moquin (Polygalaceae). <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2010, 381, 121-126.	1.4	74
101	Gastroresistant microparticles containing sodium alendronate prevent the bone loss in ovariectomized rats. <i>European Journal of Pharmaceutical Sciences</i> , 2010, 40, 441-447.	1.9	15
102	Lapachol Induces Clastogenic Effects in Rats. <i>Planta Medica</i> , 2010, 76, 858-862.	0.7	7
103	Microencapsulation of sodium alendronate reduces drug mucosal damage in rats. <i>Drug Delivery</i> , 2010, 17, 231-237.	2.5	13
104	Anti-inflammatory and antinociceptive effects of <i>Baccharis dracunculifolia</i> DC (Asteraceae) in different experimental models. <i>Journal of Ethnopharmacology</i> , 2010, 127, 543-550.	2.0	64
105	Antiulcer effects of <i>Achyrocline satureoides</i> (Lam.) DC (Asteraceae) (Marcela), a folk medicine plant, in different experimental models. <i>Journal of Ethnopharmacology</i> , 2010, 130, 334-339.	2.0	61
106	Phytochemical Analyses and Gastroprotective Effects of <i>Eugenia Umbelliflora</i> (Myrtaceae) on Experimental Gastric Ulcers. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	6
107	Evaluation of the genotoxic potential of <i>Austroplenckia populnea</i> (Reiss) Lundell chloroform fraction from barkwood extract in rodent cells in vivo. <i>Brazilian Journal of Biology</i> , 2009, 69, 1141-1147.	0.4	5
108	Gastroprotective activity of alkaloid extract and 2-phenylquinoline obtained from the bark of <i>Galipea longiflora</i> Krause (Rutaceae). <i>Chemico-Biological Interactions</i> , 2009, 180, 312-317.	1.7	34



#	ARTICLE	IF	CITATIONS
109	Antiulcerogenic activity of the essential oil of <i>Baccharis dracunculifolia</i> on different experimental models in rats. <i>Phytotherapy Research</i> , 2009, 23, 1355-1360.	2.8	65
110	Antiulcerogenic activity of fractions and 3,15-Dioxo-21-hydroxy friedelane isolated from <i>Maytenus robusta</i> (Celastraceae). <i>Archives of Pharmacal Research</i> , 2008, 31, 41-46.	2.7	34
111	Evaluation of antiulcer activity of the main phenolic acids found in Brazilian Green Propolis. <i>Journal of Ethnopharmacology</i> , 2008, 120, 372-377.	2.0	168
112	First in vivo evaluation of the mutagenic effect of Brazilian green propolis by comet assay and micronucleus test. <i>Food and Chemical Toxicology</i> , 2008, 46, 2580-2584.	1.8	36
113	Antileishmanial, Antimalarial and Antimicrobial Activities of the Extract and Isolated Compounds from <i>Austroplenckia populnea</i> (Celastraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008, 63, 497-502.	0.6	22
114	Evaluation of the in vivo mutagenic potential of hydroalcoholic extracts of the northern highbush blueberry ( <i>Vaccinium corymbosum</i> L. Ericales, Ericaceae) on peripheral blood cells of Swiss mice (Mus) Tj ETQq0 0 OrgBT /Overlock 10 T		
115	Absence of mutagenicity effects of <i>Psidium cattleyanum</i> Sabine (Myrtaceae) extract on peripheral blood and bone marrow cells of mice. <i>Genetics and Molecular Research</i> , 2008, 7, 679-686.	0.3	4
116	Nerolidol, an Antiulcer Constituent from the Essential Oil of <i>Baccharis dracunculifolia</i> DC (Asteraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007, 62, 537-542.	0.6	106
117	In vivo Clastogenicity Assessment of the <i>Austroplenckia populnea</i> (Celastraceae) Leaves Extract using Micronucleus and Chromosome Aberration Assay. <i>Cytologia</i> , 2007, 72, 1-6.	0.2	6
118	Assessment of the Potential Clastogenic/Aneugenic Risk of <i>Casearia sylvestris</i> Extract Using in Vivo Assays. <i>Cytologia</i> , 2007, 72, 401-407.	0.2	0
119	Anti-inflammatory and antinociceptive activities of extract, fractions and populnoic acid from bark wood of <i>Austroplenckia populnea</i> . <i>Journal of Ethnopharmacology</i> , 2007, 109, 464-471.	2.0	47
120	Effect of Brazilian green propolis on experimental gastric ulcers in rats. <i>Journal of Ethnopharmacology</i> , 2007, 110, 567-571.	2.0	81
121	Evaluation of the antiulcerogenic activity of <i>Maytenus robusta</i> (Celastraceae) in different experimental ulcer models. <i>Journal of Ethnopharmacology</i> , 2007, 113, 252-257.	2.0	60
122	Antiulcerogenic Activity of Crude Extract, Fractions and Populnoic Acid Isolated from <i>Austroplenckia populnea</i> (Celastraceae). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2006, 61, 329-333.	0.6	37
123	Epididymis-Specific Pathologic Disorders in Rats Exposed to Gossypol from Weaning Through Puberty. <i>Toxicologic Pathology</i> , 2006, 34, 730-737.	0.9	22
124	Clastogenicity of the <i>Austroplenckia populnea</i> (Celastraceae) Bark Wood Extract in Wistar Rat Bone Marrow Cells. <i>Cytologia</i> , 2005, 70, 303-308.	0.2	7